. .

## RESULTS

OF THE

## MAGNETICAL AND METEOROLOGICAL

## **OBSERVATIONS**

MADE AT

THE ROYAL OBSERVATORY, GREENWICH,

1866.

(EXTRACTED FROM THE GREENWICH OBSERVATIONS, 1866.)

.

### ROYAL OBSERVATORY, GREENWICH.

## RESULTS

OF

# MAGNETICAL AND METEOROLOGICAL OBSERVATIONS.

1866.

		,

	•
Introduction.	PAGE
LOCALITY and Buildings of the Magnetic Observatory	iii
Description of the Magnetic Observatory and Magnetic Basement	iii and iv
Positions of the Instruments, and Fittings of the Room	iv and v
Variation of Temperature in the Magnetic Basement	v
Position of the Electrometers and of the Pole supporting the Conducting Wires	$oldsymbol{v}$
Apparatus for Naphthalizing the Gas	
Range of Seven Rooms, called Magnetic Offices	
Position and Description of the Photographic Thermometer Shed	
UPPER DECLINATION MAGNET, and Apparatus for observing it	vi
Theodolite	vi
Stand, Double Box, Suspension and Dimensions of the Declination Magnet	vi
Silk Fibre and Steel Wire used for suspending the Magnet	
Collimator on the Magnet	vii
Copper Damper, its Construction, and Effect upon the Oscillations of the Magnet	vii
New Water-Damper	vii
Inequality of the Pivots of the Theodolite Telescope	vii
Value of One Revolution of the Micrometer Screw of the Theodolite Telescope	viii
Determination of the Micrometer Reading for the Line of Collimation of the Theodolite Telescope	
Determination of the Effect of the Mean Time Clock on the Declination Magnet	viii
Determination of the Compound Effects of the Vertical Force Magnet and Horizontal	
Force Magnet on the Declination Magnet	viii
Determination of the Error of Collimation for the Plane Gluss in front of the Boxes	
of the Declination Magnet	
Determination of the Error of Collimation of the Magnet Collimator with reference to the	
Magnetic Axis of the Magnet	
Effect of the Damper on the Position of the Magnet	ix and x
Calculation of the Constant used in the Reduction of the Observations of the Upper	
Declination Magnet	x
Determination of the Time of Vibration of the Declination Magnet under the Action of	•
Terrestrial Magnetism	. <b>x</b>
Fraction expressing the Proportion of the Torsion Force to the Earth's Magnetic Force .	æ
Determination of the Readings of the Horizontal Circle of the Theodolite corresponding to the Astronomical Meridian	
Correction for the Error of Level of the Axis of the Theodolite	
Formula and Tabular Numbers used in Computation of the Correction for the Azimuth	æ
of the Star observed	xi
Days of Observations for determining the Readings corresponding to the Astronomical Meridian	! xii
Check on the continued Steadiness of the Theodolite	zii
Method of Making and Reducing the Observations for Declination	2211
GREENWICH MAGNETICAL AND METEOROLOGICAL OBSERVATIONS, 1866.	

2

NTRODUCTION—continued.		PAG
GENERAL PRINCIPLE OF PHOTOGRAPHIC SELF-REGISTERING APPARATUS FOR CONT	PINTIATI	<b>a</b>
Record of Magnetic and other Indications	INCOUR	. xii
Photographic Paper on Revolving Cylinder of Glass or Ebonite	• •	. xii
Concave Mirror carried by the Magnet	• •	xiv
Astigmatism of the Reflected Pencil of Light, and Use of Cylindrical Lens		_
		. xiv
Image of a Spot of Light formed on the Cylinder		. xii
Photographic Line of Abscissæ, or Base-Line		, xir
Adjustment of the Time Scale		
Lower Declination Magnet; and Photographic self-registering Apparat	ius for	
Continuous Record of Magnetic Declination	•, • •	. xı
Dimensions and Suspension of Lower Declination Magnet	• •	. xv
Position of the Photographic Cylinder		, xv
Dimensions and Position of the Concave Mirror; its Distance from the Light-A	perture	<b>;</b>
and from the Cylinder	• • •	xvi
Zero and Measure of the Ordinates of the Photographic Curve	• •	. xvi
New Base Line	• •	xvi
Horizontal Force Magnet, and Apparatus for observing it		. xvi
Dimensions of the Horizontal Force Magnet		. xvi
Brick Pier, and Upper Suspension Pulleys	• •	xvi
Description of the Carrier of the Horizontal Force Magnet		xvi and xvii
Plane Mirror and Fixed Telescope for Eye-Observation		xvii
Silk Suspension and Double Box of the Horizontal Force Magnet	•	xvii
Heights above Floor of Brass Pulleys of Suspension Piece; of Pulleys of	Magnet	t ·
Carrier; and of Center of Plane Mirror		xvii
Distances between the Branches of the Silk Skein at the Upper and Lower Pulley.	s	xvii
Oval Copper Damping Bar		xvii
Position of the Scale and the Telescope for observing the Horizontal Force Magne	$t$ . $x^{q}$	vii and xviii
Determination of the Times of Vibration and of the different Readings of the Sc	ale for	,
Different Readings of the Torsion-Circle, and the Reading of the Torsion-Circ	cle and	!
the Time of Vibration when the Magnet is Transverse to the Magnetic Meridian	$\iota$ . $x$	viii and xix
Computation of the Angle corresponding to One Division of the Scale, and	of the	!
Variation of the Horizontal Force (in Terms of the whole Horizontal Force)	which	,
moves the Magnet through a Space corresponding to One Division of the Scale		xx
Determination of the Compound Effect of the Vertical Force Magnet and the Decl		
Magnet on the Horizontal Force Magnet, when suspended with its market		
towards the West		xx
Effect of the Damper when changed in Angular Position		xx
Effect of the Damper in modifying Deflections produced by exterior Causes		xxı
Determination of the Correction for the Effect of Temperature on the Horizontal  Magnet	Force	xxi
Principle adopted for this Determination in 1846 and 1847	• •	xxi
	• •	xxi
	• •	xxi and xxii
Hot-air Experiments for the Temperature-coefficient made in 1864	• •	
Experiments for determining the Temperature-coefficient under the actual Circums	sunces	
of Observation, made in 1867 and 1868	• •	xxii
Method of Making the ordinary Eye-Observations	• •	xxii
Times of Thermometric Observation for Horizontal Force Temperature		xxii
PHOTOGRAPHIC SELF-REGISTERING APPARATUS for Continuous Record of Magnetic	Hori-	
zontal Force		xxii
Comagna Mingon its Diameter and Distance from I am monthly and Calinder		nii and mmiii

in the second se	PAGE
NTRODUCTION—continued.  Part of the Cylinder upon which the Spot of Light for the Horizontal Force Register falls	xxiii
	xxiii xxiii
	xxiii
VERTICAL FORCE MAGNET, and Apparatus for observing it	xxiii
, 11	and xxiv
Plane Mirror and Fixed Telescope for Eye-Observation	xxiv
Position of the Concave Mirror for Photographic Registration	xxiv
Description of adjustible Screw-weights attached to the Magnet	xxiv
Rectangular Box, Telescope, and Scale of the Vertical Force Magnet	xxiv
Determination of the Compound Effect of the Declination Magnet, the Horizontal Force	
Magnet, and the Iron affixed to the Electrometer Pole, on the Vertical Force Magnet	xxv
Determination of the Times of Vibration of the Vertical Force Magnet in the Vertical	
Plane and in the Horizontal Plane	xxv
Computation of the Angle through which the Magnet moves for a Change of One	
Division of the Scale; and Calculation of the Disturbing Force producing a Move-	
ment through One Division, in Terms of the whole Vertical Force	and xxvi
Investigation of the Temperature Correction of the Vertical Force Magnet	xxvi
Method of making the ordinary Eye-Observations	xxvi
Times of Thermometric Observation for Vertical Force Temperature	xxvi
Photographic self-registering Apparatus for Continuous Record of Magnetic Vertical	
Force	xxvii
Diameter of Concave Mirror, and Distance from Light-aperture and from Cylinder	xxvii
Position of Cylindrical Lens	xxvii
Support of the Revolving Cylinder	xxvii
Reference to the Register of the Barometer $\ldots \ldots \ldots \ldots$	xxvii
Pencil of Light for Instrumental Base-line Register	xxvii
Method of computing the Scale for the Ordinates of the Photographic Curve of the Vertical	
Force	xxvii
DIPPING NEEDLES, and Method of observing the Magnetic Dip	xxvii
	ii to xxix
	and xxx
Method of Re-grinding the Agate Planes	xxxi
Object of introducing Flat Needles, and Reasons for rejecting them	xxxi
OBSERVATIONS FOR THE ABSOLUTE MEASURE OF THE HORIZONTAL FORCE OF TERRESTRIAL	202000
	·•
MAGNETISM	xxxi
Description of the Unifilar Instrument, similar to those used in the Kew Observatory	xxxi
Description of the Deflected and Deflecting Magnets	xxxii
Explanation of Method of Reduction	xxxii
Correction of the Magnetic Power for Temperature	* xxxii
Moment of Inertia of the Magnet as mounted	xxxii
Difference between Results of Old and New Instruments	xxxiii
Conversion of Results into French Measure	xxxiii
EXPLANATION OF THE TABLES OF INDICATIONS OF THE MAGNETOMETERS	xxxiii
Indications, whence derived	xxxiii
Number of Telescope-observations of the Magnetometers daily	xxxiii
Method of translating the Photographic Curve ordinates into Numbers	xxxiii
Indications for Horizontal Force and Vertical Force not corrected for Temperature	xxxiv
Difficulty occasionally experienced in measuring the Ordinates of the Vertical Force	addio
Curves on account of Dislocation of the Course	mamia

INTRODUCTION—continued.	PAGE
Wires and Photographic self-registering Apparatus for continuous Record of Sponta-	
· · · · · · · · · · · · · · · · · · ·	
neous Terrestrial Galvanic Currents	xxxiv
Galvanometer Needles for receiving the Galvanic Currents	xxxiv
	xxxv
Plane Mirrors, Gas-lamp, Pencils of Light, Cylindrical Lenses, and Photographic	
Cylinder for Registration of Galvanic Currents	xxxv
Method of obtaining a Portion of a Base-line	xxxv
Date of Commencement of Photographic Records	xxxx
Discussion of the Photographic Records for Seventeen Days, and Computation of the	
Equivalent Galvanic Currents in the West and North Directions	xxxv
Correspondence between the apparent Magnetic Disturbances in West and North	
Directions, deduced from the Galvanic Currents, with those indicated by the	
Magnetometers	xxxv
STANDARD BAROMETER	xxxv
Position and Description of the Standard Barometer	xxxv
Diameter of Tube, Correction for Capillarity	xxxvi
Its Adjustment to Verticality	xxxvi
Readings as compared with Royal Society's Flint Glass Standard Barometer	xxxvi
Removal of the Sliding Rod to remedy a Defect in the Slow-motion Screw $\dots$ . $\dots$	xxxvi
Comparisons of the Standard Barometer with three Auxiliary Barometers, before and	
after Change	xxxvi
Correction required to Readings of Barometer in its new state	xxxvi
Reduction of the Readings to $32^\circ$	xxxvi
Height of the Cistern above the Level of the Sea	xxxvi
Hours of Observation	xxxvi
Formation of Mean Daily Readings	xxxvi
Definition of the Day in printed Meteorological Records	xxxv
Photographic self-registering Apparatus for Continuous Record of the Readings of	
the Barometer	xxxvii
Position and Diameter of Bore of Syphon Barometer used for Photographic Self-	
Registration	xxxvii
Description of the Method adopted for Registering the Barometric Variations	xxxvii
Dates when this Barometer first came into use, and when the Mercury was boiled in the	
Tube.	xxxvii
THERMOMETERS FOR ORDINARY OBSERVATION OF THE TEMPERATURES OF THE AIR AND OF	:
Evaporation	xxxvii
Description of the Revolving Stand upon which the Thermometers are mounted	xxxvii
Attachment of the Thermometers to the Stand	xxxviii
Comparison of Thermometers with Standard Thermometer	xxxviii
Authenticity of Standard Thermometer, whence derived	xxxviii
Table of Corrections required to the Dry-Bulb Thermometer	xxxviii
" Wet-Bulb Thermometer	xxxix
Corrections to Dry-Bulb and Wet-Bulb Thermometers on Roof of Library	xxxix
Times of Eye-Readings of the Dry-Bulb and Wet-Bulb Thermometers	xxxix
Method adopted for obtaining the Temperature of the Dew-Point	xxxix
Investigation for Formation of Factors for deducing the Dew-Point Temperature, where	
	and xl
Table of Factors to facilitate the Deduction of the Dew-Point Temperature from	
Observations of the Dry-Bulb and Wet-Bulb Thermometers	xt
Description of the Maximum Self-registering Thermometer, and Corrections	xl

Introduction—continued.		PAG
Similar Thermometers for the Maximum Wet-Bulb Readings; their Correc	tions	for
Index Error		xl
Description of the Minimum Self-registering Thermometers; their Corrections		. xl
Method of obtaining the adopted Mean Daily Temperature and Mean Daily		
Dew-Point		. xli
PHOTOGRAPHIC SELF-REGISTERING APPARATUS for Continuous Record of the Rec	adings	
the Dry-Bulb and Wet-Bulb Thermometers	-	-
Position of the Self-registering Apparatus		. xli
Dimensions of the Bulbs of the Thermometers		
Method of raising and depressing the Thermometers		
Thermometer Frames, and System of Wires placed on them		
Position of Lamps and Lenses		. xlii
Revolution of Cylinder with Paper, and Photographic Trace		. xlii
Time of Revolution, and Dimensions, of the Photographic Cylinder		. xlii
THERMOMETERS FOR SOLAR RADIATION AND RADIATION TO THE SKY		. xlii
Position and Description of the Thermometer for Solar Radiation		. xlii
Times of Observation		. xlii
Position and Description of the Thermometer for Radiation to the Sky		. xlii
Times of Observation		
Days on which the Thermometer for Radiation to the Sky was out of order .		
THERMOMETERS SUNK BELOW THE SURFACE OF THE SOIL AT DIFFERENT DEPTHS		
Number and Situation of the Thermometers; Nature of the Soil		
Shape and Size of the Bulbs and Tubes of the Thermometers		
Depth in the Ground to which each Thermometer has been sunk		. xliv
Method of Sinking the Thermometers, and Height of the Upper Part of the Tub		$\iota ch$
above the Surface of the Ground		. xliv
Wooden Case for covering the Thermometers		xliv
Fluid of the Four Long Thermometers		. $xliv$
Values of 1° on the different Scales of the Thermometers		
Ranges of the Scales of the Thermometers		
Ranges on some of the Thermometers found to be insufficient		
Removal of Fluid from Two of the Thermometers; too much Fluid removed .		
Limits of the Scales of the 6-foot and 3-foot Thermometers		
Portions of the Series of Observations, defective		. $xlv$
Time of Observation of the several Thermometers		. $xlv$
THERMOMETERS IMMERSED IN THE WATER OF THE THAMES		. $xlv$
Time of making the Observations, and Position of the Thermometers		xlv
Observations, by whom made		x lv
Days on which these Thermometers were out of Order		x lv
Index-error Corrections to the Thames Thermometers		. $x l v$
Osler's Anemometer		x lv
ite Vane and Direction Pencil		xlv and xlvi
Method of giving Motion to the Travelling Board		. xlvi
its Registering Paner		. xlvi
it's Adjustment for Azimuth		. xlvi
its Pressure Apparatus as originally constructed		. xlvi
modifications introduced in 1866, and reference to Engraving		. xlvi
Anti-Friction Rollers to the Vane-Shaft		. xlvi
Description of the Springs of the Prosecure Annangtus	- •	almi and almii

Introduction—co	ntinued.	ega i Silang ya kat	PAGE
	TER, Radial-Bar carrying the Pressure Pencil		. xlvii
,,	Adjustment to Zero of the Pressure Pencil		. xlvii
,,	Area of the Presure Plate		xlvii
,,	Scale of Pressure-Indications on Recording Sheet		· · · · · · · · · · · · · · · · · · ·
	ometer employed for Direction and Pressure of Wind during		
Osler's Ane			. xlvii
	arried by Osler's Anemometer		. xlvii
	ging the Registering Paper		. xlvii
Robinson's Ani			. xlvii
,,	its Principles, where described		xlvii and xlviii
, <b>,</b>	Diameter of its Hemispherical Cups		. xlviii
. , , ,	Mode of Revolution of the Hemispherical Cups		
,,	Number of Revolutions of the Cups corresponding to		
,,	Movement of the Air of One Mile, according to The		. xlviii
,,	Details of the Working Parts of the Instrument	•	. xlviii
• • • • • • • • • • • • • • • • • • •	Hour of reading its registered Results		. xlviii
, , ,	Experiments to verify the Correctness of its Theory.		. xlviii
,,	Results of Experimental Observations		
,,	New Self-recording Instrument mounted, and		
• •	Engraving	•	. xlviii
,,	Distance of Centers of Hemispherical Cups fr		
, ,	Rotation		. xlviii
, ,	Rack and Pinion upon the Axis of One of the Motive		. xlix
,,	Connection of the Rack with a Sliding Rod,		ling
, ,	Pencil Carrier		. xlix
,,	Record of Indications, how made		. xlix
<b>,</b> ,	Time of Revolution of Recording Barrel		. xlix
,,	Amount of Upward Motion of the Recording Pencil of		ling
	to a Motion of the Air of 100 Miles	_	
,,	Curve traced upon the Barrel		
, ,	Date when the Recording Instrument was brought in		
	use		. xlix
RAIN-GAUGES			. xlix
,, $N_0$	. 1, Osler's, Situation of, and Heights above the Ground and	l above M	ean .
	Level of the Sea		. xlix
,, $Arc$	ea of exposed Surface		. xlix
$,, Sy_I$	ohon Principle of Discharging the Water		. xlix
	thod of Recording its Results		. xlix
,, For	rmation of Scale for Determining the Quantity of Rain		
,, $No$	. 2, Situation of, and Area of exposed Surface		
	sition with regard to No. 1		. 1
,, $No$	. 3, Situation of, and Heights above the Ground and abo	ove the M	ean
	Level of the Sea		. 1
,, $Are$	ea of exposed Surface and General Description		. 1
	rangement to prevent Evaporation		. 1
	. 4, Situation of, Area of exposed Surface, and Heights abov		
	and above Mean Level of the Sea		
,, $No$	. 5, Situation of, and Heights above the Ground and above th		
	of the Sea		
$N_0$	o. 6. Crosley's, Area of exposed Surface		1

Introduction—continued.	PAGE
RAIN-GAUGES, No. 6, Description of its Mode of Action	,
,, Method of Recording its Observations	l and li
,, Situation of, and Height above Mean Level of the Sea	li
,, Nos. 7 and 8, Situation of, Heights of Receiving Surfaces above the Ground	
and above the Mean Level of the Sea	li
,, Times at which the Gauges are read	li
,, List of the Makers of the several Gauges	li
THE ACTINOMETER	li
Description of the Instrument	li
Mode of using the Instrument	lii
Solar Radiation Thermometer read during each Series of Experiments	lii
Measure for ascertaining the Physical Value of one Division of its Scale	lii
ELECTRICAL APPARATUS	lii
" Electrometer Mast and Moveable Apparatus	
,, Wire from the Moveable Box to the Turret of the Octagon Room .	
" Insulation of both Ends of the Wire	
,, Communication from this Wire to the Apparatus within the Room.	
" Insulation of the Attachment within the Room	****
" Electrometers, Volta's, Henley's, Ronalds' Spark-Measurer, Dry	, ·
Pile Apparatus, Galvanometer	
EXPLANATION OF THE TABLES OF METEOROLOGICAL OBSERVATIONS	lv
Mean, Greatest, and Least, Differences between Temperatures of the Air and Dew-Point	
Temperatures, how obtained	lv
Differences between Mean Daily Temperatures and Average Temperatures, how found .	lv
Explanation of Results from Osler's and Robinson's Anemometers	lv
Register of Rain, whence derived	lv
Explanation of the Divisions of Time under the Heads of Electricity and Weather	lv and lvi
Explanation of Notation employed for Record of Electrical Observations	lvi
	lvi and lvii
Foot-Notes, whence derived	lvii
Observations with the Actinometer	lvii
Observations of Luminous Meteors	lvii
Arrangements for Observations	lvii
Special Nights for Observation as laid down by the British Association Committee	lvii
Special Arrangements in August and November	lvii
Number of Meteors counted on the Morning of 1866, November 14	lvii
Observers in the Year 1866	lvii
DETAILS OF THE CHEMICAL OPERATIONS FOR THE PHOTOGRAPHIC RECORDS	lviii
CHEMICAL PREPARATION AND TREATMENT OF THE PHOTOGRAPHIC PAPER FOR PRIMARIES .	lviii
Description of the Paper employed	lviii
First Operation.—Preliminary Preparation of the Paper	lviii
Chemical Solutions, how prepared	lviii
Preparation of the Paper	lviii
Second Operation.—Rendering the Paper sensitive to the Action of Light	lviii
Chemical Solution, how prepared	lviii
	lviii and lix
Third Operation.—Development of the Photographic Trace	lix
Fourth Operation.—Fixing the Photographic Trace	lix
• • • • • • • • • • • • • • • • • • •	

	PAGE
Introduction—continued.	
CHEMICAL PREPARATION AND TREATMENT OF THE PHOTOGRAPHIC PAPER FOR SECON	-
DARIES	. lia
Method of Darkening the Back of the Primary Curve	. lia
Description of the Paper employed for Secondaries	lia
First Operation.—Preliminary Preparation of the Paper	. la
Chemical Solution, how prepared	. <i>la</i>
Preparation of the Paper	. la
Second Operation.—Rendering the Paper sensitive to the Action of Light	. lx
Preparation of the Chemical Solution, and of the Paper	
Third Operation.—Formation of the Photographic Copy	
Fourth Operation.—Fixing the Photographic Secondary	
Brief Notice of the Process for obtaining a Tertiary from a Secondary	lxi
Personal Establishment	$lx_i$
Results of Magnetical and Meteorological Observations in Tabular Arrangement:	
T '	
Tables of the Values of the Magnetic Declination, Horizontal Force, and Vertical Force	(iii)
at numerous times on every day, as inferred from the Measures of the Ordinates of the	
Photographic Curves; including also frequent Readings of the Thermometers of the	
Horizontal Force and Vertical Force Magnets	. (iv)
Table of the Approximate Mean Monthly Western Declination	(ccxx)
RESULTS OF OBSERVATIONS OF THE MAGNETIC DIP	(ccxxi)
Dips observed	(ccxxii)
Monthly Means of Magnetic Dips	(ccxxiii)
Yearly Means of Magnetic Dips, and General Mean	(ccxxiv)
OBSERVATIONS OF DEFLEXION OF A MAGNET FOR ABSOLUTE MEASURE OF HORIZONTAL	<u>.</u>
Force	(ccxxv)
Abstract of Observations of a Magnet for Absolute Measure of Horizontal Force made	)
with the Kew Unifilar Instrument	(ccxxvi)
Computation of the Values of Absolute Measure of Horizontal Force	(ccxxvii)
RESULTS OF METEOROLOGICAL OBSERVATIONS	(ccxxix)
Results of ordinary Meteorological Observations	(ccxxx)
Maxima and Minima Readings of the Barometer	(ccliv)
Absolute Maxima and Minima Readings of the Barometer for each Month	(cclvi)
Monthly Means of Results for Meteorological Elements	(cclvii)
	(cclix)
Observations with the Actinometer	• •
• .	(cclxiii)
Weekly Means of Readings of Deep-sunk Thermometers	(cclxviii)
Abstract of the Changes of the Direction of the Wind, as derived from Osler's Anemometer	` ,
Amount of Rain collected in each Month by the different Rain Gauges	(cclxxi)
Observations of Luminous Meteors	(cclxxiii)
Number of Meteors counted during the Meteor Shower of 1866, November 13.	(cccii)

## GREENWICH MAGNETICAL AND METEOROLOGICAL OBSERVATIONS, 1866.

Introduction.

§ 1. Buildings of the Magnetic Observatory.

In consequence of a representation by the Astronomer Royal, and a memorial by the Board of Visitors of the Royal Observatory, addressed to the Lords Commissioners of the Admiralty, an additional space of ground on the south-east side of the former boundary of the Observatory grounds was inclosed from Greenwich Park for the site of a Magnetic Observatory, in the summer of 1837, and the Magnetic Observatory was erected in the spring of 1838. Its nearest angle in its present form is about 174 feet from the nearest point of the S.E. dome, and about 30 feet from the office of Clerk of Works. It is based on concrete and built of wood, united for the most part by pegs of bamboo; no iron was admitted in its construction, or in subsequent alterations. Its form, as originally built, was that of a cross with four equal arms, very nearly in the direction of the cardinal magnetic points as they were in 1838; the length within the walls, from the extremity of one arm of the cross to the extremity of the opposite arm, was 40 feet, the breadth of each arm 12 feet. In the spring of 1862, the northern arm was extended 8 feet. The height of the walls inside is 10 feet, and the ceiling of the room is about 2 feet higher. The northern arm of the cross is separated from the central square by a partition, so as to form an ante-room. The meridional magnet, for observations of absolute declination and of variations of declination (placed in its position in 1838), is mounted in the southern arm; and the theodolite by which the magnet collimator is viewed, and by which circumpolar stars for determination of the astronomical meridian are also observed (for which observation an opening is made in the roof, with proper shutters,) is in the southern arm, near the southern boundary of the central square. The bifilar magnet, for variations of horizontal magnetic force (erected at the end of 1840) was mounted near the northern wall of the eastern arm; and the balance-magnetometer, for variations of vertical magnetic force (erected in 1841) was mounted near the northern wall of the western arm. Important changes have lately been made in the positions of these instruments, as will be mentioned below. The sidereal time-clock is in the south arm, near the southeast re-entering angle. The fire-grate (constructed of copper, as far as possible,) is near the north end of the west side of the ante-room. Some of these fixtures may contain trifling quantities of iron, and, as the ante-room is used as a computing room it is impossible to avoid the introduction of iron in small quantities; great care, however, is taken to avoid it as far as possible.

In 1864, a room, called the Magnetic Basement, was excavated below the whole of the Magnetic Observatory except the ante-room; the descent to it is by a staircase close to the south wall of the western arm of the building. For the theodolite, a brick pier was built from the ground below the floor of the basement, rising through the ceiling into the south arm of the upper room, and supporting the theodolite in exactly the same position as before.

Instead of a single meridional magnet performing the double functions of "magnet for determining absolute magnetic declination," and "magnet carrying a mirror for photographic register," there are now two meridional magnets, one in the upper room and one in the basement. The upper magnet is in a position about 10 inches north of the former position of the declination-magnet; it carries a collimator, for observation by the theodolite; but, in reversion of position of the collimator, the collimator is always either above or below the magnet, so that the magnet is always in the same vertical. The lower magnet, which is in the same vertical with the upper magnet, carries the mirror for the photographic register of the continual changes of declination. A massive brick pier is built in the south arm of the basement, covered by a stone slab; upon it is fixed the photographic lamp; from the stone slab rise three smaller piers, upon which crossed slates are placed; and from these rises a small pier through the ceiling, to the height of 18 inches above the upper floor, carrying the suspension of the lower magnet. Upon the tops of the three piers rest the feet of the original wooden stand carrying the suspension of the upper magnet.

The bifilar-magnetometer is in the basement, in a position vertically below its former position. A massive brick pier, surmounted by a thick slab of stone (upon which the photograph lamp is fixed) carries a pier consisting of a back and return-sides, which rises through the ceiling about 2 feet above the upper floor, and is crowned by a slate slab that carries the suspension of the bifilar-magnetometer.

The vertical-force magnetometer is in the basement, in a position vertically below its former position; it rests upon a brick pier, capped by a thick stone; to which also is fixed the plate of metal with narrow chink through which passes the light of the photographic lam

To the theodolite-pier are fixed telescopes for eye-observation of the bifilar and vertical-force magnetometers.

At the south-east re-entering angle (which has been rebated for the purpose) is the horizontal photographic cylinder, which receives the traces of the movements of the declination-magnet and the bifilar-magnet. The angle is so far cut away that the straight line joining their suspensions passes at the distance of one foot from the wall, and thus the cylinder receives the light from both instruments at right angles to its surface. The vertical cylinder which receives the traces of the movements of the vertical-force-magnet, and, of the self-registering barometer near it, is east of the vertical force pier.

In the south-west corner of the western arm, and partially beneath the staircase,

is the apparatus for self-registration of the spontaneous galvanic currents on the wires leading respectively to Croydon and to Dartford.

The mean-time-clock is on the west wall of the south arm of the basement.

Adjoining the north wall of the east arm is the table for photographic operations. Much water is used in these operations, and therefore a pump is provided in the grounds at a distance of about 30 feet from the nearest magnetometer, by which the water is withdrawn from the cistern at the east end of the photographic table and at once discharged into a covered drain.

The basement is warmed by a gas-stove, and ventilated by a large copper tube nearly two feet in diameter, receiving the flues from the stove and all the lamps, and passing through the upper room to a revolving cowl above the roof. Each of the arms of the basement has a window facing the south, but in general the window wells are closely stopped.

The variations in the temperature of the instruments have been greatly reduced by their location within this basement.

On the outside of the Magnetic Observatory, near the north-east corner of the ante-room, a pole 79 feet in height is fixed, for the support of the conducting wires to the electrometers; the electrometers, &c., are planted in the window-seat at the north-end of the ante-room.

The apparatus for naphthalizing the gas used in the photographic registration was formerly fixed in a corner of the ante-room, but is now (1866) mounted in a small detached zinc-built room, erected in 1863, near the west side of the ante-room.

A small wooden building, in the direction S.S.E. (magnetic) from the Magnetic Observatory, 64 feet from its nearest angle, and very near the southern boundary of the grounds, was used till 1863 for the observation of Magnetic Dip; and another small building, in the direction S. (magnetic) from the Magnetic Observatory, 50 feet from the western angle of the southern arm, was used till 1862 for the observation of Deflexions. In 1863, these buildings were removed, and a range of seven rooms, usually called the Magnetic Offices, was erected near the southern fence of the grounds. Since the summer of 1863, observations of Dip and Deflexion have been made in the westernmost of these rooms.

At the distance of 28 feet south (magnetic) from the south-east angle of the southern arm is a square shed about 10<sup>ft</sup> 6<sup>in</sup> square, supported by four posts at the height 8 feet, with an adjustable opening at the center of the top. Under this shed are placed the large dry-bulb and wet-bulb thermometers, with a photographic cylinder, axis vertical, between them; and external to these are the gas flames, whose light passing through the thermometer-tubes above the quicksilver makes photographic traces upon the paper which covers the cylinder.

For better understanding of these descriptions, the reader is referred to the Descriptions of Buildings and Grounds with accompanying Maps, attached to the Volumes of Astronomical Observations for the years 1845 and 1862.

### § 2. Upper Declination-Magnet and Apparatus for observing it.

The theodolite with which the meridional magnet is observed is by Simms: the radius of its horizontal circle is 8 3 inches: it is divided to 5', and reads to 5", by three verniers, carried by the revolving frame of the theodolite. The fixed frame stands upon three foot-screws, which rest in brass channels let into a stone pier, that stands upon the brick pier rising from the ground of the Magnetic Basement. The revolving frame carries the Y's (with vertical adjustment at one end) for a telescope with transit-axis: the length of the axis is  $10\frac{1}{2}$  inches: the length of the telescope 21 inches: the aperture of the object glass 2 inches. The Y's are not carried immediately by the T head which crosses the vertical axis of the revolving frame, but by pieces supported by the ends of that T head, and projecting horizontally from it: the use of this construction is to allow the telescope to be pointed sufficiently high to see  $\delta$  Ursæ Minoris above the pole. The eye-piece of the telescope carries only one fixed horizontal wire, and one vertical wire moved by a micrometer-screw. The opening in the roof of the building permits the observation of circumpolar stars, as high as  $\delta$  Ursæ Minoris above the pole, and as low as  $\beta$  Cephei below the pole.

For supporting the magnet, a braced wooden tripod-stand is provided, whose mounting has been described above. Upon the cross-bars of the stand rests a double rectangular box (one box completely inclosed within another), both boxes being covered with gilt paper on their exterior and interior sides. On the southern side of the principal upright piece of the stand is a moveable upright bar, turning in the vertical E. and W. plane, upon a pin in its center (which is fixed in the principal upright), and carrying at its top the pulleys for suspension of the magnet; this construction is adopted as convenient for giving an E. and W. movement (now very rarely required) to the point of suspension, by giving a motion to the lower end of the bar. The top of the upright piece carries a brass frame with two pulleys, whose axes are E. and W.: one of these pulleys projects beyond the north side of the principal upright, and from it depends the suspension skein: the other pulley projects on the south side: the suspension skein being brought from the magnet up to the north pulley is carried over it and over the south pulley, to a small windlass, carried by the lower part of the moveable upright. The height of the two pulleys above the floor is about 11 ft.  $3\frac{3}{4}$  in., and the height of the magnet is about 2 ft. 10 in.; the length of the metal carrier which bears the magnet is 1 ft. 3 in.; so that the length of the free suspending skein is about 7 ft. 2\frac{3}{4} in.

The magnet was made by Meyerstein, of Göttingen: it is a bar 2 feet long,  $1\frac{1}{2}$  inch broad, and about  $\frac{1}{4}$  inch thick: it is of hard steel throughout. The magnet carrier was also made by Meyerstein, but it has since been altered by Simms. The magnet is inserted sideways and fixed by screws in a double square hook which constitutes the lower part of the magnet carrier. This lower part turns stiffly by a vertical axis with index in a graduated horizontal circle (usually called the torsion circle) attached to the upper part. The upper part of the magnet carrier is simply hooked into the skein.

The suspending skein was originally of silk fibre, in the state in which it is first

prepared by silk manufacturers for further operations; namely, when seven or more fibres from the cocoon are united by juxtaposition only (without twist) to form a single thread. The skein was strong enough to support perhaps three times the weight of the magnet, &c.

In the summer and autumn of 1864, an attempt was made to suspend the Magnet by a steel wire, capable of supporting the weight 15 lbs.; but the torsion force was found to be so large as greatly to diminish the value of the observations; and the skein was finally restored on 1865, January 20. A similar attempt was made for suspension of the lower magnet; the skein, however, was restored on 1865, January 30.

Upon the magnet there slide two brass frames, firmly fixed in their places by means of pinching-screws. One of these contains, between two plane glasses, a cross of delicate cobwebs; the other holds a lens of 13 inches focal length and nearly 2 inches aperture. This combination, therefore, serves as a collimator without a tube: the cross of cobwebs is seen very well with the theodolite-telescope, when the suspension-bar of the magnet is so adjusted as to place the object-glass of the collimator in front of the object-glass of the theodolite, their axes coinciding. The wires are illuminated by a lamp and lens in the night, and by a reflector in the day.

In the original mounting of this magnet the small vibrations were annihilated by a copper oval or "damper," thus constructed: A copper bar, about one inch square, is bent into a long oval form, intended to contain within itself the magnet (the plane of the oval curve being vertical). A lateral bend is made in the upper half of the oval, to avoid interference with the suspension-piece of the magnet. The effect of this damper was that, after every complete or double vibration of the magnet, the amplitude of the oscillation is reduced in the proportion of 5:2 nearly.

On mounting the photographic magnetometer in the basement, the damper was removed from its place surrounding the upper magnet, and was adjusted to encircle the photographic magnet. The upper magnet remained unchecked in its vibrations till 1866, January 23, when the lower part of its magnet-carrier was connected with a brass bar which vibrates in water.

## OBSERVATIONS RELATING TO THE PERMANENT ADJUSTMENTS OF THE UPPER DECLINATION-MAGNET AND ITS THEODOLITE.

1. Determination of the inequality of the pivots of the theodolite-telescope.

1862, December 26. The theodolite was clamped, so that the transit axis was at right angles to the astronomical meridian. The illuminated end of the axis of the telescope was first placed to the East: the level was applied, and its scale was read; the level was then reversed, and its scale was again read; it was then again reversed, and again read, and so on successively six times. The illuminated end of the telescope was then placed to the West, and the level was applied and read as before. This process was repeated four times, and the result was that when the level indicates the axis to be horizontal, the axis at the illuminated end is really too low by 0".3 nearly.

2. Value of one revolution of the micrometer-screw of the theodolite telescope.

On 1862, December 26, observations were made, giving for the value of one revolution of the micrometer 1'. 33".85. On 1865, December 27, the magnet was made to rest on blocks of wood, and its collimator was used as a fixed mark at an infinite distance. The micrometer of the theodolite was placed in different positions, and the telescope of the theodolite was then turned till the micrometer wire bisected the cross. The result of ten comparisons of theodolite-readings with large values and with small values of the micrometer-reading was, that one revolution = 1'. 34".8. This is used through the year 1866.

3. Determination of the micrometer-reading for the line of collimation of the theodolite-telescope.

1865, December 27. The vertical axis of the theodolite had been adjusted to verticality, and the transit axis was made horizontal. The declination-magnet was made to rest on blocks, and the cross-wires carried by it were used as a collimator for determining the line of collimation of the telescope of the theodolite. The telescope was reversed after each observation. The mean of 20 double observations was 100°·120. This value is used throughout the year 1866.

4. Determination of the effect of the mean-time-clock on the declination-magnet.

The observations by which this has been determined are detailed in the volumes for 1840, 1841, 1844, and 1845. It appeared that it was necessary to add 9"·41 to every reading of the theodolite. The clock was removed to the basement in 1864, having now nearly the same relative position to the lower declination-magnet which formerly it had to the upper. No correction is now applied to the upper declination-magnet.

5. Determination of the compound effects of the vertical-force-magnet and the horizontal-force-magnet on the declination-magnet.

The details applying to the effect of the horizontal-force-magnet and first vertical-force-magnet will be found in the volumes for 1840, 1841, 1844, and 1845. It appeared that it was necessary to subtract 55"·22 from all readings of the theodolite. In 1848 a new vertical-force-magnet was introduced, and the subtractive quantity was then found to be 42"·2. A few experiments in 1865 seemed to show that the correction is now 36"·9. No numerical correction has been applied.

6. Determination of the error of collimation for the plane glass in front of the boxes of the declination-magnet.

1865, December 27. The magnet was made to rest entirely on blocks. The micrometer head of the telescope was to the East. The plane glass has the word "top" engraved on it, and, in ordinary use, this word is always kept east. The cross-wire carried by the collimator of the magnet was observed with the engraved word alternately east and west. The result of 20 double observations was, that in the ordinary position of the glass 18".5 is to be added to all readings.

7. Determination of the error of collimation of the magnet-collimator, with reference to the magnetic axis of the magnet.

1865, December 26. Observations were made by placing the declination-magnet

in its stirrup, with its collimator alternately above and below, and observing the collimator-wire by the theodolite-telescope; the windlass of the suspending skein being so moved that the collimator in each observation was in the line of the theodolite-telescope. Sixteen pairs of observations were taken. The mean half excess of reading with collimator above, (its usual position) above that with collimator below was 26'. 7".3. This value is used in the reductions for 1866.

### 8. Effect of the damper.

In the volume for 1841 observations are exhibited shewing that the oval copper bar, or damper, which then surrounded what is now the upper declination-magnet, had but little or no effect. Repeated observations, of less formal character, in succeeding years, have confirmed this result. The same bar has encircled the lower declination-magnet throughout the years 1865 and 1866. The following observations were made in the year 1865, for ascertaining the effect of the damper on the lower declination-magnet under various circumstances.

On 1865, February 8 and 10, and March 2, the time of vibration of the magnet was observed:—

These seem to indicate a repulsion of the magnet by the damper, but the magnet came to rest so rapidly that the observations are very uncertain.

On several days from 1865, April 2 to May 12, observations were made for ascertaining the deflexion of the magnet produced by turning the damper through a small angle round a vertical axis, passing through its center.

```
DAMPER IN USUAL POSITION.
Damper turned through 2° \left\{ \begin{array}{lll} N. & \text{end towards E., increase of western declination} & \ldots & -1.27 \\ N. & \text{end towards W.,} & , & , & , & \ldots & +1.25 \end{array} \right.
Damper turned through 4° { N. end towards E., N. end towards W.,
Damper turned through 6^{\circ} \left\{ \begin{array}{l} N. \text{ end towards E.,} \\ N. \text{ end towards W.,} \end{array} \right.
                                                                                                                                             .....-3. 10
                                                                                                                                             ....+2.55
Damper turned through 8^{\circ} \left\{ \begin{array}{l} N. \text{ end towards E.,} \\ N. \text{ end towards W.,} \end{array} \right.
                                                                                                                                             .....-1.22
                                                                                                                                             ....+1.45
                                                  DAMPER REVERSED END FOR END.
Damper turned through 2^{\circ} \begin{cases} N. end towards E., increase of western declination .... +0.12 N. end towards W., , , , , .... +0.20
Damper turned through 4° { N. end towards E., N. end towards W.,
                                                                                                                                            ..... 0. 0
                                                                                                                                             \dots + 0.26
Damper turned through 6^{\circ} \left\{ \begin{array}{l} N. \text{ end towards E.,} \\ N. \text{ end towards W.,} \end{array} \right.
Damper turned through 8^{\circ} \left\{ \begin{array}{l} N. \text{ end towards E.,} \\ N. \text{ end towards W.,} \end{array} \right.
```

The first series shews clearly that the damper in its usual position drags the magnet; the second shews no certain effect. It seems that the damper possesses two kinds of

magnetism, one permanent, the other transiently induced, of nearly equal magnitude; their sum being about  $\frac{1}{100}$  part of the terrestrial effect for the same deflexion.

From July 25 to August 9, observations were made to ascertain whether the effect of an external deflecting cause is the same with the damper present and the damper removed. The observation was extremely difficult, as the magnet was perpetually in vibration when the damper was removed. A small magnet on the east side of the N. end of the magnetometer, with its north end pointing towards the East (and therefore diminishing the western declination of the magnetometer), was moved to the distance (about five feet) at which it produced a deviation of 5' nearly. The apparent western declination was observed, damper present, and damper removed. It appeared to be less with damper present than with damper removed, by 0'. 53". The separate results are very discordant. If the conclusion has any validity, it tends to shew a repulsive power in the damper, opposite to that found in the preceding experiments. This experiment is regarded as inconclusive.

9. Calculation of the constant used in the reduction of the observations of the upper declination-magnet, the micrometer-head of the theodolite-telescope being East.

10. Determination of the time of vibration of the upper declination-magnet under the action of terrestrial magnetism.

On 1866, September 13, it was found to be 30<sup>s</sup>·55. On September 18, it was found to be 30<sup>s</sup>·65.

11. Fraction expressing the proportion of the torsion-force to the earth's magnetic force.

By the same process which is described in the Magnetical Observations 1847, the proportion with the steel wire in use from 1864, June, to 1865, January 17, was found on 1865, January 17, to be  $\frac{1}{8}$ ; and on January 18, with a new wire,  $\frac{2}{21}$ . With a silk skein, the proportion was found, on 1865, January 31,  $\frac{1}{214}$ ; on February 17,  $\frac{1}{227}$ ; on April 27,  $\frac{1}{207}$ ; and on December 27,  $\frac{1}{230}$ .

DETERMINATION OF THE READINGS OF THE HORIZONTAL CIRCLE OF THE THEODOLITE CORRESPONDING TO THE ASTRONOMICAL MERIDIAN.

The error of the level is determined by application of the spirit-level at the time of observation: due regard being paid, in the reduction, to the inequality of pivots already found. One division of the level is considered = 1".0526. The azimuth-reading is then corrected by this quantity;

Correction = Elevation of W. end of axis  $\times$  tan star's altitude.

The readings of the azimuth circle increase as the instrument is turned from N. to E., S., and W.; from which it follows that the correction must have the same sign as the elevation of the W. end.

The correction for the azimuth of the star observed has been computed independently in every observation, by a peculiar method, of which the principle is fully explained in the volumes for 1840, 1841, 1843, 1844, 1845. The formula and table used are the following:—

Let  $A_{\mu}$  = seconds of arc in star's azimuth,

 $C_s$  = seconds of time in star's hour-angle,

 $a_{\mu}$  = seconds of arc in star's N.P.D. for the day of observation,

Then log.  $A_{"} = \log C_s + \log E + \log (a_{"} + F) + \log \cos \varphi$ .

The values of log. E, F, and log.  $\cos \varphi$ , are given in the following table:—

TABULATED VALUES of Log. Cos  $\phi$ , for Different Values of  $C_s$ , and of the Quantities Log. E and F, for the Stars Polaris and  $\delta$  Ursæ Minoris.

Hour	Log. Cos φ for						
Angle.	Polaris.	δ Ursæ Minoris.	Polaris S.P.	δ Ursæ Min. S.P.			
m 1 2 3 4 5 6 7 8 9 10 1 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	9'99999 999 999 999 998 996 994 992 990 988 985 981 978 974 970 966 961 956 951 945 932 926 919 912 904 886 888 880 871 9'99862	9'99999 999 999 998 996 994 992 983 975 975 975 966 955 950 944 937 930 923 915 900 891 882 873 863 853 9'99843	9.99999 999 999 999 998 997 996 994 992 998 985 985 982 979 975 972 968 964 959 955 955 955 955 955 955 958	9*99999 999 999 998 997 996 995 993 981 989 987 984 981 975 971 968 964 956 956 941 936 930 925 919 906 9*99900			
Log. E	6.09721	6.13638	<b>-6</b> .03899	-6.00612			
F	—186" ·79	<del>-944" '71</del>	+181" .57	+886" .86			

Observations for determining the readings for the astronomical meridian were made on the following days in 1866:—January 12, February 2, 10, 13, March 9, 17, April 4, 24, May 11, 17, 28, June 19, July 12, 19, August 4, 16, 31, September 15 and 21, October 22 and 31, November 6 and 30, December 7, 13, and 26. As a check on the continued steadiness of the theodolite, observations of a fixed mark (a small hole in a plate of metal above the Observatory Library, illuminated by a reflector of sky-light in the day and by a lamp at night,) have been taken about thirty times at nearly equal intervals through the year.

The following is a description of the method of making and reducing the eyeobservations of the declination-magnet:—

A fine horizontal wire (as stated above) is fixed in the field of view of the theodolite-telescope, and another fine vertical wire is fixed to a wire-plate, moved right and left by a micrometer screw. On looking into the telescope, the cross of the magnetometer is seen; and during the vibration of the magnet, this cross is seen to pass alternately right and left. The observation is made by turning the micrometer till its wire bisects the image of the magnet-cross at the pre-arranged times, and reading the micrometer. The verniers of the horizontal circle are read.

The mean-time clock is kept very nearly to Greenwich mean time (its error being ascertained each day), and the clock-time for each determination is arranged beforehand. Chronometer M'Cabe 649 has usually been employed for observation.

If the magnet is in a state of disturbance, the first observation is made by the observer applying his eye to the telescope about one minute before the pre-arranged time; he bisects the magnet-cross by the micrometer wire at 45<sup>s</sup>, and again at 15<sup>s</sup> before that time, also at 15<sup>s</sup> and 45<sup>s</sup> after that time. The intervals of these four observations are therefore the same as the time of vibration of the magnet, and the mean of all the times is the same as the Greenwich pre-arranged mean time.

The mean of each pair of adjacent readings of the micrometer is taken (giving three means), and the mean of these three is adopted as the result. In practice, this is done by adding the first and fourth readings to the double of the second and third, and dividing the sum by 6.

Till 1866, January 23, the magnet was usually in a state of vibration; but since the introduction of the water damper on that day the number of instances of vibration has been very small. When it is found to be quite free from vibration, two bisections only of the cross are made, one about 15<sup>s</sup> before the time recorded, the other about 15<sup>s</sup> after that time, 30<sup>s</sup> being nearly the time of a single vibration. (The lower magnet, furnished with the copper damper, never exhibits any troublesome vibrations.)

The adopted result is converted into arc, supposing  $1^r = 1'$ . 34''.8, and the quantity thus deduced is added to the mean of the vernier-readings, from which is subtracted the constant given in article 9 of the permanent adjustments; the difference between this number and the adopted reading for the Astronomical South Meridian is taken;

and thus is deduced the magnetic declination, which is used in determining the zero for the photographic register.

## § 3. General principle of construction of Photographic self-registering Apparatus for continuous Record of Magnetic and other Indications.

The general principle adopted for all the photographic instruments is the same. The photographic paper is wrapped round a glass or ebonite cylinder, (ebonite being adopted for the earth-current-apparatus) and the axis of the cylinder is made parallel to the direction of the movement which is to be registered.

The following is the arrangement of glass cylinders, for the Declination and Horizontal Force. One glass cylinder with a hemispherical extremity (in all respects similar to those used as shades or protectors of small clocks, works of art, &c.), about 11½ inches long in its cylindrical part, and about  $14\frac{1}{2}$  inches in circumference, is covered internally with a black pigment, and is stopped at the open end by insertion in a metallic cap, in the center of which is a short spindle and winch-arm. Round this cylinder the photographic paper is wrapped, and the moisture on the photographic paper agglutinates its overlapping ends with sufficient firmness. The cylinder and mounted paper are then covered by another glass cylinder with hemispherical end, whose open end is fixed, by friction, on the rim of the metallic cap to which the inner cylinder is attached, a collar of tape being inserted between. In this state the cylinders are placed in their workingmounting; the short spindle in the cap, and the large cylinder near its hemispherical end, rest upon anti-friction-rollers, the axis of the cylinder being horizontal. The wincharm is lodged in a fork at the end of the hour-hand of a timepiece, which is made for the purpose, not exceeding in size an ordinary box-chronometer, but with very strong wheels and powerful spring, and with duplex escapement. The mounting of the ebonite cylinders is the same except that they and their external glass cylinders have no hemispherical ends, and that both ends of the ebonite cylinders turn by spindles, which rest on anti-friction wheels; and that the clock-communication is made by a toothed wheel instead of a winch-arm. In order to avoid the ordinary shake of the hour-hand of a clock, due to the play of the motion-wheels under the dial, the hour-hand is placed upon the central axis, and the second wheel, which is usually placed in the center and carries the minute hand, is placed on one side. The peculiarities of the Vertical Force and Thermometer cylinders will be mentioned below. The cylinders of the magnetic and earth-current registers turn in twenty-four hours: those of the thermometers, in forty-eight hours.

The light, by which the trace of each magnet is made, originates in a lamp (formerly of camphine, but, since 1849, of coal-gas charged with the vapour of coal-naphtha) placed slightly out of the direction of a straight line drawn from the concave-mirror of the magnet (to be mentioned shortly) to the center of the photographic sheet. Before the flame of the lamp is placed a small aperture, about 0<sup>in</sup>·3 high and 0<sup>in</sup>·01 broad, independent of the lamp, and supported by a part of the stone capping of the brick pier which carries the magnet. The light from the aperture falls upon the concave

mirror of speculum-metal, which is carried by a part of the magnet-carrier, and which, although it has a small movement of adjustment relative to the magnet-carrier, is in practice very firmly clamped to it, so that the mirror receives all the angular movements of the magnet. By the concave mirror, the light diverging from the aperture is made to converge to a place nearly on the surface of the cylinder of photographic paper. The form of the aperture, however, and the astigmatism caused by the inclined reflexion from the mirror, produce this effect, that the image is somewhat elongated in the vertical direction, and is at the same time slightly curved. To diminish the length there is placed near the cylinder a plano-convex cylindrical lens of glass, with its axis horizontal, and the image is thus reduced to a neat spot of light. For the thermometers, the arrangement is different, as will be mentioned.

The spot of light (for the magnets, the earth currents, and the barometer) or the boundary of the line of light (for the thermometers) moves, with the movements which are to be registered, in the direction of the axis of the cylinder, while the cylinder itself is turned round. Consequently, when the paper is unwrapped from its cylindrical form, there is traced upon it (though not visible till the proper chemical agents have been applied) a curve, of which the abscissa measured in the direction of a line surrounding the cylinder is proportional to the time, while the ordinate measured in the direction parallel to the axis of the cylinder is proportional to the movement which is the subject of measure.

In the instruments for registering the motions of the magnets, the earth-currents, and the barometer, a line of abscissæ is actually traced on the paper, by a lamp giving a spot of light in an invariable position, the effect of which on the revolving paper is to trace a line surrounding the cylinder. For the thermometers this is not necessary, as the thermometer-scales are made to carry and to transfer to the photographic paper sufficient indications of the actual reading of the thermometers.

Every part of the cylinder-apparatus except those on which the spots of light fall is covered with a double case of blackened zinc, having a slit for each moveable spot of light and a hole for the invariable spot; and every part of the path of the photographic light is protected by blackened zinc tubes from the admixture of extraneous light.

In all the instruments, the following method is used for attaching, to the sheet of photographic paper, indications of the time when certain parts of the photographic trace were actually made, and for giving the means of laying down a time-scale applicable to every part of the trace. By means of a small moveable plate, arranged expressly for this purpose, the light which makes the trace can at any moment be completely cut off. An assistant, therefore, occasionally cuts off the light (registering in the proper book the clock-time of doing so), and after a few minutes withdraws the plate (again registering the time). The effect of this is to make a visible interruption in the trace, corresponding to registered times. By drawing lines from these points of interruption parallel to the axis of the cylinder, to meet the photographic line of

abscissæ, or an adopted line of abscissæ parallel to it, points are defined upon the line of abscissæ corresponding to registered times. The whole length of the photographic sheet (except where one end, in the cylindrical arrangement, laps over the other) corresponds to the known time of revolution of the cylinder. A scale being prepared beforehand, whose value for the time of revolution corresponds to the circumference of the cylinder, and the scale-reading for the registered time of interruption of light being applied to the foot of the ordinate corresponding to that interruption, the divisions of hours and minutes may be transferred at once from the scale to the line of abscissæ. In practice it is found that the length of the paper is not always the same, and it is necessary, therefore, to use a scale (a separate one for each separate instrument) which will admit of small expansion and contraction, preserving the proportion of its different parts unaltered. Scales of vulcanized caoutchouc, mounted on a small frame in which one end of the scale is fixed while the other is drawn by a screw, were found to answer extremely well for a long time. About the end of 1866 it was found that they had expanded unequally in different parts, and in 1867 they have been superseded each by several pasteboard scales of different lengths, adapted to various lengths of the photographic sheets.

### § 4. Lower Declination-Magnet; and Photographic self-registering Apparatus for Continuous Record of Magnetic Declination.

The lower declination magnet is made by Simms. It is 2 feet long,  $1\frac{1}{2}$  inch broad, inch thick, of hard steel throughout, much harder than the upper declination magnet.

The magnet-frame consists of an upper piece, whose top is a hook, (to be hooked into the suspension-skein), and which carries a concave mirror 5 inches in diameter, used for the photographic record in the manner to be hereafter mentioned. The lower part of this upper piece turns in a graduated horizontal circle, similar to the torsion circle of the upper magnet, and attached to the lower piece or magnet-carrier proper. The lowest part of the carrier is a double square hook, in which the magnet is inserted and is kept in position by the pressure of three screws.

It has been mentioned in § 1 that a small pier built upon one of the crossed slates which are laid upon three piers rising from below, carries the suspension-pullies. The suspension-skein rises to one of these pullies, passes horizontally over a second pulley about 5 inches south of it, and then descends obliquely to a windlass which is fixed to the stone slab about 2 ft. 3 in. south of the center of the magnet.

The height of the pulley above the floor of the Basement is 10 ft.  $4\frac{3}{4}$  in. As the height of the magnet above the floor is 2 ft.  $10\frac{1}{2}$  in., and the length of the magnet frame is 1ft. 3 in., there remains 6 ft.  $3\frac{1}{4}$  in. of free suspending skein.

One of the revolving cylinders is used for the photographic record of the Declination Magnet and the Horizontal Force Magnet. In the preparation of the basement in 1864, as has been stated, the south-eastern re-entering angle was cut away, so that the straight line from the suspending skein of the declination-magnet to the center of the bifilar magnet passes through a clear space, in which the registering apparatus is placed.

The concave mirror of the declination-magnet is 5 inches in diameter, and is above the top of the magnet-box. The distance of the light-aperture from the mirror is about 25.3 inches. The spot of light from the mirror is received on the south side of the cylinder, near its west end.

For the declination-magnet, the values, in minutes and seconds of arc, of movements of the photographic spot in the direction of the ordinate, are thus deduced from a geometrical calculation founded on the measures of different parts of the apparatus. The distance of the cylinder from the concave mirror is about 11<sup>tt.</sup> 0<sup>in.</sup> 1, and a movement of 1° of the mirror produces a movement of 2° in the reflected ray. From this it is found that 1° of movement of the mirror is represented by 4.611 inches upon the photographic paper. A small scale of pasteboard is prepared, whose graduations correspond in value to minutes and seconds so calculated. The zero of the ordinatescale is found in the following manner. The time-scale having been laid down as is already described, and actual observations of the position of the magnet having been made with the eye and the telescope, (as has been fully described above), at certain registered times, there is no difficulty (by means of these registered times) in defining the points of the photographic trace which correspond to the observed positions. The pasteboard scale being applied as an ordinate to one of these points, and being slid up and down till the scale reading which represents the reading actually taken by the eye-observation falls on that point, the reading of the scale where it crosses the line of abscissæ is immediately found. The various readings given by different observations, so long as there is no instrumental change, will scarcely differ, and may be combined in groups, and thus an adopted reading for the line of abscissæ may be obtained. From this, with the assistance of the same pasteboard scale, there will be laid down without difficulty a new line, parallel to that line of abscissæ, whose ordinate would represent some whole number of degrees, or other convenient quantity.

### § 5. Horizontal-Force-Magnet and Apparatus for observing it.

The horizontal-force-magnet, furnished by Meyerstein of Göttingen, is, like the declination-magnet, 2 feet long,  $1\frac{1}{2}$  inch broad, and about  $\frac{1}{4}$  inch thick. support (as is mentioned above), a brick pier in the eastern arm of the Magnetic Observatory, built on the ground below the basement floor, rises through the floor of the upper room, and carries a slate slab, to the top of which a brass frame is attached, carrying two brass pulleys (with their axes in the same east and west line) in front of the pier, and two (in a similar position) at the back of the pier; these constitute the upper suspension-piece. A small windlass is attached to the back of the pier at a convenient height. The magnet-carrier consists of two parts. The upper part is a horizontal bar,  $2\frac{1}{2}$  inches long, whose ends are furnished with verniers for reading the graduations of the torsion-circle (a portion of the lower part, to be mentioned below) on the upper side of this horizontal bar are two small pullies with axes horizontal and at right angles to the vertical plane passing through the length of the bar: by these pullies the apparatus is suspended, as will be mentioned. From the lower side of the horizontal bar, a vertical axis projects downwards through the center of the torsioncircle, in which it turns by stiff friction. The lower part of the magnet-carrier consists,

first of the torsion-circle, a graduated circle about 3 inches in diameter: next, immediately below the central part of the torsion-circle, is attached (but not firmly fixed) a circular piece of metal from which projects downwards a frame that, by means of three cramps and screws, carries the photographic concave mirror, with the plane of its front under the center of the vertical axis: this circular piece of metal has a radial arm upon which acts a screw carried by the torsion-circle, for giving to the concave mirror small changes of azimuthal position. Thirdly, there is fixed to the torsioncircle, at the back of the mirror frame but not touching it, a bar projecting downwards, bent horizontally under the mirror frame and then again bent downwards, carrying the cramps in which the magnet rests, and, still lower, a small plane mirror, to which a fixed telescope is directed for observing by reflexion the graduations of a fixed scale (to be mentioned shortly). Under the two small pulleys mentioned above passes a skein of silk; its two branches rise up and pass over the front pulleys of the suspension-piece, then over its back pulleys, and then descend and pass under a single large pulley, whose axis is attached to a wire that passes down to the windlass. Supported by the two branches of the skein, the magnet swings freely, but the direction that it takes will depend on the angular position of its stirrup with respect to the upper horizontal bar; it is intended that the index should be brought to such a position on the torsion-circle that the two suspending branches should not hang in one plane, but should be so twisted that their torsion-force will maintain the magnet in a direction very nearly E. and W. magnetic (its marked end being W.); in which state an increase of the earth's magnetic force draws the marked end towards the N., till the torsion-force is sufficiently increased to resist it; or a diminution allows the torsionforce to draw it towards the S. The magnet, with its plane mirror, hangs within a double rectangular box (one box completely inclosed within another) covered with gilt paper, similar to that used for the declination-magnet; in its S. side there is one long hole, covered with glass, through which the rays of light from the scale enter to fall on the plane mirror, and the rays reflected by the mirror pass to the fixed telescope. The vertical rod (below the torsion-circle), which carries the magnet-stirrup, passes through a hole in the top of the box. Above the magnet box is the concave mirror above mentioned. The height of the brass pulleys of the suspension-piece above the floor is 11<sup>ft.</sup> 8<sup>in.</sup> 5; that of the pulleys of the magnet-carrier is 4<sup>ft.</sup> 2<sup>in.</sup> 5; and that of the center of the plane mirror is about 3<sup>ft.</sup> 1<sup>in.</sup>. The distance between the branches of the silk skein, where they pass over the upper pulleys, is 1in. 14; at the lower part the distance between them is 0in.80.

An oval copper bar (exactly similar to that for the declination-magnet), embraces the magnet for the purpose of diminishing its vibrations.

The scale, which is observed by means of the plane mirror, is in a horizontal position, and is fixed to the South wall of the East arm of the magnetic basement. The numbers of the scale increase from East to West, so that when the magnet is inserted in the magnet-cell with its marked end towards the West, increasing readings

of the scale (as seen with a fixed telescope directed to the mirror which the magnet carries) denote an increasing horizontal force. A normal from the plane-mirror to the scale meets it at the division 51 nearly; the distance from the center of the plane-mirror to the scale is 7<sup>tt</sup>. 6<sup>in.</sup> · 8.

The telescope is fixed on the east side of the brick pier which supports the stone pier of the declination-theodolite in the upper observing room. The angle between the normal to the scale (which usually coincides nearly with the normal to the axis of the magnet) and the axis of the telescope, is about 38°, and the plane of the mirror is therefore inclined to the axis of the magnet about 19°.

## OBSERVATIONS RELATING TO THE PERMANENT ADJUSTMENTS OF THE HORIZONTAL-FORCE-MAGNET.

1. Determination of the times of vibration and of the different readings of the scale for different readings of the torsion-circle, and of the reading of the torsion-circle and the time of vibration when the magnet is transverse to the magnetic meridian.

To render the process intelligible, it may be convenient to premise the following explanation.

Suppose that the magnet is suspended in its stirrup which is firmly connected with the small plane mirror, with its marked end in a magnetic westerly direction (not exactly W., but in any westerly direction between N. and S.), and suppose that, by means of the telescope directed towards that mirror, the scale is read, or (which is the same thing) the position of the plane mirror and of the stirrup, and therefore that of the axis of the magnet, are defined. Now let the magnet be taken out of the stirrup and replaced with its marked end easterly. The terrestrial magnetic power will now act, as regards torsion, in the direction opposite to that in which it acted before, and therefore the magnet will not take the same position as before. But by turning the torsion-circle, which changes the amount and direction of the torsion-power produced by the oblique tension of the suspending cords, the magnet may be made to take the same position as before (which will be proved by the reading of the scale, as viewed in the plane mirror, being the same as before). The reading of the torsion-circle will be different from what it was before. The effect of this operation then is, to give us the difference of torsion-circle-readings for the same position of the magnet-axis with the marked end opposite ways, but it gives no information as to whether the magnet-axis is transverse to the meridian, inasmuch as the same operation can be performed whether the magnet-axis is transverse or not.

But there is another observation which will inform us whether the magnet-axis is or is not transverse. Let the time of vibration be taken in each position of the magnet. Resolve the terrestrial magnetic force acting on the poles of the magnet into two parts, one transverse to the magnet, the other longitudinal. In the two positions of the magnet (marked end westerly and marked end easterly, with axis in the same position), the magnitude of the transversal force is the same, and the changes which the torsion

undergoes in a vibration of given extent are the same, and the time of vibration (if there were no other force) would be the same. But there is another force, namely the longitudinal force; and when the marked end is northerly, this tends from the center of the magnet's length, and when it is southerly it tends towards the center of the magnet's length; and in a vibration of given extent this produces force, in one case increasing that from the torsion and in the other case diminishing it. The times of vibration therefore will be different. There is only one exception to this, which is when the magnet-axis is transverse to the magnetic meridian, in which case the longitudinal force vanishes.

The criterion then of the position truly transverse to the meridian (which position is necessary in order that the indications of our instrument may apply truly to changes of the magnitude of terrestrial magnetic force without regard to changes of direction) is this. Find the readings of the torsion-circle which, with magnet in reversed positions, will give the same readings of the scale as viewed by reflexion in the plane mirror, and will also give the same time of vibration for the magnet. With these readings of the torsion-circle the magnet is transverse to the meridian; and the difference of the readings of the torsion-circle is the difference, between the position when terrestrial magnetism acting on the magnet twists it one way, and the position when the same force twists it the opposite way, and is therefore double the angle due to the torsion-force of the suspending lines when they neutralize the force of terrestrial magnetism.

The following table exhibits the elements of one of the determinations made in 1866:—

		The Marked end of the Magnet.							
1865.			West.		East.				
Day.	Torsion- Circle Reading.	Scale Reading.	Difference of Scale Readings for 1° of Torsion.	the Times of Circle Scale Scale Rea for 1°		Difference of Scale Readings for 1° of Torsion.	Mean of the Times of Vibration.		
Dec. 29	140 141 142 143 144 145 146 147 148 149	div.  13.68 21.73 31.13 39.98 47.58 56.20 63.83 71.47 79.58 87.04 96.42	8.05 9.40 8.85 7.60 8.62 7.63 7.64 8.11 7.46 9.38	21 · 46 21 · 42 21 · 32 21 · 10 21 · 02 20 · 72 20 · 66 20 · 56 20 · 38 20 · 22 20 · 16	222 223 224 225 226 227 228 229 230 231 232	div.  11.62 19.57 26.95 34.91 43.23 50.27 58.76 67.21 75.65 85.13 93.89	7.95 7.38 7.96 8.32 7.04 8.49 8.45 8.44 9.48	19.62 20.16 20.32 20.54 20.54 20.70 20.78 21.04 21.26 21.34 21.50	

The times of vibration and scale readings were sensibly the same, when the torsion-circle read 145°., marked end West, and 227°.41′, marked end East, differing 82°.41′. Half this difference, or 41°.20′, is the angle of torsion when the magnet is transverse to the meridian.

xx

The mean of several determinations gave 41°. 14′., and this value was adopted for the year 1866. The reading adopted for the torsion-circle, marked end of the magnet West, was 145° for the year.

2. Computation of the angle corresponding to one division of the scale, and of the variation of the horizontal force (in terms of the whole horizontal force) which moves the magnet through a space corresponding to one division of the scale.

It was found by accurate measurements, on 1864, November 3, that the distance from 51<sup>div.</sup> on the scale to the center of the face of the plane mirror is 7<sup>ft.</sup> 6<sup>in.</sup> 84, and that the length of 30<sup>div.</sup>85 of the scale is exactly 12 inches; consequently the angle at the mirror subtended by one division of the scale is 14′. 43″·25, or, for one division of the scale, the magnet is turned through an arc of 7′. 21″·625.

The adopted angle of torsion as mentioned above is 41°. 14′; consequently the variation of horizontal force (in terms of the whole horizontal force) for a disturbance through one division of the scale, computed by the formula, "Cotan. angle of torsion × value of one division in terms of radius," is 0.0024428. This number has been used for the year 1866.

3. Determination of the compound effect of the vertical-force-magnet and the declination-magnet on the horizontal-force-magnet, when suspended with its marked end towards the West.

The details of the experiments, made while the old vertical-force-magnet was in use, will be found in the volumes for 1841, 1842, 1843, 1844, 1845. The effect was to increase the readings by 0<sup>div.</sup>487. On mounting a new vertical-force-magnet in 1848, similar experiments were made, and the resulting number was 0<sup>div.</sup>45. These quantities are totally unimportant in their influence on the registers of changes of horizontal force. No experiments have been made since the magnets were placed in the basement.

### 4. Effect of the damper.

In the year 1865, from May 17 to May 25, observations were made for ascertaining the deflection of the magnet produced by turning the damper through a small angle round a vertical axis passing through its center.

#### DAMPER IN USUAL POSITION.

	f W. end	towards S.	, increase	of scale-reading		-0.251
Damper turned through 2°	W. end	towards N	.· •, ,,	,,		+0.050
Domnon turned through 10	∫ W. end	towards S	, ,,		,	
Damper turned through 4	I through $4^{\circ}$ $\left\{ egin{array}{ll}  ext{W. end towards S.,} & ,, & , & , \\  ext{W. end towards N.,} & ,, & , & , \\ \end{array} \right.$	• • • • • • •	+0.16			
	DAMPER	REVERSED	END FOR	End.		
Damper turned through 2°	∫ W. end	towards S.	, increase	of scale-reading		-0.12
Damper turned through 2	W. end	towards N	., ,,	,,		
Damper turned through 4°	∫ W. end	towards S.,	, ,,			
Tanana miangh 1	W. end	towards N.		••		+0.08

On 1865, July 25, observations were made to ascertain whether the effect of an external deflecting cause is the same with the damper present and the damper removed.

A small magnet was placed with its marked end pointing N. at the distance 4 feet S. of the unmarked end of the horizontal-force-magnet, deflecting the magnet through 1<sup>div.</sup> of the scale, and the scale-readings were observed with the damper in its usual place and the damper away. Three experiments were made, containing twenty-four observations of position. Not the smallest difference of position of the horizontal-force-magnet was produced by the presence or absence of the damper. The observations were very easy, and the result is certain.

No experiments on the dampers have been made since 1865.

5. Determination of the correction for the effect of temperature on the horizontal force magnet.

In the Introduction to the volume of Magnetical and Meteorological Observations for 1847 will be found a detailed account of observations made in the years 1846 and 1847 for determination of this element. The principle adopted was that of observing the deflection which the magnet (to be tried) produces on another magnet; the magnet (to be tried) being carried by the same frame which carries the telescope that is directed to the plane mirror attached to the other magnet, and which also carries the scale that is viewed in these experiments by reflection in that plane mirror. The rotation of the frame was measured by a graduated circle about 23 inches in diameter. The magnet (to be tried) was always on the eastern side of the other magnet. It was enclosed in a copper trough, which was filled with water at different temperatures. One end of the magnet (to be tried) was directed towards the other magnet. The values found for correction of the results as to horizontal force determined with the magnet at temperature  $t^o$  in order to reduce them to what they would have been if the temperature of the magnet had been  $32^o$ , expressed as multiples of the whole horizontal force, were,\*

When the marked end of the magnet (to be tried) was West,

$$0.00007137 (t-32) + 0.000000898 (t-32)^2$$

When the marked end of the magnet (to be tried) was East,

$$0.00009050 (t-32) + 0.000000626 (t-32)^2$$
.

The mean, or

$$0.00008093 (t-32) + 0.000000762 (t-32)^2$$

has been embodied in tables which have been used in the computation of the "Reduction of Magnetic Observations 1848–1857," attached to the Volume of Observations 1859, and in the computation for "Days of Great Magnetic Disturbance 1841–1857," attached to the volume for 1862. The same formula is employed in the Reduction of Magnetic Observations 1858–1863, now in progress.

In the year 1864 observations were made for ascertaining the temperature-coefficient by heating the magnet by hot air. The deflecting magnet was placed in a copper box

<sup>\*</sup> By inadvertence in printing the Introduction 1847, the letter t has been used in two different senses.

planted upon the top of a copper gas-stove, whose heat could be regulated by manipulation of a tap, and from which rose a stream of heated air (not the air vitiated by combustion) through a large opening in the bottom of the box. With this apparatus, the force that acted upon a deflected magnet was measured by the tangent of the angle of deflection. The apparent effect of the temperature was so great (five or six times that found by use of water) that I imagine that some untraced cause of error existed in the operation, and I therefore abstain from publishing it.

From 1867, December 30, to 1868, February 21, experiments were made for determining the temperature-coefficient under the actual circumstances of observation, by heating the Magnetic Basement to different temperatures, and observing the changes of scale reading as viewed in the telescope, and also, the changes of indications on the photographic registers. The general result is, that the correction required for the horizontal-force-magnet is small, but that required for the vertical-force-magnet is large and negative in sign. A more detailed account will be given in a subsequent volume.

The method of observing with the horizontal-force magnet is the following:

A fine vertical wire is fixed in the field of view of the telescope, which is directed to the plane mirror carried by the magnet. On looking into the telescope, the graduations of the fixed scale, mentioned in page xvii, are seen; and during the oscillations of the magnet, the divisions of the scale are seen to pass alternately right and left across the wire. The clock-time, for which the position of the magnet is to be determined, is the same as that for the observation of declination. The first observation is made by the observer applying his eye to the telescope 40° before that time, and, if the magnet is in a state of vibration, he observes the next four extreme points of vibration of the scale, and the mean of these is adopted in the same manner as for the declination-observations; but if it is at rest, then at 10° before the pre-arranged time, he notes the division of the scale bisected by the wire; and 10° after the pre-arranged time he notes whether the same division continues bisected, and if it does, that reading is adopted as the result.

The number of instances when the magnet was observed in a state of vibration during the year 1866 is very small.

Outside the double box is suspended a thermometer, which is read at every hour of observation. On two days also of every week, till August 31, and on every day except Sunday after September 1, the readings of the thermometer were taken at 21<sup>h</sup>, 22<sup>h</sup>, 23<sup>h</sup>, 0<sup>h</sup>, 1<sup>h</sup>, 2<sup>h</sup>, 3<sup>h</sup>, and 9<sup>h</sup>. Self-registering maximum and minimum thermometers placed outside the box were read twice every day, but in consequence of the very small diurnal range of temperature, their readings are not printed in the volume.

## § 6. Photographic self-registering Apparatus for Continuous Record of Magnetic Horizontal Force.

Much of the description of the photographic apparatus attached to the declination-magnet applies also to that which is attached to the horizontal-force-magnet. A concave

mirror of speculum-metal, 4 inches in diameter, is carried by the magnet-carrier. The light of a lamp of naphthalized gas shines through a small aperture 0<sup>in.</sup> 3 high, and 0<sup>in.</sup> 01 broad (which is supported by the solid base of the brick pier carrying the magnet-support), at the distance of about 21.25 inches from the concave mirror, and is made to converge to a point, on the north surface and near the east end of the same revolving cylinder which receives the light from the concave mirror of the declination-magnet. A cylindrical lens parallel to the axis of the cylinder receives the somewhat elongated image of the source of light, and converts it into a well-defined spot. The motions of this spot parallel to the axis represent the angular movements of the magnet which are produced by an increase of terrestrial magnetic force overcoming more completely the torsion-force of the bifilar suspension, or by a diminution of terrestrial force yielding to the torsion-force.

As the spot of light from the horizontal-force-mirror falls on the side of the cylinder opposite to that on which the light from the declination-mirror falls, the same time-scale will not apply to both; it is necessary to prepare a time-scale independently for each.

The following is the calculation by which the scale of horizontal force on the photographic sheet is determined. The distance between the surface of the concave mirror and the surface of the cylinder is 134·436 inches; consequently, one degree of angular motion of the magnet, producing two degrees of angular motion of the reflected ray, moves the spot of light through 4·6927 inches. Now the variation of horizontal force (in terms of the whole horizontal force) corresponding to one degree of angular motion of the magnet =  $\sin 1^{\circ} \times \cot 41^{\circ}$ . 14′. = 0·019914 nearly. From these numbers it is immediately found that a movement of the spot of light through 2·3565 inches corresponds to a variation of horizontal force expressed by 0·01 part of the whole horizontal force. With this fundamental number, the graduations of the pasteboard scale for measure of horizontal force have been prepared.

### § 7. Vertical-Force-Magnet, and Apparatus for observing it.

The vertical-force-magnet in use to 1848 was made by Robinson; that in use from 1848 to 1864, January 20, was by Barrow. The magnet now in use is by Simms. Its length is 1<sup>st.</sup> 6<sup>in.</sup>; it is pointed at the ends. After some trials, it was re-magnetized by Mr. Simms on 1864, June 15. Between 1864, August 27, and September 27, a new knife-edge was attached to it, to remedy a defect which, as was afterwards found, arose from a cause that had no relation to the knife-edge. Its supporting frame rests upon a solid pier, built of brick and capped with a thick block of Portland stone, in the western arm of the magnetic basement. Its position is as nearly as possible symmetrical with that of the horizontal-force-magnet in the eastern arm. Upon the stone block is fixed the supporting frame, consisting of two pillars (connected at their bases) on whose tops are the agate planes upon which vibrate the extreme parts of the knife-edge (to be mentioned immediately). The carrier of the

magnet is an iron frame, to which is attached, by clamps and pinching screws, a steel knife-edge, about 8 inches long. The steel knife-edge passes through an aperture in the magnet. The axis of the magnet is as nearly as possible transverse to the meridian, its marked end being E. The axis of vibration is as nearly as possible N. and S. To the southern end of the iron frame, and projecting further south than the end of the knife-edge, is fixed a small plane mirror, whose plane makes with the axis of the magnet an angle of  $52\frac{30}{4}$  nearly. The fixed telescope (to be mentioned) is directed to this mirror, and by reflexion at the surface of the mirror it views a vertical scale (to be mentioned shortly). The height of this mirror above the floor is about 2<sup>ft</sup> 10<sup>in</sup> 6. Before the introduction of the photographic methods, the magnet was placed in a perforation of a brass frame midway between its knife-edges. But since the photographic method was introduced, the magnet has been placed excentrically; the distance of its southern face from the nearest end of the southern knife-edge, being nearly 2 inches, and a space of  $4\frac{1}{2}$  inches in the northern part of the iron frame being left disposable. In this disposable space there is attached to the iron frame by three clips a concave mirror of speculum-metal, with its face at right angles to the length of the magnet; it is used in the photographic system (shortly to be described). Near the north end of the iron frame are fixed in it two screw stalks, upon which are adjustible screw-weights; one stalk is horizontal, and the movement of its weight affects the position of equilibrium of the magnet (which depends on the equilibrium between the moments of the vertical force of terrestrial magnetism on the one hand and of the magnet's center of gravity on the other hand); the other stalk is vertical, and the movement of its weight affects the delicacy of the balance, and varies the magnitude of its change of position produced by a change in the vertical force of terrestrial magnetism.

The whole is inclosed in a rectangular box. This box is based upon the stone block above mentioned; and in it, in a space separated from the rest by a thin partition, the magnet can vibrate freely in the vertical plane. In the south side of the box is a hole covered by glass, through which pass the rays of light from the scale to the plane mirror, and through which they are reflected from the plane mirror to the telescope. And at the east end is a large hole covered by glass, through which passes the light from the lamp to the concave mirror, and through which it is reflected to the photographic cylinder (to be described hereafter).

The telescope is fixed to the west side of the brick pier which supports the stone pier in the upper room carrying the declination-theodolite. Its position is symmetrical with that of the telescope by which the horizontal-force-magnet is observed; so that a person seated in a convenient position can, by an easy motion of the head left and right, observe the vertical-force and horizontal-force-magnets.

The scale is vertical: it is fixed to the pier which carries the telescope, and is at a very small distance from the object-glass of the telescope. The wire in the field of view of the telescope is horizontal. The telescope being directed towards the mirror, the observer sees in it the divisions of the scale passing upwards and downwards over

the fixed wire as the magnet vibrates. The numbers of the scale increase from top to bottom; so that, when the magnet is placed with its marked end towards the East, increasing readings (as seen with the fixed telescope) denote an increasing vertical force.

## OBSERVATIONS RELATING TO THE PERMANENT ADJUSTMENTS OF THE VERTICAL-FORCE-MAGNET.

1. Determination of the compound effect of the declination-magnet, the horizontal-force-magnet, and the iron affixed to the electrometer pole, on the vertical-force-magnet.

The experiments applying to the magnets are given in the volumes for 1840–1841 to 1845: and those applying to the electrometer pole in the volume for 1842. It appeared that no sensible disturbance was produced on the magnet formerly in use. No experiments have been made with the new magnet.

2. Determination of the time of vibration of the vertical-force-magnet in the vertical plane.

In the year 1866, vibrations of the vertical-force-magnet were observed on 140 different days, and with readings of various divisions of the scale. The mean time of vibration adopted for the whole year was 12<sup>s</sup>·75.

3. Determination of the time of vibration of the vertical-force-magnet in the horizontal plane.

1866, December 31. The magnet with all its apparatus was suspended from a tripod in the Record Room, its broad side being in a plane parallel to the horizon; therefore, its moment of inertia was the same as when it is in observation. A telescope, with a wire in its focus, was directed to the reflector carried by the magnet. A scale of numbers was placed on the floor of the Record Room, at right angles to the long axis of the magnet, or parallel to the mirror. The magnet was observed only at times when it was swinging through a small arc. From 300 vibrations, the mean time of one vibration = 15°·1873. This number is used through the year 1866.

4. Computation of the angle through which the magnet moves for a change of one division of the scale; and calculation of the disturbing force producing a movement through one division, in terms of the whole vertical force.

The distance from the scale to the mirror is 186.07 inches, and each division of the scale  $=\frac{12}{30.85}$  inches. Hence the angle which one division subtends, as seen from the mirror, is  $7'.11''\cdot19$ ; and therefore the angular movement of the normal to the mirror, corresponding to a change of one division of the scale, is half this quantity, or  $3'.35''\cdot60$ .

But the angular movement of the normal to the mirror is not the same as the angular movement of the magnet; but is less in the proportion of unity to the cosine of the angle which the normal to the mirror makes with the magnet, or in the propor-

tion of unity to the sine of the angle which the plane of the mirror makes with the magnet. This angle has been found to be  $52\frac{3}{4}^{\circ}$ : therefore, dividing the result just obtained by sine  $52\frac{3}{4}^{\circ}$ , we have, for the angular motion of the magnet corresponding to a change of one division of the scale, 4'.30''.85.

From this, the value, in terms of the whole vertical force, of the disturbing force producing a change of one division, is to be computed by the formula, "Value of Division in terms of radius  $\times$  cotan. dip  $\times \frac{T^{\prime 2}}{T^2}$ " where T' is the time of vibration in the horizontal plane, and T the time of vibration in the vertical plane.

For 1866, T' was assumed =  $15^{\circ}\cdot1873$ , T =  $12^{\circ}\cdot75$ , dip =  $68^{\circ}\cdot1'\cdot16''$ . From these numbers, the change of vertical force (in terms of the whole vertical force) corresponding to a change of one division of the scale is found = 0.00075194 part of the whole vertical force. This is used through 1866.

### 5. Investigation of the temperature-correction of the vertical-force-magnet.

An attempt was made to investigate the thermometric correction of the new vertical-force-magnet by the use of heated air, at the same time and in the same manner as for the horizontal-force-magnet (mentioned on pages xxi and xxii). The results were so much larger than I expected, that I conceive some urknown cause of error to have affected them. At the end of 1867 and the beginning of 1868, experiments were made by heating the air of the room, as is mentioned in page xxii, giving a large negative correction. No correction has been applied to the observations with the new vertical-force-magnet.

The method of observing with the vertical-force-magnet is the following:—

A fine horizontal wire is fixed in the field of view of the telescope, which is directed to the small plane mirror carried by the magnet. On looking into the telescope, the graduations of the fixed vertical scale are seen; and during the oscillations of the magnet, the divisions of the scale are seen to pass alternately upwards and downwards across the wire. The clock-time, for which the position of the magnet is to be determined, is the same as that for the other two magnets. The observer applies his eye to the telescope about two vibrations before the arranged time, and if the magnet is in motion he observes its places at four extreme vibrations; and the mean of these is taken as for the horizontal-force-magnet. But if the magnet is at rest, then at one-half time of vibration before the arranged time, and at an equal interval after the arranged time, the division of the scale is noted; if there is a slight difference, the mean is taken.

The number of instances in 1866 in which the magnet was found in a state of vibration is very small.

Outside the box is placed a thermometer, which is read at every hour of observation, and also, till August 31, on two days of every week, and from September 1 on every day except Sundays, at the hours 21<sup>h</sup>, 22<sup>h</sup>, 23<sup>h</sup>, 0<sup>h</sup>, 1<sup>h</sup>, 2<sup>h</sup>, 3<sup>h</sup>, and 9<sup>h</sup>, in the same manner as that of the horizontal force-instrument.

A maximum and a minimum thermometer have also been read twice daily; but the results are not printed.

## § 8. Photographic self-registering Apparatus for Continuous Record of Magnetic Vertical Force.

The concave mirror which is carried by the vertical-force-magnet is 4 inches in diameter; its mounting has been described in the last article. At the distance of about 22 inches from that mirror, and external to the box, is the horizontal aperture, about 0in·3 in length and 0in·01 in breadth, carried by the same stone block which carries the supports of the agate planes. The lamp which shines through this aperture is carried by a wooden stand. The light reflected from the mirror passes through a cylindrical lens with its axis vertical, very near to the cylinder carrying the photographic paper, and finally forms a well-defined spot of light on the cylinder of paper, at the distance of 100.18 inches from the mirror. As the movements of the magnet are vertical, the axis of the cylinder is vertical. The cylinder is about 15½ inches in circumference, or somewhat larger than that used for the declination and horizontal-force magnets. The forms of the exterior and interior cylinders, and the method of mounting the paper, are in all respects the same as for the declination and horizontal-force magnets; but the cylinder is supported by being merely planted upon a circular horizontal plate (its position being defined by fitting a central hole in the metallic cap of the cylinder upon a central pin in the plate), which rests on anti-friction rollers and is turned by watchwork once in twenty-four The trace of the vertical-force-magnet is on the west side of the cylinder.

On the east side, the cylinder receives the trace produced by the barometer (to be described hereafter). A pencil of light from the lamp which is used for the barometer shines through a fixed aperture with a small cylindrical lens, for tracing a photographic base-line upon the cylinder of paper, similar to that for the cylinder of the declination and horizontal-force magnets.

The scale for the ordinates of the photographic curve of the vertical force is thus computed. Remarking that the radius which determines the range of the motion of the spot of light is double the distance 100·18 inches, and is therefore = 200·36 inches, the formula used in the last section, when applied to  $\frac{\text{disturbing force}}{\text{whole vertical force}} = 0·01$ , gives value of division =  $200·36 \times \text{tan.}$  dip.  $\times \left(\frac{T}{T'}\right)^2 \times 0·01$ . The value of the ordinate of the photographic curve for  $\frac{\text{disturbing force}}{\text{whole vertical force}} = 0·01$ , thus obtained, is, for the year 1866, 3·4987 inches. With this value, the pasteboard scale used for measuring the photographic ordinates has been prepared.

## § 9. Dipping Needles, and Method of observing the Magnetic Dip.

The instrument with which all the dips in the year 1866 have been observed, is that which, for distinction, is called Airy's instrument. The following description will probably suffice to convey an idea of its peculiarities:—

The form of the needles, the form of their axes, the form of the agate bearings, and the general arrangement of the relieving apparatus, are precisely the same as those in

Robinson's and other needles. But the form of the observing apparatus is greatly modified, in order to secure the following objects:—

- I. To obtain a microscopic view of the points of the needles, as in the instruments introduced by Dr. Lloyd and Lieut.-General Sabine.
- II. To possess at the same time the means of observing the needles while in a state of vibration.
  - III. To have the means of observing needles of different lengths.
- IV. To give an illumination to the field of view of each microscope, directed from the side opposite to the observer's eye, so that the light may enter past the point of the needle into the object glass of the microscope, forming a black image of the needle-point in a bright field of view.
  - V. To give facility for observing by day or night.

With these views, the following form is given to the apparatus:—

The needle, and the bodies of the microscopes, are inclosed in a square box. The base of the box, two vertical sides, and the top, are made of gun-metal (carefully selected to insure its freedom from iron); but the sides parallel to the plane of vibration of the needle are of glass. Of the two glass sides, that which is next the observer is firmly fixed; it is hereafter called "the graduated glass-plate." The other glass side can be withdrawn, to open the box, for inserting the needle, &c.

An axis, whose length is perpendicular to the plane of vibration of the needles, and is as nearly as possible in the line of the axis of the needle, supported on two bearings (of which one is cemented in a hole in the graduated glass-plate, the other being upon a horizontal bar near to the agate support of the needle-axis), carries a transverse arm, about 11 inches long, or rather two arms, projecting about  $5\frac{1}{2}$  inches on each side of the axis. Each of these projecting arms has a long opening, or slot, about I inch wide, extending from the neighbourhood of the center-work nearly to the end of the arm. Through this opening the tube of a microscope passes, in a direction parallel to the axis of the needle, and is firmly fixed by a shoulder-bearing on one side of the arm, and a circular nut, working in a thread cut upon the microscope-tube, on the other side of the arm. The microscope can thus be fixed at any distance from the central axis, within the limits of the length of the projecting arm. In 1863, between February 24 and May 11, the slot for a single moveable microscope on each side was changed for three fixed microscopes on each side, adapted in position to the lengths of the needles to be mentioned shortly.

The microscope-tube thus carried is not the entire microscope, but so much as contains the object-glass and the field-glass. Upon the plane side of the field-glass (which is turned towards the object-glass), a series of parallel lines is engraved by etching with fluoric acid. The object-glass is so adjusted that the image of the needle-point is formed upon the plane side of the field-glass; and thus the parallel lines can be used for observing the needle in a state of vibration; and, one of them being

adopted as standard, the lines can be used for reference to the graduated circle (to be mentioned). All this requires that there be an eye-glass also for the microscope.

The axis of which we have spoken is continued through the graduated glass-plate, and there it carries another transverse arm parallel to the former, and generally similar to it. In each part of this slides a short eye-piece, carrying the eye-glass. In 1863, at the time mentioned above, the slotted arm and moveable eye-socket were changed for an arm with three sockets and eye-glasses. Thus, reckoning from the observer's eye, there are the following parts:—

- (1.) The eye-glass.
- (2.) The graduated glass-plate (its graduations, however, not intervening in this part of the glass, the graduated circle being so large as to include all the microscopes).
- (3.) The field-glass, on the further surface of which the parallel lines are engraved.
  - (4.) The object-glass.
  - (5.) The needle.
  - (6.) The removeable glass side of the box.
  - (7.) The illuminating reflector, to be described hereafter.

The optical part of the apparatus being thus described, we may proceed to speak of the graduated circle.

The graduations of the circle (whose diameter is about 9\frac{3}{4} inches) are etched on the inner surface of the graduated glass-plate. These divisions (as well as the parallel lines on the field glasses of the microscopes) are beautifully neat and regular, and are, I think, superior to any that I have seen on metal. The same piece of metal, which carries the transverse arms supporting the microscope bodies, carries also two arms with verniers for reading their graduations. These verniers (being adapted to transmitted light) are thin plates of metal, with notches instead of lines. The reading of the verniers is very easy. The portion of the axis which is external to the graduated glass-plate (towards the observer), and which has there, as already stated, two arms for carrying the microscope eye-glasses, has also two arms for carrying the lenses by which the verniers and glass-plate graduations are viewed. These four arms are the radii of a circle, which can be fixed in position by a clamp, attached to the gun-metal casing of the graduated glass-plate, and furnished with the usual slow-motion screw.

The entire system of the two arms carrying the microscope-bodies, the two arms carrying the microscope eye-glasses, the two arms carrying the verniers, and the two arms carrying the reading-glasses for the verniers, is turned rapidly by means of a button on the external side of the graduated glass-plate, or is moved slowly by means of the slow-motion screw just mentioned.


It now remains only to describe the illuminating apparatus. On the outside of the removeable glass plate, there are supports for the axis of a metallic circle turning in a plane parallel to the plane of needle-vibration. This circle has four slotted radii, and in these slots or openings there slide small frames carrying prismatic glass reflectors, each of which can turn on an axis, in the plane of the circle but trans-

verse to the radius. Two of these reflectors are for the purpose of sending light through the verniers, and therefore are fixed in radial distance; the other two were intended for sending light past the ends of the needle through the microscopes, and therefore required adjustment on change of needle and corresponding change of position of microscopes. In 1863 these were changed for fixed reflectors, corresponding to the fixed microscopes. The circle was originally turned by a small winch near the observer's hand; at present, the winch is removed, as its axis was found to be slightly magnetic. At each observation, it is necessary to turn the circle which carries the reflectors; but this is the work of an instant.

The light which illuminates the whole is a gas-burner, in the line of the axis of rotation. Its rays fall upon the glass prisms, and each of these is adjusted, by turning on its axis, to throw the reflected light in the required direction.

The whole of the apparatus, as thus described, is planted upon a horizontal plate admitting of rotation in azimuth: the plate is graduated in azimuth, and verniers are fixed to the gun-metal tripod stand. The gas-pipe is led down the central vertical axis, and there communicates by a rotatory joint with the fixed gas-pipes.

The needles adapted for use with this instrument are—



The needles constantly employed are B<sub>1</sub>, C<sub>1</sub>, D<sub>1</sub>, B<sub>2</sub>, C<sub>2</sub>, D<sub>2</sub>.

In discussing carefully the observations taken with this instrument (as well as with other dip-instruments), great trouble was experienced in determining the zenith-point (or reading of the vertical circle when the points of the needle are in the same vertical). To remedy this, a "zenith-point-needle" was constructed under my instructions by Mr. Simms; and it was used as need required in 1864 and 1865. It is a flat bar of brass; with pivots similar to those of the dip-needles; and with three pairs of points corresponding to the three lengths of needles used; loaded at one end so as to take a position perfectly definite with respect to the direction of gravity; observed with the microscopes, and reversed for another observation, exactly as the dip-needles. For each of the different lengths of dip-needles, the zenith-point is determined by observation of that pair of points of the zenith-point-needle whose interval is the same as the length of the dip-needle.

Discordances, of which no satisfactory explanation could be given, were at first found in the ordinary use of the instrument for determination of dip, as well as in the change of readings when a needle was raised and lowered, and in the change of readings when, without raising the needle, the instrument was turned completely in azimuth. Between November 10 and November 19, 1864, Mr. Simms reground the agate edges on which the needle-pivots rotate; and the discordances have entirely or in great measure disappeared. The process of regrinding was merely the following. A brass tool was provided which nearly fitted the agates, and which permitted lengthwise-strokes but scarcely permitted cross-strokes; and this tool carried, in succession, the different powders required for shaping and polishing the agate edges. As the edges were pretty well shaped, it was scarcely necessary to use coarse emery; but fine emery was used in the tool to give a final figure, and tin-oxide to give the ultimate polish. The process scarcely differs from that by which the edges had been ground originally; except that a tool had formerly been used which perhaps admitted of too much cross-stroke, and that rotten-stone powder had been used instead of tin-oxide.

The flat needles B<sub>4</sub>, C<sub>4</sub>, D<sub>4</sub>, were used with the object of determining whether any part of the discordances of results arose from the position of the principal plane of the magnetized needle. But with the increased harmony of results, an error showed itself which is peculiar to their form. The small flexure of the needle, produced by the resolved part of gravity in the direction perpendicular to the needle's length, changes the position of its centre of gravity in such a manner that the action of gravity is necessarily opposed to that of the magnetic vertical force; and thus the apparent dip is made too small. This error is perhaps insensible in the 3-inch needle D<sub>4</sub>, but it is visible in the 6-inch needle C<sub>4</sub>, and conspicuous in the 9-inch needle B<sub>4</sub>. In the tables of results, therefore, while I have included all the separate results from these needles, I have omitted them in the formation of means. After 1865, July, the flat needles were not used for dip observations.

Needles C<sub>1</sub> and D<sub>1</sub>, which had been removed by Mr. Simms on 1865, December 30, were returned on 1866, January 25.

# § 10. Observations for the absolute Measure of the Horizontal Force of Terrestrial Magnetism.

In the spring of 1861, a Unifilar Instrument, similar in all respects (as is understood) to those used in and issued by the Kew Observatory, was procured by the courteous application of Lieut.-General Sabine, from the makers, Messrs. J. T. Gibson and Son; and after having been subjected to the usual examinations, at the Kew Observatory, for determination of its constants (for which I am indebted to the kindness of Balfour Stewart, Esq.), was mounted at the Royal Observatory. Observations with this instrument commenced on 1861, June 11, and were continued

xxxii Introduction to Greenwich Magnetical Observations, 1866.

through the year; and, after some slight modifications of its verniers, it is still maintained in use (1868).

The deflected magnet (whose use is merely to ascertain the proportion which the power of the deflecting magnet at a given distance bears to the power of terrestrial magnetism) is 3 inches long, carrying a small plane mirror. The deflecting magnet is 4 inches long; it is a hollow cylinder, carrying in its internal tube a collimator, by means of which its time of vibration is observed in another apparatus. The frame which supports the suspension-piece of the deflected magnet carries also the telescope directed to the magnet-mirror; it rotates round the vertical axis of a horizontal graduated circle whose external diameter is 10 inches. The deflecting magnet is always placed on the E. or W. side of the deflected magnet, with one end towards the deflected magnet. In the reduction of the observations, the precepts contained in the Skeleton Form prepared by the Kew Observatory have received the strictest attention.

The following is the explanation of the method of reduction.

The distance of the centers of the deflected and deflecting magnet being known, it is supposed (from observations made at Kew, of which the details have not reached me) that the magnetism of the deflecting magnet is so altered by induction that the following multipliers ought to be used in computing the Absolute Force:—

At distance 1 'o foot, fact	or is 1 .00031
ı.ı	1 .00023
I '2	1 .00018
1 .3	1 .00014
1 *4	1 .00011
ı <b>·</b> 5	1 .00000

The correction of the magnetic power for temperature  $t_0$  of Fahrenheit, reducing all to 35° of Fahrenheit, is

$$0.000131261(t_0-35) + 0.000000259(t_0-35)^2$$

 $A_1$  is  $\frac{1}{2}$  (distance)<sup>3</sup> × sine deflection, corrected by the two last-mentioned quantities, for distance 1 foot;  $A_2$  is the similar expression for distance 1·3 foot;  $A'_2$  is  $\frac{A_2}{(1\cdot3)^2}$ : P is  $\frac{A_1-A_2}{A_1-A'_2}$ . A mean value of P is adopted from various observations; then  $\frac{m}{X}=A_1\times\left(1-\frac{P}{1}\right)$  for smaller distance, or  $=A_2\times\left(1-\frac{P}{1\cdot69}\right)$  for larger distance. The mean of these is usually adopted for the true value of  $\frac{m}{X}$ .

For computing the value of mX from observed vibrations, it is necessary to know K, the moment of inertia of the magnet as mounted. The value of  $\log \pi^2 K$  furnished by Mr. Stewart is 1.66073 at temperature 30° and 1.66109 at temperature 90°. Then, putting T for the time of the magnet's vibration as corrected for induction, temperature, and torsion-force, the value of mX is  $=\frac{\pi^2 K}{T^2}$ . From the combination of this value of mX with the former value of mX are immediately found.

It appears, from a comparison of observations given in the Introduction to the Magnetical and Meteorological Observations, 1862, that the determinations with the Old Instrument (in use to 1861) ought to be diminished by  $\frac{1}{117}$  part, to make them comparable with those of the Kew Unifilar.

The computation of the values of m and X has, to the year 1857, been made in reference to English measure only, using the foot and the grain as the units of length and weight; but, for comparison with foreign observations of the Absolute Intensity of Magnetism, it is desirable that X should be expressed also in reference to French measure, in terms of the millimètre and milligramme. If an English foot be supposed equal to  $\alpha$  times the millimètre, and a grain be equal to  $\beta$  times the milligramme, then it is seen that, for the reduction of  $\frac{m}{X}$  and mX to French measure, these must be multiplied by  $\alpha^3$  and  $\alpha^2\beta$  respectively. Hence  $X^2$  must be multiplied by  $\frac{\beta}{\alpha}$ , and X by  $\sqrt{\frac{\beta}{\alpha}}$ . Assuming that the mètre is equal to 39.37079 inches, and the gramme equal to 15.43249 grains, log.  $\sqrt{\frac{\beta}{\alpha}}$  will be found to be = 9.6637805, and the factor for reducing the English values of X to French values will be 0.46108 or  $\frac{1}{2\cdot 1689}$ . The values of X in French measure thus derived from those in English measure are given in the proper table.

## § 11. Explanation of the Tables of Indications of the Magnetometers.

The Indications are derived entirely from the measures of the ordinates of the Photographic Curves, except in a few instances in which the results are marked with an asterisk, in which case the results are those given by eye-observations, usually because the photographic process has failed.

Telescope-observations of the Magnetometers have usually been made four times every day, except on Sundays, on which days two or three observations only have been taken; but, though these observations are employed in forming the base lines on the photographic sheets, their immediate results are not necessarily given in the Tables.

For each photographic record, a new base-line, representing a convenient reading in round numbers of the element to which it applies, has been drawn on the sheet. Then the Assistant, who is charged with the translation of the curve-ordinates into numbers, remarks the salient points of the curve, or the points which if connected by straight lines would produce a polygon not sensibly differing from the photographic curve; to each of these he applies the pasteboard scale proper for the element under consideration; the base of the pasteboard scale determines the time on the time-scale, and the reading of the pasteboard scale for the point of the photographic curve gives the quantity which is to be added to the value for the new base-line. The ordinate-reading so formed is printed without alteration in the Tables. It is particularly to be

remarked that the indications for horizontal force and vertical force are not corrected for temperature.

In measuring the ordinates of the Vertical Force Curves, the same difficulty that is mentioned in preceding volumes has still occasionally, though rarely, been felt. Apparently without cause, the curve is dislocated; one part being raised above or depressed below the contiguous part, in the direction of the ordinate, usually by small quantities. In all cases the displacement is accompanied by vibration, the original position being at the extremity of the arc of vibration, and the new position being at its center; showing that there has been no want of delicacy in the movement, and that the change is precisely the same as would be caused by the quiet application of a small weight upon one end of the magnet.

In translating the ordinates into numbers on these occasions, two ordinates have been taken for the same abscissa; these are connected, in the printed Indications, by a brace, and the difference of the numbers indicates the amount of the disturbance.

## § 12. Wires and Photographic self-registering Apparatus for continuous Record of Spontaneous Terrestrial Galvanic Currents.

In order to obtain an exhibition of the spontaneous galvanic currents which in some measure are almost always discoverable in the earth, and which occasionally are very powerful, it was necessary to extend two insulated wires from an earth connexion at the Royal Observatory, in two directions nearly at right angles to each other, to considerable distances, where they would again make connexion with the earth. By the kindness of the Directors of the South Eastern Railway Company, to whom the Royal Observatory has on several occasions been deeply indebted, two connexions are made; one to a station near Dartford, at the direct distance 9\frac{3}{4} miles nearly, in azimuth (measured from North, to East, South, West), 102° astronomical or 122° magnetical, the length of the connecting wire being about 15\frac{2}{3} miles; the other to a station near Croydon, at the direct distance 8 miles, in azimuth, 209° astronomical, or 229° magnetical, the length of the connecting wire being about  $10\frac{1}{2}$  miles. At these two stations connexion is made with earth. The details of the course are as follows. The wires are soldered to a water pipe in the Magnetic Ground at the Royal Observatory. Thence they enter the Magnetic Basement, and pass through the photographic selfregistering apparatus (to be shortly described). From it they are led up the electrometer mast to a height exceeding 50 feet, and thence they are swung across the grounds to a chimney above the Octagon Room. They descend thence, and are led to a terminal board in the Computing Room, to which an intermediate galvanometer can be attached for eye-observation of the currents. From this point they are led to the "Battery Basement," and, with other wires, pass under the Park to the Greenwich Railway Station, and upon the telegraph poles. One wire branches off at the junction with the North Kent Railway to Dartford, the other at the junction with the Croydon Branch Railway to Croydon. At both places their connexion with earth is made by soldering to waterpipes, as at the Royal Observatory.

The apparatus for receiving the effects of the galvanic currents consists essentially of two magnetic needles (one for each wire), each suspended by a hair so as to vibrate horizontally within a galvanic coil, exactly as in the ordinary speaking telegraph; these coils being respectively in the courses of the two long wires. A current of one kind, in either wire, causes the corresponding needle to turn itself through an angle nearly proportioned to the strength of the current, in one direction; a current of the opposite kind causes it to turn in the opposite direction. These turnings are registered by the following apparatus.

The carrier of each magnet carries also a small plane mirror, which receives all the azimuthal motions of the magnet. The light of a gas-lamp passes through a minute aperture, and shines upon it; the divergent pencil is converted into a convergent pencil by refraction through crossed cylindrical lenses (with axes vertical before the pencil reaches the mirror, and with axes horizontal where the pencil is received from the mirror), which, under the circumstances, were more convenient than spherical lenses. A spot of light is thus formed upon the photographic paper wrapped upon a cylinder of ebonite, which is covered by a glass cylinder, and made to rotate in twenty-four hours by clock-work, exactly as for the register of the magnetic elements. As in the case of declination and horizontal-force, the two earth currents make their registers upon opposite sides of the same barrel, and upon different parts of the sheet; the same gaslight serving for the illumination of both.

A portion of a base-line for either record is obtained at any time by simply breaking the galvanic communication.

The photographic records have been regularly made since 1865, March 15. Seventeen days have been selected for special examination, and for these the equivalent galvanic currents in the north and west directions have been computed, and their effects in producing apparent magnetic disturbances in the west and north directions have been inferred. They correspond almost exactly with those indicated by the magnetometers. The discussion of these has been communicated to the Royal Society.

#### § 13. Standard Barometer.

The Barometer is a standard, by Newman, mounted in 1840. It is fixed on the South wall of the West arm of the Magnetic Observatory. The graduated scale which measures the height of the mercury is made of brass, and to it is affixed a brass rod, passing down the inside of one of the upright supports, and terminating in a conical point of ivory; this point in observation is made just to touch the surface of the mercury in the cistern, and the contact is easily seen by the reflected and the actual point appearing just to meet each other. The rod and scale are made to slide up and down by means of a slow-motion screw. The scale is divided to 0<sup>in.</sup>05.

The vernier subdivides the scale divisions to 0<sup>in</sup>.002; it is moved by a slow-motion screw, and in observation is adjusted so that the ray of light, passing under the back

and front of the semi-cylindrical plate carried by the vernier, is a tangent to the highest part of the convex surface of the mercury in the tube.

The tube is  $0^{\text{in}}.565$  in diameter; the correction for the effect of capillary attraction is therefore only  $+ 0^{\text{in}}.002$ . The cistern is of glass.

At the bottom of the instrument are three screws, turning in the fixed part of the support, and acting on the piece in which the lower pivot of the barometer-frame turns, for adjustment to verticality: this adjustment is examined weekly.

The readings of this barometer, until 1866, August 20<sup>d</sup>, 0<sup>h</sup>, are considered to be coincident with those of the Royal Society's flint-glass standard barometer. On that day a change was made in the barometer. It had been remarked that the slow-motion-screw at the bottom of the sliding rod (for adjusting the ivory point to the surface of the mercury in the cistern) was partly worn away: and on August 20 the sliding rod was removed from the barometer by Mr. Zambra to remedy this defect. It was restored on August 30<sup>d</sup>, 3<sup>h</sup>. Before the removal of the sliding rod, barometric comparisons had been made with a standard barometer the property of Messrs. Murray and Heath, and with two barometers, Negretti and Zambra, Nos. 646 and 647. While the sliding rod of the Greenwich standard was removed, Negretti and Zambra 647 was used for daily observations. After the new equipment of the standard barometer, another series of comparisons with the same barometers was made: from which it was found (the three auxiliaries giving accordant results) that the readings of the barometer, in its new state, required a correction of — 0<sup>in</sup>·006. This is applied in the printed observations commencing with August 30.

All observations of this barometer have been corrected for the difference of temperature of the mercury in the tube at the time of observation from 32°, by the application of the corrections contained in the table for barometers whose scales are engraved upon a rod of brass reaching from the level of the mercury to the vernier. (See the report of the Committee of Physics and Meteorology approved by the Royal Society.)

The height of the cistern above the mean level of the sea is 159 feet. This element is founded upon the determination of Mr. Lloyd, in the *Phil. Trans.*, 1831; the elevation of the cistern above the brass piece inserted in a stone in the transit-room (to which Mr. Lloyd refers) being 5<sup>tt</sup>.2<sup>in</sup>.

The barometer has been read at 21<sup>h</sup>, 0<sup>h</sup>, 3<sup>h</sup>, 9<sup>h</sup> (astronomical), on every day, excepting on Sundays, and on Good Friday and Christmas Day, on which days fewer observations have been taken. Every reading has been reduced to the reading which would have been obtained at the temperature 32° of the mercury and scale, by application of the correction given in Table II. (pages 82 to 87) of the Report of the Committee of Physics of the Royal Society. The mean of the reduced readings has then been taken for each civil day, and finally converted into mean daily reading, by application of the correction inferred from Mr. Glaisher's paper in the *Philosophical Transactions*, 1848, Part I, Table I, page 127.

In the printed record of the barometrical and all other meteorological observations, the day is to be understood, generally, as defined in civil reckoning.

## § 14. Photographic self-registering Apparatus for continuous Record of the Readings of the Barometer.

The Photographic self-registering Apparatus for continuous Record of Magnetic Vertical Force is furnished (as has been stated) with a vertical cylinder covered with photographic paper and revolving in 24 hours. North of the surface of this cylinder, at the distance of about 30 inches, is a large syphon barometer, the bore of the upper and lower extremities of its arms being about 1·1 inch. A glass float partly immersed in the quicksilver of the lower extremity is partially supported by a counterpoise acting on a light lever (which turns on delicate pivots), so that the wire supporting the float is constantly stretched, leaving a definite part of the weight of the float to be supported by the quicksilver. This lever is lengthened to carry a vertical plate of opaque mica with a small aperture, whose distance from the fulcrum is nearly eight times the distance of the point of attachment of the float wire, and whose movement, therefore, is nearly four times the movement of the column of a cistern-barometer. Through this hole the light of a lamp, collected by a cylindrical lens, shines upon the photographic paper.

The scale of time is established by means of occasional interruptions of the light, and the scale of measure is established by comparison with occasional eye-observations.

This barometer was brought into use in 1848, but its indications were not satisfactory till the mercury was boiled in the tube by Messrs. Negretti and Zambra on 1853, August 18, since which time they have appeared unexceptionable. Results of the indications are printed in the *Maxima and Minima of the Barometer*, near the end of the Meteorological Results.

## § 15. Thermometers for ordinary Observation of the Temperature of the Air and Evaporation.

The Dry-Bulb Thermometer, the Wet-Bulb Thermometer, the Maximum Self-Registering Thermometers, both dry and wet, and the Minimum Self-Registering Thermometers, dry and wet, all for determination of the temperature of the air and of evaporation, are mounted on a revolving frame whose fixed vertical axis is planted in the ground. From the year 1846 to 1863 the post forming the vertical axis was about 23 feet south (magnetic) of the S.S.E. angle of the south arm of the Magnetic Observatory; in 1863 it was moved to a position about 35 feet south (astronomical) of the south angle. A frame revolves on this post, consisting of a horizontal board as base, of a vertical board projecting upwards from it connected with one edge of the horizontal board, and of two parallel inclined boards (separated about three inches) connected at the top with the vertical board, and at the bottom with the other edge of the horizontal board. The outer inclined board is covered with zinc. The air passes freely between all these boards.

The dry and wet-bulb thermometers are attached to the outside, and near the center of the vertical board; the maximum and minimum thermometers for air towards one vertical edge, and those for evaporation towards the other vertical edge, with their

bulbs at almost the same level, and near to those of the dry and wet-bulb thermometers; their bulbs are about 4 feet above the ground and projecting from 2 inches to 3 inches below the horizontal board. Above the thermometers is a small projecting roof to protect them from rain. The frame is always turned with the inclined side towards the sun. It is presumed that the thermometers are thus sufficiently protected.

The graduations of all the thermometers used in the Royal Observatory rest fundamentally upon those of a Standard Thermometer, the property of Mr. Glaisher, which derives its authority from comparison with original thermometers constructed by the late Rev. R. Sheepshanks about the years 1840–1843, in the course of his preparations for the construction of the National Standard of Length. The whole of the radical determinations of Freezing Point, Boiling Point, and Subdivision of Volume of Tube, were made by Mr. Sheepshanks with the utmost care: it is believed that these were the first original thermometers that had been constructed in England for many years. Mr. Glaisher's thermometer has been adopted as the standard of reference for all the thermometers used in the Royal Observatory since 1840.

The Dry-Bulb Thermometer is by Newman. The corrections required for its readings, as found by comparison with the standard above-mentioned, are as follows:—

Between 8	and	°	subtract	°°4
I 2	and	19		o · 5
20	and	24		0.6
25	and	<b>3</b> 0		0.7
31	and	37		0.8
38	and	44		0.9
45	and	52		1,0
53	and	59		Ι.Ι
60	and	64	,,	I . 3
65	and	68		1.3
69	and	7 I		1,4
72	and	74		ı •5
<b>7</b> 5	and	77	•••••	1.6
78	and	<b>7</b> 9		1.7
<b>8</b> o :	and	82		1.8
83	and	84		1 . 9
85	and	86		2 . 0
87	$\mathbf{and}$	90		2 · I
91 8	and	95		2 . 5
101	and 1	04		2.4

The wet-bulb thermometer, with pea-bulb, by Negretti and Zambra No. 764, was used until 1866, January 17<sup>d</sup>. 21<sup>h</sup>.

January 18<sup>d</sup>. 0<sup>h</sup>, a new thermometer by Negretti and Zambra, with a bulb of the same size as that of the dry-bulb thermometer, was brought into use.

The corrections required to the readings of this thermometer are—

Between $3^{\circ}_{2}$ and	49	۰.0
50 and	81add	0.3
82 and	91	0.0
92 and	105 subtract	0.3

Dry-bulb and wet-bulb thermometers, with pea-bulbs and porcelain scales, Negretti and Zambra 795, are also mounted on the roof of the library, 4 feet above the leads and 22 feet above the ground.

The corrections for index error for these thermometers are— Dry bulb:

Wet bulb:

1866, August 8<sup>d</sup>. 9<sup>h</sup>. These thermometers (No. 795) and stand were blown over by the wind. The thermometers were broken.

1866, September 1<sup>d</sup>. 0<sup>h</sup>. New dry-bulb and wet-bulb thermometers (Negretti and Zambra No. 1179) were set up on the roof of the Library. These thermometers are similar to those broken on August 8<sup>d</sup>. 9<sup>h</sup>. No corrections are applied to the readings of thermometers No. 1179.

The eye-readings of the dry-bulb and wet-bulb thermometers have usually been taken at the hours (astronomical reckoning) 21<sup>h</sup>, 0<sup>h</sup>, 3<sup>h</sup>, 9<sup>h</sup>, and corrected by application of the numbers given above.

They are not printed in the present volume.

The dew-point has been inferred exclusively from the simultaneous observations of the dry-bulb and wet-bulb thermometers, by multiplying the difference between the readings of these thermometers by a factor peculiar to the temperature of the air, and subtracting the product from the reading of the dry-bulb thermometer. These factors have been found by Mr. Glaisher from the comparison of a great number of dew-point determinations, obtained by use of Daniell's hygrometer, with simultaneous observations of dry-bulb and wet-bulb thermometers. The first part of this investigation was published in full, in the volume of Magnetical and Meteorological Observations for 1844, pages 67-72; it was based upon all the observations made up to that time. Subsequently, the comparison was extended to include all the simultaneous observations of these instruments made at the Royal Observatory, Greenwich, from 1841 to 1854, with some observations taken at high temperatures in India, and others at low and medium temperatures at Toronto. The results at the same temperature were found to be the same at these different localities, so far as

the climatic circumstances permitted comparison. (See Glaisher's Hygrometrical Tables, 4th Edition). The following table exhibits the result of the entire comparison; it has been used in forming the dew-points in the present volume.

Table of Factors by which the Difference of Readings of the Dry-Bulb and Wet-Bulb Thermometers is to be Multiplied in order to produce the Difference between the Readings of the Dry-Bulb and Dew-Point Thermometers.

Reading of Dry-bulb Thermometer.	Factor.	Reading of Dry-bulb Thermometer.	Factor.	Reading of Dry-bulb Thermometer.	Factor.	Reading of Dry-bulb Thermometer.	Factor.
20 21 22 23 24 25 26 27 28 29 30 31 32	8·78 8·78 8·78 8·76 8·76 8·75 8·62 8·34 7·88 7·60 7·28 6·53 6·08 5·61 5·12 4·63 4·15 3·70 3·32	33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55	3.01 2.77 2.60 2.50 2.42 2.36 2.32 2.29 2.26 2.23 2.20 2.18 2.16 2.14 2.12 2.10 2.08 2.06 2.04 2.02 2.00 1.98 1.96	56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77	1 · 94 1 · 92 1 · 90 1 · 88 1 · 87 1 · 86 1 · 85 1 · 83 1 · 82 1 · 81 1 · 79 1 · 76 1 · 75 1 · 74 1 · 73 1 · 72 1 · 71 1 · 70 1 · 70	79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98	1.69 1.68 1.67 1.67 1.66 1.65 1.65 1.64 1.63 1.63 1.62 1.60 1.50 1.59 1.59 1.58 1.58

The maximum self-registering thermometer is a mercurial thermometer, of the construction invented by Messrs. Negretti and Zambra. There is a small detached piece of glass in the tube, just above a bent part of the tube (near the bulb), through which the piece of glass cannot pass down. The column of mercury in rising lifts the glass up and passes freely; but in descending it is unable to pass the glass, and the lower mass of mercury descends, leaving a vacant space below the glass, and leaving a portion of the mercury above it. The piece of glass operates as an efficient valve. The corrections to the readings of this thermometer are as follows:—

Between 32 and 3	4subtract	°•3
54 and 7	2	0.3
72 and 8	0	0.1
80 and g	3	0.0
93 and 9	6add	o. I
96 and 9	9	0.2
oo and 10	2	0.4

There is a similar thermometer for the maximum wet-bulb reading (Negretti and Zambra No. 198): the corrections to its readings are—

```
Between 32 and 36 ...... subtract 0.4
36 and 101 ..... 0.6
```

On 1866, May 9, the maximum wet thermometer (Negretti and Zambra No. 198) was found out of order.

On May 18, the maximum thermometer (Browning No. 1170) was mounted in its place, and was kept in use till May 25.

On May 25, a new maximum thermometer (Negretti and Zambra No. 7892) was brought into use.

On August 15<sup>d</sup>. 21<sup>h</sup>. the maximum thermometer (Negretti and Zambra No. 7892) was broken.

On August 24<sup>d</sup>. 21<sup>h</sup>. a new maximum thermometer (Negretti and Zambra No. 7537) was brought into use, and was used throughout the remainder of the year.

No corrections are applied to readings of Browning No. 1170; Negretti and Zambra No. 7892; and Negretti and Zambra No. 7537.

The minimum self-registering thermometers are alcohol thermometers, of the construction known as Rutherford's. A sliding glass index allows the alcohol in rising to pass above it, but is drawn down by the peculiar action of the bounding surface of the fluid when it sinks. The readings of that which gives the minimum temperature of the air require the following corrections, viz.:—

Below	° 12 add o	. 2
Between	13 and 18 o	٠3
	19 and 25 o	4
	26 and 35 o	• 5
	36 and 39 o	٠6
	40 and 43 0	•7
	44 and 47 o	٠8
	48 and 50 o	
	51 and 54 1	
	55 and 57 I	. I
	58 and 61 1	· 2
	62 and 64 1	•3
	65 and 67 I	·4
	68 and 70 1	5
	71 and 74 1	٠6
•	75 and 77 1	• 7
	78 and 80 1	٠8

The readings of the minimum wet-bulb thermometer require the following corrections:—

The mean daily values of dry thermometer in the printed columns are found by combining two results derived from different sources. The first and simpler result is the mean of the maximum and minimum, corrected by a small quantity depending on the month, given in Table III. of Mr. Glaisher's paper in the *Philosophical Transactions*, 1848, page 130. The second result is formed by taking the means of the four eye-observations at 21<sup>h</sup>, 0<sup>h</sup>, 3<sup>h</sup>, 9<sup>h</sup>, and applying a correction thus investigated. The daily range being found by taking the difference between the maximum and minimum, this daily range is multiplied by the mean of the factors in Table IV. of Mr. Glaisher's paper before mentioned corresponding to the hours of observation; the application of this correction to the mean of the eye-observations gives the second result. (It is evident that this process is applicable to any number of eye-observations.) These two results are then combined to form a mean, weights being given proportional to the number of observations contributing to each result.

For the mean daily value of dew point, the usual process is,—by observing the difference between dry and wet thermometers, and by use of the table of factors printed in page xl. above, to form the difference between air-temperature and dew point at each of the hours of reading; to take the mean of the deduced dew-points, and to apply a correction which is the mean of the corrections in Mr. Glaisher's Table VIII. for the several hours of observation. Sometimes, however, the following process is used. The correction for diurnal range applicable to the mean of the eye-observations of the dry thermometer having been found (as is described above), this correction is multiplied by a fraction, whose numerator is the mean of corrections to wet bulb thermometer in Table VII. for the hours of observations, and whose denominator is the mean of corrections to dry thermometer in Table II. for the same hours; and thus a correction is found which is applied to the mean of the eye-observations of wet bulb thermometer, to form the mean wet bulb for the day. Then by use of the mean dry bulb reading for the day and the mean wet bulb reading for the day and the table of factors above, the mean dew point for the day is formed.

## § 16. Photographic self-registering Apparatus for continuous Record of the Readings of the Dry-Bulb and Wet-Bulb Thermometers.

About 28 feet south (magnetic) of the south-east angle of the south arm of the Magnetic Observatory, and about 25 feet east of the thermometers for eye-observations, is a shed 10 ft. 6 in. square, standing upon posts 8 feet high, under which are placed the photographic thermometers, the dry-bulb thermometer towards the east, and the wet-bulb thermometer towards the west. The bulbs of the thermometers are 8 inches in length, and 0.4 inch internal bore, and their centers are about 4 feet above the ground. The bulb of one of the thermometers is covered with muslin throughout its whole length, which is kept moist by means of capillary passage of water along cotton wicks leading to a vessel filled with water.

There are small adjustments admitting the raising or dropping of the thermometers, so that the register of their changing readings may be on a convenient part of the

The thermometer frames are covered by plates having longitudinal apertures, so narrow, that any light which may pass through them is completely, or almost completely, intercepted by the broad flat column of mercury in the thermometer-tube. Across these plates a fine wire is placed at every degree; and at the decades of the degrees, and also at 32°, 52°, and 72°, a coarser wire is placed. A gas lamp is placed about 9 inches from each thermometer (east of the dry bulb and west of the wet bulb), and its light, condensed by a cylindrical lens, whose axis is vertical, shines through the thermometer-tube above the surface of the mercury, and forms a well-defined line of light upon the photographic paper, which is wrapped around the cylinder. axis of this cylinder is vertical; its mounting is in all respects similar to that of the Vertical Force cylinder. As the cylinder, covered with photographic paper, revolves under the light, which passes through the thermometer-tube, it receives a broad sheet of photographic trace, whose breadth (in the direction of the axis of the cylinder) varies with the varying height of the mercury in the thermometer-tube. The light in its passage is intercepted by the wires placed across the tube at every degree, and there are, therefore, left upon the paper corresponding lines in which there is no photogenic action.

The cylinder revolves in 48 hours; the daily photographic traces of the two thermometers are thus simultaneously registered on opposite sides of the cylinder without intermixing. The length of the cylinder is  $13\frac{1}{2}$  inches, and its circumference is 19 inches.

#### § 17. Thermometers for Solar Radiation and Radiation to the Sky.

The thermometer for Solar Radiation, which to the end of the year 1864 was placed in an open box about 10 feet south of the south-west angle of the south arm of the Magnetic Observatory, is now laid on the grass, near the same place.

The thermometer is a self-registering maximum mercurial thermometer of Negretti and Zambra's construction; its bulb is blackened, and enclosed in a glass sphere from which the air has been exhausted. Its graduations are correct, and the numbers inserted in the tables are those read from the instrument without alteration. The thermometer is read at 9<sup>h</sup> a.m., noon, 3<sup>h</sup> p.m., and occasionally at 9<sup>h</sup> p.m.; the highest of these readings is adopted as the maximum for the day.

The use of a thermometer with blackened bulb not inclosed in an exhausted sphere was discontinued at the end of 1865.

The thermometer for radiation to the sky is placed near to the Solar Radiation thermometer, with its bulb resting on short grass, and fully exposed to the sky. It is a self-registering minimum spirit thermometer of Rutherford's construction, made by Negretti and Zambra. Its graduation is correct, and the numbers inserted in the table are those read from the scale without alteration. It is read every day at 9<sup>h</sup> a.m., and occasionally at 9<sup>h</sup> p.m.

This thermometer was out of order on March 8, April 26, June 29, July 26, September 17 and 23.

§ 18. Thermometers sunk below the Surface of the Soil at different Depths.

These thermometers were made by Messrs. Adie of Edinburgh, under the immediate superintendence of Professor (now Principal) J. D. Forbes. The graduation was made by Professor Forbes himself.

The thermometers are four in number. They are all placed in one hole in the ground, the diameter of which in its upper half is 1 foot, and in its lower half about 6 inches. Each thermometer is attached in its whole length to a slender piece of wood, which is planted in the hole with it. The place of the hole is 20 feet south of the extremity of the south arm of the Magnetic Observatory, and opposite the center of its south front.

The soil consisted of beds of sand; of flint-gravel with a large proportion of sand; and of flints with a small proportion of sand, cemented almost to the consistency of pudding-stone. Every part of the gravel and sand extracted from the hole was perfectly dry.

The bulbs of the thermometers are cylindrical, 10 or 12 inches long and 2 or 3 inches in diameter. The bore of the principal part of the tubes, from the bulb to the graduated scale, is very small. In that part to which the scale is attached, the tube is larger.

The thermometer No. 1 was dropped into the hole to such a depth that the center of its bulb was 24 French feet (25.6 English feet) below the surface: then dry sand was poured in till the hole was filled to nearly half its height. Then No. 2 was dropped in till the center of its bulb was 12 French feet below the surface; No. 3 and No. 4 till the centers of their bulbs were respectively 6 and 3 French feet below the surface; and the hole was then completely filled with dry sand. The upper parts of the tubes, carrying the scales, were left projecting above the surface: No. 1 by 27.5 inches, No. 2 by 28.0 inches, No. 3 by 30.0 inches, and No. 4 by 32.0 inches. Of these lengths, the parts 8.5, 10.0, 11.0, and 14.5 inches, respectively are tube with narrow bore.

The projecting parts of the tubes are protected by a wooden case or box fixed to the ground; the sides of the box are perforated with numerous holes, and it has a double roof. In the North face of this box is a large plate of glass through which the thermometers are read. Within the box are two smaller thermometers, one (No. 5) whose bulb is sunk one inch in the ground, and one (No. 6) whose bulb is in the free air nearly in the center of the box.

The fluid of the four long thermometers is alcohol tinged with a red colour.

The values of 1° on the scales of Nos. 1, 2, 3 and 4, are respectively 2<sup>in.</sup>, 1<sup>in.</sup>1, 0<sup>in.</sup>9, and 0<sup>in.</sup>55; and the ranges of the scales, as first mounted, were, 43°·0 to 52°·7, 42°·0 to 56°·8, 39°·0 to 57°·5, and 34°·2 to 64°·5.

These ranges for Nos. 2, 3, and 4, were found to be insufficient in some years, particularly those of Nos. 3 and 4, or the thermometers sunk to the depth of 6 feet and 3 feet.

In 1857, June 22, Messrs. Negretti and Zambra removed from Nos. 3 and 4 a quantity of fluid corresponding to the extent of 5° on their scales, and the scales of these two thermometers were then lowered by that linear extent, making the readings the same as before. Their ranges are now, respectively, 44° to 62°.5, and 39°.2 to 69°.5.

In subsequent years it was found that the amount of fluid removed was somewhat too great, for now at the lower end of the scale the 6-foot thermometer sometimes falls below the limit of its scale or 44°; and the 3-foot thermometer below 39°0; in which cases the alcohol sinks into the capillary tube.

The readings at the early part of the series were at times defective at high temperatures, but always complete at low temperatures; now, they are always complete at high temperatures, and are at times defective at low temperatures. The two combined, however, will enable us to complete all readings.

These thermometers are read once a day, at noon, and the readings appear in the printed volumes as read from their scales without correction.

### § 19. Thermometers immersed in the Water of the Thames.

The self-registering maximum and minimum thermometers for determining the highest and lowest temperatures of the water of the Thames are by Messrs. Negretti and Zambra, and are observed every day at 9<sup>h</sup> a. m.

A strong wooden trunk is firmly fixed to the side of the Dreadnought Hospital Ship, about 5 feet in length, and closed at the bottom; the bottom and the sides, to the height of 3 feet, are perforated with a great number of holes, so that the water can easily flow through; the thermometers are suspended within this trunk so as to be about 2 feet below the surface of the water, and 1 foot from the bottom of the trunk.

The regular observations are made under the superintendence of the Medical Officers of the Ship.

The thermometer for maximum temperature was out of order on January 28, 31; February 1 to March 5, March 12 and 14, April 1 to 10, and 29 and 30; May 23, June 9, July 23, September 4, and December 28; that for minimum temperature was out of order on January 28, March 12 and 14, April 1 to 10, and 29 and 30; May 22 to 26; June 9; July 23 and 31; September 4 and 23; October 26 and 27; and December 28.

The index-error corrections to these thermometers were:-

For the maximum thermometer, till January 30, subtract 1 · 0
from March 5 to December 31, subtract 1 · 2
For the minimum thermometer, throughout the year, subtract 0 · 3

#### § 20. Osler's Anemometer.

This anemometer is self-registering: it was made by Newman, on a plan furnished by A. Follett Osler, Esq., F.R.S., but has received several changes since it was originally constructed. A large vane, which is turned by the wind, and from which a

vertical spindle proceeds down nearly to the table in the north-western turret of the ancient part of the Observatory, gives motion by a pinion upon the spindle to a rackwork carrying a pencil. This pencil makes a mark upon a paper affixed to a board which is moved uniformly in a direction transverse to the direction of the rack-motion. The movement of the board is effected by means of a second rack connected with the pinion of a clock. The paper has lines printed upon it corresponding to the positions which the pencil must take when the direction of the vane is N., E., S., or W.; and also has transversal lines corresponding to the positions of the pencil at every hour. The first adjustment for azimuth was obtained by observing from a certain point the time of passage of a star behind the vane-shaft, and computing from that observation the azimuth; then on a calm day drawing the vane by a cord to that position, and adjusting the rack, &c., so that the pencil position on the sheet corresponded to that azimuth.

For measuring the pressure of the wind, the shaft of the vane, as arranged by Mr. Osler, carried a plate one foot square, which was supported by horizontal rods sliding into grooves, and was urged in opposition to the wind by three spiral springs, so arranged that only one came into play when the wind was light, and the others necessarily acted in conjunction with the first as the plate was driven further and further by the force of the wind. A cord from this plate passed over a pulley, and communicated with a copper wire passing through the center of the spindle, which at the bottom communicated with another cord passing under a pulley and held in tension by a slight spring: and by this a pencil was moved transversely to the direction in which the paper fixed to the board is carried by the clock. Lines were printed upon the paper corresponding to different values of the pressure; the intervals of these lines were adjusted by applying weights of 1 lb., 2 lbs., &c., to move the pressure-plate in the same manner as if the wind pressed it.

This construction was in use till the middle of 1866, when the following modifications were made in it by Mr. Browning:—

The vane-shaft was made to bear upon anti-friction-rollers running in a cup of oil. For elucidation of the following description of the apparatus which it carries, I refer to Figure 3 on the engraving at the end of this Introduction (for the use of which I am indebted to the Council of the Meteorological Society). To the vane-shaft is attached a rectangular frame C, which rotates with the vane. To this vane are firmly attached the ends of four strong springs D, which rise from the point of attachment in a vertical direction, are then bent so as to descend below the frame C, and are then bent upwards so as to rise a short distance, where they terminate, each of them thus forming a large hook. To the interior of each strong spring, near to its upper bend, is affixed a very weak spring, which descends free into the lower bend or hook of the strong spring, so that its lower end may be moved by a light pressure till it reaches and takes bearing against the bent-up part of the strong spring, after which it cannot be further moved without moving the strong spring, and will therefore require much

The four ends of these four light springs carry the circular pressuregreater pressure. plate A by the following connexions. The two which are farthest from A, or which are below the wide part of the vane, are united by a light horizontal cross-bar G; and from the ends of these springs proceed four light bars E, which are attached to points of the pressure-plate A, near its circumference. The two ends of light springs which are nearest to A are also united by a light horizontal cross bar, which is attached to a projection from the center of the plate A. (The diagonal lines upon A, in the diagram, represent indistinctly two strengthening edge-bars upon the pressure-plate, and the projection above-mentioned is fixed to their intersection.) The weight of the pressure-plate thus rests entirely on the slender springs; it is held steadily in position, as regards the opposition to the wind, and it moves without sensible friction. A light wind drives it through a considerable space, until the ends of one pair of light springs touch their large hooks; then for every additional pound of pressure the movement is smaller, till the ends of the other pair of light springs touch their large hooks; after this the movement for every additional pound of pressure is still further diminished. This apparatus was arranged by Mr. Browning. The communication with the pencil below is similar to that in the first construction: the cord and pulley are omitted in the drawing to avoid confusion.

The pressure-pencil below is carried by a radial bar, whose length is parallel to the scale of hours; it is brought to zero by a small weight on a cord running over a pulley.

The surface of the pressure-plate is 2 square feet, or double that in the old construction. The scale of indications on the recording-sheet was determined experimentally as in the old instrument; yet it is remarked that the pressures of wind per square foot appear generally greater than formerly.

The scale for small pressures is much larger, and their indications much more certain than formerly. A pressure of an ounce per square foot is clearly shown.

The old vane was dismounted on July 23: from that time to August 11 the direction and pressure of wind were taken from an anemometer, the property of C. O. F. Cator, Esq., which happened to be mounted at the Royal Observatory, assisted by occasional eye-observations and personal estimations. The new anemometer was mounted on August 11.

A rain gauge of peculiar construction is carried by this instrument, by which the fall of rain is registered with reference to the time of the fall. It is described in § 22.

A fresh sheet of paper is applied to this instrument every day at 22<sup>h</sup> mean solar time.

#### § 21. Robinson's Anemometer.

This anemometer as used at the beginning of the year is self-registering, (not continuously self-registering, but requiring to be read from time to time,) and was made by Messrs. Negretti and Zambra on the principles described by Dr. Robinson in the Trans-

actions of the Royal Irish Academy, vol. xxii. It is furnished with four hemispherical cups [each being 3.75 inches in diameter], attached to the extremities of two arms at right angles to each other, and revolving in a horizontal plane by the excess of pressure of the wind on their concave over that on their convex surfaces.

In the instrument used to 1866, October 12, the distance between the centers of opposite cups is 13.45 inches, and their centers describe 42.24 inches in each revolution, indicating, according to the theory, a horizontal movement of the air of 126.72 inches for each revolution, and of one mile for 500 revolutions. The accuracy of this theory was verified by experiments made in 1860 (to be described immediately). The horizontal arms are connected with a vertical spindle, upon which is an endless screw, working in a toothed wheel connected with a train of wheels, furnished with indices capable of registering one mile and decimal multiples of a mile up to 1,000 miles. The instrument is read every day at  $22^h$ .

In the year 1860, on July 3, 4, and 13, experiments were made in Greenwich Park to ascertain the correctness of the theory of Robinson's anemometer; the point to be verified being that the scale of the instrument, founded on the supposition that the horizontal motion of the air is about three times the space described by the centers of the cups, is correct.

A post about 5 feet high with a vertical spindle in the top was erected, and on this spindle turned a horizontal arm, carrying at the extremity of its longer portion Robinson's anemometer, and on its shorter portion a counterpoise. The distance from the vertical spindle of the post to the vertical axis of the anemometer was 17<sup>th</sup>. 8<sup>in</sup>. 7. The reading of the dial was taken, and then the arm was made to revolve in the horizontal plane 50 or 100 times, an attendant counting the number of revolutions, and the reading of the dial was again taken. In this manner 1,000 revolutions were made in the direction N.E.S.W.N., and 1,000 revolutions in the direction N.W.S.E.N. In some of the experiments the air was sensibly quiet, and in others there was a little wind; the result was,

For a movement of the instrument through one mile,

The results from rapid revolutions and from slow revolutions were sensibly the same.

This may be considered as confirming in a very high degree the accuracy of the theory. In the latter part of the year a new instrument, adapted to give a continuous record of the velocity of the wind, was mounted by Mr. Browning, of which the principal parts are represented in Figures 1 and 2 of the engraving. The motion is given (as in the former) by the pressure of the air on four hemispherical cups, the distance of the center of each from the axis of rotation being 15.00 inches.

The foot of the axis is a hollow flat cone bearing upon a sharp cone which rises up from the base of a cup of oil. The communication of movement to wheel-work is essentially the same as in the former instrument; but a pinion C upon the axis of one of the wheels (which, in the figure, occupies a place too high) acts in a rack J, drawing it upwards by the ordinary motion of the revolving cups. The rack is pressed to the pinion by a spring, and, when it has been drawn up, it can be pressed by hand in opposition to the spring so as to release it from the pinion, and can then be pushed down, again to be raised by the action of the wheel-work. The rack is connected at the bottom with a sliding rod D, which passes down into the chamber below, where it draws up the sliding pencil-carrier E. The pencil F, which it carries, traces its indications upon the sheet of paper wrapped round a barrel, whose axis is vertical, and which by spindle connexion with the clock H is made to revolve in 24 hours. revolving cups and wheel-work are so adjusted that a motion of the pencil upwards of one inch represents a motion of the air through 100 miles. The curve traced upon the barrel exhibits, therefore, the aggregate of the air's movements, and also the air's velocity, at every instant of the day. The instrument was finally brought into continuous use on 1866, October 12.

## § 22. Rain Gauges.

The rain-gauge connected with Osler's anemometer is 50 feet 8 inches above the ground, and 205 feet 6 inches above the mean level of the sea. It exposes to the rain an area of 200 square inches (its horizontal dimensions being 10 by 20 inches).

The collected water passes through a tube into a vessel suspended in a frame by spiral springs, which lengthen as the water increases, until 0.24 of an inch is collected in the receiver; it then discharges itself by means of the following modification of the syphon. A copper tube, open at both ends, is fixed in the receiver, in a vertical position, with its end projecting below the bottom. Over the top of this tube a larger tube, closed at the top, is placed loosely. The smaller tube thus forms the longer leg, and the larger tube the shorter leg, of a syphon. The water, having risen to the top of the smaller tube, gradually falls through it into the uppermost portion of a tumbling bucket, fixed in a globe under the receiver. When full, the bucket falls over, throwing the water into a small pipe at the lower part of the globe; the water completely fills the bore of the pipe; its descent causes an imperfect vacuum in the globe, sufficient to cause a draught in the longer leg of the syphon, and the whole contents After leaving the globe, the water is carried away by a waste-pipe attached to the building. The springs then shorten and raise the receiver. The ascent and descent of the water-vessel move a radius-bar which carries a pencil; and this pencil makes a trace upon the paper carried by the sliding-board of the selfregistering anemometer. As the trace is rather long in proportion to the length of the

radius-bar, the bar has now been furnished by Mr. Browning with a "parallel motion," which makes the trace sensibly straight.

The scale of the printed paper was adjusted by repeatedly filling the water-vessel until it emptied itself, then weighing the water, and thus ascertaining its bulk, and dividing this bulk by the area of the surface of the rain receiver.

A second gauge, with an area 77 square inches nearly, is placed close to the preceding, the receiving surface of both being on the same horizontal plane.

A third gauge is placed on the roof of the Octagon room, at 38 feet  $4\frac{1}{2}$  inches above the ground, and 193 feet  $2\frac{1}{2}$  inches above the mean level of the sea. It is a simple cylinder gauge, 8 inches in diameter and about  $50\frac{1}{4}$  inches in area. The height of the cylinder is  $13\frac{1}{2}$  inches; at the depth of 1 inch from the top within the cylinder is fixed a funnel (an inverted cone) of 6 inches perpendicular height; with the point of this funnel is connected a tube,  $\frac{1}{5}$  of an inch in diameter, and  $1\frac{1}{2}$  inch in length;  $\frac{3}{4}$  of an inch of this tube is slightly curved, and the remaining  $\frac{3}{4}$  of an inch is bent upwards, terminating in an aperture of  $\frac{1}{8}$  of an inch in diameter. By this arrangement, the last few drops of water remain in the bent part of the tube, and the water is some days evaporating. The upper part of the funnel or bore of the cone is connected with a brass ring, which has been turned in a lathe, and this is connected with a circular piece 6 inches in depth, which passes outside the cylinder, and rests in a water joint, attached to the inner cylinder, and extending all round.

A fourth gauge is placed on the top of the Library; it is a funnel, whose top has a diameter of 6 inches; its exposed area is 28½ inches nearly. The receiving surface of the gauge is 22 feet 4 inches above the ground, and 177 feet 2 inches above the mean level of the sea.

A fifth gauge is planted on the roof of the Photographic Thermometer shed, 10 feet above the ground, and 164 feet 10 inches above the mean level of the sea. Its construction is the same as that of the third gauge.

A sixth gauge is a self-registering rain-gauge on Crosley's construction, made by Watkins and Hill. The surface exposed to the rain is 100 square inches. The collected water falls into a vibrating bucket, whose receiving concavity is entirely above the center of motion, and which is divided into two equal parts by a partition whose plane passes through the axis of motion. The pipe from the rain-receiver terminates immediately above the axis. Thus that part of the concavity which is highest is always in the position for receiving water from the pipe. When a certain quantity of water has fallen into it, it preponderates, and, falling, discharges its water into a cistern below; then the other part of the concavity receives the rain, and after a time preponderates. Thus the bucket is kept in a state of vibration. To its axis is attached an anchor with pallets, which acts upon a toothed wheel by a process exactly the reverse of that of a clock-escapement. This wheel communicates motion to a train of wheels, each of which carries a hand upon a dial-plate; and thus inches, tenths, and

hundredths are registered. Sometimes, when the escapement has obviously failed, the water which has descended to the lower cistern has again been passed through the gauge, in order to enable an assistant to observe the indication of the dial-plates without fear of an imperfection in the machinery escaping notice. The gauge is placed on the ground, 21 feet South of the Magnetic Observatory, and 156 feet 6 inches above the mean level of the sea.

The seventh and eighth gauges are placed near together, about 16 feet south of the Magnetic Observatory, 5 inches above the ground, and 155 feet 3 inches above the mean level of the sea. They are similar in construction and area to No. 3. These cylinders are sunk about 8 inches in the ground.

All these gauges, except No. 7, are read at 22<sup>h</sup> daily; in addition, Crosley's gauge and No. 8 are read daily at 9<sup>h</sup> p.m., and No. 7 at the end of each month only, to check the summation of the daily readings of No. 8. All are read at midnight of the last day of each month.

Gauges Nos. 1, 2, 3, 5, 8 were made by Messrs. Negretti and Zambra; No. 4 by Troughton; No. 6 by Watkins and Hill; and No. 7 is an old gauge.

## § 23. The Actinometer.

The actinometer consists of a hollow cylinder of glass 7 inches in length, and 1.22 inch in diameter, united at one end to a tube similar to a thermometer tube, 7 inches in length, which is terminated at its upper end by a ball 1.1 inch in diameter, the upper part of which is drawn out to a point, and broken off, so as to leave the end open, merely stopped by wax, and covered by a brass cap. The other end of the cylinder is closed by a silver plated cap, cemented on it, and furnished with a screw of silver, with 16 threads to an inch, passing through a collar of waxed leather. The axis of this screw is perforated through its entire length, to allow the stem of a thermometer to pass through it, (the bulb of which is nearly central within the cylinder), for the purpose of determining the temperature of the inclosed liquid. This liquid is of a deep blue colour (ammonio-sulphate of copper). When the actinometer is used in observation, the ball at the top is left full of air, and, according to the position of the screw, the liquid mounts into the first-mentioned tube, and its elevation can be read off on an attached scale which is divided into 100 parts. The cylinder is enclosed in a chamber which is blackened on three sides, and is covered on the fourth side or front by plate glass, to defend the chamber from currents of air; this glass is removeable at pleasure. The screw is used to diminish or increase the capacity of the cylindrical cistern, and thus to drive into the ball, which acts as a reservoir, all air out of the tube, and then to draw back from the reservoir such a quantity as shall leave the top of the liquid at the zero of the scale or elsewhere at pleasure, leaving no bubble of air in the cylinder. and no blebs of liquid in the tube.

For using the instrument a wooden table is prepared, with a moveable part, on which the instrument is placed, and on which it can very readily be exposed perpendicularly to the rays of the Sun; and where a screen can momentarily be placed so as to cut off all the rays of the Sun from the chamber of the instrument, and can be quickly withdrawn, so as fully to expose the cylindrical chamber to the Sun's radiation.

The method of observation is as follows:

The liquid being adjusted to zero of the scale by the screw, will mount into the stem, as soon as exposed to the Sun. It is allowed to do so for a minute or two, taking care, by the use of the screw, that it does not mount into the ball. When all is ready for observation, the liquid is drawn down to the zero of the scale, slowly and steadily, the thermometer is read for the temperature of the liquid, at the beginning of a minute the scale is read, and at the end of a minute it is read again: the screen is placed before the instrument: at the following 30s the scale is read for the first shade-observation, and at one minute afterwards is again read for the second shade-observation; the instrument is then exposed to the Sun at the beginning of the next minute, and read as before: and so on successively.

A delicate blackened bulb thermometer for solar radiation has also been frequently read during each series of experiments, for collection of comparative observation of the two instruments.

It is found by experiment that the fluid is driven up the tube 100 divisions by one-tenth of a turn of the screw. One inch in length of the screw including 16 threads, the distance between two contiguous threads is therefore 0.0625 inch.

A fine piece of silk was carefully passed round the bottom of 18 threads; its length was found to be 25.2 inches. Therefore the circumference of the screw at the bottom of the thread was 1.4 inch and its diameter 0.445 inch nearly. The depth of the thread is fully 0.05 inch.

These measures will give the means of converting the observed readings of the liquid in the slender tube into actual expressions of the proportion to the general store of liquid in the cylindrical chamber.

#### § 24. Electrical Apparatus.

The electrical apparatus consists of two parts, namely, the Moveable Apparatus, which is connected with a pole nearly 80 feet high planted 7 feet North and 2 feet East of the north-east angle of the north arm of the Magnetic Observatory (as extended in 1862); and the Fixed Apparatus, which is mounted in a projecting window in the ante-room of the Magnetic Observatory.

On the top of the pole is fixed a projecting cap, to which are fastened the ends of two iron rods, which terminate in a pit sunk in the ground, and are kept in tension by attached weights. These rods are to guide the moveable apparatus in its ascents and descents. Near the bottom of the pole is fixed a windlass; the rope upon which it

acts passes over a pulley in the cap, and is used to raise the moveable apparatus, which when raised to the top is suspended on a hook.

The moveable apparatus consists of the following parts:—A plank in a nearly vertical position is attached to perforated iron bars, which slide upon the iron rods. On the upper part of this plank is a cubical box. The box incloses a stout pillar of glass, having a conical hollow in its lower part. In the bottom of the box there is a large hole through which a cone of copper passes into the conical hollow of the glass pillar. In the lower part of the box a gas-lamp is placed, by the flame of which the copper cone and the lower part of the glass pillar are kept in a state of warmth. A copper wire is fastened round the glass pillar; its end is carried to a similar glass pillar, warmed in the same manner, near the north-western turret of the Octagon room; by this wire, whose length is about 400 feet, the atmospheric electricity is collected. To this wire, near the box, is attached another copper wire now covered with gutta percha 0.1 inch in diameter, and about 73 feet long, at the end of which is a hook; a loaded brass lever connected with the fixed apparatus presses upon this hook, and thus keeps the wire in a state of tension, and at the same time establishes the electrical communication between the long horizontal wire and the fixed apparatus.

The fixed apparatus consists of these parts:—A glass bar, nearly 3 feet long, and thickest at its middle, is supported in a horizontal position, its ends being fixed in pieces of wood projecting downwards from the roof of the projecting window. Near to each end is placed a small gas-lamp, whose chimney encircles the glass, and whose heat keeps the glass in a state of warmth proper for insulation. A brass collar surrounds the center of the glass bar; it carries one brass rod, projecting vertically upwards through a hole in the roof of the window-recess, to which rod are attached a small metallic umbrella and the loaded lever above-mentioned; and it carries another rod projecting vertically downwards, to which is attached a horizontal brass tube in an East and West direction. On the North and South sides of this tube there project four horizontal rods, through the ends of which there pass vertical rods, which can be fixed by screws at any elevation; these are placed in connexion with the electrometers, which rest on the window seat.

The electrometers during the year 1866 consisted of a Double Gold Leaf Electrometer of the ordinary construction; two Volta's Electrometers, denoted by Nos. 1 and 2; a Henley's Electrometer; a Ronalds' Spark Measurer; a Dry-pile Apparatus; and a Galvanometer.

Volta 1 and Volta 2 are of the same construction; each is furnished with a pair of straws 2 Paris inches in length; those of the latter being much heavier than those of the former: each instrument is furnished with a graduated ivory scale, whose radius is 2 Paris inches, and it is graduated into half Paris lines. In the original construction of these instruments it was intended that each division of No. 2 should correspond to five of No. 1: the actual relation between them has not yet been determined by

observations at the Royal Observatory. The straws are suspended by hooks of fine copper wire to the suspension-piece, and they are separated by an interval of half a line.

Henley's Electrometer is supported on the West end of the large horizontal tube by means of a vertical rod fixed in it. On each side of the upper part of this rod is affixed a semicircular plate of ivory, whose circumference is graduated; at the centers of these ivory plates two pieces of brass are fixed, which are drilled to receive fine steel pivots, carrying a brass axis, into which the index or pendulum is inserted; the pendulum terminates with a pith ball. The relation between the graduations of this instrument and those of the other electrometers has not been determined. This instrument has seldom been affected till Volta 2 has risen to above 100 divisions of its scale.

The spark measurer consists of a vertical sliding rod terminated by a brass ball, which ball can be brought into contact with one of the vertical rods before referred to, also terminating in a ball; and it can be moved from it or towards it by means of a lever, with a wooden handle. During the operation of separating the balls, an index runs along a graduated scale, and exhibits the distance between the balls, and this distance measures the length of the spark.

The electrometers and the spark measurer were originally constructed under the superintendence of Francis Ronalds, Esq., but have since received small alterations.

The dry-pile apparatus was made by Watkins and Hill; it is placed in connexion with the brass bar by a system of wires and brass rods. The indicator, which vibrates between the two poles, is a small piece of gold leaf. This instrument is very delicate, and it indicates at once the quality of the electricity. When the inclination of the gold leaf is such that it is directed towards the top of either pile, it remains there as long as the quantity of electricity continues the same or becomes greater: the position is sometimes expressed in the notes by the words "as far as possible." The angle which the gold leaf makes with the vertical at this time is about 40°.

The galvanometer was made by Gourjon of Paris, and consists of an astatic needle, composed of two large sewing needles, suspended by a split silk fibre, one of the needles of the pair vibrating within a ring formed by 2,400 coils of fine copper wire. The connexions of the two portions of wire forming these 2,400 coils are so arranged that it is possible to use a single system of 1,200 coils of single wire, or a system of 1,200 coils of double wire, or a system of 2,400 coils of single wire: in practice the last has always been used. A small ball communicating by a wire with one end of the coils is placed in contact at pleasure with the electric conductor, and a wire leading from the other end of the coil communicates with the earth. An adjustible circular card, graduated to degrees, is placed immediately below the upper needle; the numeration of its divisions proceeds in both directions from a zero. One of these directions is distinguished by the letter A, and the other by the letter B; and the nature of the

indication represented by the deflection of the needle towards A or towards B will be ascertained from the following experiment. A voltaic battery being formed by means of a silver coin and a copper coin, having a piece of blotting paper moistened with saliva between them: when the copper touches the small ball, and the wire which usually communicates with the earth is made to touch the silver, the needle turns towards A; when the silver touches the small ball, and the wire is made to touch the copper, the needle turns towards B.

## § 25. Explanation of the Tables of Meteorological Observations.

The mean daily value of the difference between dew-point temperature and air-temperature is the difference between the two numbers in the sixth and seventh columns. The Greatest and Least are the greatest and least among the differences corresponding to the times of observation in the civil day, or they are found from the absolute maxima and minima, as determined by comparing the observations of the self-registering wet-bulb thermometers with those of the self-registering dry-bulb thermometers.

The difference between the mean temperature for the day and the mean for the same day of the year on an average of fifty years, is found by comparison with a table of results deduced by Mr. Glaisher from fifty years' observations, made at the Royal Observatory, ending 1863.

Little explanation of the results deduced from Osler's Anemometer appears to be necessary. It may be understood generally that the greatest pressure occurred in gusts of short duration.

Robinson's Anemometer is read off every day at 22<sup>h</sup> (10<sup>h</sup> A.M.) and the difference between consecutive readings is entered opposite to the civil day on which the first reading is taken.

The register of rain ends generally at 9<sup>h</sup> P.M.; the amounts recorded at 10<sup>h</sup> A.M. and at 9<sup>h</sup> P.M. being added together to form the rain fall for the day. This applies to the Cylinder Rain-gauge partly sunk in the ground, described above as the "eighth." If, however, there appears to be any doubt as to the correctness of the results, reference is made to a Rain-gauge of similar construction and placed near to it, called above the "seventh."

For understanding the divisions of time under the heads of Electricity and Weather, the following remarks are necessary:—The day is divided by columns into two parts (from midnight to noon, and from noon to midnight), and each of these parts is roughly subdivided into two or three parts by colons (:). Thus, when there is a single colon in the first column, it denotes that the remarks before it apply (roughly) to the interval from midnight to 6 A.M., and those following it to the interval from 6 A.M. to noon. When there are two colons in the first column, it is to be understood that the

twelve hours are divided into three nearly equal parts of four hours each. And similarly for the second column.

The following is the explanation of the notation employed for record of electrical observations, it being premised that the quality of the Electricity is always to be supposed positive when no indication of quality is given:—

The duplication of the letter denotes an intensity of the modification described thus, s s is very strong; v v, very variable.

The Clouds and Weather are described generally by Howard's Nomenclature; the figure denotes the proportion of sky covered by clouds, the whole sky being represented by 10. The notation is as follows:

a denotes aurora borealis	r denotes rain
ci cirrus	th-r thin rain
ci-cu cirro-cumulus	oc-r occasional rain
ci-s cirro-stratus	fr-r frozen rain
cu cumulus	h-r heavy rain
cu-s cumulo-stratus	shs-r showers of rain
d dew	c-r continued rain
h-d heavy dew	c-h-r continued heavy rain
f fog	m-r misty rain
sl-f slight fog	fr-m-r frequent misty rain
th-f thick fog	sl-r slight rain
fr frost	h-shs heavy showers
$\operatorname{glm} \ldots \operatorname{\mathit{gloom}}$	fr-shs frequent showers
gt-glm great gloom	fr-h-shs frequent heavy showers
h-fr hoar frost	li-shs light showers
h haze	oc-shs occasional showers
hl hail	oc-h-shs occasional heavy showers
so-ha solar halo	$\operatorname{sq}$ $\operatorname{\mathit{squall}}$
1 lightning	sqs squalls
li-cl light clouds	fr-sqs frequent squalls
lu-co lunar corona	h-sqs heavy squalls
lu-ha lunar halo	fr-h-sqs frequent heavy squalls
m meteor	sc scud
ms meteors	li-sc light scud
n nimbus	sl sleet

sn de	enotes	s snow	th-cl denotes thin clouds			
oc-sn		occasional snow	v	•••	variable	
sl-sn	•••	slight snow	vv	•••	very variable	
S	•••	stratus	w	• • •	wind	
t	•••	thunder	st-w		strong wind	
t-s		thunder storm			-	

The foot-notes show the means and extremes of readings, and their departure in each month from average values, as found from the preceding Twenty-five Years' Observations; those relating to Humidity have been calculated from the Fourth Edition of Glaisher's Hygrometrical Tables.

The observations with the Actinometer are sufficiently explained in the description of the instrument in § 23.

## § 26. Observations of Luminous Meteors.

In arranging for the observations of meteors, the directions circulated by the Committee of the British Association have received the most careful attention. The observers have been educated in the knowledge of the principal stars by observations of the stars themselves, and by means of globes and maps. The general instruction to all observers has been, to look out for meteors on every clear night; but the observer specially appointed for the evening's duties has been more particularly charged with this observation.

On the nights specially mentioned in the directions of the British Association Committee, greater attention was given to the sky, and the observations of meteors were made more systematically. The principal nights are, January 2 and 10; February 6; March 1; April 19; May 18; June 6 and 20; July 17, 20, and 29; August 3, August 7-13; September 10; October 1 and 23; November 9-14, November 19, 28, and 30; December 8-14, especially December 11. A more extended list of days has been published by the British Association Committee.

Special arrangements were made in the August period for observing till the morning; and in the November period for observing through the night, one or two observers being on duty till midnight, and then all the observers till daybreak. The observers were so stationed as to command different views of the sky, to secure observation of all the meteors which might present themselves, and to guard against the observation of the same meteor by different observers. The tracks of nearly 300 meteors were recorded, and nearly 9000 meteors were counted on the morning of 1866, November 14; of these, nearly 5000 were counted between the hours of 1 and 2.

The observers in the year 1866 were Mr. Nash, Mr. Harding, Mr. Trapaud, Mr. Jones, Mr. Wright, Mr. Farncomb, and Mr. Stevenson.. Their observations are distinguished by the initials N., H., T., J., W., F., and S., respectively.

§ 27. Details of the Chemical Operations for the Photographic Records.

Mr. Glaisher has drawn up the following account of the Chemical Processes employed in the Photographic Operations for the self-registration of the Magnetical and Meteorological Indications.

CHEMICAL PREPARATION AND TREATMENT OF THE PHOTOGRAPHIC PAPER FOR PRIMARIES.

The paper used is similar to that made by Whatman; it is made by his successor Hollingsworth; it is strong and of even texture, and is prepared expressly for Photographic purposes.

First Operation.—Preliminary Preparation of the Paper.

The chemical solutions used in this process are the following:—

- (1.) Sixteen grains of Iodide of Potassium are dissolved in one ounce of distilled water.
- (2.) Twenty-four grains of Bromide of Potassium are dissolved in one ounce of distilled water.
- (3.) When the crystals are dissolved, the two solutions are mixed together, forming the iodising solution. The mixture will keep through any length of time. Immediately before use, it is filtered through filtering paper.

A quantity of the paper, sufficient for the consumption of several weeks, is treated in the following manner, sheet after sheet.

The sheet of paper is pinned by its four corners to a horizontal board. Upon the paper, a sufficient quantity (about 50 minims, or  $\frac{5}{48}$  of an ounce troy) of the iodising solution is applied, by pouring it upon the paper in front of a glass rod, which is then moved to and fro till the whole surface is uniformly wetted by the solution. Or, the solution may be evenly distributed by means of a camel-hair brush.

The paper thus prepared is allowed to remain in a horizontal position for a few minutes, and is then hung up to dry in the air; when dry, it is placed in a drawer, and may be kept through any length of time.

Second Operation.—Rendering the Paper sensitive to the Action of Light.

A solution of Nitrate of Silver is prepared by dissolving 50 grains of crystallized Nitrate of Silver in one ounce of distilled water. Since the magnetic basement has been used for photography, 15 grains of Acetic Acid have always been added to the solution.

Then the following operation is performed in a room illuminated by yellow light.

The paper is pinned as before upon a board somewhat smaller than itself, and (by means of a glass rod, as before,) its surface is wetted with 50 minims of

the Nitrate of Silver solution. It is allowed to remain a short time in a horizontal position, and, if any part of the paper still shines from the presence of a part of the solution unabsorbed into its texture, the superfluous fluid is taken off by the application of blotting paper.

The paper, still damp, is immediately placed upon the interior cylinder, and is covered by the exterior glass cylinder, and the united cylinders are mounted upon the revolving apparatus, to receive the spot of light formed by the mirror, which is carried by the magnet; or to receive the line of light passing through the thermometer tube.

## Third Operation.—Development of the Photographic Trace.

When the paper is removed from the cylinder, it is placed as before upon a board, and a saturated solution of Gallic Acid, to which a few drops of Aceto-Nitrate of Silver are occasionally added, is spread over the paper by means of a glass rod, and this action is continued until the trace is fully developed. The solutions are kept in the magnetic basement, and are always used at the temperature of that room. When the trace is well developed, the paper is placed in a vessel with water, and repeatedly washed with several waters; a brush being passed lightly over both sides of the paper to remove any crystalline deposit.

#### Fourth Operation.—Fixing the Photographic Trace.

The Photograph is placed in a solution of Hyposulphite of Soda, made by dissolving four or five ounces of the Hyposulphite in a pint of water; it is plunged completely in the liquid, and allowed to remain from one to two hours, until the yellow tint of the Iodide of Silver is removed. After this the sheet is washed repeatedly with water, allowed to remain immersed in water for 24 hours, and afterwards placed within folds of cotton cloths till nearly dry. Finally it is placed between sheets of blotting-paper, and is pressed.

# CHEMICAL PREPARATION AND TREATMENT OF THE PHOTOGRAPHIC PAPER FOR SECONDARIES.

Before taking a Secondary, the Primary is examined to ascertain whether the tint of the photographic curve is sufficiently dark. If it is not, the Primary is laid, face downwards, upon a desk of transparent plate-glass, below which is a large silvered plane mirror, so placed that the light from the sky is reflected upwards through the transparent glass and through the Primary; and the photographic curve is seen from the upper side or back with perfect distinctness. An assistant then darkens the back of the photographic curve by the application of sepia; the original photograph being untouched.

The paper used for the Secondaries is made by Rive; it is a strong wove paper, of tolerably even texture, thin, but able to bear a great deal of wear.

## First Operation.—Preliminary Preparation of the Paper.

The chemical solution required for this purpose is as follows:—

Two grains of Chloride of Ammonium are dissolved in one ounce of distilled water. A sufficient quantity of this solution is placed in a flat-bottomed porcelain dish, and sheets of paper, one by one, are plunged within it; care being taken that no air bubbles remain between the paper and the solution; this may be prevented by slight pressure over the sheet by means of a bent glass rod. When a few sheets are thus immersed, they are turned over, and are taken out and hung to dry. Any number of sheets may thus be prepared.

An equally good result is obtained, by spreading over one side by means of a glass rod, as in the preparation of the Primaries, a solution of Chloride of Ammonium made by dissolving five grains of the chloride in one ounce of distilled water.

Second Operation.—Rendering the Paper sensitive to the Action of Light.

The solution required for this purpose is as follows:—

To a filtered solution of Nitrate of Silver (made by dissolving 50 grains of Crystallized Nitrate of Silver in one ounce of distilled water) some strong solution of Ammonia is added; the whole becomes at first of a dark brown colour, but when a sufficient quantity of Ammonia is added the solution becomes perfectly clear; a few crystals of Nitrate of Silver are then added till the solution is a little dull, forming "Ammoniacal Nitrate of Silver"; it is then ready for use.

The following operation is performed in a room illuminated by yellow light:—

By means of a glass rod this solution is spread over the paper, whilst pinned on a board; the paper is dried before a fire, and is then in a fit state to be used for producing a Secondary.

Third Operation.—Formation of the Photographic Copy.

A sheet of the paper so prepared is placed in a printing frame with its prepared side upwards, upon a bed of blotting paper resting upon a sheet of plate-glass; the Primary is then placed on the paper with its own face downwards; and as it is necessary, for obtaining a correct copy of the Primary, that it should be in close contact with the prepared surface, a second sheet of plate-glass is placed over it, and the two are pressed together by clamps and screws. The whole is then exposed to the light (the Primary to be copied being above the paper on which the copy is to be made). The time required to produce a copy depends, in a great measure, upon the thickness of the paper on which the Primary is made, and on the actinic quality of the light; a period of five minutes in a bright sunshine, or one hour in clear daylight, is generally sufficient.

## Fourth Operation.—Fixing the Photographic Secondary.

When an impression has been thus obtained, it is necessary that the undecomposed Salts of Silver remaining in the paper be removed.

For this purpose the Secondary is at once plunged into water and well washed on both sides, passing a camel-hair brush over every part of it; it is then plunged into a solution of Hyposulphite of Soda (made by dissolving two or three ounces of the Hyposulphite in a pint of water), and is left through a period varying from half an hour to an hour. It is then removed, and washed in plain water several times; and running water is allowed to pass over it for twenty-four hours.

The sheets are then placed within the folds of drying cloths, till nearly dry, and finally between sheets of blotting paper.


The process of obtaining a Tertiary from a Secondary is in every respect the same as that of obtaining a Secondary from a Primary.

## § 28. Personal Establishment.

The personal establishment during the year 1866 has consisted of James Glaisher, Esq., F.R.S., Superintendent of the Magnetical and Meteorological Department, and Mr. William Carpenter Nash, Assistant.

Three or four computers have usually been attached to the Department.

•



J.Basire, lith

#### ROYAL OBSERVATORY, GREENWICH.

### RESULTS

OF

## MAGNETICAL OBSERVATIONS.

1866.

### ROYAL OBSERVATORY, GREENWICH.

# INDICATIONS

OF

# MAGNETOMETERS.

1866.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	f mo-
Jan. 1 0. 0. 15 0. 15 0. 15 0. 15 0. 15 0. 27 1. 12 1. 24 1. 25 1. 25	29. 25 30. 55 30. 55 30. 35 30. 25 31. 10 25. 0 21. 10 26. 20 27. 40 28. 25 30. 45 29. 30 31. 35 33. 30 31. 40 32. 0 31. 35 33. 30 31. 40 32. 0 31. 35 32. 40 32. 40 32. 40 32. 40 32. 40 32. 40 32. 40 32. 40 33. 45 33. 45 34. 35	Jan. 2	1380 1369 1379 1378 1379 1376 1372 1390 1380 1380 1374 1373 1376 1374 1378 1377 1380 1379 1381 1379 1381 1379 1381 1379 1381 1370 1370	Jan. 1  o. 0  o. 45  2. 11  6. 34  7. 54  8. 25  10. 41  11. 4  12. 19  15. 24  21. 11  23. 59	.03652 .03658 .03683 .03677 .03684 .03686 .03677 .03657 .03657 .03657 .03504 .03512	Jan. 2 Jan. 2 Jan. 2	58 · 8 · 7		Jan. 2 m5 6 95 6 11 8 3 3 . 4 4 4 4 5 5 5 5 5 6 6 6 6 6 6 6 7 7 7 7 7 7 7 8 8 1 2 3 3 4 4 1 1 1 2 3 6 6 6 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7	26. 30 27. 5 24. 20 26. 30 25. 0 21. 40 21. 40 14. 0	12. 0 12. 11 12. 28 12. 50 13. 6 13. 12 13. 23 13. 56 14. 24 14. 49 15. 11 15. 27 15. 27 15. 39 16. 57 17. 5 17. 11 17. 18	1378 1369 1371 1368 1367 1369 1371 1368 1372 1368 1372 1368 1377 1369 1372 1369 1372 1369 1372 1369 1372 1369 1372 1346 1350 1352 1346 1350 1352 1346 1350 1352 1346 1350 1352 1346 1351 1352 1348 1353 1348 1354 1353 1348 1353 1348 1353 1348 1354 1358 1354 1358 1358 1358 1358 1358	Jan. 2 h 4. 10 6. 553 7. 57 8. 18 8. 44 5. 10 10. 22 11. 32 11. 53 12. 43 12. 13 12. 13 12. 13 12. 13 12. 13	•03557 •03554 •035566 •03586 •03588 •03583 •03543 •03525 •03540 •03523 •03555 •035505 •03597 •03620 •03644	21. O 22. O	59 ·8 60 ·4 60 ·1 60 ·1	61 .0
o. o o. 59	20. 34. 35 35. 15	0. 0	1370	o. o o. 55	·03512 ·03517	3. 0	59 .6	60.0	14. 33	30. 50	19. 6	1360	4 - 4h o m	h -=	mhiah is	astan	

Jan. 2	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. Magnet.	no-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	0	rmo-
1. 47 34. 30 1. 30 1338	14. 53 15. 28 15. 28 15. 28 15. 36 15. 45 16. 15 16. 22 16. 38 16. 53 17. 7 17. 11 17. 26 17. 58 18. 10 18. 38 18. 42 19. 0 19. 11 19. 57 20. 39 21. 41 21. 56 22. 12 22. 26 23. 33 23. 59 23. 59 23. 59 24. 39 25. 39 26. 23 27. 39 27. 39 28. 30 29. 30 20. 10 20. 39 20. 39	32. 45 33. 50 32. 45 33. 30 32. 45 31. 40 34. 0 33. 30 34. 15 32. 30 35. 30 34. 15 32. 30 35. 30 34. 20 35. 10 34. 20 35. 30 34. 20 35. 30 34. 25 34. 20 35. 30 31. 50 31. 50 31. 50 31. 50 31. 50 33. 10 31. 50 33. 50 34. 45 33. 40 33. 50 34. 55 34. 45 33. 30 34. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 34. 30 33. 55 36. 50 36. 40 33. 15 36. 50 36. 30 37. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55 38. 55	Jan. 3 0. 01 0. 13 0. 45 0. 55	1362 1356 1358 1352 1357 1354 1360 1353 1356 1356 1356 1356 1356 1356 1356	Jan. 3 o. o 3. 42 4. 14 12. 35 13. 22 16. 25 20. o	•03644 •03724 •03703 •03633 •03616 •03614 •03592	Jan. 3 o. o 1. o 2. o 3. o 21. o 21. o 22. o	60 · 4 61 60 · 66 60 · 66 60 · 66 59 · 15 59 · 05	1 ° 0 1 ° 0 2 ° 0 2 ° 0 9 ° 4	h 2. 124 2. 124 2. 124 2. 124 3. 127 3. 127	20. 33. 30 34. 35 34. 40 33. 40 33. 40 33. 40 33. 35 32. 40 31. 55 32. 40 32. 15 33. 40 32. 25 33. 40 32. 45 33. 45 34. 45 35 36 37. 45 37. 45 37. 45 38. 45 38	h. 56 2. 12 2. 36 2. 41 3. 25 3. 25 3. 55 4. 41 5. 39 5. 53 6. 11 6. 56 6. 51 7. 26 7. 44 8. 11 8. 31 9. 37 10. 34 11. 52 12. 12 12. 12 13. 41 11. 52 12. 12 13. 41 14. 12 15. 12 16. 12 16. 12 17. 12 17. 12 18. 12 19. 12 10 10 10 10 10 10 10 10 10 10 10 10 10	1354 1342 1346 1342 1348 1344 1362 1358 1362 1354 1359 1359 1359 1354 1358 1356 1356 1356 1356 1356 1356 1356 1356	h m		h m	0	0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.			Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Jan. 4 0. 0 1. 26 3. 0 9. 39 11. 39 18. 57 20. 46 22. 9 23. 59  Jan. 5 0. 0 24 1. 6 2. 22 4. 9 6. 51 9. 39 13. 24 15. 58 16. 14 16. 38 16. 54 17. 32 17. 41 18. 21 17. 54 18. 21 17. 54 18. 21 18. 30 18. 41 19. 58 20. 24 21. 15 21. 44 21. 57 22. 12 22. 28 23. 23 23. 41 23. 59	33.50	Jan. 4  b. m c. o 1. 23 3. 48 10. 11 13. 11 17. 37 18. 40 21. 26 23. 59  Jan. 5 c. o c. 56 3. 41 8. 6 10. 55 15. 48 17. 57 18. 26 19. 21 20. 11 20. 40 21. 27 21. 57 23. 21 23. 41 23. 59	*1363 *1368 *1371 *1364 *1376 *1373 *1373 *1376 *1378 *1376 *1376 *1378 *1376	Jan. 4 h o. 0 2. 42 12. 11 23. 45  Jan. 5 0. 58 6. 25 8. 30 18. 25 22. 7 22. 25 23. 59	***o3543 ***o3577 ***o3556 ***o3538 (†)  ***o3556 ***o3536 ***o3536 ***o3532 ***o3532	Jan. 5 1. 0 3. 0 9. 0 21. 0	59 ·8 59 ·8 59 ·8	59 °4 59 °6 60 °0 60 °2 60 °4 60 °5	3. 59 4. 13 4. 25 4. 4. 4. 5. 98 4. 4. 5. 98 5. 24 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6	31. 20 33. 0 32. 45 35. 50 35. 40 34. 30 34. 30 33. 45 33. 35	Jan. 6  4. 18  4. 18  4. 56  5. 12  5. 50  6. 20  6. 41  6. 53  7. 68  8. 26  8. 50  9. 34  10. 12  10. 28  11. 43  11. 55  12. 22  13. 31  13. 58  14. 40  15. 15  15. 25  16. 15  17. 21  17. 56  20. 26  20. 52  21. 56  22. 41  23. 59	1366 1353 1351 1359 1354 1358 1356 1366 1367 1367 1367 1367 1367 1368 1361 1356 1356 1356 1356 1356 1356 1356	Jan. 6 23. 59	•03540	h m	0	0
Jan. 6 0. 0 0. 57 1. 9 1. 53 1. 58 2. 23 2. 30 3. 26	20. 33. 55 34. 50 35. 20 34. 30 35. 5 34. 10 *** 35. 20 ***	Jan. 6 0. 10 0. 40 1. 43 1. 54 2. 12 2. 22 2. 43 2. 56 3. 14 3. 40		Jan. 6 o. 0 5. 15 5. 43 6. 11 9. 29 11. 36 12. 11 12. 50 20. 0 21. 45	·03532 ·03582 ·03577 ·03595 ·03564 ·03532 ·03532 ·03555 ·03539	3. o 9. o	59 •5 59 •3 59 •8 59 •8	59 ·8	16. 36 16. 53 17. 38 17. 54 18. 12 18. 50 19. 55 20. 13 20. 43 21. 58 22. 24	32. 40 33. 15 32. 30 32. 40 32. 50 32. 55 31. 5 31. 5 33. 25 33. 10							

Tan. 6

For the Horizontal and Vertical Forces, increasing readings denote increasing forces.

Greenwich Mean Solar Time Toul.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther met	mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	mo-
Jan. 8  7. 53  20. 32. 55  8. 0  31. 55  8. 24  8. 39  8. 55  17. 30  8. 59  17. 40  9. 1  16. 20  9. 14  25. 25  9. 28  26. 30  9. 36	Jan. 8  b m  9. 5  9. 11  9. 18  9. 29  9. 52  10. 11  10. 26  10. 42  10. 53  11. 11  11. 27	·1369 ·1360 ·1366 ·1366 ·1368 ·1354 ·1362 ·1356 ·1356 ·1356	h 221		h m	0	0	23. 36 23. 40 23. 45 23. 50 23. 59 Jan. 9	36. 40 *** 38. 40 *** 38. 30 37. 30 38. 25 36. 40 37. 55	Jan. 9		Jan. 9		Jan. 9	•	•
9. 53 31. 25 10. 8 29. 20 10. 31 27. 40 10. 56 26. 35 11. 14 30. 20 11. 31 30. 55 11. 59 21. 0 12. 12 23. 50 12. 23 21. 20 12. 50 29. 35 13. 9 31. 45 13. 24 30. 0 13. 37 24. 10 13. 53 25. 40 13. 57 24. 10 14. 25 25. 0 14. 38 22. 0 15. 50 33. 15 15. 21 33. 35 15. 32 32. 20 15. 55 37. 30 16. 8 36. 25 16. 21 34. 50 17. 12 35. 50 17. 37 32. 30 17. 46 31. 40	11. 43 11. 56 12. 18 12. 25 12. 41 12. 55 13. 13 13. 30 14. 41 15. 9 16. 12 16. 45 17. 11 17. 28 17. 55 18. 15 18. 42 19. 27 19. 52 20. 55 20. 55 21. 24 22. 26 23. 28	1369 1366 1368 1360 1372 1362 1353 1371 1382 1374 1362 1364 1364 1356 1366 1358 1361 1360 1366 1358 1361 1366 1358 1358 1361							30. 20 29. 45 29. 30 30. 35 31. 0 30. 40 31. 50 29. 30 29. 30 32. 50 30. 0 30. 35	0. 0 0. 12 0. 12 1. 36 1. 56 2. 13 2. 19 2. 36 2. 57 3. 14 4. 55 5. 26 6. 14 7. 35 6. 14 7. 35 6. 14 7. 35 8. 19 8. 34 8. 53 9. 53 10. 14 11. 156 11. 14 11. 156 11. 12. 20 11. 12. 55 13. 11 14. 55 15. 55 16. 14 17. 156 17. 156 18. 156 19.	1357 1362 1364 1355 1359 1348 1358 1356 1363 1354 1347 1355 1362 1366 1366 1366 1366 1354 1366 1356 1356 1359 1356 1359 1356 1359 1356 1359 1356 1359 1356 1359 1356 1359 1356 1359 1356 1358 1366 1372 1356 1357 1358 1366	0. 0 1. 3 2. 52 4. 53 5. 10 5. 42 7. 56 8. 11 8. 26 10. 41 11. 56 13. 12 13. 41 14. 19 16. 3 22. 42 23. 11 23. 59	** ***********************************	1. 0 3. 0 9. 0 21. 0 22. 0	59 · 6 59 · 3 · 6 59 · 3 · 6 59 · 6	59 4 59 0 59 5 59 3

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Thei met	of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Wagnet.	mo-
Jan. 9 12. 58 13. 10 13. 59 14. 13 14. 45 15. 22 15. 36 16. 23 16. 45 17. 15 17. 29 17. 47 18. 15 18. 53 19. 50 21. 57 22. 26 23. 14 23. 28 23. 55 21. 57 22. 26 23. 14 23. 28 23. 55 21. 57 22. 26 23. 14 23. 28 23. 55 24 24. 23 25 26 27 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	20. 32. 40 34. 60 30. 55 30. 35 32. 50 32. 30 31. 45 33. 40 32. 55 33. 30 32. 30 32. 30 32. 30 33. 30 32. 30 33. 50 31. 25 35. 55 36. 50 37. 55 36. 40 37. 0 36. 45 36. 30 37. 30 37. 30 36. 45 36. 30 37. 30 36. 30 37. 30 36. 45 36. 30 37. 30 36. 45 36. 30 37. 30 36. 30 37. 30 36. 45 36. 30 37. 30 36. 30 36. 30 37. 30 36.	Jan. 9 16. 12 16. 20 16. 29 19. 22 20. 15 21. 45 22. 42 23. 59  Jan. 10 0. 40 1. 27 2. 143 3. 26 3. 45 4. 15. 55 6. 10 6. 14 6. 46 7. 16 8. 19 8. 42 9. 12	****  1354 *1359 ***  1364 *1358 *1362 *1356 *1351 *1354 *1368 *1367 *1364 *1369 *1368 *1363 *1363 *1363 *1364 *1359 *1364 *1359	13. 40 14. 6 14. 41 14. 54	.03517 .03556 .03543 .03517 .03520 .03502	1. 0 2. 0 3. 0 9. 0 21. 0 22. 0	59 ·8 59 ·8 59 ·9 58 ·3 58 ·1	60 °0 60 °5 61 °0 58 °1 58 °4	Jan. 10 5. 20 5. 34 5. 43 6. 8 6. 25 6. 39 6. 55 7. 16 7. 35 7. 40 7. 55 8. 16 8. 25 8. 39 8. 57 9. 10 9. 25 9. 10 10. 18 10. 24 11. 10 11. 26 11. 41 11. 57 12. 16 11. 41 11. 57 12. 16 12. 42 13. 26 14. 38 14. 42 15. 10 15. 26 16. 56 17. 23 17. 27 17. 42 17. 54 18. 6 19. 8 19. 38	20. 34. 35 31. 45 28. 30 26. 50 28. 5 31. 40 *** 31. 35 34. 30 33. 50 33. 40 31. 10 30. 15 30. 15 29. 45 29. 30 29. 25 30. 15 31. 35 31. 35 30. 15 29. 55 31. 35 31. 35 32. 45 33. 45	Jan. 10 9. 22 9. 42 10. 17 10. 41 10. 55 11. 245 12. 29 13. 13 13. 24 13. 40 13. 55 14. 11 14. 39 15. 0 15. 27 16. 41 17. 57 18. 11 18. 44 19. 0 19. 24 19. 52 20. 11 20. 51 21. 11 21. 20 22. 11 23. 39 23. 59 23. 59	1358 1384 1372 1359 1364 1360 1364 1360 1364 1360 1364 1356 1354 1356 1354 1356 1366 1364 1366 1367 1367 1367 1367 1367 1368 1368 1366 1366	h m		h m	0	0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.		of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther mete	of rmo-
Jan. 10 19. 56 20. 29 20. 35 20. 40 20. 53 21. 16 21. 36 22. 13 22. 23 22. 31 22. 56 23. 12 23. 25 23. 27 23. 44 23. 59  Jan. 11 0. 0 0. 20 0. 35 1. 54 2. 1 2. 9 2. 34 2. 56 3. 3 3. 18 3. 26 3. 34 3. 50 3. 57 4. 42: 5. 12 7. 43 8. 21 8. 56	20. 32. 50 35. 35 36. 15 35. 0 35. 30 33. 40 34. 30 36. 10 34. 30 36. 10 36. 20 36. 55 37. 35 36. 20 36. 20 36. 55 37. 35 36. 20 36. 20 36. 20 36. 20 36. 20 36. 20 36. 20 36. 30 37. 55 36. 20 36. 30 37. 55 36. 20 36. 20 36. 30 37. 55 36. 20 36. 20 36. 20 36. 20 36. 20 36. 20 36. 30 37. 55 36. 30 37. 55 36. 10 37. 35 36. 15 36. 15	Jan.11 0. 0 1. 13 1. 27 1. 56 2. 29 2. 53 3. 40 4. 13 4. 52 5. 15 5. 6. 41 7. 10 7. 21 7. 38 7. 56 8. 13 10. 27 11. 15 11. 44 11. 56 12. 13 12. 26 12. 44 12. 59	1360 1358 1360 1366 1366 1368 1366 1352 1356 1354 1366 1357 1362 1369 1356 1379	14. 24 14. 40 17. 30 22. 28 23. 59	·03436 ·03482 ·03528 ·03494 ·03476 ·03484 ·03504 ·03504 ·03511 ·03530 ·03515 ·03580 ·03560	1. 0 2. 0 3. 0 9. 0 21. 0	58 · 8 59 · 13 59 · 8 57 · 8	60 · 1 58 · 0 60 · 9	9. 12 9. 26 9. 36 9. 56 10. 10 10. 17 10. 26 10. 39 10. 43 11. 54 11. 59 12. 12 12. 23 13. 33 13. 55 14. 7 15. 12 15. 38 15. 7 14. 33 15. 7 17. 8 17. 26 17. 42 18. 14 19. 4 19. 10 19. 27 19. 38 20. 56 21. 2 21. 39 21. 53 22. 4 20. 56 21. 53 22. 4 22. 48 22. 55 23. 9 23. 14 23. 26	31. 30 32. 55 32. 25 32. 15 24. 0 24. 0 22. 55 25. 40 32. 20 32. 0 30. 0 34. 5 29. 50 31. 45 33. 25 33. 5	Jan. 11 13. 9 13. 28 13. 28 14. 12 14. 25 14. 41 14. 50 15. 12 15. 53 17. 8 17. 26 17. 41 19. 25 18. 20 19. 40 20. 39 20. 44 20. 55 21. 13 21. 45 22. 22 22. 57 23. 52 23. 59	*1354 *1348 *1347 *1352 *1349 *1346 *1350 *1351 *1347 *1351 *1355 *1355 *1357 *1354 *1353 *1353 *1348 *1351 *1347 *1347	h m	umber in	h m	nstano	0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo- ers.
Jan. 11 h m 23. 48 23. 59 Jan. 12 0. 0 22 c. 29 0. 38 1. 0 1. 13 1. 27 1. 55 2. 8 2. 16 2. 39 3. 6 3. 43 3. 56 4. 37 4. 59 6. 123 7. 53 7. 56 8. 10 8. 26 8. 35 8. 57	20. 34. 55 35. 35 36. 20 37. 5 36. 30 38. 55 38. 45 39. 40 38. 35 38. 55 38. 45 39. 40 34. 10 33. 45 34. 15 33. 25 33. 45 33. 40 34. 40 34. 30 28. 15 29. 30 30. 10 30. 30 30. 20	Jan. 12 0. 0 1. 24 1. 34 1. 51 2. 13 3. 26 3. 55 4. 56 6. 20 6. 41 6. 48 6. 55 7. 19 7. 48 8. 25 8. 40 9. 18 9. 42 10. 19 10. 55 11. 20 11. 58	*1347 *1348 *1358 *1359 *1356 *1360 *1363 *1363 *1364 *1366 *1360 *1362 *1346 *1355 *1355 *1353 *1360 *1355 *1353 *1360 *1361 *1365 *1361 *1365 *1366	Jan. 12 0. 3. 45 6. 30 7. 45 8. 11 11. 56 13. 42 14. 56 21. 55 23. 59	· 03560 · 03525 · 03483 · 03472 · 03492 · 03492 · 03493 · 03398 · 03388 · 03388 · 03388	Jan. 12 1. 0 3. 0 21. 0	0	59 ·8 59 ·0 59 ·9	Jan. 12 h m 18. 43 19. 9 19. 43 20. 45 21. 5 21. 10 21. 23 21. 47 22. 41 23. 39 23. 48 23. 59  Jan. 13 0. 0 0. 12 0. 23 0. 28 0. 37 1. 22 1. 54 2. 10 3. 50 4. 42 4. 54 5. 8	tion.  20. 33. 50 32. 45 32. 30 31. 20 31. 45 31. 15 32. 5 31. 30 32. 40 32. 30 33. 55 36. 5 36. 40 36. 25 37. 25  20. 37. 25 38. 15 37. 0 36. 25 37. 45 35. 55 35. 55 35. 55 35. 55 35. 55 35. 55 33. 10 33. 0 33. 30 34. 15	Jan. 13 o. o o. 40 o. 59 2. 9 2. 20 3. 30 3. 41 4. 20 4. 57 5. 11 5. 24	*1365 *1357 *1362 *1374 *1374 *1381 *1376 *1376 *1376 *1376 *1376 *1370 *1362	Jan. 13 o. o 4. 15 7. 11 12. 13 14. 56 17. 13 22. 23 23. 59		Jan. 13 1. 0 0 22. 0	0	58 °0 60 °0 58 °0
9. 27 10. 2 10. 15 10. 26 10. 49 11. 26 12. 39 12. 56 13. 12 14. 25 14. 57 15. 22 14. 57 15. 22 15. 53 16. 35 17. 57 18. 6 18. 28	32. 50 32. 25 32. 50 31. 55 34. 20 35. 35 34. 55 35. 40 32. 20 32. 10	15. 4 15. 14 17. 35 18. 11 19. 21 19. 58 20. 25 20. 40 20. 54 22. 23 22. 54 23. 12	1365 1366 1361 1368 1366 1360 1358 1361 1362 1363 1361 1363 1361 1362 1365 1365 1365						5. 8 5. 14 5. 25 5. 38 5. 49 6. 23 6. 39 6. 56 7. 22 7. 38 7. 53 8. 25 9. 26 9. 50 10. 53 11. 29 11. 39 11. 54 12. 3 12. 25 12. 50	32. 35 30. 15 31. 10 33. 10 30. 55 31. 0 30. 55 30. 45 29. 30 30. 45 30. 45 30. 45 30. 55 29. 35 29. 35 32. 10 33. 35 33. 35 32. 15 33. 35 32. 50 31. 20	5. 24 5. 30 5. 39 5. 54 6. 29 6. 43 7. 7. 44 8. 30 8. 42 8. 57 9. 43 10. 0 11. 15 11. 40 11. 57 12. 25 13. 6 13. 14 13. 55 14. 12 14. 57	1302 1367 1366 1373 1372 1368 1372 1360 1368 1364 1365 1367 1364 1373 1364 1370 1373 1368 1375 1370 1373 1373 1373 1374 1371 1373					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	met	rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Jan. 13 h m 12. 56 13. 14 13. 29 13. 42 13. 59 14. 38 15. 6 15. 38 16. 8 16. 16 16. 41 17. 2 17. 13 18. 35 19. 28 20. 10 20. 34 21. 12 21. 36 23. 9 23. 16 23. 59	20. 33. 25 34. 0 33. 40 34. 10 33. 0 34. 25 33. 45 32. 10 32. 25 34. 10 32. 30 31. 55 31. 45 31. 45 31. 55 32. 0 32. 30 34. 45 35. 0 36. 0	Jan. 13 h 5. 55 16. 41 17. 55 19. 14 21. 56 23. 59	1379 1377 1382 1383 1379 1383 1374	h m		h m	0	0	10. 11 10. 26 10. 39 10. 54 11. 2 11. 13 11. 23 11. 35 11. 47 12. 4 12. 13 12. 34 12. 51 13. 17 13. 42 14. 18 14. 18 14. 18 14. 33 14. 56 15. 19 15. 32 15. 42 15. 57	30. 25 29. 10 31. 0 32. 15 31. 35 34. 30 32. 55 32. 55 30. 40 33. 5 30. 55 31. 50 31. 25 32. 15 32. 15 33. 30	19. 50 19. 57 20. 10 20. 42 20. 58 21. 25	1361 1358 1360 1356 1362 1361 1365 1365 1368 1373 1370 1375 1375 1374 1375 1375 1375 1375 1375 1376 1375 1376 1375	h m		h m	0	
Jan. 14 0. 0 0. 15 0. 27 1. 34 1. 53 2. 23 2. 35 2. 51 3. 55 4. 35 4. 54 5. 29 6. 23 6. 58 7. 38 7. 54 8. 40 8. 53 9. 22 9. 26 9. 44 9. 50 10. 0	32. 0 30. 40 30. 40	Jan. 14 o. 0 0. 41 o. 54 1. 50 1. 57 2. 13 2. 36 3. 156 4. 50 5. 57 6. 54 7. 12 7. 42 8. 15 8. 26 8. 30 9. 56 10. 11 10. 57 11. 53 11. 53 11. 57		Jan. 14 0. 0 1. 19 7. 12 7. 41 10. 53 11. 41 19. 52 22. 11 23. 59	·03480 ·03498 ·03460 ·03471 ·03454 ·03399 ·03393 ·03407	8. 0	60 ·2 59 ·6 57 ·8	59 0	16. 6 16. 11 16. 46: 17. 34 17. 45 17. 55 18. 8 18. 12 18. 53 18. 57 19. 6 19. 13 19. 30 19. 39 19. 54 19. 57 20. 9 20. 26 20. 44 21. 8 21. 55 22. 14 22. 23 22. 44 23. 54 23. 59		23. 50 23. 59	•1361 •1362					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.  Ot A. F. Grand Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Jan. 15 0. 30 7 2. 33 4 2. 45 4 3. 52 2 4. 28 3 4. 12 8 5. 34 4 5. 34 4 5. 35 5 6. 6. 21 9 9. 28 8 9. 10 36 7 7. 7. 7. 7. 7. 7. 7. 8 8. 27 9 9. 28 9 9. 28 9 9. 28 9 9. 36 10 17 11. 41 11. 13. 14. 13. 14. 13. 14. 13. 14. 13. 14. 13. 14. 15. 14. 13. 14. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15	20. 34. 35 35. 45 36. 20 36. 20 36. 20 37. 40 38. 20 38. 40 38. 20 38. 40 38. 25 38. 30 38. 40 38. 50 38. 50 38. 50 38. 50 38. 50 39. 50 29. 30 20. 30 21. 30 22. 30 26. 30 27. 50 27. 50 28. 30 26. 30 26. 30 26. 30 26. 30 27. 50 28. 50 29. 45	16. 44 18. 36 19. 14 19. 52 20. 20 21. 12 21. 43	1362 1366 1365 1369 1367 1371 1373 1374 1369 1364 1357 1368 1366 1377 1365 1368 1365 1368 1365 1368 1366 1377 1365 1368 1368 1369 1369 1372 1369 1372 1369 1372 1369 1372 1369 1372 1369 1372 1369 1372 1369 1372 1369 1372 1369 1372 1369 1372 1369 1372	Jan. 15 o. 1.58 o. 0.58 o. 0.7.9.14 g. 54 10. 11 10. 37 23. 59	·03407 ·03483 ·03466 ·03432 ·03412 ·03420 ·03402 ·03407	Jan. 15 h m 1. 0 3. 0 9. 0 21. 0	60·2 60·9 59·9 59·9 58·9	Jan. 15 h 20. 41 20. 41 20. 42 21. 19 22. 19 22. 53 23. 23 23. 59  Jan. 16 0. 03 0. 47 0. 59 1. 26 1. 39 1. 44 2. 8 2. 23 2. 32 3. 63 3. 53 4. 10 4. 35 4. 44 5. 33 6. 6 6. 39 7. 18 7. 57 8. 53 8. 59 9. 39 10. 26 13. 43 14. 42 14. 58 15. 13 15. 51 16. 42 14. 58 15. 13 15. 51 16. 42 17. 125 18. 13 19. 39	20. 32. 30 31. 35 31. 50 33. 40 33. 40 34. 5 35. 30 36. 15 37. 35 36. 15 37. 35 37. 35 36. 15 37. 35 37.	Jan. 16 0. 35 0. 55 1. 11 1. 29 1. 57 2. 24 2. 57 3. 46 4. 36 5. 14 5. 42 6. 25 7. 32 13. 57 14. 56 16. 42 18. 41 20. 24 21. 40 21. 55 22. 44 23. 16 23. 59	*1370 *1374 *1373 *1366 *1374 *1374 *1372 *1374 *1375 *1368 *1367 *1368 *1365 *1368 *1366 *1372 *1367 *1366 *1372 *1367 *1366	Jan. 16 o. o 9. 11 13. 27 23. 59	*03407 *03487 *03488 *03454	3. 0 9. 0 21. 0 22. 0	59.55 59.8 59.8 59.8 59.8	50 ·4 59 ·4 60 ·0 59 ·0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	of mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	of mo- ers.
Jan. 16 h 16 21. 39 22. 41 22. 53 23. 10 23. 24 23. 29 23. 59 Jan. 17 0. 7 30. 32 0. 42 1. 10 1. 44 2. 12 2. 43 3. 12 3. 54 7. 47 7. 54 8. 42 8. 58 9. 14 7. 32 1. 17 7. 54 8. 42 8. 58 9. 14 9. 49 10. 39 10. 50 11. 22 12. 48 12. 59 13. 54 14. 42 15. 56	20. 32. 55 33. 50 34. 40 34. 40 34. 40 34. 40 34. 40 35. 25 36. 35	Jan. 17 o. o o. 29 1. 11 1. 38 1. 56 2. 20 3. 44 5. 56 7. 12 7. 36 8. 14 8. 40 9. 57 10. 14 10. 26 11. 57 11. 57 12. 23 12. 44 13. 14 13. 26		Jan. 17 o. o 2. 43 7. 58 10. 41 11. 55 12. 13 14. 40 15. 24	***o3454** ***o3478** **o3484** **o3497** **o3506** **o3510** **o3523** **o3537** **o3543** **o3557** **o3540**	1. 0	559 8 8 559 6 1 · 1	59 ° 0 59 ° 0 59 ° 0 60 ° 0 62 ° 0	Jan. 17 16. 8 16. 25 16. 53 17. 10 17. 23 17. 28 17. 48 17. 55 18. 32 18. 40 18. 57 19. 13 19. 59 20. 17 20. 25 20. 44 21. 46 22. 0 22. 27 22. 54 23. 16 23. 32 23. 47 23. 59  Jan. 18 0. 0 11 0. 46 0. 59 1. 33 1. 40 2. 25 2. 38 3. 43 4. 57 6. 38 7. 33 8. 23 3. 43 4. 57 6. 38 7. 33 8. 21 13. 27 13. 35 13. 41	20. 34. 36 36. 15 33. 50 31. 45 31. 45 32. 50 31. 45 32. 15 31. 45 32. 15 31. 25 31. 25 31. 25 31. 25 31. 35 32. 10 34. 5 35. 5 36. 40 37. 55 36. 40 37. 55 36. 40 37. 55 37. 5 37.	Jan. 18 o. o o. 33 o. 54 7. 26 8. 40 8. 59 10. 25 11. 26 12. 24 13. 3 13. 42 19. 15 23. 59		Jan. 18 o. o 1. 19 10. 5 16. 41 23. 59	*03540 *03531 *03517 *03540	1. 0 2. 30 3. 0 9. 0 21. 0	60 ·6 60 ·1 60 ·1 60 ·1	61 · 0 61 · 0 60 · 0 59 · 9 60 · 0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of Of of rmoters.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
Jan. 18 13. 49 14. 37 14. 57 15. 28 15. 42 16. 56 17. 58 18. 14 19. 18 20. 40 21. 51 22. 12 22. 30 23. 12 23. 35 23. 59  Jan. 19 0. 0 1. 40 1. 54 2. 23: 2. 57 3. 8 3. 20 3. 34 6. 7 7. 43 8. 25 8. 57 9. 21 9. 33 9. 47 10. 23 10. 34 10. 43 11. 42 12. 51 12. 56 13. 55 14. 14 14. 29 15. 11	31. 0 30. 45 30. 30 30. 40 29. 30	10. 44 11. 14 11. 52 13. 43 14. 8 15. 58 16. 20 19. 25 21. 54	*1361 *1359 *1364 *1363 *1364 *1366 *1352 *1354 *1353 *1357 *1354 *1364 *1363 *1363 *1365 *1363 *1366	Jan.19 0. 0 3.35 7.55 10.22 20.22 23.59	·03540 ·03546 ·03522 ·03528 ·03456 ·03443	3. o	60 ·6	60 .4	Jan. 19 h 15. 23 15. 47 16. 39 17. 46 17. 26 17. 47 18. 13 18. 31 20. 24 21. 56 22. 9 22. 34 23. 30 23. 49 23. 59 Jan. 20 0. 30 1. 8 1. 42 2. 23 3. 29 4. 15 6. 12 7. 58 8. 15 8. 28 8. 53 9. 9 9. 26 10. 3 11. 33 12. 42 12. 50 13. 36 13. 15 13. 36 14. 13 14. 21 14. 32 14. 57 15. 43 15. 57 16. 3 16. 11 16. 16	32. 30 24. 45 27. 30 25. 50 26. 40 22. 10 19. 0 22. 25 23. 50 23. 30 28. 5 28. 25 25. 25 20. 10 33. 20 33. 30 31. 55 32. 0 31. 20	12. 20 12. 25 12. 34 12. 46 12. 57 13. 15 13. 20 13. 39 13. 54 14. 5 14. 14 14. 16 14. 30 14. 41 14. 55	1382 1374 1376 1372 1369 1367 1362 1372 1370 1373 1372 1368 1389 1383 1394 1380 1384	Jan.20 0. 0 1. 11 4. 25 8. 54 9. 57 10. 45 12. 14 13. 11 13. 23 13. 44 14. 19 14. 35 17. 53 1	·03443 ·03440 ·03460 ·03458 ·03477 ·03497 ·03482 ·03487 ·03499 ·03437 ·03426 ·03425 ·03460 ·03456 ·03472 *** ·03444 ·03457 ·03440 ·03440 ·03448 ·03468	Jan.20 1. 0 3. 0 9. 0 22. 0	59 ·8	59 ° 25 60 ° 05 59 ° 0

Greenwich Mean Solar Time.	Western Declina- tion,	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther meter transfer tr	mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-
Jan. 20 16. 34 16. 55 17. 4 17. 11 17. 24 17. 33 17. 46 17. 56 18. 11 18. 6 18. 11 18. 29 18. 52 18. 52 18. 59 19. 8 19. 24 19. 40 19. 57 20. 33 20. 37 20. 41 20. 52 21. 11 21. 39 21. 43 21. 57 22. 21 21. 39 22. 51 23. 39 23. 14 23. 23 23. 39 23. 59 Jan. 21 0. 0	3. 35 31. 50 32. 40 31. 35 32. 20 33. 50 30. 15 30. 30 31. 55 30. 30 31. 55 30. 30 32. 50 31. 55 30. 30 32. 50 35. 0 35. 0 36. 20 37. 30 40. 55 43. 40 42. 30 41. 55 40. 30 41. 55 40. 30 38. 20 41. 55 40. 30 39. 40 39. 30 41. 55 40. 30 39. 40 39. 30 41. 0 40. 40 39. 30 39. 15 38. 20 39. 30 39. 15 39. 30 39. 55 38. 30 39. 15 39. 30 39. 15 39. 30 39. 55 39. 30 39. 55 39. 30 39. 55 39. 30 39. 55 39. 30 39. 55 39. 30 39. 55 39. 55 39	Jan. 21 0. 0 0. 13	*1353 *1361 *1350 *1359 *1357 *1354 *1364 *1366 *** *1364 *1379 *1363 *1367 *1363 *1367 *1363 *1367 *1363 *1341 *1346 *1346 *1346 *1346 *1358 *1356 *1358 *1358 *1356 *1358 *1356 *1358 *1356 *1358 *1356 *1358 *1356 *1358 *1356 *1358 *1356 *1356 *1356 *1356 *1356 *1356 *1356 *1356 *1360 *1360 *1360	Jan. 21 o. o o. 26	·03468 ·03462	Jan. 21 1. 0 9. 0	59 ·8	59 0	Jan. 21 4. 39 5. 6 5. 14 5. 28 6. 23 6. 23 6. 23 6. 37 6. 53 7. 26 7. 43 8. 56 9. 24 9. 49 9. 56 10. 11 10. 15 10. 43 11. 52 11. 17 11. 52 11. 58 12. 24 13. 5 13. 11 14. 28 14. 58 15. 53 16. 11 16. 29 17. 38 17. 51 18. 56 19. 44 20. 16 21. 25 22. 58	20. 33. 55 21. 30 22. 30 22. 15 22. 30 23. 45 32. 55 30. 55 26. 0 31. 35 30. 55 25. 50 25. 50 26. 50 27. 26. 50 27. 26. 50 29. 20 29. 20 32. 45 32. 45 32. 45 33. 30 32. 45 33. 30 33. 30 30.	Jan. 21 5. 44 5. 55 6. 12 6. 26 6. 44 7. 25 7. 41 8. 11 8. 52 9. 18 9. 41 10. 35 11. 5 11. 5 11. 5 11. 5 11. 3 16. 39 16. 56 17. 21 17. 44 18. 25 19. 0 19. 19 20. 21 23. 59	1356 1360 1356 1356 1365 1361 1362 1363 1363 1363 1363 1363 1366 1367 1364 1363 1364 1363 1370 1368 1373 1364 1363 1370 1368 1370 1368 1373 1369 1376 1372 1374 1367 1359 1362	Jan. 21 h m 10. 41 11. 4 11. 15 11. 38 12. 26 23. 59	**o3466 **o3387 **o3403 **o3423 **o3418	h m	0	0
0. 23 0. 27 0. 33 0. 44 1. 59 2. 23 2. 59 3. 10 3. 52 4. 17:	38. 5 38. 5 37. 0 37. 50 36. 30 35. 40 35. 20 34. 50 35. 20 37. 0	0.30 0.44 1.15 2.40 3.23 3.49 4.0 4.10 4.45 5.25	·1360 ·1362 ·1359 ·1366 ·1364 ·1368 ·1365 ·1330 ·1351	3. 10 3. 57 4. 28 5. 12 6. 11 7. 13 8. 9 8. 26 9. 28 10. 30	·03466 ·03482 ·03467 ·03506 ·03511 ·03482 ·03477 ·03482 ·03447	21. 0	39 0	39 0	Jan. 22	35. 55	Jan. 22 0. 0 0. 43 2. 9 2. 59 3. 20 3. 52	1362 1364 1367 1365 1358	Jan. 22 o. o 2. 56 5. 36 8. 37 21. 5 21. 54	·03418 ·03444 ·03440 ·03442 ·03372 ·03358	Jan. 22 1. 0 3. 0 9. 0 21. 0	59 ·8 59 ·8 59 ·8	59 ·8

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	ters.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mcan Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readi of Theri mete	mo-
Jan. 22 h m 3. 3 3. 8 3. 17 3. 38 4. 2 4. 17 4. 46	20. 34. 20 32. 50 32. 40 31. 0 32. 20 32. 10 34. 25	Jan. 22 h m 4. 14 4. 39 4. 58 5. 11 5. 49 9. 24 9. 42	1366 1370 1371 1373 1370 1368	Jan. 22 h m 23. 59	<b>.</b> 03354	h m	O	•	Jan. 23 h m 16. 28 17. 30 17. 40 17. 54 20. 32 21. 8 23. 59	20. 32. 45 33. 0 32. 30 33. 0 32. 30 32. 40 36. 30	h m		h m		h m	0	۰
7. 42 7. 57 9. 50 10. 38 10. 44 13. 59 14. 16: 14. 39 14. 58 15. 36 15. 43 15. 56 16. 19 20. 58 22. 38 23. 59	32. 25 33. 55 32. 55 33. 50 32. 40 33. 30	11. 27 13. 2 13. 56 14. 15 14. 41 17. 56 18. 20 18. 40 20. 44 23. 11 23. 59	·1366 ·1365 ·1366 ·1366 ·1369 ·1372 ·1369 ·1369 ·1364 ·1365						Jan. 24 o. o o. 9 o. 39 1. 11 1. 28 1. 56 3. 7 4. 30 5. 23 8. 3 8. 17 11. 27 12. 55	20. 36. 30 36. 10 37. 20 37. 0 36. 25 36. 55 35. 0 34. 5 *** 34. 0 33. 30 33. 0 32. 20 33. 5	Jan. 24 0. 0 1. 15 1. 53 2. 44 3. 2 3. 25 4. 15 6. 29 7. 25 7. 55 9. 57 12. 55 13. 16 13. 41	1370 1372 1378 1375 1375 1377 1376 1375 1374 1370 1372 1370	Jan. 24 o. o 2. 19 9. 37 13. 32 23. 59	.03240 .03232 .03370 .03319 .03298	Jan. 24 o. o 1. o 2. o 3. o 9. o 21. o 22. o 23. o	56 ·9: 56 ·6: 56 ·9: 57 ·3: 59 ·8: 57 ·1: 57 ·8: 58 ·2:	56 ·0 56 ·1 56 ·5 60 ·5 56 ·7 57 ·4
Jan. 23 o. o 2. 37 3. 8 3. 26 4. 24 4. 38 4. 51 5. 38 5. 57 6. 25 6. 43 7. 2 7. 8 7. 23 7. 37	20. 36. 20 35. 10 34. 40 33. 45 34. 30 34. 30 34. 30 34. 30 34. 30 35. 10 30. 20 25. 35 25. 20 26. 0	Jan. 23 0. 0 0. 36 1. 12 1. 20 5. 18 5. 35 6. 26 6. 48 7. 6 7. 19 7. 49 8. 41 9. 0 9. 13 9. 32	·1365 ·1371 ·1372 ·1369 ·1376 ·1374 ·1372 ·1366 ·1363 ·1366 ·1367 ·1363 ·1365	Jan. 23 o. o 7. 10 8. 11 18. 57 23. 59	·03354 ·03377 ·03387 ·03297 ·03240	3. o 9. o 21. o	58 •3 58 •3 56 •8 56 •9	58 ·8 58 ·0 56 ·0 56 ·1	13. 7 13. 23 14. 56 15. 30 16. 10 16. 26 16. 56 17. 46 18. 14 18. 40 19. 35 19. 55 21. 25 22. 43 23. 59	33. 15 32. 30 32. 55 32. 50 34. 0		1369 1375 1377 1376 1380 1376 1379 1373 1368 1360 1361					
8. 3 8. 12 8. 33 8. 55 9. 13 9. 23 9. 37 9. 42 10. 46 11. 23 11. 46 12. 56 15. 29 15. 33 15. 41	29. 30 31. 25 30. 55 31. 30 31. 0 32. 40 32. 25 32. 50	11. 11 13. 22 13. 40 15. 55	1370 1372 1369 1372 1370 1373 1372 1373 1372 1376						Jan. 25 o. o 1. 29 1. 38 2. 11 2. 18 2. 33 3. 50 4. 27 4. 55 5. 15 5. 41 5. 47 6. 3 6. 26 6. 30	20. 36. 45 39. 25 38. 40 38. 0 37. 5 36. 20 34. 50 34. 50 34. 10 34. 35 34. 0 32. 5 32. 5 32. 5 34. 10	Jan. 25 o. o o. 10 o. 55 1. 29 1. 57 2. 48 4. 54 5. 53 6. 22 6. 27 6. 41 7. 25	·1376 ·1378	Jan. 25 o. o 1. 59 5. 57 8. 28 9. 2 14. 6 20. 24 22. 23 23. 59	**o3298 **o3336 **o3366 **o3340 **o3308 **o3297 **o3283 **o3306	Jan. 25 o. o 1. o 2. o 3. o 9. o 21. o	58 ·2 58 ·4 58 ·2 58 ·6	57 °9 58 °9 58 °6 58 °4

Solar De	estern clina-	Mean Solar Time. Horizontal Force in	parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Ther meter meter.	f tho-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solat Time.	Read Ther meter There is a second to the meter	f mo-
7.55 7.58 8.6 8.38 8.57 9.22 9.43 9.58 10.10 10.27 10.43 11.23 11.43 12.39 13.38 14.6 14.14 14.32 14.40 13.16.36 16.51 17.11 17.30 17.44 18.3 18.16 18.40 19.43 19.58 20.54 21.38 21.43 21.51 22.9 22.40 23.17 23.30 23.39 23.59  Jan. 26 0. 0 20.3 1.12 1.23 3.2 2.11 3.3 2.11 3.3	3. 25	n. 26 . 40 . 13 . 12 . 13 . 15 . 15 . 15 . 15 . 15 . 15 . 15 . 15	363 366 372 377 370	Jan. 26 o. o 2. 6 4. 45 7. 56 10. 26 13. 45 15. 6 21. 17	·03306 ·03327 ·03306	3. 0 9. 0 21. 0	58 ·8 58 ·1 57 ·8 60 ·6	58 · 5 57 · 7 57 · 4 62 · 5	5. 12 5. 22 5. 28 5. 46 5. 58 6. 6 6. 19 6. 40 6. 53 7. 1 7. 44 8. 10 8. 28 9. 11 10. 15 10. 28 10. 45 10. 45 10. 56 11. 24 11. 51 12. 23 12. 32 12. 32 12. 43 13. 30 13. 49 14. 42 14. 53 15. 11 15. 58 16. 11 17. 52 18. 20 18. 20	20. 35. 35 35. 35 34. 30 34. 15 34. 40 34. 20 34. 40 34. 50 34. 10 34. 10 34. 10 32. 15 29. 25 29. 50 30. 30 30. 30 31. 10 30. 50 30. 40 30. 40 30. 40 30. 40 30. 40 30. 40 30. 40 30. 40 30. 40	20. 25 20. 41 21. 14 21. 53 22. 13 22. 47 23. 59	1377 1374 1378 1378 1378 1379 1367 1369 1366 1363 1366 1363 1366 1366 1363 1366 1363 1366 1363 1366 1363 1366 1363 1365 1361 1366 1363 1365 1363 1365 1363 1365 1363 1365	Jan. 26 23. 59	.03428	h m	gtan	0

1 2 5 1	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of A.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich' Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther mete	f rmö-
Jan. 26 22. 34 22. 56 23. 6 23. 30 23. 41 23. 59	36. 50 36. 10 37. 40 37. 0	h m		h m		h m	0	0	Jan. 27 h m 21. 4 21. 15 21. 24 21. 39 21. 53 22. 3	20. 32. 25 33. 5 32. 10 33. 20 33. 50 34. 50 34. 10	h m		h m		h m	o	0
o. 29 o. 38	39. 45	Jan. 27 o. o o. 15 o. 27	1353 1354 1360	Jan. 27 0. 0 1. 22 1. 46	•03428 •03408 •03416	3. o	58 ·8 58 ·3	59 :8 59 :0 59 :0	23. 32 23. 47 23. 59	37. 20 36. 55 37. 55	Jan. 28		 Jan. 28		 Jan. 28		
0. 50 1. 26 1. 51 2. 11 3. 14 3. 38 3. 46 4. 11 4. 58 6. 15 7. 51 8. 23 8. 41 9. 15 9. 26 9. 39 9. 54 10. 10 10. 23 10. 27 10. 53 11. 78 12. 24 12. 34 12. 55 13. 11 14. 20 14. 33 15. 7 15. 31 15. 53 16. 5 16. 14 16. 32 17. 37 17. 49 18. 9 18. 21	30. 0 31. 25 32. 35 32. 30 30. 40 30. 5 30. 15 28. 10 28. 55 29. 15 33. 40 32. 25 33. 55 31. 0 32. 40 31. 40 27. 0 26. 50 23. 10 24. 30 24. 30 24. 30 24. 20 25. 10 27. 30 28. 25	16. 12 16. 24 16. 54 17. 10 17. 38 18. 18 19. 21 20. 12 20. 54 21. 12	1362 1360 1368 1366 1371 1372 1374 1370 1374 1372 1369 1374 1372 1368 1372 1378 1374 1378 1374 1376 1377 1378 1377 1375 1375 1375 1375 1375 1375 1375	2. 48 8. 51 11. 44 13. 43 14. 22 14. 43 15. 36 16. 55 21. 14 23. 45 23. 59	·03405 ·03394 ·03363 ·03340 ·03336 ·03341 ·03320 ·03320 ·03320 ·03320	22. 0	58 '2	57 *4	Jan. 28 0. 0 0. 11 0. 36 0. 45 1. 10 1. 25: 1. 40 1. 56 2. 11 3. 12 3. 53 4. 40 4. 55 5. 46 6. 26 6. 26 6. 40 6. 56 7. 53 7. 53 9. 12 10. 26 10. 37 10. 51 11. 0 11. 23 11. 41 11. 58 12. 7 12. 14 12. 26 12. 35 13. 7 13. 26	20. 37. 55 38. 20 37. 30 37. 30 37. 30 38. 55 37. 35 37. 35 37. 35 38. 15 36. 40 36. 40 36. 5 36. 40 36. 30 34. 40 35. 10 34. 20 34. 30 34. 10 33. 40 30. 30 31. 30 28. 30 29. 40 29. 35 30. 30 31. 15 30. 30 31. 20 31. 20 31. 15 30. 30 31. 20 31. 25 32. 30	0. 0 0. 29 0. 55 1. 9 1. 12 1. 25 1. 45 2. 0 2. 12 3. 0 3. 42 4. 10 4. 52 6. 41 6. 55 7. 12 7. 25 7. 40 7. 56 8. 22 8. 30 8. 44 8. 56 9. 25 10. 4 10. 12 10. 25 10. 4 11. 40 11. 40 12. 27 12. 57	*1374 *1371 *1366 *1368 *1364 *1372 *1368 *1370 *1368 *1370 *1367 *1375 *1372 *1375	3.1.28 0. 0 3. 52 10. 24 12. 34 13. 43 14. 41 18. 12 21. 6 23. 59	·03320 ·03371 ·03374 ·03408 ·03402 ·03442 ·03446 ·03407	0. 0	58 ·6 59 •2 60 ·8	59 .3

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.	-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Nagnet.	f mo-
14. 4 14. 23 14. 46 15. 18 15. 27 16. 0 16. 23 16. 39 17. 24 17. 33 17. 52 18. 55 19. 10 19. 21 19. 39 20. 50 20. 58 22. 13 22. 27 23. 34 23. 54 23. 59  Jan. 29	29. 25 31. 15 32. 40 31. 50 30. 55 31. 35 30. 50 31. 45 31. 45 31. 45 31. 30 32. 10 31. 55 32. 40 30. 50 33. 50 33. 55 35. 50 35. 50	Jan. 28 h m 21. 44 22. 14 23. 0 23. 59  Jan. 29	·1367 ·1365 ·1367 ·1364	Jan. 29	102/07	Jan. 20	50.458		18. 19 18. 28 18. 36 20. 38 21. 23 21. 51 22. 4 22. 26 22. 34 22. 56 23. 56 23. 59  Jan. 30 0. 0 0. 14 0. 38 0. 43 1. 28 2. 0 2. 39	20. 31. 40 32. 25 31. 20 32. 10 32. 0 33. 5 32. 35 32. 40 33. 55 34. 50 34. 25 36. 0 37. 30 37. 35 38. 0 38. 0 38. 30 37. 50 38. 30 37. 50 38. 30 37. 50 38. 30	Jan. 30 o. 0 o. 15 o. 57 i. 11 i. 55 2. 14 2. 43	·1377 ·1374	Jan. 30 0. 0 4. 10 10. 16 11. 44 12. 41 14. 20 20. 12	.03346 .03377 .03350 .03354 .03371 .03392 .03358	9. 0 21. 0	59 °0 58 °8 58 °8 59 °3 58 °8	59 <b>·o</b> 59 ·o 60 ·o
0. 0 2 0. 13 0. 26 0. 41 2. 9 2. 51 4. 8 6. 23 7. 38 7. 44 8. 15 9. 12 9. 33 10. 24 10. 39 10. 45 11. 14 11. 36 11. 51 12. 0 13. 25 13. 33 13. 57 14. 57 15. 26 16. 26 17. 27	31. 30 32. 10 31. 15 32. 30 32. 30 33. 0 32. 25 32. 40 32. 20 32. 50 32. 35 33. 50 33. 0	17. 39 17. 53 20. 26 20. 53 21. 54	1364 1368 1373 1370 1372 1369 1374 1372 1375 1372 1373 1370 1373 1370 1371 1367 1370 1373 1370 1373 1370 1373 1370 1367 1376 1376 1376 1376 1376 1376 1376	0. 0 0. 54 8. 44 15. 55 19. 41 23. 59	**************************************	3. 0	59 ° 4 58 58 ° 8 58 58 ° 8 58	.0	2. 45 2. 57 3. 46 3. 57 5. 9 6. 54 9. 29 9. 42 10. 35 10. 51 11. 20 11. 33 11. 57 12. 32 12. 59 13. 41 13. 57 14. 20 15. 21 16. 41 19. 50 20. 57 23. 42 23. 59 Jan. 31 0. 0 1. 45	27. 50 27. 20 28. 30 31. 20 *** 33. 15	13. 27 14. 0 14. 39 14. 50	*1377 *1376 *1378 *1376 *1378 *1376 *1375 *1367 *1369 *1366 *1376 *1374 *1374 *1374 *1380	Jan. 31 o. o 5. 25	°03363 °03363 °03363 °03415	Jan. 31 c. o I. o	59 •3	

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. Magnet.	ers.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H.F. Magnet.	f mo-
Jan. 31  2. 97  3. 3  4. 27  5. 23  5. 38  6. 11  6. 53  7. 14  7. 26  7. 46  8. 12  8. 30  9. 44  10. 41  11. 50  13. 26  14. 51  15. 33  15. 46  17. 24  18. 41  19. 51  20. 11  20. 30  20. 41  21. 24  23. 24  23. 59	20. 38. 5 37. 40 37. 0 35. 35 36. 10 35. 35 36. 10 33. 40 34. 10 34. 55 34. 0 34. 25 33. 10 33. 25 33. 0 32. 0 33. 10	Jan. 31 3. 5 4. 14 4. 30 5. 12 6. 57 7. 15 8. 12 8. 23 8. 39 15. 15 17. 55 19. 52 20. 26 20. 20 22. 11 23. 21 23. 59	·1378 ·1376 ·1373 ·1373 ·1373 ·1375 ·1371 ·1376 ·1380 ·1379 ·1380 ·1377 ·1375 ·1372 ·1375 ·1374	Jan. 31 10. 0 18. 41 23. 42	·03416 ·03408 ·03393 (†)	3. 0 9. 0 21. 0 22. 0	59·3 59·6 60·3 60·1 59·8	60 °0 60 °5 60 °8 60 °3	Feb. 1 9. 7 9. 15 9. 33 9. 46 9. 51 10. 38 11. 2 11. 19 11. 26 11. 38 11. 42 11. 59 12. 39 12. 44 12. 53 13. 56 14. 23 14. 38 14. 42 14. 50 15. 19: 15. 37 15. 51 16. 30 16. 41 16. 56 17. 12 17. 33 17. 33 17. 35	23. 35 23. 10 27. 5 25. 0 27. 10 26. 10 26. 55 24. 35 24. 15 26. 45 28. 10 30. 40 30. 25 31. 20 27. 50 27. 10 25. 50 21. 30 24. 30 27. 50 21. 30 22. 10 24. 30 27. 50 22. 10 24. 30 27. 50 27. 10 28. 30 27. 30	14. 52 15. 11 15. 43 16. 11 16. 23	1345 1346 1351 1350 1357 1353 1357 1355 1368 1364 1365 1366 1366 1366 1366 1366 1366 1366	h m		h m	0	o
Feb. 1 o. o o. 56 1. 13 1. 22 1. 43 3. o o. 3. 51 5. 9 5. 20 5. 53 6. 20 6. 40 6. 59 7. 18 7. 29 8. 23 8. 34 8. 53	20. 35. 0 36. 15 37. 50 36. 30 36. 35 35. 0 33. 30 33. 55 33. 20 33. 30 32. 55 33. 30 32. 40 33. 10 27. 55 27. 10 26. 45	Feb. 1 0. 0 0. 34 1. 12 1. 40 3. 45 5. 34 5. 52 7. 24 7. 55 8. 41 8. 48 9. 12 9. 21 9. 30 9. 56 9. 59 10. 12	·1369 ·1360 ·1353 ·1353	Feb. 1  0. 28  7. 24  9. 53  12. 7  13. 11  13. 31  14. 58  15. 14  16. 27  17. 55  23. 59	(†) •03396 •03424 •03466 •03447 •03406 •03411 •03367 •03388 •03397 •03384	<i>3</i> . o	60 · 1 60 · 0 60 · 6	60 ·3 60 ·4 60 ·6 60 ·7	18. 38 18. 44 18. 53	38. 0 36. 15 36. 30 35. 45 36. 30 35. 25 33. 55 31. 55 32. 50 32. 40 32. 50 32. 10 32. 20 31. 50 32. 10 32. 40							

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	0	rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	met	f rmo-
Feb. 1 h m 22. 42 22. 51 23. 16 23. 36 23. 48 23. 56 23. 59	33. 10 *** 33. 20 34. 45 34. 45 35. 10 35. 5	h m	,	h m		h m	0	0	Feb. 3  h m  4. 57  5. 6  5. 25  5. 30  5. 39  5. 50  6. 20  6. 38	20. 34. 50 34. 50 32. 25 33. 0 32. 15 36. 0 39. 50 38. 0	Feb. 3  5. 40  5. 51  6. 12  6. 25  6. 44  7. 19  7. 28  7. 55	*1359 *1363 *1360 *1354 *1357 *1358 *1354 *1366	h m		h m	0	0
Feb. 2	20. 35. 5 36. 35 37. 50 37. 25 37. 40 36. 25 36. 25 36. 10 33. 55 34. 15 33. 40 32. 10 31. 45 32. 50 32. 20 33. 5 32. 30 32. 55 32. 30 32. 55 32. 30 32. 55 32. 30 33. 55 32. 30	Feb. 2 o. 0 7 1. 56 2. 20 5. 21 5. 50 6. 12 6. 29 6. 42 9. 25 13. 22 18. 15 19. 55 22. 57 23. 59		Feb. 2 o. o 5. 3 ro. o 14. 44 20. 12 23. 59	*03412 *03429 *03406 *03417 *03396 *03355	3. o 9. o	60 '4 60 '1 59 '8 59 '8	60 <b>.</b> 0	6. 45 6. 56 7. 9 7. 14 7. 23 7. 38 7. 45 8. 13 8. 38 8. 55 9. 12 9. 18 9. 31 10. 51 11. 10 11. 27 11. 41 12. 34 13. 16 14. 51 15. 11 15. 39 16. 2 16. 41 18. 14 18. 31 18. 53 19. 26	35. 35 35. 40 33. 40 33. 30 34. 0 30. 25 29. 20 31. 50 30. 40 31. 10 30. 35 32. 15	8. 24 8. 41 9. 0 9. 29 9. 40 12. 25 13. 42 14. 25 19. 53 23. 11 23. 59	*1357 *1363 *1367 *1363 *1366 *1366 *1365 *1376 *1372 *1376 *1365 *1376					
Feb. 3 o. 0 o. 9 o. 30 o. 43 1. 14 1. 25 1. 39 2. 26 3. 0 3. 23 3. 38: 3. 43 3. 57 4. 7 4. 37	20. 35. 30 36. 40 38. 10 38. 55 38. 25 39. 0 38. 30 40. 0 38. 50 39. 25 37. 50 37. 20 37. 50 34. 40 35. 45	Feb. 3 o. 0. 2 o. 45 1. 4 1. 30 2. 15 2. 42 3. 20 3. 26 3. 44 4. 22 4. 39 4. 55 5. 10 5. 22 5. 34		Feb. 3 o. o. o. 2 2. 47 7. 32 12. 25 23. 59	03355 03415 03457 03403 03320	9. 0	60 ·3	60.0	20. 46 22. 20 23. 23 23. 34 23. 40 23. 59 Feb. 4	32. 15 32. 30 33. 10 33. 50 34. 25 34. 10 35. 30	Feb. 4 o. o o. 10 o. 42 3. 54 5. 8 5. 27 6. 24 8. 54	*1367 *1369 *1363 *1375 *1372 *1373 *1370 *1374	22.40	°03320 °03315 °03352 °03362 °03355 °03321 °03328	Feb. 4 o. o 8. o 21. o	58 ·8 59 ·8	59 •6

Greenwich Mean Solar Time.	Western DecIina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The:	Of V. F. Magnet.	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f no-
5. 14 5. 37 5. 53 6. 39 6. 55 8. 26 9. 23 10. 33 11. 40 12. 22 12. 37 12. 44 13. 20 15. 41 16. 52 17. 29 18. 41 19. 8 20. 34 20. 45 20. 23 21. 33 21. 44 15. 26 17. 29 18. 41 19. 8 20. 45 20. 23 21. 33 21. 44 20. 34 20. 34 20. 35 20. 35 21. 33 21. 44 20. 34 20. 34 20. 35 20. 55 20. 55	34. 15 33. 0 31. 50 30. 55 30. 35 30. 40 31. 50 31. 50 32. 50	Feb. 4 9. 5 9. 22 10. 41 11. 22 11. 36 11. 37 11. 3	1369 1376 1371 1374 1378 1376 1379 1376 1377 1382 1376	Feb. 5 0. 0 0. 41 2. 1 3. 29 3. 52 6. 41 8. 12 10. 0 11. 51 11. 57 12. 30 12. 42	·03328 ·03324 ·03356 ·03342 ·03344 ·03363 ·03342 ·03311 ·03290	3. o	58 .8	58 ·5 59 ·o	Feb. 5 4. 16 5. 45 6. 26 6. 37 7. 35 7. 49 7. 55 8. 33 8. 57 9. 48 10. 33 10. 59 11. 10 11. 24 11. 39 12. 40 12. 52 13. 19 14. 57 15. 33 14. 23 14. 39 14. 57 15. 10 15. 38 16. 15 16. 15 17. 33 18. 11 18. 22 18. 38 18. 47 19. 41 19. 41 19. 41 19. 41 19. 41 20. 23 20. 27 20. 58	18. 30 20. 15 14. 20 14. 25 20. 50 18. 50 25. 15 24. 50 21. 10 27. 45 19. 15 24. 0 21. 35 28. 35 28. 40 30. 20 30. 50 30. 50 30. 50 30. 50 30. 50 30. 50 30. 55 34. 15 34. 0 34. 35	12. 32 12. 45 13. 15 13. 26 13. 41 13. 42 13. 50 14. 5 14. 21 14. 21 15. 11 15. 43 16. 39 17. 45 18. 14 19. 8 19. 19 19. 39 19. 51 20. 35 20. 37 20. 45 21. 11 21. 15	1374 1379 1375	Feb. 5 h 3. 36 14. 11 14. 16 14. 39 14. 55 17. 51 23. 59	·03286 ·03262 ·03272 ·03285 ·03280 ·03345 ·03327	h m	•	O

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The met	Of V. F. Magnet,	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Wagnet.	mo-
Feb. 5 21. 36 21. 46 21. 56 22. 4 22. 29 22. 43 23. 12 23. 30 23. 59	35. 55 34. 30 33. 25 *** 35. 15 32. 50	Feb. 5 h m 22. 18 22. 39 22. 51 22. 56 23. 0 23. 5 23. 12 23. 13 23. 41 23. 45 23. 57 23. 59	1370 1375 1372 1377 1375 1376 1376 1377 1372 1372 1378	h m		h m	0	0	Feb. 6	*** 33. 40 33. 10 33. 35	Feb. 6  8. 15  8. 54  9. 4  10. 6  10. 20  10. 30  11. 12  11. 21  12. 18  12. 42  13. 30  13. 49  14. 12	*1356 *1360 *1356 *1360 *1364 *1358 *1360 *1358 *1378 *1378 *1365 *1377	h m		h no	0	•
Feb. 6 o. 0 o. 6 o. 18 o. 41 o. 56 i. 0 i. 30 i. 41 2. 8 2. 26 2. 41 2. 53 2. 59 3. 26 3. 30 3. 33 3. 38 3. 50 4. 12 4. 16 4. 29 4. 38 5. 43 5. 49 6. 13 6. 19 6. 28 6. 33 6. 42 7. 0 7. 12	20. 33. 50 33. 40 33. 15 *** 35. 0 36. 45 35. 40 37. 30 37. 20 46. 50 49. 50 49. 55 46. 55 46. 55 48. 40 49. 55 54. 50 48. 30 49. 55 54. 50 48. 30 49. 55 54. 50 48. 30 49. 55 51. 30 51. 30 52. 30 53. 40 53. 40 55. 30 56. 50 57. 50	Feb. 6 0 9 2 2 1 1 1 5 7 1 4 8 7 0 8 3 0 9 5 5 5 5 5 6 6 6 6 5 7 8	1345 1355 1351 1356 1354 1358	Feb. 6 0. 0 2. 27 3. 96 5. 26: 5. 49 6. 35 7. 11 7. 25 8. 8 9. 37 12. 58 13. 21 13. 43 14. 42 15. 52: 18. 21 23. 59	·03327 ·03337 *** ·03394 ·03392 ·03394 ·03408 ·03550 ·03464 ·03477 ·03432 ·03391 ·03366 ·03324 ·03317 ·03278 ·03297 ·03331 ·03338 ·03364	3. 0 9. 0 21. 0 22. 0	58 ·8 59 ·6 59 ·8 59 ·3	59 · 3 59 · 0 60 · 1 60 · 0 60 · 0 60 · 0	13. 22 13. 30 13. 46 13. 56 14. 21 14. 42 14. 56 15. 12 15. 24 15. 38 15. 56 16. 4 17. 12 17. 50 18. 11 18. 23 19. 49 20. 38 21. 16 20. 38 21. 28 21. 39 21. 43 22. 26 22. 41 23. 0 23. 31 23. 44 23. 55 23. 59	31. 50 33. 50 37. 35 34. 55 36. 10 25. 30 27. 0 31. 10 32. 0 30. 10 31. 15 30. 40 29. 30 32. 20 32. 20 34. 0 34. 20 33. 35 35. 30	14. 52 15. 12 15. 26 15. 41 15. 55 16. 26 16. 38 17. 11 17. 56 18. 57 19. 44 20. 32 20. 43 21. 52 22. 57 23. 12 23. 47 23. 59	1356 1365 1363 1357 1354 1361 1363 1364 1364 1365 1358 1364 1344 1333 1337 1329 1352 1352					
7. 18 7. 26 7. 38 7. 46 8. 1	20. 55 19. 15 28. 55 28. 55 32. 45	7. 12 7. 26 7. 41 7. 52 8. 2	1349 1339 1359 1353 1356		:				Feb. 7 o. o o. 8 o. 19 o. 27	20. 37. 25 38. 35 38. 25 39. 45	Feb. 7 o. o o. 15 o. 40 o. 45	°1352 °1348 °1354 °1351	Feb. 7 o. o 1. 25 4. 53 6. 12	·03364 ·03362 ·03448 ·03425	Feb. 7 o. o 1. o 2. o 3. o	59 ·8 (	60 .0

/

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers. Ot V. F. Magnet.	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	rmo-
Feb. 78 38 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	22. 40 25. 40 25. 50 18. 0 28. 45	11.43	1356 1351 *** 1362 1368 *** 1367 1363 1365 1354 1356 1354 1359 1356 1358 *** 1344 1337 1344 1337 1344 1337 1344 1333 1346 1353 1355 1327 1366 1353 1355 1327 1366 1372 1366 1372 1366 1372 1366 1372 1366 1372 1366 1372 1344 1303 1355 1327 1366 1372 1344 1303 1355 1327 1366 1372 1344 1303 1319 1318 1328 1346 1371 1366 1371 1366 1375 1375 1375 1344 1303 1341 1340 1348	Feb. 7 6. 29 6. 42 6. 5 5 7. 5 7 8. 44 10. 45 11. 25 11. 25 11. 25 11. 40 11. 4	·03455 ·03457 ·03538 ·03440 ·03416 ·03362 ·03372 ·03356 ·03397 ·03260 ·03214 ·03170 ·03260 ·03297 ·03283 ·03300 ·03232 ·03232 ·03232 ·03235 ·03232 ·03235 ·03235 ·03236 ·03232 ·03235 ·03236 ·03237 ·03236 ·03237 ·03236 ·03237 ·03237 ·03237 ·03238 ·03237 ·03246 ·03237 ·03237 ·03246	Fcb. 7 m 9. 0 21. 0 22. 0 23. 0	59 · 3 59 · 2 57 · 3 56 · 0 58 · 6 57 · 8	Feb. 7 9. 47 9. 47 9. 58 10. 23 10. 28 10. 30 10. 35 10. 45 10. 57 11. 52 11. 59 12. 18 12. 25 12. 30 12. 41 13. 88 14. 26 14. 33 13. 38 14. 26 15. 34 16. 9 16. 46 16. 59 17. 23 17. 43 17. 57 18. 58 19. 24 19. 57 19. 24 19. 58 20. 25 20. 31 20. 41 21. 55 22. 44 23. 23 23. 29 23. 37 23. 43 23. 59	17. 25 25. 50 28. 20 26. 55 28. 10 27. 15 23. 55 23. 55 30. 10 30. 15 24. 30 23. 20 26. 0 45. 30 42. 40 42. 40 37. 35 32. 35 33. 10 36. 10 36. 10 36. 10 36. 10 36. 10	Feb. 7  11. 55  11. 59  12. 13  12. 15  12. 27  12. 55  13. 14  13. 41  14. 29  14. 55  15. 14  16. 42  16. 51  17. 22  17. 53  18. 50  19. 14  19. 36  19. 40  20. 62  20. 25  20. 34  20. 49  20. 58  21. 55  22. 22  23. 0  23. 25  23. 59	***  1346  1348  1348  1348  1345  1351  1348  1351  1348  1351  1346  1351  1356  1356  1356  1356  1358  1356  1358  1356  1359  1359	h m		h m	0	0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Of H.F. meter.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	. (	Of A.F. Magnet.
Feb. 8  n m o. 0 o. 13 o. 20 o. 38 1. 23  2. 3 2. 15  2. 57 3. 6 3. 13 3. 38 3. 44 3. 57 4. 3 4. 13 4. 23 4. 53 4. 53	34. 40 34. 30 35. 40 35. 0 37. 25 *** 38. 30 37. 50 *** 38. 15 38. 40 36. 50 38. 40 36. 50 38. 40 36. 50 38. 20 34. 40 32. 45 32. 35 29. 35 29. 35 33. 50 33. 0	Feb. 8 h m o. 0 o. 51 1. 9 1. 41 2. 19 2. 42 3. 38 3. 45 4. 10 4. 47 4. 52 5. 0 5. 14 5. 25 5. 51 6. 0	*1359 ***  *1367 *1360 *1366 ***  *1361 *1366 *1356 *1347 *1341 *1368 *1368 *1358 *1364 *1354 *1344 *1348 (†)	Feb. 8 m 0. 30 4. 54 5. 12 5. 26 8. 52 10. 26: 10. 57 11. 39 12. 8 12. 55 18. 26 21. 44 23. 59	(†) •03258 •03378 •03378 •03370 (†) •03318 •0338 •03305 •03308 •03324 •03317 •03328	Feb. 8 h m o. o I. o 2. o 3. o 9. o 21. o	59 · 1	58 · 9 59 · 1 59 · 6 59 · 2	21. 11 21. 27 22. 41 22. 59 23. 16 23. 38 23. 47 23. 56 23. 59 Feb. 9	20. 31. 30 30. 50 31. 50 33. 30 33. 10 33. 55 36. 20 35. 35 36. 20 35. 35 36. 0 35. 40 34. 55 34. 55 36. 55 37. 25	Feb. 9 o. 0 o. 36 1. 24 2. 12 2. 30 2. 54 3. 12 3. 45	·1355 ·1353 ·1365 ·1362 ·1366 ·1366 ·1366 ·1367	Feb. 9 o. 0 o. 29 o. 54 1. 53 2. 22 3. 56 6. 56 7. 22	·03328 ·03324 ·03361 ·03357 ·03353 ·03328 ·03338	Feb. 9 1. 0 3. 0 9. 0 21. 0	59 ·8 ·59 ·3 ·59 ·1	60 ·8
5. 9 5. 23 5. 28 5. 45 5. 57 6. 0 8. 44 9. 56 10. 15 10. 28 10. 56 11. 14 11. 59 12. 23 12. 38 12. 41 12. 44 13. 32 13. 32 13. 32 15. 56 16. 15 16. 46 17. 35 17. 43 17. 54 18. 12 19. 13	33. 20 31. 30 34. 50 38. 30 35. 30 35. 20 (†) 34. 25 32. 35 31. 40 30. 35 29. 55 29. 55 29. 55 24. 40 25. 0 27. 35 28. 35 30. 20 30. 50 30. 50 30. 15 31. 50 32. 50 32. 25	18. 36 18. 55 19. 26 19. 45 20. 44 21. 8 21. 36 23. 12 23. 37	1361 1364 1359 1353 1348 1356 1359 1351 1354 1357 1355 1354 1359 1361 1364 1365 1366 1363 1363 1357 1355						1. 9 1. 50 2. 18 2. 34 2. 55 3. 41 4. 45 5. 41 6. 27 6. 47: 7. 21 7. 38 8. 38 9. 10 9. 19 9. 28 9. 53 10. 17 10. 32 10. 40 11. 39 12. 28 11. 11 11. 26 11. 39 12. 55 12. 55 13. 39 14. 26	32. 20 27. 40 29. 20 29. 30 30. 50 30. 20 31. 20 31. 10 31. 40 28. 50 28. 20 28. 40	4. 10 4. 17 4. 34 5. 57 6. 12 6. 54 7. 13 7. 51 8. 44 9. 20 10. 23 11. 56 12. 19 13. 14 14. 57 15. 52 16. 38 19. 20 23. 36 23. 36 23. 59	1366 1371 1370 1360	8. 6 10. 58 12. 22 13. 11 13. 40 15. 6 20. 28 22. 41 23. 59	·03327 ·03321 ·03337 ·03327 ·03308 ·03320 ·03320 ·03297 ·03300			

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

February 8. The timepiece giving motion to the Horizontal Force and Declination cylinder stopped from 6h. om. to 8h. 44m.

February 8. The Vertical Force timepiece was stopped from 5h. 26m. to 8h. 52m.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-
15. 24 15. 33 15. 45 15. 59 16. 28	20. 31. 5 32. 10 33. 25 33. 5 33. 15 32. 20 32. 35	h m		h m		b m	o	o	Feb. 10 21. 36 21. 59 23. 0 23. 13 23. 22 23. 59	20. 32. 30 32. 30 34. 50 35. 15 36. 10 37. 15	h m		h m		h m	o	0
16. 44 17. 11 17. 24 19. 8 20. 30 21. 41 23. 23 23. 38 23. 49 23. 59	32. 35 32. 20 31. 55 30. 50 31. 10 34. 40 35. 40 35. 40								Feb. 11 0. 0 0. 14 0. 40 0. 59 1. 29 2. 3 2. 28 2. 56 3. 7	20. 37. 15 37. 25 39. 10 41. 40 40. 0 37. 30 37. 10 36. 30 36. 55	Feb. 11 0. 0 0. 24 0. 45 1. 43 2. 14 2. 41 3. 0 3. 23 3. 39	1360 1362 1356 1363 1372 1368 1376 1372	Feb. 11 0. 0 1. 45 2. 30 7. 13 8. 9 19. 14 22. 41 23. 59	•03297 •03283 •03296 •03246 •03255 •03266 •03263 •03277	8.30	59 °0 57 °6 59 °0	56 .5
Feb. 10 0. 0 0. 21 0. 46 1. 12 1. 26 1. 38 2. 56 4. 14 5. 55 6. 10 6. 43 7. 33 8. 11 8. 22 8. 40 9. 35 11. 39 11. 50 13. 15: 13. 43 14. 39 15. 50 16. 50 17. 59 18. 59	20. 35. 40 36. 20 37. 35 37. 10 37. 10 37. 10 36. 15 34. 5 33. 25 33. 40 33. 0 32. 25 32. 45 32. 45 32. 45 31. 25 31. 35 31. 55 31. 55 31. 55 31. 55 31. 35 31. 35	Feb.10 o. 0 5. 39 7. 36 9. 19 9. 56 11. 10 11. 41 12. 11 12. 29 14. 10 18. 56 19. 44 20. 40 21. 40 23. 59	1360 1356 1372 1369	Feb. 10 0. 0 1. 14 3. 55 9. 39 12. 16 13. 35 16. 26 19. 41 22. 12 23. 59	03300 03303 03318 03298 03302 03303 03315 03324 03302 03297	3. o	59 ·6 59 ·8 58 ·9	59 ·2 59 ·2 58 ·0 59 ·0	3. 34 4. 26 5. 29 5. 53	35. 30 34. 25 33. 40 34. 15 33. 35 33. 40 30. 5 30. 35 30. 5 30. 5 30. 50 31. 10 30. 50 30. 45 30. 45 30. 45 30. 45 32. 35 32. 35	3. 57 5. 12 5. 41 6. 45 7. 21 7. 46 8. 57 9. 15 9. 29 10. 56 12. 11	1373 1369 1371 1362 1361 1365 1365 1365 1365 1363 1362 1365 1364 1372 1370 1374					
19. 20 19. 33 19. 50 20. 11 20. 26 20. 55	31. 10 31. 10 30. 25 30. 25 29. 35 29. 35								21. 3 21. 29 21. 36 22. 23 22. 44 23. 36	29. 45 31. 10 31. 0 33. 10 32. 55 35. 40	·						

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of II. F. Magnet.	f rmo- ers.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Feb. 11 23. 5 23. 59	20. 35. 55 37. 5	h m		h m		h m	•	0	14. 17 14. 26	30. 5	Feb. 12  10. 54  21. 39  21. 46	•1364 •1361 •1364	h m	·	h m	. 0	•
Feb. 12 0. 01 0. 40 0. 53 0. 58 1. 42 1. 55 2. 27 3. 4 3. 39 3. 51 4. 11 4. 26 4. 39 4. 57 5. 12 5. 53 6. 12 6. 26 6. 40 7. 12 7. 23 7. 55 8. 26 8. 33 8. 51 8. 58 9. 29; 9. 40 10. 2 10. 9 10. 17 10. 40 10. 58	20. 37. 55 37. 55 40. 5 39. 30 40. 15 39. 40 43. 30 42. 25 44. 25 44. 30 39. 55 38. 25 38. 50 38. 50 38. 50 37. 40 36. 45 33. 35 32. 30 32. 30 32. 30 32. 30 32. 30 33. 35 33. 35 35. 50 26. 50 27. 50 28. 25 29. 25 29. 25 29. 25 29. 25 29. 25 29. 25 29. 25 29. 25 20. 25 20. 25 21. 50 22. 25 23. 25 24. 25 25. 25 26. 50 27. 50 28. 25 29. 25 20. 25 20. 25 20. 25 20. 25 20. 25 20.	12. 21 12. 26 12. 39 12. 54 13. 12	·1367 ·1365 ·1370 ·1357 ·1361 ·1359 ·1361 ·1357 ·1353 ·1344 ·1363 ·1360 ·1362 ·1365	Feb. 12 0. 0 1. 28 1. 55 2. 54 4. 9 7. 54 8. 14 9. 11 10. 55 11. 55 12. 36 13. 35 14. 22 15. 18 18. 11 18. 45 19. 56 21. 12 22. 9 23. 20 23. 59	***o3277 ***o3285 ***o3280 ***o3398 ***o3306 ***o33351 ***o3247 ***o3265 ***o3216 ***o3216 ***o3216 ***o3216 ***o3217 ***o3277 ***o3277 ***o3277 ***o3271 ***o3240 ***o3246	Feb. 12 1. 0 3. 0 9. 0 21. 0	59 · 2 59 · 2 58 · 8	59 · 3 · 0 · 58 · 3 · 0	14. 26 14. 43 14. 58 15. 11 15. 26 16. 13 16. 26 16. 34 16. 56 17. 27 17. 50 18. 12 18. 26 19. 31 19. 53 19. 53 19. 57 20. 23 20. 35 20. 45 21. 29 21. 43 22. 11 22. 41 22. 53 23. 54 23. 59 Feb. 13	30. 5 25. 40 25. 0 27. 30 29. 40 *** 31. 5 30. 30 30. 50 29. 40 32. 30 32. 30 32. 30 30. 10 29. 55 30. 30 30. 5 31. 10 29. 25 30. 30 30. 5 31. 10 35. 35 33. 10 35. 35 35. 35 37. 5 38. 20		•1364 •1355 •1353 •1360	Feb. 13 0. 0 2. 8 2. 28 3. 26 4. 12 5. 14 6. 22	•03246 •03295 •03280 •03319 •03317	22. 0	59 •3 58 •9 59 •6 58 • r	59 ·0 59 ·9 57 ·6 57 ·6
11. 38 11. 44 11. 53 12. 26 12. 37 12. 58 13. 14 13. 27 13. 41 13. 54	23. 40 24. 50 32. 50 32. 35 28. 15 30. 15 30. 5 33. 15	16.55 17.54 19. 0 19.32 19.54	1364 1353 1353 1362 1366 1366 1366 1366 1366 1369						2. 23 2. 32 2. 53 3. 4 3. 9 3. 33 3. 56	44. 55 43. 40 42. 10 39. 20 38. 30 *** 38. 30 34. 55 *** 32. 55	2. 12 2. 36 2. 54 3. 0 3. 30 3. 54 4. 10 4. 38 4. 45 4. 57	•1375 •1358 •1359 •1353 •1373 •1361 •1367 •1368	6. 45 7. 20 7. 53 8. 54 9. 8 10. 17 11. 10 11. 13 11. 35 12. 5	·03358 ·03372 ·03363 ·03356 ·03357 ·03330 ·03306 ·03286 ·03280	which i		

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f mo-
Feb. 13  h	20. 35. 10 34. 20 37. 20 38. 55 38. 40 35. 40 30. 0 24. 30 26. 15 30. 40 30. 20	Feb.13  5. 10  5. 25  6. 11  6. 23  6. 41  6. 56  7. 12  7. 39  7. 43  7. 59  8. 0  8. 25	•1376 •1373 •1356 •1341 •1336 •1342 •1333 •1346 •1341 •1349 •1354	Feb. 13  13. 21  13. 42  15. 14  16. 19  19. 33  21. 4  21. 58  23. 59	·03282 ·03286 ·03282 ·03263 ·03260 ·03250 ·03227 ·03244	h m	0	0	20. 58  22. 9  22. 22  23. 16  23. 59  Feb.14  0. 0  0. 11	20. 34. 25 34. 45	Feb.14 0. 0 0. 26	·1360 ·1364	Feb.14 0. 0 2. 12	°03244 °03272		58 ·8 58 ·9	58 4
7. 26 7. 26 7. 36 7. 59 9. 20 8. 37 8. 8. 55 9. 20 10. 13 10. 59 11. 23 11. 29 13. 126 13. 42 13. 55 14. 53 14. 53 15. 32 16. 38 16. 38 16. 38 17. 10. 39 17. 10. 39 18. 30 19. 20 19. 20 19	31. 40 35. 35 34. 50 34. 50 33. 0 26. 50 27. 40 26. 55 25. 30 30. 55 30. 55	8. 55 9. 11 9. 26 10. 11 10. 19 10. 54 10. 50 11. 37 12. 30 13. 12 13. 33 13. 57 15. 42 16. 49 17. 12 17. 36 18. 12 19. 27 20. 53 21. 19 21. 56	1348 1341 1341 1354 1354 1354 1359 1360 1356 1355 1357 1358 1356 1357 1356 1357 1360 1362 1360 1365 1361 1357 1360 1365 1364 1357 1366						0. 26 0. 26 0. 26 0. 26 0. 27 1. 133 2. 13 3. 22 3. 22 3. 23 3. 23 3. 23 3. 23 3. 23 5. 55 6. 25 6. 35 6. 57 7. 13 7. 14 7. 15 7. 15 7	37. 20 38. 10 37. 55 38. 30 39. 35 37. 10 38. 55 39. 0 38. 10 36. 55 33. 30 34. 55 33. 30 33. 15 28. 25 28. 40 26. 35 28. 30 26. 35 33. 30 27. 30 27. 30 29. 35 29. 35	1. 2 1. 32 2. 35 3. 42 4. 46 5. 12 5. 44 6. 23 6. 46 7. 27 7. 57 8. 34 8. 55 9. 45 9. 45 9. 45 9. 45 11. 12 12. 39 20. 10 21. 14 23. 59	1363 1366 1361 1369 1366 1372 1354 1353 1353 1359 1344 1350 1350 1347 1365 1403 1374 1374 1355 1374 1355 1359 1361 1361 1364 1361 1364 1361 1366 1358 1359	3. 10 6. 24 8. 9 8. 29 8. 38 8. 43 9. 13 9. 55 10. 42 14. 23 16. 59 21. 22 23. 59	·03296 ·03282 ·03299 ·03295 ·03290 ·03226 ·03238 ·03245 ·03262 ·03304 ·03307 ·03263	2. 0 3. 0 9. 0 21. 0 22. 0 23. 0	58 ·8 59 ·0 58 ·5 59 ·6 59 ·3	58 · 7 557 · 7 60 59 · 5 58 · 5
17. 16 17. 26 17. 46 17. 59 18. 10 18. 23 18. 40	32. 45 31. 45 30. 45 31. 15 30. 50 30. 55 32. 0								11.34 12.26 12.58 13.41 14.16	32. 15 *** 32. 40 33. 40 32. 45 33. 0							,

Solar Dec	stern clina-	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Thei met	rmo- ers.	Greenwich Mean Solar Time.	Western Declina- tion,	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-
Feb. 14  14. 37 15. 7 15. 26 17. 14 17. 25 18. 54 20. 26 21. 8 20. 26 21. 8 21. 44 21. 56 22. 8 32. 17 23. 26 23. 43 23. 59  Feb. 15 0. 20 0. 36 0. 36 0. 36 0. 36 0. 36 1. 8 1. 24 1. 49 2. 4 2. 59 3. 41 3. 55 4. 48 2. 59 3. 41 3. 55 4. 47 5. 4 6. 16 6. 26 6. 40 6. 59 7. 24 7. 38 7. 51 8. 10 8. 23 8. 38 8. 50 8. 59 9. 14 9. 26 9. 42 10. 36 11. 12 11. 13 11. 13 11. 13 11. 13 11. 13 11. 13 11. 13 11. 13 11. 13 11. 13 11. 13 11. 14 11. 13 11. 13 11. 14 11. 15 11. 13 11. 15 11. 14 11. 15 11.	32. 35 32. 45 32. 45 32. 45 32. 45 33. 35 34. 35 35 36. 35 36. 35 36. 35 36. 35 36. 35 36. 35 36. 35 36. 35 36. 36 36. 36 36	b m  eb. 15 o. 0 o. 20 o. 43 i. 22 i. 40 i. 52 i. 40 i. 52 i. 40 i. 52 i. 40 i. 3 i. 24 i. 42 i. 43 i. 44 i.	1359 1350 1358 1365 1364 1367	Feb. 15 o. o o. 55 3. 12 11. 22 17. 35 21. 25 22. 46 23. 59	°03263 °03255 °03257 °03266 °03411	Feb. 15 o. o 1. o 2. o 3. o 9. o	0	58.50 558.00 558.00	Feb. 15 15. 25 15. 38 16. 26 17. 45 19. 59 20. 43 21. 37 22. 42 23. 59 Feb. 16	20. 32. 25 31. 40 30. 35 31. 5 29. 40 30. 10 33. 25 36. 20 20. 36. 20 20. 36. 20 20. 36. 30 35. 55 36. 30 36. 30 37. 36. 30 36. 35 36. 30 37. 36. 30 38. 40 33. 40 33. 40 32. 40 33. 50 33. 40 32. 40 33. 50 33. 40 33. 50 33. 40 32. 40 33. 50 33. 40 33. 50 33. 40 33. 50 33. 40 32. 40 33. 50 33. 35 30. 10 30. 10	Feb. 16 0. 25 1. 20 2. 13 2. 41 3. 43 5. 26 4. 43 5. 25 6. 32 7. 22 7. 43 8. 30 9. 43 10. 11 10. 25 11. 153 12. 10 13. 25 13. 43 14. 45 15. 19 15. 41 17. 56 18. 43 19. 25 20. 10 21. 4	•1356 •1359 •1364 •1366 •1371 •1375 •1376 •1376 •1376 •1376 •1376 •1376 •1373	Feb. 16 0. 0. 21 3. 12 4. 27 7. 5 8. 49 11. 52 13. 12 13. 54 14. 38 15. 18 18. 0 19. 42 23. 59	***o3453 ***o3457 ***o3443 ***o3404 **o3363 **o3372 **o3356 **o3322 **o3340 **o3326 **o3326 **o3326 **o33243	Feb. 16 1. 0 3. 0 9. 0	0	61 ·8 60 ·6 60 ·2

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	+ (		Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Magnet.	mo-
Feb. 16 19. 51 20. 0 20. 28 21. 24 21. 37 21. 42 21. 47 22. 32 22. 41 22. 55 23. 4 23. 13 23. 24 23. 30 23. 34 23. 59	32. 40 32. 40 31. 0 29. 40 29. 50 31. 0 *** 32. 40 32. 30 32. 50 34. 40 36. 5 35. 0 35. 0 35. 35	h m		h m		h m	0	0	14. 28 14. 44 15. 10 15. 36 16. 9 16. 44 17. 6 17. 33 17. 41 19. 4 20. 16 21. 56 22. 7 22. 42 22. 56 23. 51	20. 32. 55 ***  33. 25  33. 55  32. 50  32. 30  33. 15  32. 55  31. 45  30. 50  29. 45  30. 0  31. 55  31. 30  32. 50  32. 35	Feb. 17 h m 22. O 23. 59	·1364 ·1371	h m		h m	•	o
Feb. 17 o. 23 o. 30 o. 43 1. 15 2. 10 2. 25 2. 36 4. 33 5. 11 5. 53 5. 58 6. 53 7. 23 7. 38 7. 54 8. 16 8. 38 7. 54 8. 16 8. 38 8. 47 8. 56 9. 16 9. 34 9. 10 10. 13 10. 34 10. 43 10. 56 11. 8 12. 51 12. 57	20. 35. 35 35. 55 36. 45 36. 35 37. 30 37. 10 36. 30 37. 30 35. 5 34. 40 35. 0 34. 35 33. 30 34. 20 *** 34. 30 33. 40 31. 30 32. 20 30. 40 31. 40 20. 0 19. 45 17. 40	11. 53 12. 25 12. 41 13. 0 14. 57 17. 11 17. 47 19. 14 20. 11	·1362 ·1367 ·1364 ·1367 ·1372 ·1369 ·1374 ·1375 ·1376 ·1376 ·1368 ·1372 ·1368 ·1370 ·1364	Feb. 17 o. 0 59 3. 0 4. 22 7: 11 7. 42 8. 38 10. 41 11. 27 11. 41 12. 6 13. 29 16. 27 19. 24 21. 24 22. 41 23. 59	·03243 ·03253 ·03280 ·03288 ·03260 ·03256 ·03255 ·03217 ·03232 ·03213 ·03197 ·03192 ·03204	Feb. 17 1. 0 3. 0 9. 0 21. 6	58 · 5 58 · 8 57 · 8	58 ·o 59 ·2 57 ·o 57 ·7	23. 59  Feb. 18 0. 0 0. 53 1. 57 2. 8 2. 25 2. 30 2. 33 2. 45 3. 17 4. 32 5. 46 9. 2 9. 29 10. 26 11. 12 11. 26 11. 38 11. 56 12. 29 13. 18 13. 32 14. 63 15. 23 16. 53 17. 4 17. 38 17. 55 18. 29 18. 42 19. 23 19. 23 19. 59 20. 9	20. 35. 35 36. 55 36. 25 37. 25 35. 45 35. 25 36. 25 34. 0 33. 10 33. 35 31. 30 32. 5 31. 40 31. 55 31. 25 29. 55	11. 55 12. 25 14. 19 18. 25 19. 10 20. 53 21. 39 23. 12 23. 25 23. 39	1371 1370 1373 1372 1376 1373 1373 1378 1371 1370 1374 1372 1374 1379 1378 1376 1376 1378 1376 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369	Feb. 18 0. 0 2. 41 9. 23 12. 7 13. 54 16. 25 18. 55 20. 24 23. 59	·03204 ·03252 ·03205 ·03221 ·03247 ·03266 ·03272 ·03220	Feb. 18 1. 0 9. 0 21. 0	58 ·4 57 ·8 58 ·8	57 .5

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The me	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther meters.	mo-
Feb. 18 20. 29 22. 6 23. 59	20. 29. 30 30. 55 35. 25	h m		h m		h m	0	0	Feb. 19 14. 56 15. 1 15. 13 15. 26	20. 34. 5 31. 55 33. 40 32. 35	Feb. 19 13. 41 13. 57 14. 11 15. 13	1368 1367 1363 1367	h m		h m	0	0
Feb. 19 o. o o. 41 1. 56 2. 41 2. 46 3. 4 3. 18	20. 35. 25 37. 0 37. 5 35. 30 37. 35 *** 37. 0	Feb. 19 o. o o. 55 1. 29 1. 45 2. 42 2. 46 2. 52 2. 56	·1361 ·1366 ·1364 ·1367 ·1368 ·1387 ·1379 ·1381	Feb. 19 o. o o. 32 4. 32 5. 11 5. 48 7. 19 8. 21 8. 41	.03220 .03229 .03291 .03280 .03312 .03303 .03318	Feb. 19 1. 0 3. 0 9. 0 21. 0	59 °2	59 ·2 559 ·5 559 ·6 558 ·5	16. 43 17. 8 17. 22 17. 32 17. 41 17. 46	*** 32.55 31.45 31.45 30.35 31.30 30.45 ***	15. 22 15. 40 15. 45 15. 50 15. 55 15. 59 16. 1	1372 1370 1375 1369 1374 1369 1374 ***	-				
3. 26 3. 40 4. 28 4. 49 5. 10 5. 21 5. 26 5. 44	37. 40 36. 10 34. 25 35. 15 30. 0 28. 40 27. 0 28. 10	3. 4 3. 25 3. 41 3. 45 3. 47 3. 55 3. 58	•1373 •1382 •1372 •1376 •1371 •1377 •1371 ***	8. 52 8. 57 9. 5 10. 8 10. 36 10. 48 11. 8	03311 03306 03308 03270 03270 03255 03257 03264 03255				19. 26 19. 39 19. 54 20. 2 20. 14 20. 37 20. 43 21. 26 21. 58	29. 40 30. 15 29. 45 28. 15 29. 20 29. 20 28. 40 29. 50 31. 50	17. 6 17. 30 17. 41 18. 12 18. 26 18. 41 20. 6 20. 15	1368 1371 1369 1373 1375 1375 ***					
6. 20 6. 48 6. 57 7. 8 7. 13 7. 38 7. 47 8. 4 8. 19	32. 55 29. 55 29. 55 28. 40 28. 20 28. 55 27. 50 27. 5	4. 25 4. 45 5. 0 5. 15 5. 44 6. 11 6. 29 6. 56 7. 7	·1348 ·1347 ·1356 ·1360 ·1358 ·1367 ·1361	11. 41 13. 4 13. 16 16. 24 19. 57 23. 59	°03250 °03252 °03255 °03238 °03204				22. 23 22. 27 22. 57 23. 7 23. 12 23. 23 23. 45 23. 59	32. 20 33. 35 33. 40 35. 5 34. 55 36. 55 37. 50 37. 50	21. 57 22. 12 22. 27 22. 55 23. 12 23. 59	***  1355 1350 1353 1344 1353 1355					
8. 30 8. 41 8. 50 8. 57 9. 15 9. 37 9. 44 9. 55	*** 28. 25 29. 10 28. 15 29. 5 27. 15 28. 25 27. 0 27. 10 25. 10	7. 43 7. 46 7. 58 8. 15 8. 20 8. 26 8. 34 8. 41	****  1352 1357 1351 1368 1365 1368 1366						0. 24 0. 59 1. 12 1. 19 1. 41 1. 53 2. 12	20. 37. 50 37. 30 37. 45 38. 50 37. 30 37. 15 38. 50 38. 10	Feb. 20 0. 0 0. 12 0. 50 0. 55 1. 8 1. 12 1. 23 1. 34	·1355 ·1349 ·1353 ·1350 ·1362 ·1356 ·1359 ·1355	Feb. 20 o. o 2. 58 7. 40 8. 59 10. 34 10. 41 10. 54 12. 8	•03204 •03277 •03303 •03282 •03282 •03280 •03280	Feb. 20 1. 0 3. 0 9. 0 21. 0 22. 0 23. 0	58 ·8 59 ·0 59 ·3 59 ·5	60 · 1 59 · 4 59 · 6
10. 26 10. 41 10. 45 10. 54 11. 7 11. 25: 11. 38	26. 40 23. 25 24. 0 25. 30 25. 40 29. 35 28. 25 29. 55	8. 45 8. 59 9. 45 9. 55 10. 12	1358 1364 1360 1362 1348 1367 1368 1356						2. 24 2. 33 2. 49 3. 26 4. 38 5. 26 5. 33 5. 41	36. 55 36. 25 36. 25 36. 30 36. 50 34. 0 33. 20 33. 45 33. 40	1. 43 2. 6 3. 11 3. 49 5. 15 5. 26 5. 43 5. 54 6. 11	·1354 ·1371 ·1364 ·1367 ·1365 ·1368 ·1365 ·1366	12. 14 12. 26 12. 38 12. 40 13. 6 13. 26 13. 47 14. 6	.03275 .03280 .03280 .03259 .03280 .03261 .03223 .03208			
13. 8 13. 26 13. 30 13. 50 13. 57 14. 12 14. 25 14. 42	34. 55 33. 40 34. 5 *** 33. 10 33. 40 32. 40 33. 40	11.27	1364 1366 1359 1362 1359 1364 1363 1372						5.50 5.56 6.10 6.29 6.57 7.8 7.19 7.25 8.11	32. 30 33. 55 33. 5 33. 20 30. 55 28. 50 28. 25 28. 35 32. 40	6. 23 6. 55 7. 35 7. 41 7. 45 8. 11 8. 36 9. 55	1354 1364 1368 1364 1364 1368	14. 51 15. 0 15. 14	·03202 ·03208 ·03229 ·03205 ·03203 ·03223 ·03245 ·03227			

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Greenwich Colling Co	Green Mean Sola	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.		Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The me	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readi of Thern meter.	no-
Feb. 20  8. 32  9. 8  10. 41  11. 5  11. 12  11. 15  11. 39  11. 42  11. 56  12. 8  12. 14  12. 45  12. 51  12. 56  13. 35  14. 42  12. 56  13. 35  14. 45  14. 19  14. 23  14. 19  14. 23  14. 33  14. 33  14. 33  14. 33  14. 33  14. 33  14. 33  14. 33  14. 33  15. 41  15. 51  16. 9  16. 15  17. 10  18. 40  19. 14  19. 16. 15  19. 16. 16. 16. 16. 16. 16. 16. 16. 16. 16	10. 40 10. 45 11. 21 11. 39 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 12. 13 13. 45 14. 17 14. 17 14. 40 15. 12 15. 15 16. 15 16. 15 16. 15 17. 40 17. 42 18. 11 18. 14 18. 21 17. 42 18. 11 18. 14 18. 22 19. 45 19. 65 19	****  1384  1386  1372  1369  ****  1376  1384  1360  1375  1371  1374  1385  1374  1376  1367  1376  1367  1376  1368  1376  1376  1376  1376  1376  1376  1376  1379  1244  (†)  1244  1244  1244  1244  1244  1244	Feb. 20  16. 40  16. 42  16. 53  17. 12  17. 16  17. 26  17. 38  17. 41  17. 54  18. 36  18. 37  18. 43  18. 52  18. 53  19. 19  20. 29  21. 46  22. 24  22. 49  22. 58  23. 71  23. 11  23. 15  23. 59	03278 03160 02200 02542 02858 02672 02440 02677 02844 02858 02920 02907 02923 02744 02800 02816 02768 02789 02869 02805 02884 02917 02800 02858 02826 03107 03429 03474 03460 03478 03478 03474 03463 03478 03429 03463 03444	h m	0	0	19. 6 19. 13 19. 24 19. 32 19. 38 19. 40 19. 41 19. 56 19. 56 19. 58 20. 4 20. 5 20. 11 20. 12 20. 13 20. 21 20. 24 20. 28 20. 30 20. 44 20. 52 21. 6 21. 30 21. 40 21. 42 21. 46 21. 51 22. 0 22. 7 22. 12 22. 32 22. 37 22. 39 22. 47 22. 58 23. 10 23. 26 23. 39 23. 47 22. 58 23. 10 23. 12 23. 26 23. 39 23. 47 22. 58 23. 10 23. 12 23. 26 23. 39 23. 47 23. 59 Feb. 21	20. 51. 20 20. 51. 20 21. 14. 5 20. 45. 10 21. 14. 5 20. 53. 25 50. 55. 55 20. 53. 15 21. 2. 55 20. 48. 55 21. 2. 55 20. 48. 15 34. 30 45. 10 35. 30 39. 30 26. 40 48. 30 18. 40 22. 20 19. 30 18. 40 21. 15 34. 30 35. 30 36. 40 37. 10 38. 30 39. 30 31. 30 31. 15 34. 30 35. 30 36. 40 37. 10 38. 30 39. 30 31. 30 31. 15 34. 5 30. 30 31. 15 30. 30 31. 15 30. 30 31. 15 30. 30 31. 15 30. 30 31. 15 30. 30 31. 15 30. 30 31. 15	Feb. 20 22. 54 22. 57 23. 11 23. 12 23. 30 23. 35 23. 40 23. 59  Feb. 21 0. 0 18 0. 22 0. 41 0. 55	*1305 *1316 *1304 *1309 *1294 *1315 *1311 *1317 *1310 *1313	Feb. 21 0. 0 0. 24 0. 54 1. 53	°03444 °03423 °03443 °03440	2. o 3. o	59 ·0 59 ·0	58 · 3 58 · 6 58 · 9

February 20. The photographic trace for Declination was off the sheet in the direction of *increasing* Declination, from 16<sup>h</sup>. 40<sup>m</sup>. to 16<sup>h</sup>. 46<sup>m</sup>., from 16<sup>h</sup>. 58<sup>m</sup>. to 17<sup>h</sup>. 10<sup>m</sup>., and from 19<sup>h</sup>. 24<sup>m</sup>. to 19<sup>h</sup>. 32<sup>m</sup>.; and that for Horizontal Force was off the sheet in the direction of *diminishing* force from 16<sup>h</sup>. 36<sup>m</sup>. to 17<sup>h</sup>. 30<sup>m</sup>., from 17<sup>h</sup>. 42<sup>m</sup>. to 18<sup>h</sup>. 11<sup>m</sup>., and from 18<sup>h</sup>. 25<sup>m</sup>. to 20<sup>h</sup>. 14<sup>m</sup>.

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.  Od V. F. Hagner, The Wagner, The Wagner	Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. Magnet.	mo-
Feb. 21   6   6   7   7   7   7   7   7   7   7	20. 33. 55 36. 55 36. 55 36. 55 36. 55 36. 55 38. 20 38. 50 38. 50 38. 50 31. 30 36. 55 36. 55 36		1297 1313 1317 1310 1368 1338 1320 1356 1370 1388 1376 1403 1367 1396 1417 1374 1385 1369 1375 1343 1308 1317 1323 1299 1304 1292 1309 1355 1306 1290 1316 1310	18. 24 20. 27 21. 24 22. 54	•03423 •03427 *** •03476 •03445 •03668 •03653 •03990 •04000 •03963 •03997 •04210 •03968 •03997 •03988 •03698 •03678 •03558 •035511 •03480 •03460	Feb.21 b m 21. 0 22. 0 23. 0	58° 8558 • 55 58 • 55 58 • 55 58 • 55	9. 26 9. 42 10. 10 10. 34 10. 43 13. 26 13. 27 14. 13 14. 42 15. 10 16. 45 17. 9 17. 23 18. 24 18. 39 19. 30 19. 30 19. 55 20. 6 20. 18 20. 25 20. 36 20. 39 20. 53 21. 0 21. 12 21. 21 21. 26  22. 39 23. 59 Feb. 22	20. 35. 25 35. 10 35. 35 35. 0 35. 30 34. 55 35. 10 34. 30 35. 50 34. 10 33. 0 33. 10 32. 25 33. 15	Feb. 21 h 22. 52 23. 11 23. 34 23. 59  Feb. 22 o. 0 o. 26 o. 52 1. 11 1. 15 1. 54 2. 25 3. 3 3. 13 3. 24 3. 59 4. 25 5. 26	·1340 ·1343 ·1343 ·1349 ·1341 ·1343 ·1343	16. 23 18. 52 21. 18 22. 32 22. 44 23. 59	*03343 {*03392 {*03338 *03344	2. 0 3. 0 9. 0 21. 0	58 · 8 58 · 8 58 · 8 58 · 8 59 · 0	59 °0 59 °0 59 °0 59 °1

<b>1</b> ≥ ≒ 1	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f mo-
Feb. 22 6. 55 7. 44 8. 6 8. 13 8. 57 9. 25 9. 55 10. 58 11. 36 13. 28 13. 39 13. 58 14. 42 16. 58 17. 10 17. 38 17. 57 18. 33 18. 41 19. 3 20. 26 20. 56 21. 26 21. 38 22. 41 23. 26 23. 59 Feb. 23 0. 0 1. 44 1. 51 2. 4 23. 26 24 25. 40 3. 14 3. 26 3. 34 4. 20 4. 29 4. 38 4. 55 5. 6	32. 35 32. 30 33. 0 32. 25 32. 30 30. 30 30. 40 32. 30 31. 40 31. 55 34. 50 31. 55 32. 10 31. 30 30. 40 30. 30 31. 35 32. 10 31. 35 31. 15 30. 25 ***  29. 40 30. 15 29. 40 30. 15 29. 40 30. 15 29. 40 30. 15 29. 40 30. 15 31. 15 31. 15 32. 10 32. 25 33. 15 30. 15 30. 15 30. 15 30. 25 31. 15 30. 15 30. 15 30. 15 30. 15 29. 40 30. 15 29. 40 30. 15 31. 15 31. 15 31. 15 31. 15 32. 25 31. 10 32. 25 31. 10 32. 25 31. 10 30. 15 29. 40 30. 15 29. 40 30. 35 31. 15 31. 15 32. 20 31. 15 32. 20 31. 15 32. 20 31. 15	Feb. 22 5. 43 66 8. 42 56 9. 41 10. 50 11. 13. 18 44 12. 11. 44 13. 18. 44 13. 18. 44 19. 25 19. 41 19. 50 20. 57 21. 140 22. 45 23. 30 1. 54 24. 30 1. 54 25. 40 26. 30 27. 40 28. 40 29. 41 40. 41 4	1341 1345 1344 1344 1342 1345 1346 1346 1347 1346 1346 1347 1348 1348 1344 1348 1344 1345 1348 1345 1347 1348 1347 1348 1347 1351 1351 1351 1351 1351 1351 1351	Feb. 23 0. 12 2. 41 4. 42 4. 45 5. 40 6. 23 6. 23 6. 23 7. 35 8. 42 9. 42	•03298 •03317 •03320 •03346 •03338 •03340 •03358 •03360 •03402 •03358 •03364 ***	9.0	60·3 59·3 57·8	59 <b>.</b> 4 59 .0	Feb. 23 5. 38 5. 51 5. 56 6. 12 6. 23 6. 38 6. 59 7. 11 7. 23 7. 36 7. 42 7. 49 7. 49 7. 49 9. 33 10. 23 10. 23 10. 23 10. 23 10. 23 11. 36 11. 36 11. 36 11. 36 11. 36 11. 36 11. 36 11. 37 13. 37 13. 49 12. 59 13. 12 13. 12 13. 12 14. 23 14. 23 14. 23 15. 11 15. 27	27. 10 26. 40 28. 40 27. 50 28. 55 31. 15 30. 20 30. 20 32. 15 31. 45 31. 25 31. 50 31. 50 28. 30	Feb. 23 5. 23 5. 5. 7 6. 22 6. 42 7. 11 7. 43 8. 11 9. 34 10. 16 10. 30 10. 37 11. 43 12. 11 12. 26 13. 41 14. 24 14. 33 14. 41 15. 27 15. 41 15. 43	1356 1354 1365 1350 1338 1351 1353 1353 1322 1327 1322 1324 1305 1318 1324 1305 1318 1324 1305 1318	Feb. 23  9. 57 10. 14 10. 24 10. 43 10. 59 11. 36 12. 18 12. 18 13. 6 13. 29 14. 36 14. 54 15. 30 15. 43 15. 57 18. 24 19. 27 19. 53 21. 5 22. 49 23. 59	·03266 ·03293 ·03243 ·03184 ·03215 ·03176 ·03236 ·03240 ·03276 ·03288 ·03270 ·03284 ·03292 ·03277 ·03283 ·03268 ·03240 ·03266	h m	0	0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.  Of H.F.  Magnet.  Of V. F.	no-
Feb. 23 15. 35 15. 41 15. 59 16. 13 16. 37 17. 27 17. 33 18. 9 18. 12 18. 20 18. 29 18. 36 18. 41 18. 56 19. 11 19. 27 19. 39 19. 43 19. 55 20. 26 20. 56 21. 24 21. 41 21. 54 22. 6 22. 28 22. 41 23. 11 23. 39 23. 55 23. 59 Feb. 24	20. 31. 10 27. 10 29. 50 31. 10 29. 30 30. 50 31. 45 *** 31. 25 33. 5 36. 25 35. 10 36. 25 35. 30 36. 40 43. 25 40. 40 39. 20 37. 40 36. 10 34. 35 33. 10 34. 35 33. 10 34. 35 33. 10 34. 35 33. 20 35. 30 36. 20 37. 40 36. 10 36. 20 37. 40 36. 10 37. 40 38. 20 39. 20 37. 40 38. 20 39. 30 39. 30 30. 30	Feb.24 O. 0	*1323	Feb.24	•03206	Feb.24	58.2	57.8	Feb. 24 6. 16 6. 31 6. 37 6. 46 6. 58 7. 14 7. 26 7. 37 7. 41 7. 51 8. 13 8. 21 9. 16 9. 29 9. 42 9. 45 9. 48 9. 56 10. 11 10. 31 11. 39 10. 53 11. 10 12. 20 12. 49 12. 57	25. 0 25. 0 33. 30 30. 10 27. 45		1351 1365 1350 1352 1332 1337 1342 1342 1358 1364 1354 1344 1340 1343	Feb. 24  8. 54  9. 29  9. 41  9. 51  9. 59  10. 11  10. 29  11. 58  12. 26  13. 13  13. 26  13. 38  13. 46  13. 55  14. 15. 52  16. 12  16. 56  17. 23  21. 20  22. 54  23. 59	***  '03295 '03262 '03300 '03278 '03305 '03277 '03286 '03263 '03256 '03243 '03256 '03222 '03202 '03219 '03202 '03214 '03204 '03204 '03205 '03218 *** '03200 '03196	h m	O	0
0. 14 0. 30 0. 42 1. 3 1. 20 1. 28 1. 40 2. 9 2. 38 3. 25 3. 39 3. 44 4. 8 4. 41 5. 26 6. 10 6. 12	20. 39. 30 45. 10 42. 5 45. 10 *** 40. 10 39. 50 36 45 37. 40 *** 36. 5 *** 36. 40 34. 35 34. 40 33. 15 33. 25 32. 30 32. 35 32. 0	0. 0 0. 25 0. 41 0. 49 0. 57 1. 8 1. 21 1. 25 1. 41 2. 19 2. 55 3. 23 3. 53 3. 53 3. 53 4. 11 4. 24 4. 53 6. 11 6. 22	·1356 ·1356 ·1364 ·1356 ·1343 ·1316 ·1323 ·1357 ·1344 ·1351 ·1356 ·1363 ·1354 ·1354 ·1354 ·1354 ·1354	0. 7 0. 14 0. 29 0. 45 0. 56 0. 59 1. 21 1. 26 2. 14 2. 51 3. 7 4. 39 6. 36 7. 42 7. 52	•03206 •03225 •03222 *** •03246 •03230 •03242 •03227 •03246 •03223 •03255 •03263 *** •03252 •03252 •03252 •03255 •03255	3. 0 9. 0 22. 0	58 · 3 58 · 3 58 · 0	58 ° 0 58 ° 0 57 ° 7	13. 10 13. 16 13. 20 13. 36 13. 52 13. 56 13. 59 14. 7 14. 12 14. 26 14. 38 14. 47 15. 5 15. 36: 15. 36: 16. 23 16. 23	25. 45 29. 20 28. 20 35. 30 29. 55 30. 40 30. 0 25. 50 27. 55 20. 55 29. 40 29. 40 34. 50 32. 25 30. 25 30. 25 30. 40	13. 41 13. 45 13. 56 14. 0 14. 3 14. 11 14. 21 14. 41 14. 57 15. 26 15. 45 16. 9 16. 13 16. 22 16. 53 17. 16 17. 23 17. 30 17. 41	*1336 *1338 *1326 *1334 *1326 *1335 *1352 *1347 *1348 *1343 *1343 *1344 *1346 *1346 *1346 *1347 *1354	to the n	umber, in	which i	nstance	es

Greenwich Mean Sclar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. R. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	
Feb. 24 h 16. 29 16. 51 17. 14 17. 46 17. 52 18. 29 19. 13 19. 19 19. 27 19. 52 20. 14 20. 26 20. 28 20. 32 21. 13 21. 17 21. 27 21. 38 21. 51 22. 9 22. 36 22. 57 23. 27 23. 55 23. 59	28. 10 29. 5 28. 35 29. 10 27. 45 28. 35 30. 55 30. 10 31. 15	Feb.24 h 17. 52 17. 58 18. 10 18. 40 18. 44 20. 16 20. 24 20. 27 20. 41 21. 12 21. 45 22. 56 23. 0 23. 54 23. 59	*1352 *1358 *1351 *** *1355 *1360 *** *1352 *1357 *1366 *1356 *1351 *1356 *** *1341 *1342 *1353 *1354	h m		h m	O		Feb. 25 h 4. 31 4. 40 4. 53 5. 28 5. 42 5. 45 5. 59 6. 21 6. 32 6. 40 7. 63 7. 13 7. 16 7. 25 7. 37 8. 12 8. 45 8. 45 8. 45 8. 45 8. 58 9. 3	20. 38. 50 41. 50 37. 35 *** 43. 10 42. 15 57. 45 46. 0 49. 20 39. 35 43. 50 34. 25 14. 10 20. 40 15. 40 29. 45 24. 30 34. 55 34. 55 39. 55 41. 50 39. 30 10. 29. 15 30. 30 27. 20 30. 10 25. 25	Feb. 25 236 236 236 5.39 25 5.55 5.66 6.12 27 5.38 6.67 7.13 7.12 7.12 7.14 7.15 7.15 7.17	1399 1445 1357 1414 1355 1392 1376 1331 1360 1333 1365 1360 1344 1360 1344 1360 1349 1368 1360 1349 1368 1356 1349 1368 1376 1349 1368 1376 1349 1368 1376 1398 1376 1398 1370 1392	Feb. 25 h 6. 125 6. 32 6. 43 7. 11 7. 13 7. 23 7. 33 8. 11 8. 12 8. 36 8. 41 8. 52 9. 42 9. 30 9. 45	•03500 •03556 •03424 •03434 •03438 •03320 •03267 •03292 •03262 •03262 •03263 •03263 •03211 •03219 •03217 •03192 •03185 •03192 •03173 •03193 •03173 •03523 •03523 •03364 •03364 •03324	h m	0	0
Feb. 25 0. 0 0. 26 0. 35 0. 40 0. 56 1. 12 1. 19 1. 43 1. 46 1. 48 1. 52 1. 59 2. 17 2. 32 2. 39 2. 49 2. 53 2. 57 3. 3 3. 16 3. 29 3. 43 3. 49 4. 6 4. 27	20. 36. 35 36. 30 37. 20 36. 50 38. 0 38. 30 37. 50 38. 35 36. 10 46. 20 43. 30 41. 50 44. 15 43. 10 46. 40 48. 5 44. 15 47. 55 45. 30 49. 55 40. 20 36. 20 36. 20 36. 20 36. 20 36. 30	Feb. 25 o. 13 o. 36 o. 56 i. 52 2. 14 2. 40 2. 54 3. 12 3. 36 4. 19 4. 136 4. 36 4. 36 4. 36 5. 11 5. 15 5. 15	·1354 ·1358 ·1365 ·1362 ·1372 ·1406 ·1388 ·1395 ·1377 ·1364 ·1394 ·1305 ·1321 ·1311 ·1363 ·1389 ·1366 ·1384 ·1362 ·1387 ·1388 ·1416 ·1388 ·1408	Feb. 25 o. 0 1. 52 1. 55 2. 10 2. 24 2. 39 2. 45 2. 55 3. 14 3. 52 4. 41 4. 54 5. 10 5. 29 5. 43 5. 55 5. 59	·03196 ·03203 ·03232 ·03195 ·03205 ·03190 ·03206 ·03186 ·03258 ·03258 ·03253 ·03253 ·03253 ·03217 *** ·03212 *** ·03219 ·03277 ·03219 ·03277 ·03219 ·03232 ·03243	9. 0	56 .7	58 ·5 55 ·7 56 ·o	9. 9 9. 15 9. 25 9. 30 9. 42 9. 57 10. 12 10. 38 10. 46 11. 26 11. 34 11. 38 11. 44 12. 5 13. 19 13. 32 13. 53 14. 6 14. 16 14. 23 14. 55 15. 11 15. 16	32. 35 34. 0 33. 40 32. 30 33. 25 32. 40 33. 25 32. 55 33. 15 32. 25 32. 30	8. 14 8. 24 8. 27 8. 31 8. 37 8. 41 8. 49 8. 55 9. 26 9. 34 9. 54 10. 6 10. 12 10. 26 11. 25 11. 25 11. 25 11. 40 11. 42 11. 46	1360 1339 1343 1338 1337 1352 1336 1375 1313 1309 1313 1302 1305 1318 1325 1328 1328 1340 1334	9. 54 10. 8 10. 26 10. 35 11. 11 11. 26 11. 36 11. 38 11. 42 12. 12 15. 45 15. 55 18. 11 18. 53 22. 59 23. 4 23. 13	·03303 ·03312 ·03265 ·03265 ·03203 ·03203 ·03196 ·03203 ·03157 ·03163 *** ·03156 ·03104 ·03118 ·03097 ·03107 *** ·03084 ·03108			

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	
15. 29 15. 32 15. 41 15. 44 15. 50 16. 17 16. 22 16. 36 16. 36 16. 36 17. 4 17. 16 17. 32 17. 47 18. 10 18. 20 18. 33 18. 45 19. 13 19. 26 20. 32 20. 38 20. 44 21. 48 22. 55 22. 58 23. 46 23. 46 24. 46 25. 46 26. 46 27. 46	20. 33. 15 32. 10 33. 25 30. 340 30. 40 33. 15 31. 50 32. 25 31. 40 32. 55 30. 35 30. 35 30. 35 30. 35 30. 35 30. 35 30. 35 30. 35 30. 35 30. 35 30. 30 31. 40 31. 20 33. 30 32. 40 31. 40 31. 20 33. 30 32. 40 33. 30 32. 40 33. 30 32. 40 33. 30 32. 40 33. 30 32. 40 33. 30 32. 40 33. 30 32. 15 33. 10 33. 10 33. 10 34. 15 37. 15 39. 37 39. 15 39. 37 31. 40	Feb. 25 12. 12 12. 19 13. 20 13. 35 14. 27 15. 39 15. 43 15. 56 17. 22 18. 6 18. 27 19. 44 19. 44 19. 56 20. 20 22. 40 22. 20 22. 40 22. 20 22. 47 22. 56 23. 5 23. 11 23. 20 23. 24 23. 28 23. 35 23. 47 24. 23. 28 23. 35 23. 59  Feb. 26 0. 27 0. 364 0. 56 1. 14 1. 27 1. 42 1. 48 1. 53	*1340 *1337 *1341 *1338 *1341 *1338 *1347 *1342 *1352 *1344 *** *1351 *1346 *1348 *1345 *1346 *1353 *1363	Feb. 26 o. 09 o. 29 o. 57 i. 18 i. 21 i. 50 i. 54	·03108 ·03085 ·03114 ·03104 ·03113 ·03126 ·03126 ·03137 ·03195 ·03217 ***	3. 0 9. 0 21. 0	58 ·0 57 ·6 57 ·9	57 ·6	Feb. 26  1. 39  1. 43  1. 50  1. 57  2. 12  2. 17  2. 43  3. 25  3. 43  3. 53  4. 17  4. 57  5. 16  6. 25  6. 43  6. 46  7. 23  8. 51  9. 26  9. 36  10. 56  11. 54  17. 19  17. 36  11. 54  17. 19  17. 36  18. 19  17. 36  18. 19  19. 23  19. 23  19. 23  19. 23  19. 24  20. 33  20. 45	\$\\ 20. 34. 40\$ \$\\ 31. 15\$ \$\\ 36. 45\$ \$\\ 36. 35\$ \$\\ 39. 35\$ \$\\ 39. 35\$ \$\\ 39. 35\$ \$\\ 39. 35\$ \$\\ 34. 35\$ \$\\ 34. 35\$ \$\\ 34. 35\$ \$\\ 29. 15\$ \$\\ 27. 525\$ \$\\ 29. 55\$ \$\\ 29. 55\$ \$\\ 34. 35\$ \$\\ 34. 35\$ \$\\ 34. 35\$ \$\\ 31. 36. 35\$ \$\\ 31. 30. 35\$ \$\\ 31. 30. 35\$ \$\\ 31. 30. 35\$ \$\\ 31. 30. 35\$ \$\\ 31. 30. 35\$ \$\\ 31. 30. 35\$ \$\\ 31. 30. 35\$ \$\\ 31. 35\$ \$\\ 3	Feb. 26 h 1. 57 2. 0 7 2. 11 2. 13 2. 34 2. 356 3. 22 3. 43 3. 57 6. 12 6. 39 6. 58 7. 12 7. 53 8. 47 8. 54 9. 31 9. 54 10. 11 18. 12 18. 59 21. 20 22. 22 23. 11 23. 13 23. 59	1360 1352 1372 1349 1363 1342 1355 1346 1357 1354 1355 1344 1367 1364 1367 1364 1367 1364 1365 1364 1365 1362 1364 1365 1368 1362 1369 1368 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353 1349 1353	21. 24 23. 4 23. 59	.03224 .03207 .03187 .03206 .8** .03218 .03217 .03192 .03197 .03193 .03191 .03198 .03179 .03196 .03277 .03245 .03257 .03257 .03257	h m	0	0

Greenwich Mean Solar Time.	Western. Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	(	- 1	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read There meter There were	no-
Feb. 26 h m 20. 53 20. 58 21. 24 21. 33 21. 56 22. 27 22. 42 22. 56 23. 5 23. 17 23. 59	20. 30. 55 32. 10 31. 20 31. 55 32. 30 35. 0 35. 0 35. 40 34. 25 36. 10 38. 5	h m		h m		h m	٥	o	Feb. 27 h m 12. 41 13. 2 13. 15 13. 17 13. 38 13. 53 14. 7 14. 11 14. 19 14. 26 14. 51	20. 29. 0 17. 0 16. 20 13. 25 17. 20 27. 5 32. 20 31. 0 31. 30 30. 20 30. 40 28. 40	Feb. 27 h m 19. 45 20. 14 20. 40 20. 44 21. 6 21. 41 22. 22 22. 54 23. 41 23. 45 23. 59	1362 1368 1358 1360 1357 1363 1362 1346 1350 1347	h m		h m	0	0
0. 23 0. 55 1. 13 1. 43 1. 52 2. 28 2. 28 2. 33 2. 41 2. 56 3. 12 3. 26 3. 42 3. 54 4. 38 4. 56 5. 48	20. 38. 5 39. 25 37. 10 37. 50 *** 35. 40 36. 55 38. 30 37. 50 35. 30 37. 50 35. 30 37. 55 34. 40 33. 25 33. 55 33. 15 33. 15 33. 10 33. 20 32. 10 33. 0	Feb. 27 0. 0 1. 59 2. 43 3. 11 3. 24 3. 45 5. 11 5. 34 6. 11 6. 29 7. 55 8. 12 7. 55 8. 12 9. 22 9. 43 10. 10 10. 52	·1356 ·1359 ·1352 ·1361 ·1363 ·1362 ·1357 ·1361 ·1356 ·1362 ·1361 ·1356	Feb. 27 0. 0 1. 11 2. 24 3. 24 6. 40 6. 52 8. 14 11. 12 11. 15 11. 31 12. 11 12. 36 12. 42 12. 54 13. 7 13. 12 13. 54 15. 40 20. 25 20. 27 22. 18 23. 59	.03242	3. 0 9. 0 21. 0	59 ·2 58 ·5 57 ·8 56 ·7 56 ·7	59 •9 59 •0 57 •5 56 •5 57 •5	15. 0 15. 13 15. 21 15. 51 16. 17 16. 26	29. 40 29. 20 29. 40 29. 15 29. 40 29. 15 29. 40 29. 50 30. 40 28. 50 30. 10 32. 50 30. 15 31. 10 30. 30 32. 50 33. 40 33. 50 33. 50 33. 50 35. 55							
6. 14: 6. 36 6. 44 6. 58: 7. 26 7. 40 7. 53 7. 58 8. 13 8. 26 8. 44 9. 32 10. 37 10. 49 11. 10 11. 13 11. 17 11. 40 11. 58 12. 23 12. 37	32. 50 28. 30 30. 0 27. 40 29. 25 30. 40 30. 15 29. 35 30. 5 29. 55 31. 5 30. 40 29. 5 29. 10 30. 10 29. 40 36. 25	11. 27 11. 49 12. 11 12. 21 13. 11 13. 16 13. 27 13. 45 13. 57 14. 9 14. 16 14. 24 14. 40 14. 56 15. 14 15. 37 17. 44 18. 20 19. 9	1360 1373 1386 1379 1389 1394 1377 1357 1357 1349 1353 1355 1356 1356 1356 1360 1363 1363						Feb. 28 0. 0 0. 5 0. 16 0. 24 0. 30 0. 56 1. 17 1. 28 1. 36 1. 41 1. 53 2. 32 2. 40 2. 42 2. 57 3. 6 3. 28 3. 49 4. 11	20. 35. 55 36. 30 35. 40 36. 55 35. 35 37. 15 34. 40 34. 30 35. 20 34. 40 33. 25 34. 30 33. 40 33. 40 33. 40 33. 40 33. 40 33. 40 33. 40 33. 40 33. 30 33. 40	Feb. 28 o. o o. 14 o. 29 o. 36 o. 42 1. 12 1. 41 1. 56 2. 39 2. 43 2. 56 3. 12 3. 43 4. 12 4. 37 4. 43 4. 56 5. 41 6. 26	1350 1353 1360 1356 1362 1348 1357 1351 1355 1355 1355 1355 1356 1357 1357 1352 1354 1358 1358	Feb. 28 o. o 1. 16 1. 41 2. 32 3. 39 4. 26 4. 46 10. 55 17. 10 21. 18 23. 4 23. 59	.03138 .03158 .03180 .03183 .03200 .03188 .03197 .03217 .03210 .03178 .03156 .03164	3. o	56 ·8 57 ·3 57 ·3 57 ·4 58 ·3	58 ·0 58 ·0 57 ·5 58 ·2 57 ·7 57 ·6

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
5. 21 5. 36: 5. 54 6. 29 6. 41 9. 34 10. 19 10. 28 10. 55 11. 32 11. 49 12. 51 13. 25 13. 34 13. 41 14. 39 14. 11 14. 39 14. 17. 13 17. 13 17. 13 17. 13 17. 13 17. 13 17. 13 17. 13 19. 24 19. 39 19. 41 19. 53 20. 21 21. 46 22. 55 22. 13 22. 34 22. 34 23. 25 23. 59	26. 40 27. 30 24. 10 25. 5 24. 55 32. 40 33. 20 33. 55 32. 10 31. 10 30. 40 31. 10 30. 40 31. 10 30. 40 36. 40 36. 40 37. 50 31. 15 32. 15 33. 10 34. 50 35. 35 36. 40 37. 55 37. 20	Feb. 28 h 7. 19 9. 20 9. 35 10. 0 10. 13 11. 57 13. 57 16. 38 18. 21 19. 44 20. 0 21. 22 22. 11 22. 42 23. 59	*1360 *1360 *1355 *1352 *1347 *1353 *1354 *1355 *1352 *1344 *1355 *1352 *1347 *1356 *1347 *1355	h m		h m	0	0	1. 44 1. 56 2. 7 2. 12 2. 15 2. 22 2. 56 3. 19 3. 51 4. 16 4. 23 4. 43 4. 43 4. 43 4. 45 6. 14 6. 14 6. 14 6. 14 6. 14 7. 56 8. 33 9. 11 10. 24 10. 24 10. 23 10. 14 10. 24 10. 36	26. 20 25. 10 28. 15 27. 30 30. 5 27. 55 28. 0 29. 20 29. 35 31. 10 31. 10	13. 43 14. 12 14. 54 15. 12 16. 27 17. 11 17. 22 17. 53 18. 20 18. 57	1348 1342 1344 1333 1354 1353 1354 1353 1361 1342 1352 1349 1353 1349 1356 1358 1354 1357 1344 1353 1357 1367 1365 1353 1359 1349 1353 1359 1349 1353 1359 1349 1353 1359 1349 1353 1359 1355 1355 1355 1355 1355 135	Mar. 1 h m 10. 23 10. 53 11. 12 11. 28 12. 34 15. 12 17. 18 18. 11 21. 30 22. 56 23. 59	***03175 ***03168 ***03143 ***03177 ***03222 ***03246 ***03260 ***03236 ***03240	h m	0	0
Mar. 1 0. 0 2 0. 23 0. 26 0. 29 0. 39 0. 54 0. 58 1. 5 1. 14 1. 27	20. 37. 20 36. 30 37. 40 37. 25 38. 0 37. 30 40. 20 38. 5 40. 20 38. 20	Mar. 1 0. 0 0. 22 1. 14 1. 23 1. 42 1. 55 2. 11 2. 39 2. 58 3. 19	·1355 ·1350 ·1356 ·1347 ·1344 ·1348 ·1346 ·1329 ·1335 ·1347	Mar. 1 0. 0 3. 11 4. 56 5. 11 5. 14 5. 25 6. 54: 8. 40 8. 56 10. 4	03164 03248 03260 03313 03290 03303 03217 03184 03196 03160	1. o 3. o	58 ·3 56 ·8	58 ·6 58 ·5 56 ·9	10. 41 10. 46 11. 9 11. 27 11. 38	30. 40 29. 15 33. 55 23. 55 25. 0	19. 32 20. 11 20. 43 20. 59 21. 34 22. 11 22. 36 22. 56	·1348 ·1352 ·1331 ·1329 ·1342 ·1348 ·1347 ·1343 ·1349					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Thei met	of mo-
Mar. 1 h m 14. 12 14. 30 14. 39 14. 51 15. 9 16. 5 16. 24 16. 43 16. 55 17. 24 18. 12 18. 46 19. 22 19. 33 20. 12 20. 21 20. 25 20. 39 20. 57 21. 9 21. 22 21. 28 21. 51 22. 9 22. 41 23. 11 23. 51 23. 59  Mar. 2		Mar. 2		Mar. 2	*03240	Mar. 2	60:60	60.4	7. 3 7. 16 8. 28 8. 44 9. 21 9. 43 10. 27 10. 42 11. 26 11. 33 12. 24 12. 50 14. 13 15. 4 15. 24 16. 23 16. 29 16. 41 17. 12 17. 32 18. 4 18. 16 18. 33 19. 30 20. 26 20. 33 20. 47	29. 40 26. 55	Mar. 2 h m 12. 29 14. 57 17. 14 17. 41 17. 55 18. 26 18. 51 19. 12 20. 21 20. 43 23. 13 23. 59	*1350 *1354 *1356 *1356 *1355 *1355 *1355 *1352 *1352 *1354	b m		h m	O	0
0. 34 0. 43 1. 39 1. 55 2. 12 2. 23 2. 27 2. 36 3. 11 3. 26 3. 33 3. 45 3. 53 3. 53 4. 54 5. 6. 13	1	11.19	·1355 ·1353 ·1362	0. 0 0. 27 2. 10 2. 56 3. 13 3. 58 4. 11 5. 26 6. 26 9. 34 10. 40 11. 9 12. 12 14. 29 17. 23 22. 40 23. 59	·03240 ·03253 ·03309 ·03320 ·03338 ·03357 ·03346 ·03298 ·03244 ·03260 ·03248 ·03277 ·03288 ·03296 ·03286 ·03229	3. o	60 ·5 58 ·3		20. 53 21. 26 22. 11 22. 23 23. 11 23. 59  Mar. 3 0. 0 0. 17 0. 40: 1. 6 1. 14 1. 23 1. 28 1. 36 1. 42 2. 18 2. 29 2. 36 2. 45 3. 11 3. 25 3. 59 4. 21 5. 3	32. 40 33. 45 33. 30 34. 45 34. 30	Mar. 3 o. 0 o. 13 o. 41 1. 14 1. 28 3. 7 3. 18 4. 12 4. 34 5. 26 5. 45 6. 12 6. 26 7. 6 7. 12 7. 26 8. 21	*1355 *1360 *1358 *1365 *1357 *1379 *1361	14. 42	·03229 ·03217 ·03229 ·03246 ·03224 ·03236 ·03240 ·03262 ·03254 ·03252 ·03298 ·03312 ·03296	3. o 9. o	57 ·8 58 ·2	57 °2 58 °2

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Reading of Therm meter	-oa	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	f mo-
Mar. 3  5. 14  5. 26  5. 38  5. 56: 6. 13  6. 23  6. 30  6. 41  7. 33  7. 16  7. 33  7. 51  8. 21  8. 26  8. 39  9. 57  10. 16  10. 37  11. 42  11. 56  13. 47  16. 39	33. 15 32. 55 31. 0 30. 45 33. 25 21. 25 27. 10 27. 50 27. 25 29. 15	Mar. 3 h m 8. 29 8. 53 9. 12 9. 20 9. 39 9. 56 10. 12 10. 51 11. 10 11. 57 12. 20 12. 38 19. 59 20. 44 23. 7 23. 59	*1342 *1336 *1341 *1340 *1356 *1351 *1353 *1351 *1354 *1355 *1351 *1352 *1353	h m		h m		٥	Mar. 4  9. 16 9. 41 9. 53 10. 41 11. 11 11. 23 11. 32 12. 9 12. 14 12. 37 12. 47 12. 56 13. 33 13. 55 14. 26 15. 55 16. 16 16. 27 16. 53 17. 26 17. 41 17. 56 18. 4 18. 26 19. 46 20. 56 21. 47 22. 17 23. 59	20. 31. 15 31. 20 30. 20 30. 55 32. 5 30. 40 30. 50 30. 50 30. 50 31. 15 30. 50 31. 45 30. 40 31. 55 31. 45 30. 40 31. 50 30. 50 31. 10 30. 40 31. 50 31. 50 31. 50 31. 10 30. 50 31. 40 31. 50 31. 50 31. 50 31. 50 31. 50 31. 10 30. 50	Mar. 4 h 11. 41 12. 11 12. 21 12. 55 13. 42 14. 11 15. 22 18. 42 20. 19 21. 11 21. 46 22. 37 23. 59	1355 1361 1366 1356 1357 1355 1355 1355 1350 1350 1350	h m		h m	0	
0.54	32. 15 31. 25 32. 10 32. 0 33. 0 34. 30 35. 20 34. 40 35. 10	Mar. 4 0. 0 1. 11 1. 25	·1353 ·1359 ·1357	Mar. 4 0. 0 1. 23 1. 53	·03296 ·03278 ·03263	8.30	59 °0 5 58 °0 5 60 °2 6	8 .0	0. 28 1. 37 2. 18 3. 0 3. 17 4. 24 5. 26 5. 40 6. 0 6. 14 6. 33 6. 54		Mar. 5 o. 0 o. 41 3. 23 4. 20 6. 12 6. 45 7. 14 7. 55 8. 41 9. 50 10. 256	·1368 ·1372 ·1367 ·1371	12. 41 12. 56 13. 10 13. 22 13. 45	·03263 ·03244 ·03252 ·03222 ·03235 ·03222 ·03195 ·03205 ·03205 ·03218 ·03183 ·03181 ·03137	3. 0	58 ·7	59 *9 58 *2 58 *0 58 *2
1. 57 2. 10 2. 24 3. 3 3. 26 3. 31 4. 15 5. 11 6. 13 7. 26 8. 44 9. 4	34. 25 35. 0 34. 20 34. 15 32. 50 33. 5 32. 20 33. 5 32. 30 31. 50 32. 5	1. 55 2. 12 2. 55 3. 6 5. 17 7. 23 7. 41 7. 56 8. 21 8. 55 9. 53 10. 19	1352 1356 1359 1363 1361 1366 1364 1366 1363 1366 1361 1362	12. 38 13. 29 15. 55 19. 15 21. 36	·03249 ·03217 ·03263 ·03263 ·03284 ·03307 ·03327 ·03324 ·03263				7. 27 7. 35 7. 58 8. 26 8. 43 9. 16 9. 43 10. 23 10. 29 10. 43 11. 39 11. 58	32. 55 31. 20	10. 56 11. 27 11. 44 12. 12 12. 27 12. 41 12. 55 13. 10 13. 20 13. 27 13. 41 13. 57	·1376 ·1374 ·1377 ·1362 ·1369 ·1363 ·1374 ·1358 ·1365 ·1363 ·1369	15. 8 15. 23 17. 40 20. 26 21. 26 23. 59	03137 03118 03163 03160 03202 03220 03201 03184			

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Wagnet.	f mo-
Mar. 5 h m 12. 14 12. 34 13. 16 13. 32 13. 36 14. 21 14. 30 14. 56 15. 3 15. 58 16. 11 16. 23 16. 40 16. 56 17. 11 17. 23 17. 33 17. 43 17. 56 18. 40 18. 26 19. 31 19. 32 20. 39 20. 44 21. 39 21. 53 22. 56 23. 39 21. 53 22. 56 23. 59 20. 59	0. 30. 45 30. 45 30. 45 37. 45 37. 45 37. 45 37. 45 37. 45 37. 45 25. 25 26. 25 26. 25 27. 30 31. 30 32. 45 32. 45 36. 35 36. 35 36. 35 37. 45 36. 35 37. 45 36. 35 37. 45 36. 35 37. 45 38. 30 37. 45 38. 30 39. 40 39. 40 30.	Mar. 5 14. 23 14. 52 15. 15 16. 5 16. 26 17. 26 18. 43 19. 26 20. 23 20. 43 20. 56 21. 27 22. 10 22. 25 23. 59	*1362 *1344 *1365 *1367 *1367 *1363 *1360 *1348 *1354 *1351 *1350 *1342 *1344 *1345 *1345	h m		h m	0	•	2. 10 2. 16 2. 41 3. 39 3. 44 3. 50 3. 39 4. 27 4. 57 5. 27 5. 41 6. 25 6. 56 7. 12 6. 56 7. 26 7. 25 8. 44 9. 9 9. 28 9. 47 10. 33 10. 40 11. 11 11. 27 11. 53 12. 43 13. 8	34. 0 34. 30 33. 55 18. 0 14. 20 17. 25 17. 30 21. 20 18. 50 20. 10 18. 30 26. 20 29. 0 28. 30 29. 20 29. 10 28. 5c 30. 0 28. 20 26. 55 28. 10	16. 35 16. 43 17. 0 17. 26 18. 45 18. 56 19. 21 19. 37 20. 12 20. 53	1371 1362 1362 1364 1364 1378 1378 1378 1378 1378 1379 1350 1362 1359 1342 1338 1342 1338 1345 1341 1350 1346 1346 1346 1346 1347 1350 1348 1349 1353 1348 1348 1357 1343 1343	Mar. 6  9. 12  9. 21  9. 27  10. 53  12. 19  13. 20  13. 47  14. 25  14. 56  15. 57  16. 35  17. 9  20. 19  21. 53  22. 46  22. 57  23. 59  23. 59	**O3273 **O3240 **O3240 **O3213 **O3213 **O3213 **O3180 **O3196 **O3184 **O3188 **O3170 **O3119 **O3128 **O31220 **O3223 **O3238 **O3243 **O3243 **O3227 **O3225 **O3213		0	0
Mar. 6 0. 0 0. 7 0. 12 0. 18 0. 30 0. 40 0. 54 1. 19 1. 33 1. 49	20. 40. 30 40. 25 40. 55 39. 5 39. 45 38. 30 41. 50 40. 15 40. 40 38. 5	Mar. 6 o. 0 o. 27 o. 40 i. 17 i. 36 i. 43 i. 59 2. 25 3. 11 3. 18	1357 1353 1356 1351 1355 1351 1362 1358 1370	Mar. 6 0. 0 0. 12 1. 54 2. 22 4. 23 5. 48 6. 10 8. 26 8. 38 8. 46	·03184 ·03180 ·03229 ·03226 ·03280 ·03282 ·03277 ·03298 ·03298	3. o 9. o 21. o 22.3o	58 · 7 58 · 8 58 · 6 58 · 6	58 ·8 58 ·7 59 ·0 60 ·0	13. 15 13. 28 13. 35 13. 43 13. 54 14. 3 14. 10 14. 30 14. 55 15. 21 15. 45	22. 0 20. 25 21. 25 27. 50 31. 10 22. 55 25. 50 16. 15	21.12	·1337 ·1345 ·1344 ·1354 ·1354 ·1365 ·1351 ·1357 ·1354					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	dings of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	. (	Of V. F. Magnet.
 Mar. 6		Me	Hori for	Me	Vertical parts or V. F. 1 for Ter	Me	Of H. F. Magnet.	Of V. F. Magnet.	Mar. 7		Mar. 7	H.H.	Mar. 7	Ver pa V.		Of I Mag	
15. 56 15. 59 16. 9 16. 29 16. 33 16. 56 17. 13 17. 54 18. 40 19. 8 19. 10 19. 20 19. 29	32. 55 32. 40 33. 55 31. 20 33. 20 30. 20 30. 40 29. 50 32. 15 *** 30. 30 29. 15 29. 25 32. 50	h m		h m		h m	0	0	3. 12 3. 26 3. 40 4. 03 4. 13 4. 38 4. 47 5. 26 5. 38 5. 49 6. 15 6. 31 6. 41 6. 45	20. 42. 40 30. 30 29. 20 40. 50 36. 55 39. 25 38. 55 *** 39. 40 32. 30 19. 20 26. 50 9. 55 22. 0 18. 0 23. 10	3. 26 3. 38 4. 13 4. 41 4. 55 5. 11 5. 23 5. 41 5. 6. 12 6. 45 6. 56	1366 1350 1364 1343 1359 1357 1356 1346 1376 1344 1405 1377 1385	6. 11 6. 19 6. 41 6. 44 6. 51 7. 14 7. 29 7. 42 8. 35 9. 56 10. 55 11. 34 13. 12 14. 15 14. 28	·03279 ·03303 ·03252 ·03256 ·03242 ·03245 ·03260 ·03244 ·03132 ·031380 ·03234 ·03202 ·03212	h m	0	0
19. 38 19. 44 19. 58 20. 4 20. 33 20. 39 20. 43 21. 11 21. 25 21. 33	31. 40 32. 45 31. 55 33. 25 34. 10 34. 55 34. 0 32. 40 34. 50 34. 10			·					6.51 7. 1 7. 8 7. 13 7. 18 7. 21 7. 27 7. 32 7. 41 7. 47 8. 9	21. 55 24. 20 24. 30 25. 20 24. 20 24. 50 23. 50 25. 40 27. 55 27. 20 31. 40	7. 18 7. 41 7. 52 8. 9 8. 20 8. 34 8. 53 9. 12 9. 18 9. 36 9. 42	1340 1352 1340 1346 1333 1337 1340 1361 1358 1373	15. 14 16. 23 17. 55 20. 4 21. 43 21. 57 23. 10 23. 59	·03187 ·03229 ·03257 ·03264 ·03260 ·03256 ·03242 ·03237			
21. 56 22. 4 22. 10 22. 14 22. 25 22. 28 22. 47 23. 9 23. 14 23. 33	33. 15 35. 20 33. 40 34. 40 35. 0 35. 0 34. 30 39. 25 40. 20 38. 25 ***								8. 25 8. 28 8. 44 9. 1 9. 23 9. 26 9. 32 10. 0 10. 26 10. 43 10. 57 11. 0		10. 4 10. 22 10. 42 11. 23 11. 45 12. 0 12. 12 12. 41 13. 26 13. 41 13. 57 14. 12 14. 39	1348 1375 1356 1332 1349 1346 1348 1344 1350 1345 1341 1332					
Mar. 7	20. 41. 25 43. 25 43. 25 *** 38. 55 40. 30 44. 20 42. 40 43. 30 42. 25 45. 5 45. 30 43. 10 45. 30 38. 50	Mar. 7 o. 0 o. 23 o. 33 o. 41 o. 45 l. 9 l. 16 l. 50 2. 3 2. 22 2. 29 2. 53 2. 56 3. 11 3. 20 3. 25	*1354 *1340 *1336 *1333 *1334 *1340 *1336 *1344 *1350 *1366 *1354 *1339 *1372 *1363	Mar. 7 o. 0 o. 44 1. 56 2. 21 2. 30 2. 41 3. 7 3. 23 3. 28 3. 35 4. 11 4. 38 5. 25 5. 40 5. 57	·03287	1. 0 2. 0 3. 0 9. 0	58 · 3 58 · 2 58 · 3 57 · 8 60 · 1 59 · 8	58 · 0 57 · 8 59 · 0 58 · 0 62 · 0 60 · 5	11. 37 11. 46 12. 0 12. 20 12. 41 12. 56 13. 7 13. 12 13. 24 13. 31 14. 7 14. 12 14. 38 14. 52 15. 1 15. 22 15. 29 15. 40	31. 10 31. 50 30. 30 31. 10 29. 55 30. 30 31. 55 30. 15 31. 10 29. 55 34. 15 33. 0 45. 30 43. 25 43. 30 36. 30	15. 10 15. 44 16. 12 16. 39 16. 57 17. 11 17. 25 17. 41 18. 34 19. 11 20. 12 20. 27 21. 25 22. 13 22. 57 23. 22	1357 1358 1352 1357 1358 1356 1358 1355 1355 1355 1343 1338 1338 1339 1344 1348 1348					

Greenwich' Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet:	mo-
Mar. 7 16. 9 16. 41 17. 7 17. 13 17. 27 17. 41 17. 46 18. 25 19. 23 19. 51 20. 4 20. 13 20. 29 20. 40 20. 58 21. 46 22. 36 22. 36 23. 30 23. 40 23. 51 23. 59  Mar. 8 0. 6 0. 11 0. 16 0. 23 0. 33 0. 53 1. 21 1. 53 2. 39 3. 11 3. 25 3. 34 4. 25 4. 41 5. 39	20. 32. 10 30. 55 31. 55 30. 45 32. 30 31. 20 32. 10 32. 10 32. 20 33. 40 32. 15 33. 30 34. 15 33. 30 34. 10 34. 10 36. 40 37. 25 36. 40 37. 25 36. 40 37. 25 36. 40 37. 25 37. 20 38. 30 38. 30 38. 30 39. 25 37. 20 38. 30 39. 25 39. 30 39. 30 30 30 30 30 30 30 30 30 30 30 30 30 3	Mar. 8 0. 0 0. 42 1. 55 2. 20 2. 41 3. 18 3. 44 4. 46 5. 54 6. 19 6. 42 7. 11 7. 42 8. 44 9. 10 9. 19	1359 1365 1359 1364 1356 1368 1385 1376 1386	10. 36 11. 24: 12. 13 12. 25 12. 55 13. 7 13. 29 14. 48 15. 40 18. 43	·03237 ·03240 ·03258 ·03260 ·03239 ·03240 ·03227 ·03198 ·03192 ·03168 ·03172 ·03183 ·03173 ·03183 ·03173 ·03184 ·03178	1. 0	59· 6 59· 5 58· 2	59° 7659° 857° 8	8. 26 8. 33 8. 48 9. 4 9. 23 9. 40 10. 21 10. 29 10. 41 11. 32 11. 58 12. 14 12. 13 12. 13 13. 33 13. 13 13. 33 14. 4 14. 33 14. 54 15. 9 15. 22 15. 40 16. 54 17. 13 17. 28 17. 53 18. 4 18. 22 19. 50 20. 0 20. 24 20. 39 21. 42 21. 38 21. 42 22. 14 22. 15 23. 35 24. 47 25. 47 26. 47 27. 47 28. 47 29. 40 20. 59 21. 40 21. 23 21. 38 21. 42 22. 14 23. 36 24. 47 25. 47 26. 47 27. 47 28. 47 29. 40 20. 50 20. 0 20. 24 20. 39 21. 44 22. 50 23. 25 23. 59 23. 59	28. 5 22. 0 32. 55 32. 45 28. 0 30. 40 27. 0 26. 0 28. 15 33. 5 31. 40 30. 0	Mar. 8 11. 40 11. 43 11. 58 12. 24 13. 9 13. 55 14. 56 15. 11 16. 52 17. 15 17. 59 18. 34 19. 16 20. 15 21. 43 22. 43 23. 50 23. 59	1356 1352 1365 1356 1354 1358 1356 1351 1362 1358 1362 1366 1366 1364 1358 1352 1347 1353 1349 1350 1352 1358	h m		h m	0	•
6. 8 6. 24 6. 39 7. 24 7. 32 8. 4		11. 11	1364	21. 23	·03162 ·03157 ·03176				Mar. 9 0. 0 0. 11 0. 30 0. 43 0. 58	20. 38. 30 39. 5 38. 10 38. 5 37. 0	Mar. 9 0. 0 0. 34 0. 55 1. 13 2. 10	1358 1362 1359 1364 1368	Mar. 9 o. o 3. 6 5. 13 6. 56 7. 48	.03176 .03217 .03222 .03198 .03200	Mar. 9 1. 0 3. 0 9. 0 21. 0	58· 7 59 ·2 57 ·8	59 ·5 58 •3

Mar. 0

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
Mar. 10  10. 14  10. 26  10. 43  10. 53  11. 7  11. 12  11. 26  11. 46  12. 49  13. 6  13. 19  13. 28  13. 43  14. 6  14. 43  15. 45  16. 59  17. 46  18. 27  18. 39  17. 46  18. 27  18. 39  19. 21  20. 23  20. 26  20. 59  20. 58  21. 26  21. 39  22. 7  23. 11  23. 43  23. 59	20. 30. 55 28. 50 23. 0 25. 55 26. 30 26. 10 24. 10 26. 25 30. 5 27. 10 26. 55 28. 5 28. 5 34. 0 38. 5 35. 50 39. 20 30. 40 30. 30 30. 40 30. 30 30. 40 30. 40 30. 40 30. 40 31. 15 30. 20 31. 15 30. 20 31. 30 32. 50 33. 55 35. 10 37. 15	Mar. 10 16. 27 16. 43 17. 56 18. 53 19. 33 20. 27 20. 53 23. 59	*1354 *1357 *1351 *1359 *1349 *1339 *1346 *1361	h m		h va	•	0	Mar.11  4. 42  5. 8  5. 15  5. 43  5. 57  6. 19  6. 41  6. 54  7. 8  7. 29  7. 43  7. 56  8. 2  8. 11  8. 38  8. 45  8. 57  9. 9  9. 22  9. 28  9. 47  10. 32  11. 26  11. 36  11. 44  11. 59  12. 26  13. 36  14. 44  14. 26  14. 41	20. 31. 35 31. 30 30. 0 34. 10 32. 55 33. 35 32. 15 32. 40 32. 20 31. 15 32. 40 32. 40 32. 40 32. 55 33. 40 35. 55 36. 15 37. 15 38. 40 39. 40 29. 50 30. 40 29. 50 30. 40 29. 50 30. 25 30. 29. 40	Mar.11 h. 8. 12 8. 22 8. 43 9. 15 9. 43 10. 57 11. 41 11. 48 12. 5 12. 20 12. 37 13. 12 13. 26 14. 45 17. 38 17. 55 18. 46 20. 56 23. 11 23. 24 23. 41 23. 59	1 1	h m		h m	0	0
Mar.11 0. 0 0. 22 0. 53 1. 0 1. 12 1. 23 1. 45 2. 22 2. 33 3. 16 3. 26 3. 38 3. 53 4. 7 4. 13 4. 23 4. 31	20. 37. 15 38. 25 37. 50 38. 5 37. 15 37. 55 37. 30 37. 25 36. 20 36. 20 35. 40 35. 50 34. 55 35. 5 33. 0 32. 30 33. 5	Mar.11 0. 0 1. 8 1. 25 2. 16 2. 43 3. 12 4. 13 4. 39 4. 57 5. 11 5. 34 6. 40 6. 58 7. 21 7. 39 7. 46	·1349 ·1347 ·1357 ·1354 ·1361 ·1356 ·1362 ·1358 ·1364	Mar.11 0. 0 5. 30 6. 57 8. 52 9. 54 11. 23 11. 41 11. 52 12. 14 12. 50 13. 12 15. 43 19. 41 21. 36 23. 39 23. 59	·03236 ·03315	9. 0	60 •3 59 •8	61 .5	15. 10 15. 44 15. 56 16. 10 16. 37 16. 57 17. 14 17. 30 18. 23 19. 5 19. 14 19. 24 19. 27 20. 57 21. 11 21. 43 22. 11	31. 5 30. 5 31. 45 30. 55 32. 40 30. 45 32. 5 30. 55 31. 10 30. 20 30. 30 29. 30 30. 45 32. 5 32. 5 32. 5							

G. eenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	of mo-
Mar.11 h m 22. 24 23. 12 23. 24 23. 31 23. 59	20. 33. 35 34. 55 37. 10 37. 10 36. 25	h m		h m		h m	0	0	Mar. 12  18.56  19.4  19.11  19.32  20.10  20.26	20. 30. 20 29. 40 30. 40 30. 30 30. 55 32. 10	h m		h m		h m	0	o
Mar.12 0. 0 0. 9 0. 44 1. 13 1. 46: 1. 59 2. 11 2. 31	20. 36. 25 35. 55 36. 30 36. 30 36. 0 38. 5 36. 15 38. 0	Mar.12 0. 0 1. 9 1. 13 1. 19 1. 44 1. 57 2. 12 2. 33	·1356 ·1359 ·1364 ·1359 ·1362 ·1370 ·1364 ·1372	Mar.12 0. 0 2. 4 2. 14 2. 36 3. 11 3. 27 4. 7 4. 37	•03240 •03244 •03240 •03257	Mar. 12 1. 0 3. 0 9. 0 21. 0	59 '9 59 '4 58 '9	60 1	20. 41 21. 50 22. 26 22. 58 23. 8 23. 21 23. 59 Mar. 13	31. 15 34. 25 35. 10 37. 30 37. 5 37. 50 37. 50	 Mar.13				 Mar. 13		
2. 43 2. 56 3. 8 3. 13 3. 26 3. 43 3. 48 3. 59	36. 50 36. 55 35. 55 36. 0 36. 50 35. 50 36. 0 35. 25 ***	2. 52 3. 10 3. 25 3. 57 4. 12 4. 20 4. 38 4. 52 5. 11	·1366 ·1362 ·1369 ·1364 ·1370 ·1368 ·1355 ·1354	4.58 5.23 6.11 7.4 10.11 12.28 14.41 15.54 21.26	*03246 *03263 *03267 *03256 *03227 *03236 *03226 *03217				0. 28 0. 53 1. 16 2. 0 3. 19 3. 26 3. 57 4. 58	20. 37. 50 37. 45 38. 40 38. 25 39. 30 35. 50 36. 0 33. 30 34. 10	0. 0 1. 14 3. 26 4. 15 4. 26 5. 27 5. 41 5. 57 6. 11	1362 1366 1365 1369	0. 0 3. 28 4. 45 9. 0 10. 11 12. 10 14. 27 19. 11 22. 36	•03182 •03219 •03224 •03207 •03203 •03238 •03266 •03277 •03270	1. 0 3. 0 9. 0 21. 0 22. 0 23. 0	58 ·9 58 ·8 60 ·6 60 ·5 59 ·5	59 .7 59 .0 61 .0 60 .5
4. 42 5. 16 5. 26 5. 39 5. 55 6. 4 6. 15 6. 37	36. 35 34. 40 35. 30 35. 35 33. 20 29. 5 29. 45 33. 25 33. 45	5. 18 5. 33 5. 55 6. 6 6. 20 6. 44 6. 57 7. 50 8. 11	1362 1358 1350 1361 1366 1362 1365 1365	23. 5 23. 59	*03177 *03182				5. 15 5. 29 6. 10 6. 49 6. 57 7. 11 7. 23 7. 37 7. 58	34. 0 33. 15 34. 5 34. 15 33. 50 33. 40 34. 10 33. 15 33. 10	6. 46 7. 23 7. 40 7. 59 8. 12 8. 23 8. 34 8. 48 8. 56	·1365 ·1368 ·1364 ·1370 ·1375 ·1368 ·1371 ·1369 ·1371	<b>23.</b> 59	*03226			
6. 49 6. 55 7. 29 7. 53 8. 31 8. 41 9. 20 10. 39 12. 4	32. 45 32. 50 31. 0 32. 40 32. 0 31. 40 32. 50 32. 30	8. 25 8. 45 8. 56 9. 35 10. 17 10. 57	·1365 ·1367 ·1366 ·1369 ·1364 ·1365 ·1362 ·1364						8. 13 9. 0 12. 29 12. 56 13. 35 13. 53 14. 10 14. 27	34. 0 33. 5 32. 0 32. 25 31. 20 31. 50 31. 20 33. 0	10. 56 11. 22 11. 43 12. 3 13. 0 13. 21 14. 20 14. 51	•1367 •1364 •1367 •1363 •1365 •1361 •1363					
12. 13 12. 41 13. 49 15. 8 15. 26: 15. 57 16. 9 16. 15	33. 10 32. 5 32. 5 31. 25 32. 15 29. 55 30. 55 30. 40	15. 44 16. 12 17. 56 19. 18 19. 43 20. 12	·1361 ·1363 ·1361 ·1364 ·1362 ·1356 ·1358 ·1358						15. 3 16. 55 16. 59 17. 14 18. 16 18. 48 18. 54	*** 30. 35 30. 55 30. 10 29. 55 32. 30	16. 49 17. 54 18. 52 19. 55 20. 12 21. 11 21. 45 23. 18	1359 1363 1359 1356 1364 1362 1358 1360					
16. 27 16. 51 16. 56 17. 5 17. 14 17. 36 17. 41 17. 56 18. 19	31. 50 30. 25 30. 50 30. 15 30. 50 30. 20 30. 40 30. 5	23. 6 23. 22	·1358 ·1353 ·1355 ·1362						19. 12 19. 37 19. 43 19. 55 20. 11 20. 34 20. 43 21. 8	33. 0 33. 55 32. 0 33. 30 34. 5 33. 30 34. 15 34. 5		1355					

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H.F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. Magnet. Magnet. Magnet.
Mar.13 h m 22. 9 22. 23 23. 28 23. 59 Mar.14	20. 35. 20 35. 20 39. 25 38. 55	h m Mar.14		h m Mar.14		h m	0	50.06	0. 51 1. 9 1. 54 2. 29 3. 9	20. 36. 10 36. 0 35. 20 35. 40 34. 50 33. 0	Mar.15 h m o. o o. 25 1. 34 2. 55 3. 41 4. 12	1366 1365 1366 1358 1360	Mar. 15  h m O. O 2. 53 3. 43 9. 42 12. 51 12. 55	·03166 ·03184 ·03210 ·03209 ·03209 ·03216	1. 0 2. 0 3. 0 9. 0	57 ·6 57 ·5 58 ·c 58 ·c 58 ·1 59 ·0 58 ·3 59 ·0 58 ·8 59 ·0
	20. 38. 55 38. 25 38. 50 37. 45 36. 30 36. 55 36. 10 37. 35 38. 40 36. 50 37. 15 34. 30 34. 20 34. 30 34. 20 35. 20 35. 20 35. 20 36. 40 37. 15 36. 50 37. 15 36. 40 37. 20 36. 40 37. 10 36. 40 37. 10 36. 50 37. 20 36. 40 37. 10 36. 20 36. 40 37. 10 36. 20 36. 30 36. 20 36. 40 37. 10 36. 20 36. 30 36. 20 37. 10 37. 10 38. 20 38. 30 38. 20 38. 30 38. 30	0. 0 0. 43 1. 0 2. 22 2. 36 3. 14 3. 26 3. 41 3. 45 6. 12 7. 42 7. 43 8. 57 7. 53 18. 57 19. 51 19. 51 20. 1. 53 21. 53 23. 28	*1355 *1358 *1353 *1358 *1355 *1362 *1368 *1354 *1356 *1352 *1358 *1351 *1362 *1363 *1363 *1363 *1363 *1365 *1365 *1365 *1366 *1366 *1366 *1366	0. 0 2. 41 3. 13 3. 26 3. 42 4. 43 7. 54 10. 8 12. 44 19. 25 21. 14 22. 59	·03226 ·03242 ·03252 ·03257 ·03250 ·03236 ·03236 ·03222 ·03217 ·03200 ·03166	0. 0 1. 0 2. 0 3. 0 9. 0 21. 0	59 ·8 59 ·6 59 ·6 59 ·6 59 ·0 58 ·8 58 ·3	60 ·7 59 ·5	4· 7 4· 14 4· 23 4· 30 4· 49	32. 50 32. 50 32. 50 32. 50 31. 40 32. 30 32. 30 32. 30 32. 30 32. 30 32. 30 32. 30 32. 30 30. 35 30. 35 30. 35 30. 35 28. 40 28. 40 29. 25 31. 20 32. 15 32. 15 32. 15 33. 35 30. 35 30. 35 30. 35 31. 20 32. 15 32. 15 33. 35 30. 35 30. 35 31. 20 32. 15 32. 15 32. 15 33. 35 30. 35 30. 35 31. 20 32. 15 32. 15	4. 41 6. 56 10. 55 12. 53 13. 0 13. 19 13. 56 15. 12 16. 35 16. 58 17. 52 18. 52 19. 33 20. 12 21. 25 21. 41 22. 40 23. 26 23. 47 23. 59	1353 1366 1363 1364 1378 1375 *** 1375 1376 1376 1376 1361 1368 1360 1353 1356 1353 1356 1353 1356 1353 1356 1353 1356 1353 1356	13. 8 15. 24 16. 13 17. 57 18. 29 19. 26 20. 0 22. 11 23. 59	·03203 ·03207 ·03202 ·03211 ·03193 ·03196 ·03216 ·03202		
22. 43 23. 5 23. 23 23. 50 23. 59	34. 55 35. 55 35. 30 36. 45 36. 10								23. 42 23. 53 23. 59 Mar. 16 0. 0	36. o 37. 5 36. 3o	Mar. 16	·1361 •1360	Mar.16	·03202 ·03246	Mar. 16	59 · 5 60 · c 58 · 8 60 · 2

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f rmo- ers.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	rmo-
Mar. 16 o. 12 o. 24 1. 18 1. 36 1. 41 1. 44 2. 0 2. 12 2. 22 2. 56 3. 53 3. 59 4. 1 5. 37 5. 51 6. 33 6. 53 7. 21 7. 33 7. 44 7. 53 8. 28 8. 56 9. 22 9. 34	20. 36. 6 35. 20 36. 50 35. 30 37. 10 36. 10 37. 40 33. 15 36. 5 33. 40 33. 15 34. 50 33. 10 33. 50 32. 40 23. 20 24. 40 23. 20 23. 45 25. 55 30. 15 30. 15 31. 10 29. 40 30. 0 26. 30 27. 15	Mar. 16 h 1. 12 2. 196 2. 53 3. 15 4. 12 9. 23 4. 57 5. 56 6. 39 6. 43 6. 51 7. 36 8. 22 8. 39 9. 43 9. 23 9. 43 9. 23 9. 43 10. 43 10. 43 11. 22 11. 41	*1363 *1356 *1360 *1367 *1367 *1368 *1371 *1365 *1364 *1354 *1368 *1375 *1369 *1373 *1362 *1368 *1356 *1363 *1360 *1367 *1362 *1366 *1362 *1366 *1366 *1366 *1366 *1366 *1363 *1356 *1368 *1366 *1366 *1363 *1356 *1363 *1356	Mar. 16 h 2. 20 3. 12 3. 56 4. 9 4. 11 4. 13 6. 21 7. 53 8. 57 9. 53 10. 26 11. 17 11. 50 12. 33 12. 57 13. 28 13. 53 14. 14 14. 41 15. 45 19. 36 21. 54 23. 59	·03243 ·03257 ·03253 ·03252 ·03256 ·03256 ·03257 ·03266 ·03257 ·03266 ·03257 ·03245 ·03245 ·03245 ·03245 ·03245 ·03247 ·03243 ·03237 ·03237 ·03237 ·03237 ·03237	Mar.16 h m 9. 0 21. 0	60°1 59°9	60°7	Mar. 16 h 16. 57 17. 9 17. 28 17. 43 17. 54 17. 58 18. 20 18. 20 18. 26 18. 43 18. 54 18. 59 19. 10 19. 23 19. 41 19. 57 20. 23 20. 41 20. 43 20. 49 20. 57 20. 59 21. 26 22. 14 22. 26 23. 26 23. 33 23. 49 23. 59	20. 31. 20 30. 25 30. 25 31. 30 31. 30 31. 30 31. 15 30. 0 29. 40 29. 50 29. 15 29. 50 28. 30 27. 30 27. 30 29. 50 29. 40 31. 15 30. 0 29. 10 29. 50 28. 30 27. 30 29. 50 29. 40 31. 25 36. 5 36. 5 36. 5 36. 5 36. 55 36. 25	h m		h m		Jn m	•	0
10. 0 10. 46 10. 58 11. 12 11. 33 11. 46 12. 8 12. 14 12. 38 13. 6 13. 16 13. 29 13. 43 13. 57: 14. 11 15. 27 15. 34 15. 41 15. 52 16. 41 16. 23 16. 41	30. 10 29. 30 31. 0 30. 20 32. 50 32. 35 34. 20 29. 55 31. 55 36. 10 34. 0 28. 0 25. 25 29. 10 28. 5 28. 30 27. 35 27. 50 30. 10	13. 41 13. 51 14. 11 14. 42 15. 10 17. 13 18. 14	1374 1364 1368 1360 1390 1402 1387 1363 1366 1375 1376 1377 1376 1374 1366 1355 1355 1355 1356 1356 1356 1356						Mar. 17 0. 0 0. 7 0. 22 0. 38 0. 41 0. 55 1. 12 1. 27 1. 34 1. 40 1. 48 1. 59 2. 11 2. 26 2. 32 2. 41 2. 49 2. 53 2. 56 2. 58 3. 6 3. 11	20. 36. 25 38. 0 38. 30 39. 30 39. 0 41. 30 40. 5 41. 20 39. 45 39. 45 40. 40 35. 50 36. 10 34. 55 35. 50 33. 15 34. 15 33. 15 34. 40 34. 5	Mar. 17 0. 0. 15 0. 18 0. 46 0. 59 1. 10 1. 35 1. 54 2. 26 2. 36 2. 36 2. 50 3. 26 3. 43 4. 17 4. 57 5. 20 6. 0 6. 12 6. 41	1366 1366 1368 1378 1361 1347 1356 1356 1356 1356 1356 1358 1358 1358	Mar. 17 O. O O. 14 I. 3 I. 35 I. 41 2. 28 2. 35 2. 56 5. 57 6. 34 9. 11 9. 41 I0. 30 I1. 51 I2. 38 I2. 53 I3. 13 I4. 12 I5. 16	***o3214** ***o3229** ***o3240** ***o3240** ***o3277** ***o3266** ***o3278** ***o3267** ***o3276** ***o3276** ***o3276** ***o3213** ***o3217** ***o3213** ***o3153** ***o3159** ***o31577**	Mar.17 1. 0 3. 0 9. 0 21. 0	60 °0 60 °3 59 °8	60 <b>·2</b>

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. Magnet.	mo-
Mar. 17 3. 26 3. 43 4. 27 4. 33 4. 41 5. 12 5. 12 5. 17 5. 53 6. 27 7. 47 7. 46 8. 26 8. 36 9. 28 9. 50 10. 17 10. 32 11. 27 11. 30 12. 13 12. 38	20. 35. 35 35. 35. 50 36. 25 37. 10 35. 35 21. 25 24. 10 23. 15 28. 30 31. 35 32. 30 32. 30 34. 0 32. 50 31. 25 27. 0 25. 55 28. 30 32. 25 33. 0 30. 55 30. 40 31. 55 30. 40 31. 55 30. 40 31. 55 30. 30 32. 25 30. 30 31. 35 32. 25 32. 25 33. 30 32. 25 33. 30 32. 25 33. 30 33. 30 32. 30 33. 30 32. 25 33. 30 32. 25 33. 30 33. 30 33. 30 32. 25 33. 30 33. 30 34. 50 35. 55 36. 55 36. 55 36. 55 37. 55 37. 55 38. 30 39. 30 39. 30 30. 30 3	Mar.17 6.57 7.43 8.50 9.26 9.43 10.54 11.27 11.45 11.27 11.45 11.5.56 16.41 17.27 17.43 18.19 18.36 18.49 18.55	*1364 *1368 *1376 *1377 *1371 *1358 *1364 *1364 *1362 *1366 *1377 *1343 *1369 *1357 *1358 *1359 *1357 *1358 *1355 *1369 *1357 *1358 *1355 *1369 *1357 *1358 *1355	Mar.17 18. 0 18. 27 21. 54 23. 59	.03198 .03184 .03164 .03162	h m	0	O	18. 21 18. 26 18. 33 18. 40 18. 45 19. 18 19. 18 19. 58 19. 59 20. 16 20. 20 20. 26 20. 30 20. 39 20. 43 20. 53 20. 58 21. 14 21. 21 21. 43 21. 58 22. 10 22. 26 22. 33 23. 59	20. 31. 25 30. 20 31. 35 31. 45 31. 45 31. 20 32. 15 31. 40 30. 25 30. 40 29. 55 32. 20 31. 30 31. 30 32. 20 31. 30 33. 30 31. 30 32. 20 33. 30 33. 30 34. 0 38. 30 40. 40	h m		h, m		h m	0	•
12. 53 13. 15 13. 23 13. 43 13. 56 14. 14 14. 40 14. 59 15. 24 15. 33 15. 41 15. 49 16. 12 16. 32 16. 32 16. 53 16. 53 17. 30 17. 38 17. 43 18. 7	31. 25 32. 10 29. 10 24. 50 23. 40 28. 45 31. 0 29. 25 28. 25 26. 25	20. 25 20. 41 20. 51 21. 4 21. 6 21. 41 22. 6 22. 26 23. 19 23. 26	·1359 ·1355 ·1361 ·1350 ·1355 ·1355 ·1352 ·1355 ·1347 ·1352 ·1341						Mar. 18 0. 0 0. 7 0. 16 0. 33 0. 51 1. 23 1. 42 1. 50 1. 56 2. 17 2. 26 2. 43 2. 56 3. 39 3. 53 3. 56 4. 0 4. 29 4. 43	20. 40. 40	Mar. 18 o. o o. 24 o. 56 1. 50 1. 56 2. 11 2. 35 2. 41 3. 25 3. 54 4. 11 4. 27 4. 38 4. 44 5. 14 5. 45 6. 12 6. 26 6. 36 6. 44	*1341 *1349 *1361 *1366 *1366 *1368 *1360 *1370 *1387 *1379 *1376 *1380 *1373 *1370 *1374 *1385 *1393 *1388	Mar. 18 0. 0 0. 11 0. 23 1. 12 3. 42 3. 58 4. 12 4. 58 5. 15 5. 43 5. 6. 44 7. 8 7. 15 7. 29 7. 54 8. 11 8. 29 9. 33 9. 51	•03162 •03177 •03164 •03196 •03212 •03208 •03216 •03216 •03216 •03216 •03216 •03216 •03217 •03200 •03240 •03252 •03237 •03197 •03177 •03172 •03147 •03163	Mar.18 0. 20 9. 0 21. 0	50 .4	60 · 2 58 · 5 61 · 6

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Mar. 18	0. 36. 40 36. 450 36. 50 36. 50 36. 50 20. 10 27. 10 27. 26. 30 29. 40 29. 40 29. 40 32. 15 26. 30 24. 55 24. 55 24. 55 27. 15 26. 30 24. 55 27. 15 28. 25 29. 40 29. 40 29. 40 29. 40 29. 40 29. 40 29. 40 29. 40 29. 55 24. 55 24. 55 27. 15 20. 10 15. 55 18. 40 21. 25 21. 25 21. 25 26. 35 27. 50 27. 50 28. 25 29. 30 29. 40 29. 40 29. 40 29. 40 29. 40 29. 55 20. 15 20. 10 21. 25 21. 25 21. 25 26. 35 27. 50 28. 25 29. 26. 35 21. 25 21. 25 26. 35 27. 50 28. 25 29. 26. 35 29. 26. 35 29. 26. 35 20. 30 21. 25 21. 25 26. 35 27. 50 28. 35 29. 55 20. 35 20. 35	Mar. 18 6. 58 7. 11 7. 40 7. 13 7. 45 8. 24 9. 9. 24 9. 20 10. 20 10. 41 11. 40 11. 47 12. 23 13. 26 14. 29 13. 14. 29 14. 20 15. 6 16. 5 17. 5 18. 5 19. 12 19. 42 19. 42	*1355 *1370 *1365 *1393 *1375 *1385 *1389 *1376 *1356 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1367 *1359 *1341 *1343 *1342 *1348 *1347 *1351 *1352 *1348 *1347 *1351 *1352 *1348 *1347 *1351 *1356 *1357 *1355 *1367 *1355 *1357 *1358 *1357 *1358 *1359 *1355 *1359 *1355 *1359 *1350 *1353 *1359 *1355 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353 *1359 *1350 *1353	Mar. 18 9. 56 10. 12 11. 8 11. 21 11. 27 11. 41 12. 0 12. 16 12. 59 13. 14 13. 30	'03160 '03175 '03131 '03136 '03135 '03130 '03137 '03126 '03137 '03126 '03137 '03126 '03137 '03127 '03206 '03233 '03221 '03206 '03221 '03206 '03221	h m	0	0	16. 46 16. 54 17. 7 17. 26 17. 34 17. 50 18. 12 18. 14 18. 17 18. 28 18. 37 18. 42 19. 21 19. 21 19. 25 19. 39 19. 56 19. 56 20. 27 20. 33 20. 58 21. 12 21. 26 21. 28 21. 40 21. 51 22. 46 22. 58 23. 55 23. 59  Mar. 19 0. 0 21 0. 28 0. 33 0. 39 0. 42 0. 46 1. 16 1. 23	20. 33. 50 32. 45 33. 50 33. 50 33. 50 33. 50 33. 50 33. 50 33. 50 33. 50 33. 10 33. 50 30. 25 30. 29. 15 30. 20 28. 40 29. 10 30. 20 28. 40 30. 30 28. 40 30. 30 30. 30 30. 30 30. 40 30. 30 30. 30 30. 30 30. 40 30. 30 30. 40 30. 40 30. 40 30. 40 30. 40 30. 40 30. 40 30. 40 30. 40 30. 15 30. 15 30. 15 30. 15 30. 15 30. 15 30. 15 30. 15 30. 15 30. 15	Mar. 18 23. 35 23. 59  Mar. 19 0. 0 0. 18 0. 43 0. 55 0. 57 1. 16 1. 42	*1327 *1336	Mar.19 0. 0 0.11 0.26 0.40 0.53 1.11 1.20 1.51 2. 0 2.11 2.40			60°8 59°8	° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °
16.34	34. 35	23. 22	1321	1					1.33	40, 30	1.59			<u> </u>	which is	<u> </u>	

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol : attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Then met	rmo-
1. 54 2. 8 2. 21 2. 24 2. 29 2. 36 2. 48 2. 56 3. 1 3. 5 4. 11 4. 25 4. 39	20. 41. 40 44. 0 52. 40 43. 55 43. 20 36. 55 32. 40 31. 10 30. 55 32. 10 30. 55 32. 0 40. 25 37. 30 37. 5	Mar.19 2. 13 2. 15 2. 20 2. 43 3. 14 3. 30 3. 48 4. 11 4. 26 4. 41 4. 56 5. 35	1326 1332 1326 1358 1366 1366 1366 1358 1367 1350 1365 1365 1365	Mar.19  2.53 3.51 4.11 4.30 4.41 4.53 5.40 5.45 6.9 6.15 6.43 7.12 10.11	'03342 '03273 '03278 '03255 '03262 '03246 '03218 '03222 '03216 '03219 '03214 '03203 '03215 '03187	h m	o	0	Mar.19 21.21 21.24 21.40 22.32 22.51: 23.6 23.9 23.16 23.24 23.41 23.45 23.59 Mar.20	20. 32. 20 32. 45 32. 30 35. 30 34. 25 36. 20 35. 25 36. 5 35. 35 37. 40 37. 30 38. 45	h m		h m		h m		0
4. 46 5. 31 6. 6 6. 13 6. 26 6. 39 6. 43 6. 53 7. 12 7. 26 7. 33 8. 16 9. 11 9. 36 10. 28 12. 15 13. 24 13. 58 14. 21 15. 33 16. 26 16. 37 16. 41 16. 56 17. 2 17. 16 17. 38 17. 54 18. 13 18. 39 18. 54 19. 20 19. 38 19. 51 19. 55 20. 9 20. 13 20. 20 20. 39 20. 56	30. 55 31. 50 *** 30. 30 31. 35 30. 55 30. 55 31. 30 30. 40 30. 40 31. 15 31. 15 29. 40 30. 10 29. 0	19. 55 21. 12 21. 40 22. 9 22. 42 23. 11		12. 28 14. 22 17. 4 19. 54 21. 44 22. 27 23. 59	-03223 -03245 -03223 -03202 -03200 -03158				0. 16 0. 16 0. 16 0. 16 0. 16 1. 49 2. 12 2. 29 2. 41 2. 29 2. 41 2. 29 2. 41 2. 29 3. 3. 4. 28 3. 4. 28 4. 4. 59 5. 32 6. 35 6. 46 6. 57 7. 18 7. 7. 30 7. 7. 35	20. 38. 45 39. 0 36. 40 36. 40 36. 45 39. 55 40. 25 40. 25 41. 35 40. 10 37. 40 33. *** 31. 35 34. 10 35. 55 34. 10 34. 30 34. 30 37. 45 31. 35 34. 10 35. 35 36. 40 37. 10 37. 10 37	11. 13 11. 28	·1364 ·1391 ·1353 ·1388 ·1402 ·1382 ·1360 ·1367 ·1354 ·1341 ·1353 ·1364 ·1361 ·1368	11. 26 11. 41 13. 9 13. 25 13. 57 14. 28 14. 45 16. 54 17. 3	03158 03148 03162 03183 03191 03258 03223 03223 03232 03182 03164 03180 03164 03163 03167 03163 03137 03117 03120 03114 03123 03112 03112 03106 03058 03058	3. 0 9. 0 21. 0 22. 0 23. 0	58 *8 59 *6 58 *6 57 *6 57 *6 57 *6 57 *6	59 ·6 59 ·2 58 ·0 57 ·2

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	(	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.
Mar. 20 7. 49 7. 57 8. 8 8. 23 8. 36 9. 15 9. 47 10. 28 10. 33 11. 23 11. 23 11. 24 11. 55 12. 28 13. 18 13. 23 13. 58 14. 51 15. 12 15. 26 16. 42 16. 56 17. 39 17. 55 18. 28 18. 38 19. 47 19. 43 19. 43 19. 43 19. 43 19. 58 20. 58 21. 53 21. 58 22. 56 23. 37 23. 48 23. 59	20. 26. 0 28. 10 24. 0 29. 0 32. 30 27. 25 29. 40 34. 35 29. 15 30. 10 29. 30 29. 40 28. 45 34. 55 33. 30 35. 35	Mar. 20 11. 50 12. 3 12. 25 12. 38 13. 6 13. 19 13. 27 15. 20 16. 49 17. 12 17. 18 18. 55 19. 18 20. 0 20. 41 21. 44 23. 50 23. 59	1364 1366 1361 1364 1357 1356 1359 1357 1355 1357 1350 1350 1354 1350 1351 1350	h m		h m	0	O	Mar. 21 h 0. 0. 5 0. 18 0. 43 1. 26 1. 29 1. 35 1. 39 1. 44 2. 34 3. 56 4. 33 5. 47 5. 33 5. 47 6. 25 6. 40 6. 56 7. 77 7. 28 7. 43 8. 52 10. 41 11. 14 11. 55 12. 19 12. 30 12. 53 13. 37 14. 43 14. 50 15. 41 16. 29 16. 56 17. 51 18. 47 19. 19 20. 17 20. 56	20. 35. 35 35. 35 37. 5 38. 25 39. 20 39. 15 38. 35 36. 15 34. 55 34. 55 36. 15 36. 15 37. 5 38. 20 31. 35 32. 40 33. 25 33. 25 33. 20 33. 25 33. 20 33. 25 32. 35 32. 35 32. 35 33. 35 36. 20 31. 35 36. 20 31. 45 31. 35 36. 20 31. 10 30. 40 31. 10 30. 40 31. 10 30. 40 31. 35 30. 40 31. 10 30. 40 31. 10 30. 40 31. 35 30. 40 31. 10 30. 40 31. 10 30. 40 31. 10 30. 40 31. 15 30. 40 31. 15	17.39 17.49 17.55 18.22 18.42 19.11 19.41 21.29 22.18		Mar. 21 h 0. 0 1. 11 1. 44 2. 53 4. 54 5. 12 5. 44 2. 7. 34 11. 53 12. 25 13. 49 14. 56 19. 12 23. 59	***o3o58 **o3o44 **o3o52 **o3o43 **o3o47 **o3136 **o3124 **o3180 **o3122 **o3o83 **o3o59 **o3o91 **o3i19 **o3i17	Mar.21  h m  o. o  1. o  2. o  3. o  9. o  21. o  22. 40	56 · 8 56 · 4 56 · 5 57 · 8 57 · 4 58 · 3	56.55.55.55.55.55.55.55.55.55.55.55.55.5

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force, in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-
Mar.21  21. 8  21. 23  21. 54  22. 19  23. 8  23. 35  Mar.22  1. 0  3. 0  9. 0  21. 0  23. 55  23. 57  23. 59	20. 31. 55 31. 20 31. 55 33. 10 34. 35 34. 45 (†) 20. 37. 39* 25. 9* 29. 57* 38. 45 38. 30 37. 30 37. 30	Mar.22 I. 0 3. 0 9. 0 21. 0	·1353* ·1366* ·1374* ·1342*	Mar.22 0. 0 0. 53 8. 0 8. 26 10. 13 13. 21 14. 36 15. 14 15. 45 16. 24 19. 9 21. 10 21. 50 22. 48 23. 59	°03117 °03117 °03270 °03272 °03262 °03257 °03253 °03253 °03257 °03262 °03243 °03257 °03257 °03252 °03264	1. 0 2. 0	59 · 0 58 · 8 58 · 5 58 · 5 58 · 5	\$ 55.25.5 5.58.55 5.55.55 5.55.55	Mar. 23 6. 18 6. 29 6. 35 7. 16 7. 25 7. 49 8. 29 8. 44 8. 56 9. 38 9. 49 10. 3 10. 18 10. 25 10. 39 10. 43 11. 52 11. 52 11. 52 11. 52 12. 11 12. 26 12. 34	20. 31. 20 31. 45 29. 10 29. 5 26. 10 31. 45 31. 45 30. 55 30. 55 31. 25 30. 20 32. 5 30. 40 31. 5 30. 5 30. 5 30. 5 29. 5 29. 5 29. 5 29. 5 29. 5 29. 5	Mar. 23 h 10. 12 10. 26 10. 47 11. 11 11. 26 11. 50 14. 18 14. 59 15. 12 17. 24 18. 18 18. 30 19. 45 20. 10 22. 12 23. 59	1369 1376 1376 1365 1365 1368 1360 1364 1373 1375 1371 1365 1367	h m		h m	0	0
Mar. 23 0. 0 0. 26 0. 57 1. 126 1. 37 1. 42 2. 6 2. 49 2. 26 2. 49 2. 58 3. 11 3. 26 3. 41 3. 57 4. 19 4. 22 4. 35 4. 19 4. 22 4. 35 4. 51 4. 57 5. 16 5. 27 5. 34 5. 56 6. 8	20. 37. 30 38. 15 43. 25 43. 35 43. 20 44. 45 42. 55 41. 30 41. 55 38. 10 38. 45 37. 25 36. 30 37. 25 36. 30 37. 5 39. 30 33. 10 22. 20 22. 30 26. 0 29. 35 31. 0	Mar. 23 0. 14 1. 47 2. 14 2. 29 2. 42 3. 10 2. 14 2. 22 3. 3. 22 4. 25 5. 41 5. 54 6. 35 6. 45 7. 38 8. 44 9. 32	*1351 *1345 *1356 *1346 *1347 *1360 *1348 *1341 *1353 *1353 *1355 *1365 *1365 *1377 *1385 *1359 *1331 *1354 *1350 *1366	10. 54 11. 26 11. 58 12. 29 14. 19 19. 24 22. 54	03264 03320 03312 03318 03312 03323 03376 03376 03407 03407 03423 03236 03236 03233 03197 03185 03157 03163	Mar.23 1. 0 3. 0 9. 0 21. 0	59 ·6	60 · 6 60 · 0 57 · 6 57 · 5	12. 56 13. 9 13. 38 13. 45 13. 53 14. 17 14. 39 14. 46 15. 12 15. 39 16. 10 16. 42 17. 6 17. 24 18. 54 18. 59 19. 43 19. 58 20. 28 21. 30 22. 26 23. 59 Mar. 24	30. 10 29. 50 29. 40 31. 10 31. 0 29. 45 29. 45 31. 10 32. 0 31. 25 30. 45 30. 40 31. 0 28. 20 28. 25 26. 45 27. 10 26. 40 28. 35 35. 55	Mar.24 o. o o. 33 i. 20 2. 21 2. 27 2. 43 2. 56	1364 1367 1366 1371 1368 1372 1367	Mar.24 o. o 4.33 4.53 5.13 5.36 6.3 6.27	.03163 .03260 .03277	Mar.24 1. 0 3. 0 9. 0 21. 12	57 ·8 58 ·3 59 ·0	59 <b>.</b> 0

March 22. The Declination and Horizontal Force photographic traces were lost, through the zinc case which covers the cylinder not having been placed in its proper position.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther	f mo-
Mar.24 h m 2.12 2.23 2.34 2.51 3.9 3.39 3.44	20. 37. 0 36. 30 37. 10 36. 25 37. 0 34. 20 34. 50	Mar. 24 h m 3. 19 3. 43 4. 33 4. 41 4. 59 5. 20 5. 43	•1370 •1364 •1373 •1365	Mar.24 6. 42 6. 56 7. 25 10. 54 11. 4	·03266 ·03287 ·03277 ·03289 ·03299 ·03263	h m	0	0	Mar.24 h m 21.51 22.16 22.40 22.50 23.14 23.20 23.59	20. 31. 55 31. 35 33. 5 32. 55 34. 15 34. 15 36. 0	h m		h m		h m	0	
4. 13 4. 28 4. 36 4. 43 4. 54 5. 23 5. 33 5. 59 6. 34 6. 55 7. 13 7. 29 7. 46 8. 39 10. 39 10. 54 11. 36 11. 43 12. 12 14. 8 14. 57 15. 53 17. 19 18. 10 19. 11 11. 36 11. 43 12. 12 14. 15 15. 53 17. 19 16. 53 17. 33	33. 20 33. 20 32. 15 32. 15 33. 0 24. 30 27. 15 31. 25 32. 0 31. 10 21. 20 24. 25 24. 10 26. 20 29. 40 31. 10 31. 30 29. 55 30. 35 30. 25 30. 35 30. 25 29. 55 30. 35 29. 55 30. 35 29. 55 30. 35 29. 55 30. 30 30. 20 33. 55 27. 30 ***	5.59 6.11 6.40 6.48 7.12 7.20 7.22 841 7.59 9.26 9.58 10.55 11.19 11.43 12.10 11.43 12.10 14.53 15.35	1379 1375 1378 1375 1364 1385	13. 26 14. 9 14. 34 15. 39 16. 10 17. 29 19. 11 22. 26 23. 59	·03272 ·03284 ·03276 ·03297 ·03288 ·03309 ·03317 ·03259 ·03264				Mar. 25 0. 0 1. 26 1. 34 1. 39 1. 44 1. 59 3. 8 3. 17 4. 23 5. 7 6. 36 7. 51 8. 42 9. 12: 10. 17 10. 41 11. 3 11. 16 11. 26 12. 3 12. 29 12. 56 13. 14 13. 29 14. 16 14. 53 15. 39 14. 16 14. 53 15. 39 16. 19. 19. 19. 26 19. 30 20. 26 21. 6 23. 59	20. 36. 0 37. 30 38. 15 37. 35 37. 25 35. 30 35. 25 35. 30 31. 50 31. 10 30. 40 27. 55 30. 15 29. 45 30. 15 29. 45 30. 15 29. 45 30. 15 29. 45 30. 15 29. 45 31. 35 31. 10 29. 45 31. 50 31. 50 31. 50 31. 50 31. 50 32. 40 29. 45 30. 15 29. 45 30. 15 29. 45 30. 15 29. 45 30. 15 29. 45 30. 15 29. 45 30. 15 29. 25 29. 25 31. 35 31. 50 31. 50 32. 45 30. 15 29. 45 30. 15 29. 45 30. 15 29. 25 29. 25 31. 35 31. 50 31. 50 31. 50 31. 50 31. 50 31. 50 31. 50 32. 40 29. 45 30. 15 29. 45 30. 15 29. 25 31. 35 31. 50 31. 50	Mar. 25 0. 42 3. 12 4. 52 7. 26 7. 45 9. 22 9. 36 9. 32 10. 55 11. 14 11. 51 12. 12 12. 35 13. 10 13. 54 17. 29 20. 14 21. 23. 59	*1367 *1374 *1378 *1378 *1378 *1378 *1378 *1378 *1378 *1376 *1376 *1375 *1374 *1378 *1374 *1378 *1374 *1378 *1374 *1378 *1376	Mar. 25 0. 0 1. 32 3. 24 4. 26 6. 13 9. 11 10. 12 10. 28 12. 41 13. 22 17. 40 19. 27 20. 59 23. 59	·03264 ·03260 ·03294 ·03322 ·03353 ·03376 ·03379 ·03358 ·03340 ·03305 ·03302 ·03277 ·03272	9.0	59.89 5658	59·35 58
17.55 19. 4 19.16 19.54: 20.53 21.15	27. 0 26. 55 27. 15 26. 50 28. 25 28. 50				,				Mar.26		Mar.26 o. o o. 19 o. 53 1. o	·1367 ·1368 ·1372 ·1368	Mar.26 o. o 1. 52 3. 44 10. 12	·03272 ·03317 ·03343 ·03318	Mar.26 1. 0 3. 0 9. 0 21. 0	60 ·2	60 ·8 50 ·7

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. E. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther meter .:	mo-
Mar. 26 h 2. 22 2. 41 4. 12 4. 53 8. 0 9. 53 9. 58 10. 32 10. 47 11. 39 11. 51 12. 8 12. 26 12. 40 13. 57 14. 39 15. 55 15. 55 16. 43 17. 7 14. 8. 10 18. 15 18. 26 18. 29 18. 18 19. 12 19. 41 19. 54 20. 30 20. 36 20. 36 20. 36 20. 30 21. 20 21. 34 22. 0 22. 13 22. 28 23. 36 23. 55 23. 59  Mar. 27 0. 28 1. 14	20. 34. 5 34. 5 31. 40 31. 15 30. 50 30. 55 29. 35 25. 40 25. 40 27. 45 26. 30 27. 45 26. 30 27. 55 28. 30 27. 55 28. 30 27. 45 28. 15 28. 27. 45 28. 27. 45 29. 30 27. 45 28. 30 27. 45 28. 30 27. 45 28. 45 28. 45 28. 27. 25 26. 45 26. 45	Mar. 26 h 1. 12 2. 19 2. 57 4. 20 7. 10 7. 35 8. 42 9. 52 10. 20 10. 55 11. 37 12. 0 12. 25 11. 37 12. 11 17. 54 18. 37 17. 11 17. 54 18. 37 19. 43 20. 22 21. 59 22. 13 22. 25 23. 39 23. 59	1372 1372 1376 1374 1380	Mar.26 11. 9 11. 54 15. 4 19. 10 21. 4 23. 59	•03287 •03284 •03298 •03309 •03280 •03267		60 °2 60 °2	60·1 62·0	Mar. 27 1. 54 2. 13 2. 24 2. 30 2. 51 3. 14 3. 21 4. 24 4. 41 4. 45 5. 39 6. 56 6. 56 7. 24 7. 34 7. 34 8. 23 8. 34 9. 29 9. 48 10. 43 11. 13 11. 15 12. 14 12. 39 13. 40 14. 23 15. 13 15. 15 16. 49 17. 47 18. 12 17. 47 18. 12 18. 15	22. 10 27. 55 25. 50 23. 30 23. 40 30. 25 30. 20 30. 20 30. 0 31. 45 31. 35 29. 50	17. 26 18. 0 18. 59 19. 12 19. 18 19. 55 20. 23 20. 50 21. 12	*1370 *1369 *1379 *1378 *1380 *1382 *1379 *1381 *1376 *1379	Mar.27 1. 56 2. 21 2. 40 2. 56 3. 52 4. 41 5. 43 6. 45 7. 10 8. 52 11. 34 12. 00 12. 26 13. 6 13. 27 14. 21 15. 43 16. 22 16. 43 17. 42 19. 42 21. 34 23. 59	.03292 .03322 .03327 .03308 .03335 .03351 .03356 .03356 .03356 .03356 .03278 .03297 .03266 .03285 .03264 .03268 .03257 .03264 .03268 .03257 .03264 .03264 .03264 .03264 .03264	Mar.27 m 21. 0 22. 0 23. 0	58° 8 59° 3 59° 3	59 •5

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther meter.	mo-
Mar.27 18. 23 18. 54 19. 6 19. 12 19. 19 19. 27 19. 33 19. 48 20. 26 20. 35 21. 30 21. 56 22. 5 23. 41 23. 50 23. 59	20. 28. 0 27. 5 26. 20 27. 25 26. 30 27. 20 26. 50 29. 15 28. 55 30. 5 29. 40 30. 50 30. 40 35. 20 36. 35 36. 35	h m		h m		h w	0	•	Mar. 28 h m 14. 36 14. 44 15. 14 15. 27 15. 49 16. 10 16. 23 16. 38 17. 12 17. 22 17. 22 17. 48 17. 56 18. 55 19. 10 19. 26	20. 31. 10 31. 50 30. 20 30. 20 30. 40 29. 40 29. 45 31. 5 31. 5 32. 10 31. 15 30. 20 30. 55 28. 0 26. 50	h m		h m		h m	0	
0. 21 0. 26 0. 32 0. 53 1. 41 3. 32 5. 9 6. 10 6. 24 7. 11 7. 16 7. 22	20. 36. 35 38. 0 38. 0 38. 50 38. 0 37. 5 32. 10 30. 20 30. 40 30. 20 30. 20 28. 50 28. 15	Mar.28 o. o. 25 o. 40 o. 50 1. 55 2. 14 2. 26 4. 38 5. 18 6. 10 6. 27 7. 11 7. 40	1369 1376 1379 1375 1380 1378 1375 1369 1377 1373	Mar. 28 0. 0 2. 19 5. 57 7. 29 7. 53 8. 9 8. 22 8. 41 8. 58 9. 30 10. 43 11. 52 12. 41	**o3246 **o3280 **o3320 **o3334 **o3346 **o3336 **o3334 **o3336 **o3340 **o3316 **o3318	Mar. 28 0. 0 1. 0 2. 0 3. 0 9. 0 21. 0 22. 0 23. 0	59 · 3 59 · 8 59 · 5 59 · 5 60 · 6 60 · 2	60 ·2 59 ·9 60 ·0 60 ·9	19. 39 20. 13 20. 28 20. 42 20. 46	27. 10 26. 25 27. 30 26. 50 28. 0 27. 50 28. 25 28. 30 31. 5 33. 45 33. 35 35. 35							
7. 43 7. 55 8. 1 8. 12 8. 17 8. 29 8. 42 9. 14 9. 26 9. 39 10. 53 11. 0 11. 26 11. 40 11. 54 12. 7 12. 39 12. 56 13. 29 13. 54 14. 13 14. 31	30. 40 31. 10 30. 35 32. 55 32. 20 33. 5 32. 0 33. 20 34. 30 32. 40 33. 0 31. 25 30. 10 29. 40 29. 50 29. 20	11. 24 11. 44 12. 20 12. 36 12. 58 14. 55 15. 11 15. 51 16. 14	1373 1400 1388 1369 1377 1372 1376 1375 1378 1378 1373 1367 1371 1376 1368 1375 1366 1366 1366	13. 40 21. 28 23. 59	**o3337 **o3356 **o3336				Mar. 29 o. o o. 9 o. 25 o. 37 o. 50 5. 13 5. 39 5. 45 6. 26 6. 39 7. 25 7. 43 8. 19 8. 40 8. 58 12. 14 13. 59 14. 13 14. 30 14. 38 14. 52 15. 16	20. 35. 25 34. 55 36. 35 36. 30 30. 25 29. 45 30. 0 29. 20 30. 0 29. 20 31. 15 31. 10 30. 20 31. 15 30. 25 32. 55 30. 40 29. 20 29. 20	Mar.29 0. 12 0. 12 0. 40 0. 54 2. 21 2. 41 3. 35 4. 14 4. 25 5. 55 6. 52 7. 38 8. 14 8. 51 9. 18 9. 55 10. 20 14. 12 14. 16 14. 29	*1362 *1365 *1371 *1367 *1370 *1368 *1374 *1375 *1378 *1374 *1377	14. 9 14. 12 14. 20 17. 12 19. 11 21. 28 21. 56 23. 0	·03336 ·03346 ·03327 ·03338 ·03309 ·03325 ·03303 ·03290 ·03283 ·03260 ·03217 ·03234 ·03228 ·03229	Mar.29 0. 0 1. 0 2. 0 3. 0 9. 0 21. 30	60 · 1 59 · 9 59 · 9 59 · 8 60 · 2	61 ·0 60 ·7 59 ·9 61 ·8

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	met	t rmo-
Mar. 29 15. 26 15. 47 15. 58 16. 57 17. 13 17. 27 17. 59 18. 7  18. 54 19. 53 19. 59 20. 14  20. 50 21. 4 21. 27 21. 41 22. 0 22. 22 22. 56 23. 19 23. 27 23. 41 23. 50 23. 59  Mar. 30 0. 0	20. 29. 55 29. 29. 55 29. 20 28. 25 29. 10 28. 25 27. 30 *** 26. 15 25. 40 24. 30 26. 15 27. 0 26. 40 29. 30 30. 35 30. 35 33. 45 34. 15 33. 50 36. 45 36. 5 34. 30	Mar.29 14. 45 15. 10 15. 17 15. 26 15. 41 15. 56 17. 41 20. 11 21. 4 21. 52 22. 10 22. 27 23. 9 23. 59  Mar.30 0. 0	1389 1385 1390 1386 1390 1384 1384 1367 1366 1366 1359 1368 1359	Mar.30	°03229 °03238	Mar.30 0.30 8.0	59 2	59.8	6. 57 7. 0 7. 13 7. 29 7. 42 8. 31 8. 42 9. 15 9. 31 9. 53 11. 31 12. 15 13. 11 14. 54 15. 55 16. 11 16. 13 17. 33 17. 45 18. 30 19. 45 20. 57 22. 21 22. 26 22. 38	20. 27. 55 22. 55 22. 55 22. 55 30. 40 30. 35 31. 10 28. 55 28. 55 29. 40 29. 30. 15 30. 10 30. 20 29. 30 29. 40 30. 29. 30 29. 40 30. 29. 30 29. 40 30. 55 28. 55 29. 40 30. 20 29. 30	Mar.30 h m 11. 20 11. 42 11. 58 13. 12 16. 11 16. 28 19. 11 21. 12 22. 26 22. 45 23. 11 23. 42 23. 59	*1375 *1384 *1379 *1375 *1377 *1373 *1359 *1362 *1354 *1360 *1364 *1356	h m		h m	0	0
0. 9 1. 0 1. 8 1. 35 2. 32 2. 41 2. 53 3. 16 3. 23 3. 34 3. 42 3. 50 4. 26 4. 32 4. 42 4. 59 5. 45 5. 57 6. 11 6. 17 6. 28 6. 31 6. 44	34. 15 35. 25 35. 0 35. 0 33. 45 33. 55 32. 40 32. 40 32. 40 32. 20 33. 15 32. 20 32. 10 31. 35 32. 5 31. 55 32. 5 31. 55 32. 5 32. 5 32. 5 32. 5 32. 7 32. 10 32. 10 32. 10 32. 20 32. 10 32. 10 33. 10 30. 10	0. 47 2. 3. 14 3. 3. 44 3. 4. 45 3. 4. 45 4. 45 5. 3. 9 4. 45 6. 6. 45 7. 7. 25 8. 39 9. 45 10. 57	1387 1382 1377	14. 35 17. 36	·03238 ·03264 ·03268 ·03277 ·03278 ·03278 ·03278 ·03278 ·03284 ·03296 ·03283 ·03281 ·03262 ·03220	8. o 21. o	59 -3	59 · o 60 · o	22. 51 22. 56 23. 51 23. 56 23. 59 Mar.31 0. 0 0. 19 0. 27 0. 48 0. 59 1. 19 1. 58 3. 12 3. 26 3. 39 4. 18 4. 27 4. 38 5. 25 5. 56 6. 3 6. 12 6. 41	34. 30 33. 55 ***  38. 5 37. 0 37. 30  20. 37. 30  36. 55 38. 5 37. 10 38. 10 38. 50 37. 55 36. 35 37. 20 34. 40 32. 40 32. 40 32. 40 30. 50 31. 35 31. 20 31. 45 31. 0 30. 20 31. 50	Mar.31 0. 0 0. 18 0. 31 0. 48 1. 23 1. 29 2. 12 4. 19 4. 36 5. 14 5. 43 5. 57 6. 11 6. 26 6. 41 6. 56 7. 14 7. 28	·1356 ·1362 ·1368 ·1367 ·1376 ·1373 ·1378 ·1365 ·1366 ·1376 ·1376 ·1372 ·1368 ·1369 ·1372 ·1367 ·1363	Mar.31 0. 0 1. 26 2. 27 4. 57 6. 22 7. 11 7. 36 9. 54 10. 36 11. 26 11. 54 12. 25 13. 10 13. 57 14. 14 15. 49 19. 11 20. 55 21. 12 23. 11	·03220 ·03257 ·03277 ·03302 ·03306 ·03298 ·03267 ·03272 ·03224 ·03256 ·03233 ·03233 ·03233 ·03233 ·03231 ·03216 ·03193	9.0	59 ·8 58 ·9 58 ·8	60 · 0 59 · 4 58 · 9 58 · 0

Greenwich Mean Solar Time. Tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f rmo- ers.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-
Mar.31 6.52 7.9 7.39 7.49 8.2 9.10 8.25: 27.30 8.44 8.57 9.10 9.19 9.28 9.41 9.59 10.8 20.31.40 21.40 22.30 10.8	Mar.31  7. 47  8. 14  9. 18  9. 29  9. 45  10. 30  10. 45  10. 57  11. 41  12. 12  12. 40  12. 56	*1367 *1362 *1367 *1369 *1372 *1364 *1365 *1373 *1369 *1357 *1367 *1383 *1383	Mar.31 b m 23. 59	03210	h na	0	o	22. 11 22. 26 22. 38 22. 50 23. 14 23. 22 23. 27 23. 31 23. 38 23. 45 23. 55 23. 59	20. 33. 30 33. 0 33. 15 32. 50 39. 10 39. 30 39. 30 39. 30 38. 55 40. 30 41. 10	h m		h m		h m	0	0.
13. 51 29. 55 14. 7 28. 50 14. 12 29. 30 14. 25 29. 5	13. 14 14. 0 14. 41 14. 55 15. 26 16. 26 17. 12 18. 33 18. 57 20. 55 21. 54 22. 22 23. 12 23. 21 23. 26 23. 49 23. 59	1375 1368 1374 1368 1378 1373 1377 1372 1351 1352 1354 1352 1356 1354 1362 1350						Apr. 1 0. 149 0. 149 0. 158 1. 102 1. 53 2. 11 2. 23 2. 33 2. 40 2. 53 3. 14 5. 19 5. 40 5. 51 6. 11 6. 39 7. 47 8. 10 8. 29 9. 45 9. 59 9. 59 9. 59	<b>2</b> 9.50	11. 12 11. 19 11. 33	1383 1410 1402 1383 1368 1371 1359 1363 1368 1359 1359 1355 1355	Apr. 1 0. 9 1. 11 1. 42 2. 14 2. 23 2. 41 2. 25 3. 53 5. 7 6. 55 7. 22 7. 34 7. 42 8. 24 8. 25 9. 51 10. 11 10. 25 10. 58 11. 59 12. 12 13. 41 13. 58 14. 42 15. 13 16. 45 17. 32 23. 59	03210 03210 03227 03266 03263 03274 03265 03277 03278 03276 03280 03286 03302 03319 03320 03299 03272 03263 03282 03277 03244 03240 03196 03292 03212 03183 03200 03216 03181 03162 03181 03162 03183	Apr. 1 1. 0 9. 0 21. 0	59 • 5 59 • 6 58 • 3	59 ·5

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich' Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.  Ot V. F. Wagnet: Wagnet: Other of the control of the c
Apr. 1 10. 4 10. 15 10. 27 10. 37 10. 42 10. 50 11. 8 11. 13 11. 22 11. 28 11. 40 11. 45 11. 56 12. 12 12. 38 12. 50 12. 57 13. 3 13. 16 13. 29 14. 40 14. 50 15. 32 15. 43 16. 16 16. 33 16. 16 17. 13 17. 26 18. 49 18. 41 19. 8 19. 25 17. 46 18. 29 18. 41 19. 8 19. 25 19. 33 20. 9 21. 25 21. 56 22. 39 22. 50 23. 31 23. 35 23. 59	33. 40 34. 20 24. 0 22. 20 23. 45 24. 30 23. 55 26. 0 21. 30 18. 50 23. 10 32. 5 30. 0 28. 10 28. 20 27. 20 28. 15	Apr. 1 11. 45 12. 6 12. 34 13. 0 13. 49 14. 39 15. 10 15. 47 16. 27 17. 51 18. 7 18. 53 19. 18 19. 40 19. 55 23. 59	*1368 *1356 *1376 *1361 *1364 *1380 *1380 *1374 *1353 *1352 *1360 *1357 *1362 *1353 *1362	h m		h m	0	0	Apr. 2 h o. 26 0. 29 0. 549 1. 27 2. 33 2. 48 2. 54 3. 33 3. 4. 22 4. 36 6. 39 6. 39 6. 39 7. 43 8. 21 8. 30 8. 41 11. 33 11. 31 11. 35 12. 44 13. 59 14. 46 15. 23 15. 39 16. 59 16. 59	34. 15 31. 50 31. 15 34. 20 31. 45 34. 0 33. 20 32. 55 33. 30 31. 55 32. 0 30. 30 30. 20 28. 15	15. 11 15. 22 15. 43 15. 56 16. 15 16. 42 17. 55 18. 27 19. 27 19. 56 20. 55 21. 41 22. 12	1362 1364 1365 1356 1356 1356 1356 1356 1356 1356	Apr. 2 m 0. 0 0. 37 2. 44 3. 11 3. 41 14 . 24 6. 16 7. 54 8. 20 8. 39 8. 57 11. 43 12. 14 13. 13 13. 28 14 17. 21 18. 9 21. 16 23. 59	.03219 .03297 .03309 .03309 .03366 .03262 .03277 .03268 .03117 .03108 .03100 .03102 .03083 .03072 .03070 .03082 .03077 .03080 .03100	3. 0	59:359:659:559:758:8

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H.F. Magnet.	f mo-
Apr. 2 h 17. 9 17. 20 17. 56 18. 14 18. 31 18. 42 18. 48 19. 10 19. 25 19. 39 19. 53 20. 4 20. 4 20. 4 20. 4 20. 4 21. 25 21. 38 22. 1 22. 17 22. 26 22. 34 23. 41 23. 50 23. 59	20. 30. 0 31. 30 33. 55 34. 35 34. 40 32. 5 32. 40 *** 30. 5 29. 30 31. 35 31. 35 32. 30 31. 55 32. 30 34. 5 36. 30 38. 5 36. 30 38. 5 36. 15 36. 15 37. 36 38. 35 38. 35 39. 55 39. 55 39. 55 39. 55 39. 55 39. 55 39. 55 39. 55 39. 55	h m		h m		h m	0	0	Apr. 3 7. 43 8. 8 8. 41 9. 21 9. 32 9. 44 10. 3 10. 10 10. 29 10. 55 11. 26 11. 31 11. 45 12. 37 12. 37 12. 46 13. 59 13. 57 14. 11 15. 14 15. 28 15. 39 15. 46	32. 40 32. 50 29. 40 29. 0 31. 50 30. 40 31. 5 26. 55 30. 5 28. 0 30. 5 29. 40 30. 45 30. 45 30. 55 28. 20 28. 20 28. 30	Apr. 3 h 11. 43 12. 41 13. 6 13. 25 13. 40 14. 11 15. 57 16. 39 17. 22 17. 57 18. 21 19. 36 20. 12 20. 26 20. 43 20. 54 21. 13 22. 25 23. 43 23. 51 23. 59	1369 1362 1360 1365 1360 1362 1352 1366 1367 1368 1372 1367 1369 1343 1347 1345 1349 1343 1340 1343 1343	h m		h m	0	0
Apr. 3 o. 0 o. 8 o. 13 o. 16 o. 29 1. 26 1. 33 1. 55 2. 28 2. 38 2. 53 2. 59 3. 17 3. 39 4. 11 4. 30 4. 58 5. 23 5. 29 5. 42 6. 40 7. 36	32.40	Apr. 3 o. 0 o. 29 1. 41 1. 55 2. 27 2. 50 3. 33 4. 12 4. 30 4. 44 4. 58 5. 18 5. 43 6. 57 7. 59 8. 41 9. 25 9. 43 10. 10 10. 39 10. 56 11. 22	1375 1369 1381 1378	11. 11 12. 56 13. 45 18. 22 18. 45 19. 40 20. 41	**O3100 **O3142 **O3134 **O3157 **O3154 **O3174 **O3154 **O3137 **O3074 **O3083 **O3077 **O3083 **O3078 **O3082 **O3076 **O3073 **O3052 **O3039 **O3045 **O3027 **O3022 **O3040	3. 0 9. 0 21. 0	59 ·8 58 ·8 57 ·9 58 ·1	59.0	16. 43 17. 3	29. 40 29. 10 30. 20 29. 20 30. 10 29. 35 28. 55 28. 0 29. 35 30. 35 31. 45 31. 10 32. 55 *** 34. 30 31. 25 33. 40 32. 55 33. 40 32. 55 33. 20 35. 10 36. 30 39. 25 39. 40				umher in			

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole. V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	0		Greenwich Mean Solar Time.	Western Declina- tion,	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	
Apr. 4 23. 45 23. 59	20. 35. 40 37. 20	h m		h m		h m	0	0	Apr. 5  h m  8. 43  9. 1  9. 12	0 1 " 20. 32. 10 32. 10 30. 5	Apr. 5 h m 12. 43 13. 11 13. 26	•1365 •1359 •1353	h m		h m	۰	٥
Apr. 5 0 4113 415 2 18 44 55 5 11 45 5 5 18 11 11 11 11 11 11 11 11 11 11 11 11	24. 45 26. 50 26. 45 29. 15 30. 10		1350 1359 1349 1354 1354 1347 1347 1347 1347 1347 1346 1350 1343 1355 1346 1356 1374 1366 1374 1378 1367 1367 1367 1367 1368 1371 1369 1369 1369 1369 1369 1369 1369 1369 1369 1369 1369 1369 1369 1369 1369 1369 1371 1369 1369 1369 1371 1369 1369 1371 1369 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1369 1371 1375 1369 1375	Apr. 5 c. 0 o. 38 l. 24 2. 30 2. 39 4. 22 2. 30 2. 39 4. 42 5. 42 5. 54 6. 19 6. 26 7. 26 7. 26 10. 32 10. 56 11. 24 12. 48 13. 44 14. 26 15. 55 18. 26 17. 55 18. 26 17. 55 22. 51 23. 59	.03021 .03041 .03077 .03113 .03103 .03116 .03112 .03180 .03154 .03152 .03152 .03152 .03152 .03150 .03106 .03064 .03064 .03066 .03063 .03063 .03066 .03063 .03066 .0306 .03066 .03	Apr. 5 0. 0 1. 0 3. 0 9. 0 21. 0	59 °0 58 •8	59 · 5 59 · 6 59 · 7 59 · 0	9. 33 9. 42 9. 56 10. 7	33. 40 31. 20 30. 20 30. 55 30. 10 42. 40 33. 0 31. 50 29. 30 29. 30 25. 25 32. 35 37. 30 36. 5 36. 10 35. 10 35. 15 31. 45 31. 50 28. 25 29. 20 27. 10	13. 38 13. 44 14. 15 15. 30 15. 51 16. 55 17. 12 17. 36 17. 44 17. 57 18. 41 19. 26 19. 41 20. 14 20. 21 21. 11 22. 7 23. 14 23. 33 23. 59	1358 1354 1358 1366 1366 1366 1363 1365 1366 1356 1356					

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Magnet. Gold V. F. Gold V. F. Gold V. F. Gold V. F. Gold V. Gold V	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f mo-
Apr. 6 0. 20 0. 49 1. 36 1. 45 1. 45 1	32. 30 31. 20 21. 25 21. 15 26. 30 29. 10 25. 20 24. 5 33. 10 32. 50 30. 55 37. 20 33. 10	Apr. 6 n 0 18 5 1 1 2 2 5 2 3 7 2 4 6 1 1 1 1 2 2 5 2 2 2 3 3 7 4 5 5 1 1 2 2 2 2 2 2 3 3 7 4 5 5 5 5 5 6 6 6 3 4 4 3 6 6 6 6 6 6 6 6 6 6 6 6 6	·1384 ·1374 ·1369 ·1371 ·1385 ·1373 ·1367 ·1399 ·1376 ·1404 ·1408 ·1385 ·1403	Apr. 6  Apr. 6	.03040 .03084 .03087 .03117 .03136 .03110 .03105 .03103 .03122 .03113 .03107 .03070 .03085 .03077 .03038 .03036	3. o	59°·3 60°·3 58°·8 59°·0 58°·8 57°·3	12. 52 13. 11 13. 17 13. 37 13. 44 14. 5 15. 7 15. 14 15. 56 16. 10 16. 43 16. 56 17. 9 17. 25 18. 6 18. 17 18. 21 18. 29 18. 33 19. 10 19. 16 19. 31 19. 45 20. 4 20. 30 20. 41 20. 53 21. 18 21. 39 21. 44 21. 53 22. 11 22. 27 22. 41 22. 50 23. 30 23. 59 Apr. 7	20. 28. 20 27. 40 29. 25 29. 25 31. 55 32. 45 32. 55 30. 20 33. 10 36. 35 30. 30 30. 30 30	Apr. 6  15. 6  15. 6  15. 20  18. 25  20. 12  20. 38  21. 41  21. 54  22. 4  22. 20  22. 35  23. 12  23. 41  23. 59  Apr. 7  0. 0  0. 22  0. 44  1. 12  2. 9  2. 35  2. 55	1356 1350 1368 1352 1342 1334 1337 1334 1337 1338 1344 1357 1358 1350 1350 1371 1366 1371	Apr. 7 c. 0 c. 49 l. 56 3. 12 3. 34 4. 21 4. 25 4. 54	•03536 •03546 •03600 •03606 •03657 •03643 •03672	Apr. 7 1. 0 3. 0 9. 0 21. 30	59 ·5 59 ·5	59 ·9

April 6d. 22h. 8m. Mr. Glaisher adjusted the plane mirror carried by the Vertical Force Magnet, producing an increase in the readings of 0.00540 parts of the whole Vertical Force.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	f mo-
Apr. 7 m 8 2 2 12 2 2 2 2 2 2 3 3 4 4 4 2 8 3 4 4 4 5 5 1 3 1 7 4 2 9 4 4 4 5 5 5 5 5 5 5 5 5 5 5 6 6 6 6 7 7 7 2 8 8 2 2 9 9 4 1 1 1 2 3 1 2 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	31. 20 33. 0 32. 5 32. 25 33. 5 31. 50 33. 5 32. 0 32. 30 31. 15 33. 10 32. 35 36. 40 32. 40 34. 25 30. 20 31. 30 20. 30 21. 20 21. 30	12. 36 12. 43 13. 12 13. 27 13. 49 14. 11 14. 36 14. 51 15. 11 15. 52 16. 10 16. 41 17. 12 19. 23 19. 23 19. 23 19. 36 20. 43 21. 8 21. 30	1364 1374 1365 1357 1359 1350 1371 1381 1376 1378 1364 1376 1365 1364 1370 1374 1374 1388 1378 1388 1399 1378 1388 1378 1360 1378 1360 1361 1355 1360 1355 1360 1355 1360 1355 1360 1355 1360 1361 1355 1360 1363 1361 1356 1365 1365 1365 1365 1365	Apr. 7  5. 12  6. 56  8. 44  9. 11  9. 26  9. 52  10. 02  10. 22  11. 19  11. 33  12. 40  13. 30  14. 54  17. 33  19. 44  20. 54  22. 41  23. 48  23. 59	**co3678** **co3662** **co3643** **co3619** **co3598** **co3586** **co3584** **co3582** **co3582** **co3582** **co3582** **co3598** **co3600** **co3577** **co3562** **co3566**	h m	0	0	Apr. 7 13. 23 13. 41 13. 47 13. 53 13. 58 14. 7 14. 14 14. 28 15. 6 15. 10 15. 23 16. 24 16. 45 16. 56 17. 40 17. 53 18. 15 18. 34 19. 14 19. 19 19. 27 20. 15 20. 34 20. 44 20. 55 21. 8 21. 12 21. 26 21. 31 21. 58 22. 14 22. 55 23. 59  Apr. 8 0. 0 0. 13 0. 26 0. 53 1. 7 1. 32 1. 43	20. 31. 45 31. 40 30. 20 29. 45 30. 10 29. 55 32. 5 31. 55 32. 40 31. 55 32. 45 32. 35 31. 25 32. 15 32. 0 32. 35 31. 25 32. 15 32. 10 29. 30 27. 40 25. 10 28. 0 26. 15 27. 45 27. 30 29. 10 29. 55 29. 40 31. 55 32. 0 33. 40 33. 40 33. 40 33. 40 33. 55 36. 20 36. 20 41. 0 20. 41. 0 20. 41. 0 20. 41. 0 20. 41. 0 20. 41. 0 20. 41. 5 39. 55 39. 35 40. 50 41. 0 20. 41. 5 39. 55 39. 35 40. 50 41. 0 20. 41. 5 39. 55 39. 35 40. 50 41. 5 39. 55 39. 35 40. 50 41. 5 39. 55 39. 35 40. 50 41. 5	Apr. 7 23. 25 23. 49 23. 59 Apr. 8 0. 04 0. 56 1. 13 1. 158 2. 12 2. 50	·1356 ·1369 ·1359 ·1359 ·1367 ·1375 ·1366 ·1375 ·1366 ·1375	Apr. 8 o. o o. 34 1. 23 1. 36 2. 12 2. 28 3. 26 4. 0 6. 15	·03566 ·03562 ·03584 ·03603 ·03612 ·03628 ·03632 ·03662	Apr. 8 o. 30 9.10	59 .3	60 <b>·</b> 5
12.49 13.11	28. 0 29. 45	22. 10 22. 45	·1344 ·1354			!			1.54 2. 2	43. 35 44. °	3. 13 3. 50	1370	6. 29	•03676			
I		<u></u>	1				<u>'                                    </u>		<u> </u>		<u> </u>		4 - 4 - 2	umber, in	which i	ngtan	es l

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The		Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther meter.	f mo-
2. 18 3. 0 3. 25 3. 56 4. 13 4. 29 4. 41 4. 55 5. 24 5. 39 5. 44 5. 55 6. 18 6. 26 6. 58	20. 43. 30 42. 0 39. 20 39. 55 38. 10 38. 20 36. 40 35. 50 36. 20 35. 35 36. 0 34. 55 35. 45 35. 35 34. 30 34. 20 31. 0	Apr. 8 4. 27 4. 42 4. 54 5. 14 6. 18 6. 26 6. 41 7. 27 7. 57 8. 15 8. 25 8. 43 8. 54	·1370 ·1386 ·1399 ·1389 ·1372 ·1376 ·1364 ·1368	Apr. 8  7. 8  7. 8  7. 22  7. 35  8. 24  8. 48  9. 57  10. 28  10. 50  11. 12  11. 40  12. 42  12. 57  13. 12  13. 36  14. 11  15. 4  17. 15  18. 11	.03678 .03656 .03656 .03661 .03633 .03624 .03626 .03626 .03637 .03652 .03637 .03652 .03637 .03637 .03637 .03637 .03637 .03637	h m	0	•	17. 38 18. 51 19. 13 19. 18 19. 20 19. 41 20. 3 20. 11 21. 17 21. 51 22. 14 23. 43 23. 59 Apr. 9 0. 0	20. 31. 0 30. 40 28. 20 28. 15 27. 35 27. 45 27. 20 27. 55 27. 35 30. 55 32. 40 34. 30 *** 40. 0 39. 30	Apr. 9	(†)	Apr. 9	*03620	Apr. 9	58 .8	58 .5
0. 58 7. 2 7. 12 7. 23 7. 44 8. 10 8. 19 8. 28 8. 43 8. 55 9. 6 9. 26 9. 56 10. 23 10. 37 10. 51 11. 13 11. 30 11. 54 12. 15 12. 24 12. 32 12. 36 12. 40 12. 43 13. 11 13. 24 14. 10 14. 53 15. 13 15. 20 15. 32 16. 10: 16. 18 16. 36 16. 53	30. 40 24. 10 17. 0 13. 40 22. 10 19. 20 22. 40 22. 20 27. 20 29. 5 26. 25 27. 0 (†) 36. 0 39. 55 37. 35 37. 25 32. 55 29. 45 29. 50 29. 50 35. 30 35. 40 34. 35 35. 10 31. 35 31. 35 32. 15 32. 5 30. 10 30. 15 28. 30	9. 8 9. 19 10. 34 10. 43 10. 53 11. 12 11. 25 11. 25 11. 25 11. 36 12. 44 13. 11 14. 12 15. 19 18. 19 18. 55 21. 10 21. 39 22. 11 22. 25 22. 34 23. 41 23. 44 23. 44	1363 1369 1356 1358 1366	18. 14 19. 34 20. 45 21. 55 23. 40 23. 51 23. 59	03696 •03666 •03660 •03626 •03638 •03620				1. 14 1. 43 2. 59 3. 43 4. 26 4. 36 5. 28 6. 41 7. 10 7. 58 8. 28 8. 56 9. 18 9. 26 9. 41 10. 13 112. 22 12. 13 12. 12. 13 12. 22 12. 34 12. 56 13. 28 13. 53 14. 55 15. 28 15. 56 16. 47 17. 41 18. 53 19. 13 19. 28 20. 5 21. 42 22. 36 23. 14	39. 40 37. 55 35. 15 34. 5 32. 50 31. 50 30. 20 31. 35 31. 35 32. 15 32. 40 32. 45 31. 35 32. 15 32. 15 32. 15 32. 15 32. 15 32. 15 32. 15 32. 15 32. 15	13. 14 13. 41 14. 16 14. 57 15. 14 17. 55 19. 19	1355 1366 1364 1371 1370 1371 1376 1372 1378 1374 1377 1374 1378 1375 1367 1369 1367 1368 1366 1366 1365 1365 1347 1356 1355 1359	2. 0 5. 42 8. 57 10. 41 11. 20 17. 24 19. 40 21. 19 22. 26 23. 59	·03645 ·03625 ·03583 ·03577 ·03604 ·03623 ·03637 ·03603 ·03607 ·03588	3. o 9. o 21. o	58 ·8 58 ·2	58 •2

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	o The	rmo- ters.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	mo-
Apr. 9  23. 47  23. 59  Apr. 10  0. 0  14  0. 42  1. 26  5. 10  6. 27  7. 18  10. 9  12. 53  13. 28  15. 34  16. 7  16. 30:  16. 48  17. 4  17. 51  18. 15  18. 15  18. 29  18. 38  18. 44	20. 36. 30 38. 0 38. 25 38. 0 31. 55 31. 40 32. 10 32. 30 31. 45 31. 0 30. 20 30. 20 29. 50 29. 50 29. 50 28. 40 29. 25 28. 40 27. 35	Apr.10 0. 0 0. 32 1. 56 2. 22 4. 9 4. 36 6. 0 6. 18 6. 41 6. 54 7. 50 8. 3 12. 47 13. 12 14. 11 17. 53 18. 14 18. 43 18. 59 19. 53	·1359 ·1364 ·1367 ·1371 ·1374 ·1375 ·1374 ·1377 ·1376 ·1377 ·1376 ·1377 ·1376 ·1376 ·1376 ·1367 ·1368 ·1372 ·1366	Apr.10 0. 0 1. 16 2. 35 4. 51 9. 22 14. 12 17. 19 18. 45 23. 21 23. 59	·03588 ·03600 ·03626 ·03637 ·03616 ·03620 ·03617 ·03620 ·03558 ·03564	Apr.10 1. 0 3. 0 9. 0 21. 0 22. 0 23. 0	59 · 5 59 · 6 58 · 8 58 · 6 59 · 3	www. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Apr. 11 h m 2. 20 2. 29 2. 38 3. 14 3. 26 3. 43 3. 57 4. 55 5. 11		Apr. 11  h m 2. 44 2. 57 3. 12 3. 24 3. 41 3. 56 4. 18 4. 41 4. 55 5. 21 5. 54 6. 20 6. 34 6. 51 7. 20 7. 51 8. 26 9. 20 10. 10 11. 26 11. 26 11. 21 12. 43 13. 19 13. 33	·1367 ·1366 ·1369 ·1367 ·1372 ·1378 ·1365 ·1363 ·1365 ·1367 ·1372 ·1378 ·1380 ·1378	Apr. 11 h m 15. 58 17. 12 18. 20 18. 52 19. 33 19. 52 20. 12 20. 44 21. 29 21. 54 22. 11 22. 11 22. 11 22. 34 23. 26 23. 59	**************************************	h m	o Of	o Of Ma
18. 49 18. 56 18. 59 19. 14 19. 16 19. 20 19. 24 19. 28 19. 42 19. 46 19. 49 19. 55 19. 59 20. 18 20. 27 20. 40 20. 55 21. 6 23. 4 23. 36 23. 41 23. 59  Apr.11 0. 0 0. 41 0. 55 1. 21 1. 28 1. 36 1. 40 1. 59	27. 5 27. 40 27. 0 26. 0	Apr. 11 0. 0 0. 10 0. 10 0. 42 0. 58 1. 21 1. 41 2. 34	·1370 ·1361 ·1359 ·1359 ·1365 ·1365 ·1365 ·1369 ·1369 ·1369 ·1361 ·1367 ·1373	Apr. 1 1 o. o 1. 18 1. 56 4. 34 9. 19 12. 51 13. 42 15. 15		22. 0	59 ·9 59 ·9 59 ·2 59 ·3 58 ·3	60 ·8 60 ·8 60 ·8 60 ·0 58 ·6 58 ·9	14. 10 14. 39 14. 51 14. 59 15. 10 15. 39 15. 54 15. 57 16. 23 18. 10 18. 16 18. 27: 18. 46 18. 51 19. 6 19. 16 19. 19 19. 32 19. 41 19. 56 20. 32 20. 38 20. 43 20. 54 20. 57 21. 26 21. 39	29. 30 28. 45 29. 45 31. 40 32. 55 31. 50 32. 0 28. 35 29. 30 28. 30 28. 20 29. 40 26. 25 27. 35	14. 41 15. 13 16. 9 17. 40 18. 12 18. 34 19. 59 20. 12 20. 45 21. 6 21. 12 22. 12 22. 25 23. 30	1378 1377 1378 1385 1384 1339 1342 1329 1327 1341 1346 1342 1356 1356					

Apr. 13	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. E. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Ther meter.	f mo-
Apr. 12 0. 0   20. 41. 10   0. 0   1351   0. 0   0. 0   03567   1. 0   59 861   1. 0   59 861   1. 0   50 861   1. 0   59 861	1. 47 21. 47 21. 53 22. 4 22. 13 22. 22 22. 33 22. 43 22. 56 23. 12 23. 26 23. 39 23. 51	20. 42. 50 42. 10 43. 0 40. 20 41. 0 38. 40 37. 20 38. 25 40. 30 41. 5	b m		h m		h m	۰	0	21. 40 23. 26 23. 36	20. 29. 25 37. 20 37. 20	14. 12 14. 22 14. 42 17. 9 17. 36 18. 58 20. 41 20. 52 21. 41 23. 11	·1373 ·1369 ·1373 ·1374 ·1371 ·1370 ·1360 ·1363 ·1355 ·1354	h m		h m	٥	o
17. 19	Apr. 12 0. 0 0. 31 1. 9 1. 20 1. 25 1. 41 1. 49 2. 11 2. 20 2. 59 3. 16 4. 7 4. 29 5. 26 6. 11 6. 30 7. 0 8. 8 8. 12 8. 23 8. 27 8. 32 9. 26 9. 34 9. 54 10. 20 11. 53 12. 9 12. 15 12. 26 13. 40 14. 19 14. 20 15. 27 16. 4 17. 19 19. 26 20. 16 20. 40	20. 41. 10 42. 55 40. 40 40. 25 41. 0 39. 40 39. 55 37. 55 38. 15 36. 30 31. 20 31. 40 31. 25 31. 30 31. 30 31. 40 31. 30 31. 40 31. 30 31. 40 31. 30 31. 40 31. 40 31. 30 31. 40 31. 30 31. 40 31. 40 31. 50 31. 40 31. 45 31. 30 31. 40 31. 40 31. 45 31. 50 31. 40 31. 40 31. 40 31. 40 31. 45 31. 50 31. 40 31. 40 30.	0. 36 0. 41 0. 43 1. 22 1. 43 1. 55 2. 18 2. 51 3. 27 3. 55 4. 25 4. 25 6. 10 7. 24 7. 55 8. 27 8. 36 7. 27 8. 36 8. 27 9. 41 10. 27 10.	1356 1361 1366 1368 1373 1366 1370 1368 1370 1368 1377 1377 1377 1378 1378 1378 1378 137	0. 0 0. 44 2. 43 4. 44 8. 41 12. 29 18. 50 21. 6 23. 25	•03540 •03576 •03600 •03584 •03600 •03577 •03562	0. 0 1. 0 2. 0 3. 0 9. 0	58 ·8 59 ·c 58 ·9 59 ·2 58 ·8	59 ·2 59 ·3 59 ·3	0. 0 0. 11 0. 24 0. 28 1. 15 2. 1 3. 11 3. 25 4. 43 4. 58 5. 7 5. 24 7. 53 7. 58 9. 56 12. 46 16. 24 17. 30 17. 46 18. 39 18. 39 19. 55 20. 1 20. 25 20. 34 21. 29 21. 23 22. 13 22. 23 22. 53 23. 21	20. 38. 45 38. 45 39. 30 40. 10 39. 15 37. 30 34. 30 34. 10 32. 30 31. 55 32. 15 32. 15 32. 15 32. 15 32. 15 32. 15 32. 15 32. 15 32. 15 32. 10 31. 25 32. 10 32. 30 32. 30 33. 30 34. 30 35. 50 36. 25 37. 45 37. 45 37	0. 0 0. 21 0. 31 1. 12 2. 44 3. 10 3. 14 4. 50 5. 26 6. 26 6. 43 7. 40 7. 55 8. 26 16. 55 17. 41 18. 24 21. 43 21. 43 21. 43 22. 54 23. 10 23. 10 23. 10 23. 10 24. 25 25 26. 26 27. 40 27. 40 28. 26 29. 26 20. 26 2	1359 1363 1363 1365 1366 1368 1376 1374 1376 1377 1377 1380 1377 1380 1377 1380 1377 1380 1377 1377 1380 1377 1377 1380 1377 1377 1377 1377 1375 1361 1355 1361 1353 1359 1355	0. 0 0. 42 2. 34 3. 16 4. 28 8. 56 11. 49 17. 26 19. 53	.03566 .03580 .03618 .03614 .03635 .03626 .03624 .03582 .03571	1. 0 3. 0 9. 0	59 ·8 59 ·7	60 .8

			1			1		. 1	1			d e D		g e p		D 1	
ne.		ne.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	me.	in bole cted	Greenwich Mean Solar Time.	Read	lings	ne.		ne.	hol bol sete	ne.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read	
Greenwich Mean Solar Time.		Greenwich Mean Solar Time.	orc v wl	Greenwich Mean Solar Time.	rce w s rre	43 E		rmo-	Greenwich Mean Solar Time.	Western	Greenwich Mean Solar Time.	force we return	Greenwich Mean Solar Time.	Force the wh ncorrec	ich Ti	Ther	mo-
wic	Western	ıwi lar	the nco	ıwi	Fo the nco	ıwı olar	met	ers.	ıwi lar	Declina-	awi lar	al F th incc	nwi lar	Fc th ince	nw lar	met	
So	Declina-	So	of of	See	of n	So	E. F.	F. 4.	So	tion.	So	ont s of	So	s of	So	H H	E H
ea G	tion.	es G	arts F. F	Gr ean	arts F.F	6 g G	H.]	Of V.F. Magnet.	G da		S us	arti A. I.	ය ය	Vertical parts o V. F. for Ter	Gean	Of H. F. Magnet.	Of V. F. Magnet.
×		🗏	He gan &	×	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	×	Of H. F. Magnet.	Ma	Ä		Ř	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	K	Þ ar	×	GZ	Öğ
1		Aprila		April	1	Apr.14			Apr 14								
Apr.14	0 1 1/	Apr.14	1	Apr. 14	ž .	l h m	1 ^	. 0	Apr.14	0 1 "	h m		h m		h m	0	۰
	20. 39. 30	0. 0	1362	0. 0	•03525	1. 0	59 4	60 .1		20. 36. 10			1				
0. 23	40. 55	0. 15	·1367 ·1368	2. 22 6. 10	03592	3. o	59.0	59 <b>·</b> 9 59 <b>·</b> 4	23. 59	39. 45	ļ		l		Ī		
o. 27 o. 35	40. 40 42. 20	0. 36	1308	6.43	03620	9. 0	58 .3	59 <b>4</b>	II ——		<u> </u>						
0.45	42. 0	0.40	***	9. 0	.03634			og -	Apr.15		Apr.15		Apr.15		Apr.15		
1.11	42.35	3. 11	•1382	10. 26	03622	l	ļ			20. 39. 45	0. 0	1371	0. 0	•03537		59 .0	59 <b>·</b> o
1.23	41.45	3.56	1375	10.55	.03600	1			0.18	39. 50	0.36	1376	2. 23	.03576	9. 0	59 ·3 58 ·8	00.0
1.32	41.40	4. 1 1	.1368	14. 42	.03597	l			0. 26	40. 20 39. 45	0.41	1372	4. 11 4. 55	·03582 ·03600	21. 0	28 .9	39.8
1.45	40.30	4. 15	1371	19.35	·03577	l			1. 8;	40. 20	1. 56	1379	12.56	.03572	<u> </u>		
2.11	39. 55 38. 50	4. 27 4. 41	1369	22.49	03524				1.26	39. 20	2.22	1382	19.11	.03565	1		
3. 51	35. 0	4.51	1367	23. 59	.03537				3. 42	34.40	2.42	·1380	20. 5	.03548			
4. 6	34. 25	5. 22	1376		ĺ '				4. 3	33.40	2. 54		20. 12	•03553			
4. 39	33.40	5. 33	1374		1	l		į .	4. 18	32.40	3.11	1378	20.34	.03540 .03542	, ·		
	***	6. 11	1382						4. 35 5. 6	32. 0 32. 30	3.50 4.21	1379	21.54	03542			
5. 17 5. 28	31. 45 29. 35	7. 17	1376			1			8. 27	31.30	5. 11	1378	23. 19	.03504			
6. 5	29.40	7.54	1375	İ			1		10. 18	32. 10	5.30	1377	23. 59	.03516		}	
6.34	31.30	8.40	1368			1			10.53	31.55	6. 3	1379					
6. 53	31. 20	8. 47	1368	1		1			11. 9	31.55	6.36	1378				-	
7. 12	31.45	9. 12	•1366						11.45	31.30 32.50	6.51	1380				ļ	
7. 26	30. 45 30. 40	9.34	·1372			l			12. 9	31.10	7. 12	1380	l				
7. 43 7. 53	31. 20	9.47	1374	1					13. 21	3r. 35	8. 12	1375		1			
7. 59	30.50	10. 20	1378			Ì			14. 10	31. 20	11.22	.1380					
8. 9	31. 5	10. 37	1375	l		l			16. 2	29. 20	11.57	1378				İ	
8. 14	30.40	10.40	1379	ŀ	1	l			16. 28	29. 30 28. 50	12.38	1382				ļ	
8. 24	30.40	10.44	1376	ì		l	l	1	16. 40	28.55	14. 6	1376				l	
8. 40 8. 55	29. 10 30. 5	11. 14 13. 6	1378	1			İ		17. 12	28. 5	14. 29	1381	l				
9. 12	29.55	13. 14	1371			İ	İ		17. 28	29.50	15. 53	.1381					
9.36	31. 0	14. 22	·1368	ĺ		i		1 1	17.41	29. 20	16. 20	1379	l			1	
9. 55	29.55	15. 33	1370	1		i			17.58	30. 0	16.55	1382					
10. 7	30. 5 29. 20	16. 43 17. 41	·1369	1			l		18. 21	29. 20 29. 55	17.40	1377	l		1		
10. 12 10. 22		19.51	1364	l				1	18.57	33. 0	17. 55	1372			1		
10.30	31.40		1352	į		ľ	1		19. 16	34.40	18.21	1375			l	1	
10.57		22.42	•1356						19.32	34.35	19. 18	·1361			ŀ	l	
11.10		22.55	·1360	ł		1			19.39	33. 50	19.53	1366	l	1		-	
11.43 11.55	29. 10 30. 0	<b>23.</b> 59	13/1				l		19.54	32.30	20. 21	1374	l		l	l	
12. 11	29.55		<b>(</b>	l		l	l		19.57	32.50	21.23	1357	l ·				
13. 4	32. 0			l		l			20. 8		21.38	1361	ĺ		Ĭ	1	
13. 13	32. 10					i		1 1	20. 23:		21.48	1354	}				
13.39	31. 10		į į			1			20.44	28.45	23. 11	1351	1			Ì	
14. 9 14. 41	31. 10 30. 5						1		21.30		23. 22	1347	1	-			
15. 36	29.40					ł			21.42	29. 15	23.59	1353	l		ł		
16. 9	30. 20					Ì		1 1	21.47	28. 5	]		1		1		
16. 19	30. 10		]			1			22. 22	31. 0	1				1		
16.39	31. 10	l	[			l	1		22. 56	34. 30 35. 5	Į	!	l		1		
17. 13:	29.45 29.30	l				I			23. 11	34. 50	l		,		l		ļ
17. 34	29.30	Į .	1			[			23. 39	37.30	i		1		Ì		
19.17	25. 30	1				l			23.56	39.40	I				1		
19. 26	27.10								23. 59	39.45		į į			1		
20. 27	27. 0					1					]				ļ		
21.20	29. 5	1	1	1		1	1				1				}		
<b></b>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	I	1	11	<u> </u>	1	<u> </u>	1	<u> </u>	<u> </u>	<u>'</u>		

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Ther meters.	f mo-
Apr. 16 0. 0 0. 29 0. 40 0. 51 0. 56 1. 12 1. 23 1. 41 2. 25 3. 7 3. 33 4. 31 5. 9 5. 14 5. 32 5. 56 6. 6 6. 56 7. 28 7. 42 7. 58	20. 39. 45 40. 20 41. 20 41. 20 42. 50 43. 10 42. 35 *** 43. 0 41. 40 38. 50 38. 40 35. 35 35. 10 36. 55 37. 10 29. 55 30. 55 30. 55 32. 0	Apr. 16 0. 0 0. 22 0. 54 1. 65 1. 25 2. 11 2. 26 3. 42 5. 12 6. 11 6. 22 6. 46 7. 19 7. 53 8. 41 9. 41 10. 12 11. 25 11. 25 11. 25 11. 25 11. 25 11. 25	*1353 *1356 *1361 *1361 *1361 *1361 *1373 *1372 *1381 *1376 *1376 *1373 *1373 *1381 *1377 *1379 *1376 *1377 *1379 *1376 *1377	Apr.16 0. 0 1. 16 1. 55 2. 30 4. 10 7. 8 10. 42 14. 14 18. 57 19. 11 22. 56 23. 59	•03516 •03537 •03560 •03573 •03561 •03577 •03563 •03540 •03549 •03484 •03497	Apr. 16	1 1	Apr. 16 h 21. 45 22. 26 22. 44 22. 56 23. 8 23. 12 23. 32 23. 48 23. 59 Apr. 17 0. 0 0. 23 0. 41 0. 56 1. 43 2. 33 2. 56 3. 41 5. 27 5. 40 5. 59	20. 28. 10 32. 20 32. 30 32. 30 33. 50 33. 40 35. 20 35. 30 36. 40  20. 36. 40  20. 36. 45 40. 30 39. 0 38. 45 40. 30 39. 10 38. 20 *** 34. 30 34. 30 33. 5	Apr.17 o. o o. 23 o. 41 o. 56 3. 26 3. 43 4. 12 4. 34 4. 54 5. 11 5. 15	1359 1367 1365 1368 1377 1374 1376 1370 1377 1376	Apr.17 o. o 5. 26 6. 57 10. 6 11. 0 11. 51 12. 8 13. 12 13. 41 13. 57 14. 29	**03497 **03590 **03603 **03610 **03578 **03566 **03553 **03522 **03504 **03512	Apr.17 1. 0 3. 0 9. 0 21. 0 22. 0 23. 0	59 ·8 59 ·6 59 ·8 58 ·4	60 · 3 59 · 8 60 · 0 57 · 7 59 · 6
8. 28 9. 11 9. 28 10. 12 11. 56 12. 27 13. 38 14. 11 14. 25 15. 30 16. 12 16. 30 16. 43 17. 35 17. 46 18. 48 19. 12 19. 25 19. 23 20. 33 20. 54 20. 58 21. 28	31. 10 31. 55 31. 30 30. 55 31. 5 31. 40 30. 20 30. 50 29. 55 30. 30 30. 0 27. 50 29. 10	13. 12 14. 4 15. 36 15. 56 16. 27 17. 58 19. 12 19. 45 20. 22 21. 4 21. 59 22. 57 23. 21 23. 44 23. 59	·1376 ·1373 ·1375 ·1378 ·1368 ·1376 ·1365 ·1366 ·1366 ·1355 ·1358 ·1357 ·1350 ·1356 ·1356 ·1359					6. 29 6. 33 6. 43 6. 52 6. 59 7. 12 7. 46 8. 42 9. 12 9. 14 9. 55 10. 15 10. 25 10. 47 11. 41 11. 49 12. 56 13. 10 13. 33 13. 50 14. 18 14. 18 14. 46 15. 16 15. 16 15. 16 16. 2	28. 15 32. 40 32. 30 20. 40 18. 15 19. 25 18. 55 20. 55 19. 20 18. 55 23. 25 19. 10 21. 25 27. 10 33. 55 35. 45 33. 10	13. 6 13. 18 13. 42 14. 11	1367 1374 1364 1368	14. 49 15. 12 15. 39 16. 11 17. 12 18. 43 20. 24 21. 14 23. 59	**************************************			

Greenwich Mean Solar Timc.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. H. H. H. H. H. H. H. H. H. H. H. H. H.	10-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Apr. 17 h 16. 37 16. 52 16. 59 17. 14 17. 19 17. 28 17. 38 17. 51 18. 12 18. 16 18. 35 19. 12 19. 32 19. 46 20. 13 20. 21 20. 28 20. 53 21. 56 22. 31 22. 39 22. 39 22. 35 23. 55 23. 39 23. 55 23. 59  Apr. 18 0. 39 0. 42 0. 54 1. 28 1. 43 2. 20 2. 41 2. 53 3. 14 3. 32 3. 436 4. 8 5. 43 6. 46 7. 22	20. 28. 20 29. 40 29. 10 29. 20 28. 50 28. 20 27. 40 28. 25 26. 5 26. 45 26. 40 25. 40 25. 45 27. 20 25. 30 27. 10 26. 55 29. 55 31. 15 30. 10 31. 50 35. 10 36. 50 36. 40	Apr. 17 18. 11 20. 19 20. 54 21. 49 22. 22 22. 47 23. 11 23. 43 23. 59  Apr. 18 0. 0 0. 22 0. 56 1. 11 1. 34 2. 12 2. 28 2. 52 3. 40 4. 15 5. 30 6. 10 7. 25 7. 41 7. 57 8. 38 8. 55	*1364 *1359 *1351 *1348 *1345 *1355 *1346 *1351 *1348	10. 57 13. 45 14. 26 16. 8 18. 54 20. 25 22. 26	•03527 •03534 •03638 •03627 •03653 •03656 •03653 •03654 •03651 •03622 •03605 •03577 •03556 •03558	1. 0 3. 0 9. 0 21. 0	59 ·8 6 59 ·8 6 60 ·3 6 59 ·8 5 59 ·6 6	50 ·4 51 ·4 50 ·0 59 ·7 50 ·1	7.46 8.0 8.7 8.13 8.39 8.46 8.58 9.19 9.34 9.56: 10.10 10.26 10.38 11.12 11.31 12.7 12.29 14.45 13.50 14.2 14.58 15.13 16.25 17.24 17.38 17.46 18.13 18.30	20. 25. 40 30. 45. 30. 35. 30. 30. 30. 30. 30. 30. 30. 30. 30. 30	Apr.18  9. 44  9. 56  10. 16  10. 28  11. 26  11. 34  14. 13  14. 13  16. 11  17. 26  18. 22  19. 56  20. 25  21. 25  22. 27  22. 43  23. 26  23. 59	*1364 *1367 *1365 *1369 *1367 *1370 *1370 *1365 *1373	h m		h m	0	0
l				l			<u> </u>		<u>                                     </u>			<u> </u>				1 1	

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	of rmo- ers.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mcan Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Apr. 19 0. 0. 21 0. 27 0. 35 0. 42 0. 2. 38 3. 34 4. 25 2. 38 3. 34 4. 25 5. 25 5. 44 5. 5 5. 5 5. 5 6. 43 7. 13 7. 36 7. 46 7. 56 8. 23 8. 45 8. 53 9. 25 10. 23 11. 53 1	20. 37. 25 38. 30 38. 30 39. 20 39. 10 38. 5 37. 45 36. 55 36. 55 36. 55 36. 25 36. 45 36. 25 36. 25 36. 25 36. 25 36. 25 37. 45 36. 25 36. 25 36. 25 36. 25 36. 25 36. 25 37. 45 39. 20 39. 55 29. 35 29. 55 29. 55	15. 43 16. 11 16. 55 17. 14 17. 28 19. 11 21. 22 22. 11 22. 45	1355 1359 1358 1355 1360 1354 1362 1366 1373 1374 1377 1374 1361 1369 1366 1379	Apr. 19 h	·03558 ·03563 ·03577 ·03646 ·03676 ·03676 ·03660 ·03668 ·03656 ·03610 ·03562 ·03587 ·03617 ·03624 ·03607 ·03580 ·03572 ·03580	1. 0 2. 0 3. 0 9. 0	59°·8 60°·1 60°·1 59°·8	61 ·5 61 ·5 61 ·2 60 ·1	14. 23 14. 27 14. 41 15. 2 15. 29 15. 37 15. 53 16. 18 16. 44 17. 12 17. 21 17. 29 17. 35 17. 45 19. 25 20. 32 20. 43 20. 58 21. 44 22. 0 22. 30 22. 38 23. 59 Apr. 20	20. 27. 40 28. 25 28. 10 29. 10 27. 40 29. 40 20. 30. 55 30. 15 29. 40 30. 55 30. 15 29. 40 29. 55 29. 40 30. 55 30. 25 26. 50 27. 30 28. 40 29. 55 30. 55 31. 10 36. 30 37. 45 38. 36. 30 37. 45 38. 37. 55 37. 45 38. 37. 55 38. 10 36. 30 37. 45 38. 36. 30 37. 45 38. 36. 30 37. 45 38. 36. 30 37. 45 38. 36. 30 37. 45 38. 36. 30 37. 45 38. 10 38. 36. 30 37. 45 38. 10 36. 30 37. 15 38. 10 38. 10 39. 10 30. 15 30. 15	Apr. 20 0. 13 0. 26 1. 52 2. 57 3. 30 2. 55 5. 29 5. 12 6. 40 6. 50 7. 53 8. 25	1350 1348 1346 1363 1363 1363 1366 1367 1364 1367 1366 1373	19.41 23. 4	·03543 ·03541 ·03592 ·03637 ·03636 ·03636 ·03536 ·03536 ·03536 ·03536 ·03536 ·03536 ·03464	Apr.200 1. 0 3. 0 9. 0 21. 0	59 <b>·</b> 9 58 ·6 <b>59 ·2</b>	° 4.99.85555555555555555555555555555555555

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readi Thermoret.	mo.
Apr. 22 h m 6.55 7.12 7.21 7.36 7.54 8.39 9.53 11.12 11.55 12.25 13.38 13.46 14.5 14.5 14.5 14.5	30. 25 30. 20 29. 40 29. 50	Apr. 22  h 6. 3 6. 27 7. 20  8. 14 8. 23 8. 38 8. 50 8. 57 9. 11 9. 50 10. 41 11. 56 11. 11 11. 52 12. 25 12. 41	*1382 *1376 *1386 *** *1388 *1381 *1384 *1385 *1378 *1384 *1375 *1376 *1380 *1377 *1371 *1373	h m		h m	0	0	6. 43 9. 55 10. 24 10. 38 11. 18 11. 39 12. 35 13. 14 16. 23 16. 59 18. 16 18. 29 18. 47 18. 59	20. 30. 5 30. 0 31. 55 31. 55 31. 20 31. 25 30. 55 31. 45 31. 5	Apr. 23  3. 41 6. 19 6. 49 9. 13 11. 44 18. 42 21. 26 22. 22 23. 12 23. 59		Apr.23 6. 41 11. 24 17. 44 23. 59	•03520 •03500 •03480 •03446	Apr.23 h m 21. 0	58.3	<b>58</b> 8
15. 11 15. 23 15. 29 15. 42 15. 53	29. 40 30. 5 29. 45 29. 40 30. 5	14. 44 15. 41 15. 57 17. 40 18. 36	·1370 ·1371 ·1368 ·1369 ·1373		\$ \$ •	•			20. 4 20. 13 20. 21 21. 13 22. 26 23. 59	27. 20 27. 50 27. 20 29. 20 32. 55 35. 25			·				
16. 3 16. 18: 16. 36 17. 28 17. 33 17. 41 17. 47 18. 5 18. 11 18. 19 18. 28 18. 34 18. 42 19. 3 19. 12 19. 23 19. 39 19. 52 20. 6 20. 48 21. 15 21. 39 22. 8	30. 5 29. 25 27. 50 28. 35 27. 10 27. 50 26. 40	19. 5 19. 20 19. 40 20. 12 20. 38 21. 11 22. 29 23. 41 23. 59	•1371 •1361 •1363 •1359 •1357 •1360 •1357 •1362						Apr.24 0. 0 0. 23 0. 39 1. 51 2. 9 3. 29 4. 39 5. 14 5. 52 6. 43 6. 53 7. 38 8. 59 10. 26 11. 0 11. 14 13. 11 13. 41 14. 0 14. 27 14. 56 15. 21 15. 39	20. 35. 25 35. 40 36. 50 34. 45 34. 30 32. 45 31. 10 31. 25 31. 10 31. 25 31. 10 31. 25 31. 10 31. 20 31. 30 31. 20 31. 30 31. 25 30. 25 30. 25 30. 35 30. 15	Apr. 24 0. 0 0. 50 1. 47 2. 16 2. 50 2. 57 3. 56 4. 45 4. 57 5. 49 6. 11 7. 14 7. 25 8. 20 8. 42 8. 59 9. 14 11. 11 11. 18 14. 29 15. 54	1377	Apr.24 o. o 1. 43 2. 17 5. 41 9. 50 15. 25 19. 59 22. 3 23. 59	**************************************		58 ·6 58 ·3 58 ·2 58 ·4	59 ·0 59 ·1 58 ·2 58 ·8 58 ·5
23. 43 23. 53 23. 59	34. 35 35. 40 35. 55								15. 56 16. 10 16. 39	30. 0 29. 55 28. 30 ***	17. 19 21. 14 22. 30 23. 26	1368 1365 1361 1364					
Apr.23 o. o 1. 20 3. 41	20. 35. 55 35. 40 32. 15	Apr.23 o. o o. 46 2. 30	·1362 ·1365 ·1368	Apr.23 0. 0 2.41 5. 8	•03438 •03493 •03523	Apr.23 1. 0 3. 0 9. 0	58 9	59 0	17. 13	28. 40 *** 27. 50 ***	<b>23.</b> 59	1369					,

Greenwich Mean Solar Time.	Western Declina-	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	ers.	Greenwich Mean Solar Time.	Western Declina-	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther met	mo~
Gre Mean 5	tion.	Gr. Mean	Horizo parts H. F.	Gr Mean	Vertical parts of V. F. u for Ten	Gr Mean	Of H. F. Magnet.	Of V. F. Magnet.	Gr	tion.	Gr Mean	Horizo parts H. F. for Te	Gr Mean	Vertic parts V. F. for T	Gr. Mean	Of H. F. Magnet.	Of V. F. Magnet.
Apr.24	° , ", 20. 28. 5 ***	h m		h m		h m	0	0	Apr.25 h m 18.42 18.59	20. 29. 10 28. 40	h m		h m		h m	0	0
18.51 19.26	27. 10 26. 50 ***		,						19. 14 19. 31 19. 56	27. 25 28. 20 28. 10	,		·				
20. 39 21. 32 23. 16	27. 25 29. 5 33. 5	)   							20. 14 20. 33 21. 35	28. 50 28. 10 29. 5							
23. 25 23. 59	33. 10 34. 30	 							21. 43 22. 0 22. 26	29. 50 29. 30 31. 0		-					
Apr.25 o. o 1. 16	20. 34. 30 36. 30	Apr.25 o. o o. 13	·1369	Apr.25 o. o 2.34	·03444 ·03464	Apr.25 o. o 1. o	58 .8	59 ·3 59 ·6	23. 9 23. 28	32. 5 33. 50 34. 30							
1.54 1.59 2.11	36. 25 37. 15 36. 40	1. 0 1. 25 2. 11	1376 1376 1385	2. 43 3. 9 3. 12	•03480 •03470 •03479	2. 0 3. 0 9. 0	58 ·8	59 ·6 59 ·9		· -	Apr.26	•1359	Apr.26	·o3598	Apr. 26	60 .8	62 .2
2. 26 2. 33 2. 57	36. 5 37. 0 36. 0	2. 27 2. 42 3. 9	1381 1388 1382	3. 19 3. 55 5. 24	•03471 •03482 •03505	21. 0 22. 0 23. 0	60 ·8	62 ·0 62 ·2 61 ·8		34.30 35.20 35.40	0. 24 0. 41 1. 11	·1363 ·1367 ·1366	2. 57 6. 42 7. 6	.03615 .03647 .03630	1. o 3. o	60 ·4 60 ·5 60 ·4	62 °C
3. 3 3. 10 3. 25	36. 20 35. 0 34. 30	3. 22 3. 36 3. 51	1374 1370 1371	5. 28 5. 45	.03490 .03516 .03514	20,			0. 36 1. I 1. 24	36. 55 36. 30 36. 45	2. 42 3. 6 3. 26	1371 1368 1373	7. 24 8. 29 9. 20	•03644 •03646 •03634	21. 0	59 .6	60 •
3. 43 3. 55	34. 45 35. 30 34. 5	4. 5 4. 24 4. 35	1377 1375 1379	12. 53 13. 18 14. 8	°03566 °03563 °03580				2. 15 3. 25 3. 34	35. 35 33. 40 32. 55	4. 24 5. 41 6. 11	1370	10.38 12.40 13.18	•03634 •03571 •03580			
4. 18 4. 26 4. 39	34. 30 34. 0 35. 40	4. 55 5. 14 5. 25	·1368 ·1377	16.41	•03617 •03625 •03598				3. 51 4. 53 5. 0	33. o 31. 55 32. 10	6. 25 6. 37 6. 42	1384	16.41 19.41 23.59	•o3599 •o3596 •o3547			
5. 13 5. 24 5. 26	34. 15 34. 30 ***	5. 42 5. 56	1379 1374 1367	23. 59	03398				5. 36 5. 54 6. 39	31. 30 30. 20 30. 40	6. 58 7. 26 8. 0	1372 1382 1369	20.09	00047			
5. 5 <sub>4</sub> 6. 4	31.40 32.25	6. 27 7. 32 8. 14	·1377 ·1380						7. 12 7. 26	32. 20 30. 45	9. 20 9. 24	·1377 ·1372 ·1374					
6. 9 6. 17 6. 28	32. 10 32. 40 32. 20		1371 1374 1372						7. 43 8. 6: 8. 26	31.45	9. 41 9. 57 10. 26	·1369 ·1374					
6. 38 6. 50 7. 43	32. 40 31. 40 32. 0	13. 11	·1366 ·1373 ·1364						8. 43 8. 57 9. 29	31. 15 29. 35 28. 40	11.11 11.24	1372 1379 1381					
8. 17 10. 23 10. 54	31. o 31. 30 30. 55	17. 11 19. 29	1362 1364 1364	; ; ;					9. 36 9. 58 10. 23	29.50 31.0		1377 1399 1374					
12.28 12.40 12.49	31. 0 32. 45 32. 40	<b>22.</b> 9	1353 1351 1356						10.44	30. 40 31. 15 30. 20	13. 41 14. 12	·1368 ·1371 ·1366					
12.53 13.15 13.28	30.50		·1354 ·1359						11.17 11.32 11.42		19.36 20.25	1368 1363 1356					
13.51 14.39 15.42	30. 0 30. 10 29. 30								12. 0 12. 18 12. 29			1355 1358 1366					
17. 34 17. 38 17. 45	29. 10 28. 30 28. 25								12. 48 13. 9 13. 27	24. 50 24. 35 26. 50	-	İ					!
17. 53 17. 58 18. 21	28. 55 28. 20 28. 30								14. 54 15. 45 16. 8	29. 25 28. 45 29. 10							
10. 21	20.00									-33	<u> </u>			<u> </u>	<u> </u>		

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	of of ters. Wagnet.
17. 0 18. 22 18. 26 18. 30 18. 39 19. 6 19. 31 20. 2 21. 57 23. 41 23. 48 23. 59 Apr.27	28. 5 27. 30 26. 55 27. 25 27. 55 26. 50 27. 55 31. 30 37. 15 36. 50 37. 35	Apr.27		h m	25	Apr.27		0	6. 58 7. 13 7. 41 8. 19 8. 25 10. 3 10. 30 11. 24 13. 16 14. 23 15. 17 15. 39	20. 31. 5 30. 30 31. 10 30. 20 31. 15 31. 0 31. 15 30. 55 31. 30 31. 20 30. 35 30. 45 30. 0 31. 0	Apr. 28 h m 15. 33 16. 26 17. 20 19. 20 22. 12 23. 59		Apr.28 m 23. 59	·03453	h m	0	0
0. 55 1. 21 1. 27 1. 43 2. 16 2. 26 2. 38 2. 41 2. 56 3. 8 3. 11 3. 26 5. 42 6. 13 6. 52 7. 3	20. 37. 35 38. 10 36. 15 36. 45 36. 10 35. 0 35. 30 35. 30 35. 55 35. 30 36. 5 35. 0 31. 55 32. 0 30. 40 30. 40	0. 0 0. 59 1. 12 1. 26 2. 12 2. 25 3. 8 3. 12 3. 33 5. 11 5. 36 5. 55 6. 22 9. 11 15. 3 17. 40	1367 1372 1378 1360 1376 1374 1378 1371 1372 1370	0. 0 6. 40 14. 26 23. 43 23. 59	·03547 ·03640 ·03629 (†) ·03548 ·03552	3. o 9. o	60 .8	61 ·3 61 ·8 61 ·6 60 ·9	19. 26 20. 10 20. 56 22. 14 22. 56 23. 8 23. 59 Apr.29 0. 0 1. 9 1. 17 1. 29 1. 43	20. 35. 5 36. 0 35. 40 36. 10 35. 20	Apr.29 o. o o. 50 i. 14 i. 29 i. 47		Apr.29 o. o 1.51 4.45 10.53 13.42	·03453 ·03456 ·03480 ·03477 ·03459	9. 0 19.30	57 9	58 °0 57 °1
7. 22 7. 54 8. 15 8. 38 10. 30 13. 27 16. 6 18. 9 18. 23 19. 19 19. 30 19. 51 20. 30 22. 23 23. 46 23. 59	29. 50 30. 10 29. 55 30. 20 31. 15 30. 45 30. 5 28. 20 28. 35 27. 50 27. 30 27. 20 29. 40 33. 30 33. 45	21. 0 23. 59	·1361* ·1362						2. 11 3. 26 4. 29 6. 13 6. 46 7. 21 7. 41 8. 25 8. 59 9. 30 10. 13 11. 58 12. 9	30. 20 30. 25 30. 0 30. 55 30. 5	12. 3 12. 12 12. 20 12. 33 13. 4	·1372 ·1376	13. 46 13. 55 14. 24 15. 20 19. 41 23. 59	·03464 ·03467 ·03438 ·03443 ·03424 ·03367			
Apr. 28 o. o o. 58 1. 27 2. 49 4. 9 5. 29 6. 39	20. 33. 45 34. 45 34. 25 (†) 33. 10 32. 30 31. 15 30. 55	Apr.28 o. o 1. 4 1. 25 2. 54 6. o 9. 11 13. 6	1370	Apr. 28 o. o 1. 21 3. 12 5. 55 9. 34 13. 39 20. 23 23. 26	·03552 ·03583 ·03590 ·03636 ·03623 ·03587 ·03526 ·03456	g. 0	60 °2 60 °1	61 .8	13.41	29.45	15. 20: 16. 22 17. 24 17. 51 18. 41 19. 55 21. 11	·1368 ·1372 ·1371 ·1376 ·1369 *** ·1372 ·1363 ·1365					

For the Horizontal and Vertical Forces, increasing readings denote increasing forces.

April 27. The Horizontal Force trace was lost after 17<sup>h</sup>. 40<sup>m</sup>, and the Vertical Force trace after 14<sup>h</sup>. 26<sup>m</sup>, owing to a failure of gas.

Greenwich Mean Solar Time.  tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Ther met.	of mo-
Apr. 29 15. 24 15. 24 15. 42 16. 12 16. 58 17. 8 17. 18 17. 32 16. 5. 18. I 18. I 18. 42 19. 13 19. 20 19. 34 19. 53 20. 8 20. 12 21. 30 27. 24 21. 30 27. 24 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 27. 34 28. 11 29. 34 29. 31 20. 8 20. 12 21. 30 21. 30 22. 22 23. 9 31. 5 **** 23. 51 33.	23. 12 23. 43 23. 59	•1361 •1364 •1370 •1376	h m		h m	0	0	Apr. 30 h m 11. 23 11. 44 12. 45 12. 58: 13. 9 13. 39 13. 53 14. 14 14. 56 15. 6 15. 12 15. 35 16. 8 16. 36 16. 50 16. 56 18. 6 18. 16 18. 25 18. 32	20. 28. 5 27. 25 29. 5 30. 20 29. 40 31. 50 29. 50 29. 20 30. 0 28. 0 28. 20 26. 55 29. 0 28. 20 28. 25 *** 28. 30. 27. 45 28. 10 27. 40 ***	Apr.30 h m 12. 43 13. 8 13. 24 14. 5 15. 9 15. 12 15. 26 15. 43 16. 12 19. 36 21. 5 21. 14 22. 31 23. 59	·1370 ·1370 ·1363 ·1369 ·1364 ·1363 ·1363 ·1356 ·1358 ·1354 ·1360	h m		h m	0	
Apr.30 0. 0 20. 34. 2 0. 23 35. 4 0. 53 35. 4 0. 56 35. 1 1. 20 36. 4 1. 26 36. 5 1. 58 36. 5	Apr.3c o. o. o o. 25 i. 4 i. 19 i. 31 i. 2. 6 o. 2. 26	1376 1380 1372 1377 1375 1379	Apr.30 0. 0 0. 38 2. 11 2. 22 3. 12 3. 43 5. 46	.03367 .03370 .03414 .03403 .03417 .03420 .03478	9. 0	58 ·2	58 · 1 59 · 8 59 · 4	19. 50 20. 51 21. 25 22. 18 22. 32 22. 42 22. 51 22. 56 23. 53 23. 59	27. 40 28. 40 29. 5 30. 40 31. 50 31. 35 32. 10 32. 5 34. 30 34. 30				•			
2. 14 35. 2 2. 21 35. 2 2. 44 2. 57 3. 9 35. 4 2. 57 3. 9 34. 2 4. 20 33. 5 4. 53 34. 2 4. 53 34. 3 6. 6 22 27. 3 6. 29 28. 5 6. 41 28. 3 7. 0 29. 26 7. 15 29. 16 7. 28 30. 4 9. 11 9. 26 9. 43 9. 11 9. 26 9. 43 29. 43 10. 26 28. 2 10. 44 28. 4 11. 7 27	5. 2. 54 3. 10 3. 29 3. 41 3. 58 4. 15 5. 19 5. 28 5. 54 6. 36 6. 36 6. 43 6. 50 7. 41 9. 54 10. 40 11. 13 11. 28	1366	5. 55 6. 25 10. 0 13. 41 14. 19 16. 41 20. 13 22. 57 23. 59	**o3472**o3497**o3500**o3487**o3479**o3440**o3440**				May 1 0. 0 0. 45 1. 21 1. 33 2. 26 3. 30 3. 43 4. 54 5. 12 5. 30 6. 0 6. 27 6. 38 6. 44 7. 0 7. 16 7. 33 7. 40 7. 45 7. 56 8. 7 8. 30 8. 56	20. 34. 30 34. 55 35. 25 36. 50 35. 55 36. 10 37. 0 31. 20 26. 10 32. 35 33. 25 31. 50 32. 30 32. 30 32. 30 32. 30 32. 30 32. 30 32. 30 32. 35 31. 15 31. 15 31. 30 32. 45 26. 30	May 1 0. 0 0. 26 0. 51 1. 10 1. 15 1. 40 1. 58 2. 33 3. 26 3. 47 4. 56 5. 12 5. 28 5. 38 5. 54 6. 12 6. 42 7. 12 7. 42 8. 0 8. 19	*1360 *1365 *1367 *1374 *1372 *1378 *1373 *1371 *1376 *1376 *1380 *1362 *1374 *1386 *1376 *1378 *1357 *1368 *1376 *1376 *1376	0. 40 4. 55 5. 12 5. 41 6. 45 8. 15 8. 55 10. 56 11. 57 12. 26 14. 15 16. 56 19. 23 21. 28 21. 43	•03545	3. 0 9. 0 21. 0	58 ·5 57 ·8 57 ·8	59 °0 59 °0 58 °0

Greenwich Mean Solar Time.	Western Declina-	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	mo-
0. 10 0. 45	27. 20 27. 20 27. 55 26. 30 27. 10 26. 50 *** 26. 0 26. 45 27. 45 27. 20 29. 20 30. 10 *** 31. 55 35. 20 36. 5 35. 0 35. 0	May 1 1 8. 41 8. 56 9. 20 9. 40 10. 12 10. 50 11. 12 11. 12 11. 12 11. 12 11. 12 11. 14 12. 14 12. 14 12. 14 16. 12 11. 15. 54 16. 12 11. 55 17. 17 17. 42 18. 10 19. 35 20. 54 21. 55 22. 40 23. 14 23. 25 23. 59 20. 0. 0. 22 0. 55 20.	*1362 *1365 *1359 *1363 *1359 *1363 *1364 *1370 *1363 *1366 *1366 *1366 *1367 *1364 *1365 *1367 *1364 *1365 *1367 *1364 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1365 *1366	May 2 0. 0 0. 39 2. 8	·03403 ·03404 ·03437	1. o 3. o	57° 7 58° 3	57. 2 59. 0 59. 0	7.53 8.11 8.28 8.47 9.14 9.39 9.51 10.8 10.19 10.33 10.55 11.48 11.56 12.49 13.7 14.43: 15.12 16.15 16.25 16.53 17.15 17.34 18.36 19.13 19.32 20.13 20.13 20.13 21.18 21.27	20. 28. 25 27. 45 28. 25 28. 25 28. 25 28. 25 28. 20 29. 30 30. 10 29. 45 29. 30 31. 35 32. 55 27. 55 27. 55 27. 55 27. 55 27. 55 27. 20 28. 25 27. 20 27. 20 27. 20 28. 20 29. 20 29. 20 20	20. 45 21. 24 22. 6	1374 1377 1374 1370 1374 1373 1366 1368 1370 1364 1367 1374 1375 1375 1375 1380 1380 1380 1376 1378 1376 1378 1376 1378 1376 1378 1379 1378 1379 1376 1379 1376 1379 1376 1379 1376 1379 1376 1379 1376 1379 1376 1379 1376 1379 1376 1379 1376 1379 1376 1379 1378 1376 1379 1376 1379 1378 1376 1379 1376 1379 1376 1379 1378 1379 1378 1379 1376 1379 1378 1379 1379 1379 1379 1379 1379 1379 1379	May 2 10. 40 23. 59	·03437 ·03486	h m	·	
0. 49 1. 26 1. 57 2. 11 2. 45 2. 53 3. 26 4. 10 4. 49 5. 19 5. 52 6. 20 7. 22 7. 30	38. 35 39. 40 37. 50 37. 10 37. 40 35. 0 35. 10 34. 20 33. 40 33. 5 31. 30 29. 25 29. 45	1. 12 1. 29 1. 57 2. 15 2. 41 2. 56 3. 12 3. 29 4. 55 5. 21 5. 50 6. 11 6. 25 6. 40	1372 1364 1367 1374 1375 1371 1378 1376 1382 1373 1380 1375 1370	2. 41 5. 34 6. 4 8. 54 10. 25 10. 56 11. 11 11. 42 11. 55 12. 36 13. 25	•03437 •03500 •03497	9. 0 21. 0 22. 0	58· 9	60· 5 59· 3 59· 1 59· 6	21. 38 21. 47 22. 9 22. 12 22. 20 22. 26 22. 39 22. 53 22. 57 23. 21 23. 30 23. 47 23. 55 23. 59	29. 20 29. 40 33. 0 33. 10 34. 50 34. 50 33. 25 33. 0	22. 20 22. 24 22. 4,I 23. 12 23. 13 23. 38	·1351 ·1354 ·1344 ·1350 ·1356 ·1369 ·1354 ·1356 ·1352					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Wagnet. F. G. G. G. G. G. G. G. G. G. G. G. G. G.	no-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. urcorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Then met	ers.
May 3 m 0. 23 m 0. 23 m 0. 23 m 0. 23 m 0. 24 m 0. 25 m 0. 25 m 1. 46 m 2. 23 m 2. 48 m 2. 58 m 2. 54 m 2. 55 m 2. 48 m 2. 55 m 2. 40 m 2. 55	20. 38. 10 40. 55 40. 55 40. 10 38. 35 39. 5 38. 40 39. 35 39. 15 38. 25 39. 10 38. 45 38. 35 39. 10 38. 45 39. 10 38. 45 39. 10 29. 40 20. 10 25. 25 26. 50 26. 50 25. 25 26. 50 27. 5 26. 15	May 3 n 0 5 10 18 2 1 1 1 2 2 3 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1352 1348 1351 1349 1350 1345 1356 1356 1367 1366 1375 1375 1375 1372 1382 1373 1374 1373 1374 1373 1379 1367 1368 1366 1379 1368 1379 1382 1378 1378 1378 1378 1378	May 3 h 0. 34 2. 54 3. 14 3. 37 4. 26 5. 11 5. 30 6. 14 8. 13 9. 0 10. 40 11. 51 13. 42 14. 27 15. 34 17. 56 18. 42 18. 55 23. 59	·03486 ·03512 ·03525 ·03526 ·03540 ·03548 ·03557 ·03554 ·03563 ·03563 ·03563 ·03543 ·03510 ·03472 ·03478 ·03452 ·03456 ·03450 ·03459 ·03418	May 3	59 · 5 6 59 · 5 5 59 · 5 5	9 '7	15. 53 15. 58	20. 25. 50 27. 5 26. 30 27. 25 26. 30 26. 25 27. 50 25. 25 24. 10 25. 25 28. 50 28. 50 29. 25 29. 45 30. 10 28. 50 29. 25 29. 25 29. 10 28. 40 29. 10 30. 10 28. 40 30. 10 29. 10 30. 10 29. 10 30. 10 30. 15 31. 20 33. 55 33. 55 34. 55	May 3 h 18. 15 18. 41 18. 59 19. 51 21. 12 21. 37 22. 40 22. 45 22. 56 23. 11 23. 36 23. 54 23. 59	·1356 ·1351 ·1356 ·1362 *** ·1356 ·1356 ·1356 ·1356 ·1357 ·1366 ·1357 ·1358	h m		h m	O	•
9. 32 9. 50 10. 9 10. 34 10. 42 10. 58 11. 10 11. 38: 11. 51 12. 13 12. 43 12. 53 13. 8: 13. 20 13. 26 13. 38 14. 7: 14. 36 14. 45 14. 48 15. 4	25. 10 22. 0 25. 45 26. 25 26. 0 24. 35 27. 45 25. 20 26. 15 26. 40 27. 10 21. 45 21. 10 23. 5 24. 20 28. 5 29. 0 25. 25 25. 30	9. 16 9. 42 10. 19 10. 53 11. 12 11. 26 11. 54 12. 12 12. 21 12. 57 13. 18	1369 1372 1356 1365 1363 1370 1361 1364 1362 1372 1383 1380 1388 1388 1381 1368 1374 1364 1369 1364 1368 1368						May 4	2c. 34. 55 35. 10 34. 40 35. 35 36. 10 36. 25 35. 20 34. 10 34. 50 33. 35 33. 30 31. 20 31. 40 30. 40 31. 0 33. 5 33. 30	May 4 0. 0 0. 24 0. 58 1. 31 1. 43 1. 56 2. 12 2. 27 3. 20 3. 31 3. 43 4. 9 4. 39 4. 43 5. 22 6. 11 6. 34 6. 43 7. 9	1358 1364 1366 1368 1375 1378 1369 1367 1367 1367 1367 1375 1372 1381 1380 1373	May 4 0. 0 0. 52 1. 55 2. 8 5. 12 7. 0 7. 10 7. 23 7. 41 8. 19 9. 57 10. 14 10. 43 13. 19 13. 58 14. 40 14. 54 15. 13	·03418 ·03438 ·03464 ·03460 ·03523 ·03545 ·03547 ·03534 ·03538 ·03516 ·03532 ·03500 ·03500 ·03460 ·03442 ·03425 ·03440	3. o 9. o	59 ·1 59 ·4 59 ·4 57 ·5	60 · 6 60 · 5 59 · 1

Greenwich Mean Solar Time.	Western Declina-	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F.	ters.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	no-
May 4  8. 32  8. 36  9. 35  9. 44  10. 25  11. 32  12. 30  12. 30  13. 12  13. 39  14. 35  14. 52  15. 46  16. 14  16. 26  16. 39  16. 39  17. 44  17. 59  18. 14  17. 59  18. 14  18. 36  18. 36  19. 11  19. 14  19. 17  19. 28  19. 14  19. 17  19. 28  20. 46  20. 58  21. 24  22. 14  22. 34  22. 42  23. 66	20. 29. 5 30. 5 29. 40 29. 50 27. 20 28. 5 26. 15 19. 15 22. 30 26. 20 28. 55 29. 15 28. 30 29. 10 37. 10 30. 55 28. 10 27. 20 28. 55 31. 40 24. 20 24. 20 24. 20 24. 20 24. 20 24. 20 24. 20 25. 15 24. 25 24. 45 24. 10 25. 50 27. 10	May 4 h 7.20 8. 11 8. 20 8. 43 9. 55 10. 20 10. 45 10. 59 12. 41 13. 12 13. 44 14. 12 14. 43 15. 30 16. 12 16. 25 16. 25 16. 45 17. 51 18. 39 19. 56 22. 40 22. 51 23. 42 23. 59	1385 1373 1376 1372 1374 1375	May 4 15. 38 16. 18 17. 41 18. 13 18. 22 21. 26 23. 59	.03421 .03440 .03456 .03442 .03444 .03458 .03422	b m	0	•	0. 59	28. 40 31. 15 28. 45	14. 42 15. 12 15. 54 16. 43 19. 13 19. 38 21. 22 23. 10 23. 59 May 6 0. 0 1. 6	1361 1358 1360 1358 1365 1361 1364 1373 1371 1365 1370 1378 1374 1376 1378 1378 1378 1378 1378 1378 1378 1378	May 5 h 0. 0 2. 4 2. 40 2. 56 5. 52 9. 26 10. 12 10. 40 14. 39 18. 15 20. 40 23. 59	.03422 .03480 .03483 .03508 .03535 .03552 .03562 .03562 .03564 .03521	8. o	60 · 2 6	61 ·3 61 ·6
23. 38 23. 59	33. 5								2. 3 2. 23 2. 28	33. o 33. 4c 33. o	1.56 2.20 2.32	•1369 •1373 •1369	4. 26 6. 43 14. 25	•03576 •03580 •03560	21. 0	58 -8	60 ·8

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of II. F. Magnet.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	
May 6  4. 39  7. 16  7. 28  7. 59  8. 43  9. 10  9. 33  9. 54  10. 10  10. 29  10. 41  10. 53  11. 38  11. 42  12. 24  13. 39  14. 16  14. 46  15. 26  15. 54  16. 10  16. 39  17. 9  18. 0  18. 11  18. 15  18. 25  18. 45	20. 33. 15 31. 50 32. 5 31. 40 31. 55 31. 15 30. 0 29. 50 29. 50 29. 50 29. 55 30. 35 31. 5 29. 55 29. 55 29. 55 29. 55 29. 50 31. 50 27. 50 27. 50 28. 25 29. 40 29. 30 28. 30 28. 30 28. 35 29. 50	May 6  3. 20  4. 11  4. 49  5. 27  8. 10  9. 20  9. 56  10. 12  10. 41  11. 26  11. 57  12. 14  12. 39  12. 56  13. 41  14. 20  15. 11  15. 55  19. 12  20. 24  22. 26  23. 44  23. 59	*1374 *1369 *1371 *1378 *1376 *1378 *1375 *1377 *1374 *1376 *1377 *1374 *1375 *1367 *1376 *1363 *1376 *1376 *1376 *1376 *1376 *1376 *1376 *1376 *1376	May 6 15. 22 16. 28 18. 16 21. 10 23. 59	.03542 .03553 .03528 .03520 .03492	· h m	0	0	May 7 6. 38 6. 53 7. 9 7. 19 7. 26 7. 36 8. 0 8. 53 9. 4 9. 58 10. 18 11. 10 13. 43 15. 13 15. 28 16. 44 17. 45 18. 20 18. 27 18. 32 19. 40 20. 41 20. 54 21. 13 22. 8 22. 21 22. 26 22. 38 23. 4 23. 59	29.50 29.0 29.0 27.40 27.40	May 7 5. 57 6. 13 6. 30 6. 43 7. 13 7. 42 8. 22 8. 43 9. 3 10. 11 10. 26 11. 10 18. 35 20. 31 21. 10 22. 7 22. 21 22. 40 23. 59	·1383 ·1384 ·1380 ·1382 ·1376 ·1375 ·1374 ·1375 ·1372 ·1375 ·1372 ·1375 ·1372 ·1375 ·1372 ·1375 ·1372 ·1375 ·1372	h m		h m	٥	0
18. 45 18. 53 19. 16 20. 8 20. 19 21. 6 21. 39 22. 21 23. 5 23. 59  May 7 0. 0 0. 20 0. 46 1. 9 1. 27 1. 55 2. 7 2. 36 2. 41 3. 0 3. 41 5. 28 5. 54 6. 23	27. 40 27. 40 28. 30 29. 45 30. 35 31. 0 32. 5 32. 20 33. 20 33. 20	May 7 0. 0 1. 20 1. 27 1. 55 2. 12 2. 40 2. 52 3. 4 3. 39 3. 49 5. 12 5. 20 5. 39 5. 43	·1376 ·1373 ·1370 ·1378 ·1370 ·1377 ·1370 ·1372 ·1363 ·1368	May 7 0. 0 0. 18 1. 58 5. 30 8. 51 9. 43 10. 10 12. 59 17. 12 22. 27 23. 59	•03492 •03493 •03538	<i>3</i> . o	59 ·6 58 ·4	60 · 5 58 · 0	0. 54 1. 33 2. 16 3. 34 6. 54 8. 33 9. 24 10. 24 10. 42 11. 5 12. 53 13. 24 13. 45	29. 50 29. 5 29. 10 30. 40 29. 30 29. 10 29. 40 28. 55	May 8 0. 0 0. 23 1. 11 1. 35 2. 8 2. 56 3. 41 4. 11 4. 59 5. 26 5. 43 7. 7 9. 13 10. 46 12. 13 14. 56 14. 56 14. 56 14. 56 14. 56 14. 52 16. 20 16. 54 21. 25 21. 44 23. 11 23. 48	1370 1371 1371 1369 1374 1378 1378 1380 1380 1380 1377 1376	13. 19	•03525	9. 0 21. 0	57 .6	60 •9 60 •6 59 •7 59 •0

Greenwich Mean Solar Tirae,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Magnet. H. H. Magnet. Magnet. H. M. M. M. M. M. M. M. M. M. M. M. M. M.	10-
May 8 16. 40 16. 55 17. 45 17. 58 18. 6 18. 9 18. 28 19. 33 20. 14 22. 51 23. 59	20. 28. 0 26. 55 26. 30 27. 0 26. 20 27. 10 26. 40 26. 40 26. 55 32. 40 34. 15	May 8 m 23.59	-1373	h m		h m	0	0	May 10 h m O. 0 O. 6 O. 24 O. 39 O. 54 I. 13 I. 28 I. 40 2. 14 2. 23 2. 29	20. 33. 40 34. 20 35. 20 35. 30 34. 20 34. 30 36. 0 34. 50 35. 5 34. 50 36. 35 ***	May 10  n 0. 0  0. 40  0. 56  1. 14  1. 33  1. 43  2. 24  2. 30  2. 58  3. 27  3. 35  3. 41	·1376 ·1381 ·1373 ·1371 ·1379 ·1373 ·1390 ·1363 ·1378 ·1380 ·1373	May 10 h m O. O O. 58 2. 27 2. 39 2. 57 3. 38 3. 50 4. 11 6. 38 9. 6	·03403 ·03410 ·03456 ·03476 *** ·03455 *** ·03477 ·03463 ·03480 ·03505 ·03506	May 10  h m  o. o  1. o  3. o  9. o  21. o	58 ·3 6 58 ·7 6 58 ·7 5 56 ·9 5 58 ·1 6	0 ·6 9 ·7 9 ·2
0.39 0.56 1.14 1.54 3.16 4.31 6.16 6.42 7.15 8.30 9.26 11.25 11.42 12.54 13.51 14.39 15.38 16.47 17.11	300 30. 10 29. 40 29. 50 29. 10 28. 55 28. 0 27. 40 26. 20	14. 25 14. 39 14. 57 15. 50 17. 44 18. 54 20. 9 20. 55	·1381 ·1378 ·1381	May 9 0. 0 0. 39 4. 10 9. 11 10. 3 13. 6 19. 48 21. 42 23. 10 23. 59	·03457 ·03464 ·03535 ·03560 ·03524 ·03503 ·03437 ·03392 ·03403	1. 0 2. 0 3. 0 9. 0	59 ·1 59 ·2 59 ·4 58 ·9 57 ·4 58 ·c	59 °9 60 °2 60 °3 60 °8 59 °7 59 °5 59 °9	2. 56 3. 21 3. 38 3. 43 5. 55 6. 23 7. 0 7. 41 8. 42 8. 53 9. 49 10. 40 14. 33 14. 42 15. 14 15. 27 15. 50 16. 10 16. 57 17. 23 17. 36 18. 3 18. 10 19. 28 20. 9 20. 41 21. 28 23. 15 23. 46 23. 59	26. 45 27. 20 28. 30	3. 45 4. 12 4. 17 4. 26 4. 34 4. 54 5. 12 5. 12 5. 14 6. 41 7. 20 7. 53 8. 515 9. 42 10. 12 12. 15 11. 20 11. 20 12. 15 13. 46 23. 59	*1362 *1377 *1375 *1380 *1374 *1375 *1380 *1376 *1382 *1384 *1383 *1388 *1385 *1382 *1385 *1383 *1383 *1383 *1383 *1383 *1383 *1383 *1383 *1383 *1376 *1376 *1376	10. 4 13. 18 17. 4 21. 23 23. 59	°03477 °03480 °03476 °03443 °03440			•
17. 41 17. 57 18. 8 20. 38 21. 6 21. 30 21. 43 22. 58 23. 26 23. 56 23. 59	26. 20 25. 30 *** 25. 30 26. 40 28. 40	21. 12 21. 40 21. 54 21. 57 22. 26 22. 54 23. 12 23. 22 23. 43 23. 59	1378 1378 1379 1372 1372 1376 1368 1374 1376						May 11 0. 0 0. 9 0. 39 0. 54 1. 23 2. 15 2. 24 2. 41 2. 51 3. 56 4. 58 6. 4	20. 35. 55 35. 50 36. 50 35. 55 36. 10 34. 20 34. 50 34. 20 34. 30 32. 25 31. 0	May II o. o o. 14 o. 29 o. 59 I. 20 I. 41 I. 54 2. o 2. 22 2. 35 2. 43 2. 58	·1376 ·1376 ·1379 ·1372 ·1373 ·1371 ·1373 ·1370 ·1369 ·1374 ·1372 ·1378	May 11 0. 0 2. 56 6. 41 9. 26 10. 30 15. 3 16. 36 17. 40 21. 27 23. 59	.03440 .03497 .03518 .03534 .03477	3. o	58 ·8 6 59 ·0 6 59 ·4 6 58 ·3 5	50 °4 61 °3 59 °7

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	(	Of V.F. Magnet.
May 11  8. 39 12. 15 12. 27 13. 14 13. 37 13. 50 14. 26 14. 33 14. 54 15. 10 15. 23 15. 58 16. 21 16. 50 16. 57 17. 6 17. 14 17. 46 18. 39 18. 45 19. 4 19. 52 20. 10 21. 37  22. 13 22. 22 23. 10 23. 41 23. 59	20. 30. 55 30. 45 31. 10 **** 30. 20 30. 55 30. 25 30. 50 30. 50 30. 50 30. 30 29. 40 27. 0 26. 45 27. 10 26. 35 26. 40 25. 55 24. 20 26. 30 29. 10 **** 31. 55 31. 50 34. 20 36. 50 37. 45	May 111 h m 3. 14 3. 45 4. 19 4. 25 5. 11 5. 18 6. 15 6. 27 9. 41 10. 9 10. 18 10. 51 10. 56 12. 41 13. 12 13. 40 14. 55 16. 25 17. 24 18. 27 19. 28 22. 19 22. 26 22. 45 23. 4 23. 12 23. 40 23. 49 23. 59	*1377 *1375 *1380 *1377 *1380 *1380 *1383 *1380 *1383 *1377 *1374 *1377 *1374 *1377 *1374 *1377 *1376 *1376 *1376 *1376 *1376 *1366 *1369 *1369 *1367 *1378 *1378 *1378	h m		h m	0	0	May 12 h	20. 15. 40 16. 55 25. 40 21. 20 23. 20 21. 40 22. 55 24. 30 24. 10 18. 30 17. 50 18. 50 23. 30 24. 40 28. 25 27. 30 24. 25 27. 30 23. 20 23. 25 20. 10 19. 20 29. 10 28. 30 30. 20 29. 10 21. 40 22. 55 23. 20 23. 25 20. 10 20. 20 21. 20 22. 20 23. 20 23. 25 20. 10 21. 20 22. 20 23. 25 20. 10 21. 20 22. 20 23. 20 24. 20 25. 30 26. 30 27. 30 27. 30 28. 30 29. 10 29. 10 20. 20 20. 20 21. 20 21. 20 22. 20 23. 20 24. 30 25. 30 26. 30 27. 30 27. 30 28. 30 29. 10 29. 10 20. 20 20. 20 21. 20 22. 20 23. 20 24. 35 25. 30 26. 10 27. 30 29. 10 20. 20 20.  May 12 h 8. 11 8. 28 8. 40 9. 25 9. 41 9. 54 10. 56 11. 44 12. 5 12. 27 12. 50 13. 14 13. 35 13. 43 13. 57 14. 12 15. 43 16. 12 17. 44 17. 42 18. 6 18. 14 19. 17 20. 5	·1388	May 12 h m 21.26 22.4 23.59	*03234 *03239 *03217	h m	0	0	
May 12 o. o o. 15 o. 26 o. 38 1. 4 1. 43 2. 14 2. 38 2. 42 2. 58 4. o 4. 53 4. 10 4. 36 4. 53 5. 13 5. 59 6. 10 6. 44 9. 9 9. 14	20. 37. 45 36. 50 37. 5 35. 35 35. 20 36. 45 36. 35 37. 35 34. 10 34. 55 34. 25 33. 25 32. 55 31. 10 30. 15 30. 30 28. 35 28. 25	May 12 o. o. o. 15 o. 33 o. 45 o. 49 1. 11 1. 23 1. 53 2. 11 2. 50 3. 11 3. 30 3. 56 4. 10 4. 19 4. 42 4. 56 5. 21 5. 48 6. 21 7. 26 7. 51	1378 1382 1379 1367 1364 1372 1378 1376 1382 1388 1371 1369 1372 1383 1382 1377 1382	2. 7 3. 54 6. 30 7. 42 9. 28 9. 43 9. 54 10. 12 12. 59 13. 38 14. 14 14. 26 14. 55 16. 12	·03340 (†)	3. o 9. o	58 ·5 58 ·5	59 4	19. 55 19. 58 20. 1 20. 25 20. 33 20. 39 21. 4 21. 11 22. 0 22. 30 22. 41 22. 46 22. 58 23. 11 23. 27 23. 55 23. 59 May 13	26. 30 28. 20 27. 50 28. 5 27. 45 26. 25 30. 0 29. 20 34. 55 35. 20 36. 15 35. 45 37. 10 37. 10 38. 40 39. 20	21. 19 21. 34 21. 44 22. 11 23. 3 23. 15	·1342 ·1345 ·1348 ·1346 ·1364 ·1374 ·1371 ·1372	May 13 o. o 1. 6 2. 1	°03217 °03258 °03289	May 13 0. 20 4. 40 9. 0	56 ·9	57 •6

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

May 12<sup>d</sup>, 1<sup>h</sup>, 15<sup>m</sup>. The Vertical Force Magnet was examined by the Astronomer Royal, and the tightness of the adjusting screws of the magnet tested.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther met	mo-
May 13 56 1. 15 1. 24 1. 29 1. 343 1. 455 2. 11 2. 18 2. 26 2. 46 3. 32 3. 34 3. 55 9 4. 35 5. 55 6. 18 6. 34 6. 55 6. 66 6. 55 7. 66 6. 67 7. 67	20. 41. 30 40. 40 39. 45 40. 15 39. 30 40. 5 41. 55 41. 15 41. 15 41. 15 41. 15 39. 30 39. 35 39. 35 39. 35 39. 35 39. 35 39. 35 39. 35 39. 35 39. 35 31. 10 32. 40 33. 10 32. 40 33. 15 31. 50 31. 35 34. 0 29. 20 31. 45 26. 15	May 13 0. 54 1. 23 1. 45 1. 56 2. 26 3. 26 3. 42 3. 56 4. 42 7. 4. 36 4. 41 5. 20 5. 35 6. 35 6. 35 6. 35 6. 35 7. 12 7. 20 7. 30 7. 56 8. 51 9. 26 10. 12	*1356 *1371 *1375 *1383 *1380 *1382 *1351 *1382 *1376 *1373 *1376 *1374 *1384 *1404 *1407 *1384 *1404 *1407 *1390 *1416 *1384 *1395 *1374 *1368 *1367 *1367 *1367 *1369 *1372 *1348	May 13  2. 26 4. 32 4. 47 6. 22 6. 40 7. 9 7. 25 8. 30 9. 56 10. 11 10. 19 11. 24 12. 40 16. 21 19. 11 21. 18 23. 59	·03274 ·03317 ·03340 ·03345 ·03307 ·03322 ·03283 ·03297 ·03286 ·03300 ·03276 ·03295 ·03280 ·03264 ·03287 ·03302 ·03314 ·03298 ·03273	h m 21. O	58.1	59°4	May 13 13. 24 13. 50 14. 29 14. 44 14. 58 15. 16 15. 43 16. 2 16. 10 16. 26 16. 58 17. 13 17. 45 17. 51 17. 59 18. 14 18. 24 18. 30 18. 42 19. 2 19. 16 19. 33 19. 59 20. 43 20. 58 21. 58 22. 11 22. 28 23. 51 23. 59	20. 30. 30. 31. 25 31. 25 29. 40 29. 455 29. 40 27. 55 29. 29. 26. 55 27. 55 26. 15 26. 15 26. 15 26. 25 26. 55 26. 55 26. 55 26. 55 26. 55 26. 55 26. 55 26. 30 27. 45 29. 45 29. 45 20. 36. 36. 36. 36. 36. 36. 36. 36. 36. 36	May 13 h m 19. 24 19. 57 22. 6 22. 16 22. 27 22. 41 23. 51 23. 59	1346 1345 1356 1354 1360 1354 1362 1362	h m	,	h m	0	0
7. 20 7. 29 7. 39 7. 48 8. 6 8. 18 8. 41 9. 59 10. 10 10. 26 10. 29 10. 44 10. 59 11. 30 11. 34 11. 46 11. 54 12. 10	30. 0 27. 25 29. 10 28. 25 30. 30 30. 15 23. 15 22. 40 20. 55 7. 40 15. 50 26. 50 26. 20 25. 15 25. 40 25. 25 27. 30 28. 50	10. 18 10. 28 10. 37 10. 44 11. 20 11. 27 11. 43 11. 55 12. 44 13. 18 13. 25 13. 36 13. 57 14. 39 15. 21 15. 43 16. 23 16. 23 17. 41 17. 55 18. 11 19. 6	1351 1388 1380 1385 1366 1371 1366 1362 1364 1370 1368 1365 1364 1365 1362 1358 1362 1358 1362 1357 1362 1357						May 14 o. o o. 17 1. 10 1. 26 1. 41 1. 54 2. 12 2. 39 3. 32 3. 46 4. 10 4. 40 5. 3 5. 27 5. 57 6. 25 6. 28 7. 14 7. 39 8. 1	20. 36. 0 37. 5 38. 50 38. 20 39. 5 38. 40 38. 40 37. 25 37. 0 34. 45 34. 55 34. 55 34. 10 32. 40 32. 55 30. 55 30. 10 26. 5	May 14 0. 0 0. 42 1. 12 1. 30 1. 54 2. 6 2. 29 2. 41 2. 57 3. 12 8. 45 9. 6 9. 24 9. 40 9. 40 10. 20 10. 41 10. 56 11. 2	1365 1367 1374 1370 1373 1373 1376 1372 1382 1366 (†) 1379 1379	May 14 0. 0 0. 55 2. 55 3. 11 8. 48 9. 22 12. 26 12. 57 14. 43 15. 45 15. 57 17. 19 22. 54 23. 59	.03273 .03282 .03336	May 14 1. 0 3. 0 9. 0 21. 0	58 <b>.</b> 4 58 <b>.</b> 0	60 °c 59 °c

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
May 14 h 8. 10 8. 30 8. 54 9. 26 9. 16 9. 26 9. 35 10. 12 10. 13 11. 41 12. 25 12. 30 12. 35 13. 0 13. 39 13. 30 13. 45 14. 16 14. 36 14. 42 14. 52 15. 24 15. 55	20. 25. 50 18. 20 25. 0 24. 40 25. 40 25. 20 25. 30 27. 10 26. 30 28. 40 28. 55 28. 40 28. 55 28. 30 35. 55 29. 30 25. 10 23. 45 23. 50 26. 0 25. 20 26. 5 29. 30 32. 30 32. 0 30. 45 30. 25	May 14 h 11. 24 12. 22 12. 29 12. 45 13. 22 13. 41 14. 50 14. 58 15. 45 16. 17 17. 59 20. 24 22. 43 23. 12 23. 54 23. 59	*1368 *1357 *1359 *1357 *1368 *1373 *1364 *1359 *1364 *1355 *1357 *1364 *1357 *1354 *1354 *1354 *1362 *1360	h m		h m	0	0	May 15 5. 33 6. 16 6. 44 7. 25 8. 7 9. 39 9. 54 10. 14 10. 39 11. 43 12. 9 11. 43 12. 9 14. 11 14. 39 15. 6 15. 24 16. 53 19. 16 19. 16 20. 27 20. 32 20. 43 21. 51 23. 45 23. 59	20. 32. 55 31. 45 31. 55 30. 55 30. 35 29. 20 29. 55 28. 30 28. 20 28. 10 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 40 27. 55 25. 0 25. 25 24. 50 25. 30 28. 0 34. 0 35. 0	May 15  2. 54  4. 20  4. 38  4. 46  5. 41  6. 35  8. 55  9. 22  9. 43  10. 41  11. 10  11. 40  12. 26  14. 54  15. 8  15. 11  18. 42  21. 10  22. 56  23. 38  23. 59	·1360	May 15 m 19. 22 23. 59	·03415 ·03358	May 15 23. 0	5g·3	6°0 · 8
16. 14 16. 48 17. 41 17. 48 17. 57 18. 66 18. 39 18. 55 18. 59 19. 18 19. 26 19. 42 20. 58 21. 7 23. 52 23. 59 May 15 0. 03 2. 56 3. 9	27. 55 25. 25 26. 0 25. 10 26. 10 25. 35 25. 40 24. 30 25. 5 25. 0 26. 20 26. 15 27. 55 27. 40 *** 29. 55 29. 30 34. 40 35. 10 35. 20 20. 35. 20 37. 30 36. 55 36. 0 36. 0	May 15 0. 0 0. 23 0. 46 1. 22 2. 12	*1360 *1365 *1365 *1364 *1358	May 15 o. o 2. 57 5. 43 11. 53 15. 42	.03292 .03354 .03364 .03382 .03413	3. 0 9. 0	58 ·6 58 ·8 59 ·6	59 ·5 59 ·7 60 :0	1. 0 2. 9 2. 43 4. 52 5. 21 5. 59 6. 22 8. 42 9. 3 10. 0 10. 44 10. 58 11. 22 12. 8 13. 26 14. 58 15. 13 16. 30 16. 39 16. 39 16. 43 19. 34	20. 35. 0 36. 55 37. 25 36. 25 34. 20 32. 55 32. 35 31. 55 30. 0 30. 20 29. 55 30. 10 29. 55 30. 30 29. 55 28. 45 29. 40 26. 30 26. 40 30. 15	1. 6 1. 12 3. 26 5. 0 6. 2 6. 44 9. 10 9. 14 10. 25 13. 55 17. 23 22. 42 23. 51 23. 59	*1360 *1359 *1362 *1364 *1367 *1364 *1376 *1383 *1380 *1378 *1374 *1371 *1373 *1356 *1356 *1357	12. 15 19. 34 23. 59	.03358 .03363 .03412 .03409 .03383	1. 0 3. 0 9. 0 21. 0 22. 0 23. 0	59 · 3 59 · 6 59 · 6 58 · 8 58 · 8 · · · ·	61 ·0 61 ·0 60 ·0 60 ·7 60 ·4 60 ·0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Magnet.	f rmo- ers.
May 16 22. 36 23. 59	20. 30. 30 33. 50	h m		h m		h m		0	3. 9	20. 39. 15 38. 30	May 18 1.56 2.25	·1375	May 18 5. 53 9. 2	•03437 •03420	h m	0	o
1. 39 3. 33 6. 53 8. 3 8. 26 9. 9 9. 17 9. 44 10. 13: 10. 26 11. 36 12. 28 12. 53 13. 10 13. 20 13. 47 14. 16 15. 6: 15. 23 15. 38 15. 42 16. 22 16. 28 17. 1 17. 9 17. 26 17. 32 17. 44 18. 10 18. 38 18. 45 18. 54 19. 21 19. 29 19. 42 19. 45 20. 41 20. 15 20. 23 20. 40: 20. 58 22. 36 23. 59  May 18	26. 15 26. 5 27. 40 27. 5 27. 35 27. 25 27. 0 *** 26. 10 26. 30 25. 25	23. 42	1357 1360 1363 1364 1378 1377 1386 1381 1385 1385 1388 1385 1380 1377 1380 1376 1376 1376 1376 1375 1369 1373 1356 1373 1356 1373 1356 1373 1356 1373 1356 1373 1356	May:17 0. 0 4. 56 10. 24 13. 10 13. 41 16. 24 17. 16 18. 30 19. 25 23. 59  May 18 0. 0 2. 58 5. 16 5. 27	·03297 ·03357 ·03427	May 18 1. 0 2. 0 3. 0 9. 0 21. 0	58 · 7 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 59 · 3 · 50 · 50 · 50 · 50 · 50 · 50 · 50	60.2	3. 21 3. 26 3. 32 3. 56 4. 13 4. 20 4. 25 4. 56 5. 10 5. 20 5. 46 6. 5 6. 21 6. 58 7. 51 8. 25 9. 10 9. 24 9. 38 10. 10 10. 43 11. 48 11. 55 11. 59 12. 10 12. 30 12. 54 13. 37 13. 51 14. 26 14. 48 15. 11 15. 35 16. 31 17. 10 17. 20 18. 4 18. 14 18. 33 19. 1 19. 8 19. 10 19. 20 20. 30	24. 55 26. 5 26. 40 26. 10 25. 40 24. 25 25. 20 *** 25. 25 26. 40 25. 55 27. 25 26. 45 26. 45 27. 25 26. 45 26. 45 27. 25 26. 45 26. 45 27. 25	11. 25 11. 41 11. 44 11. 57 12. 4 12. 13 12. 35 12. 49 13. 12 13. 56	1374	11. 19 12. 44 13. 55 16. 4 21. 19 23. 59	03416 03400 03363 03378 03340 03332			

Greenvich Mean Solar Time.	Western Declina- tíon.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The	rmo- ters.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
May 18 h m 20. 36 20. 45 20. 58 21. 9 21. 43 22. 55 23. 37 23. 59	20. 26. 45 27. 55 28. 0 26. 50 28. 25 34. 25 35. 25 35. 20	May 18 20. 31 20. 33 20. 48 21. 11 21. 29 22. 11 22. 51 22. 59 23. 15 23. 26 23. 42 23. 59	·1365 ·1364 ·1366 ·1364 ·1355 ·1358 ·1356 ·1360 ·1358 ·1361 ·1357	h m		h m	0	0	May 19 h m 11. 40 11. 49 12. 2 12. 10 12. 13 12. 26 12. 35 12. 57 13. 8 13. 20 13. 27 13. 40 13. 51	20. 29. 0 27. 30 27. 35 28. 55 28. 0 27. 30 29. 10 25. 20 25. 25 27. 0 28. 25 28. 0	May 19 13. 25 13. 44 14. 6 14. 16 14. 22 15. 59 17. 22 18. 44 18. 55 19. 12 19. 56	1371 1373 1368 1372 1371 *** 1367 *** 1369 1369	h m		h m	0	•
May 19 o. o o. 30 o. 55 i. 6 i. 53 2. 40 2. 47 2. 51 3. 12 3. 23 3. 44 3. 16 4. 16 4. 28 4. 40 4. 43 4. 52 4. 59 5. 12 5. 37 5. 53 8. 16 8. 58 9. 12 9. 57 10. 6	20. 35. 20 36. 55 36. 30 *** 38. 30 *** 39. 50 39. 50 39. 20 40. 20 40. 20 40. 20 41. 10 39. 55 40. 20 41. 10 39. 55 40. 20 41. 10 39. 55 31. 55 32. 25 31. 55 32. 25 31. 55 32. 25 31. 55 32. 40 32. 25 31. 55 32. 25 31. 55 32. 40 32. 25 31. 55 32. 25 32. 25 33. 30 34. 40 34. 30 34. 30 34. 30 35. 40 36. 35 37. 40 38. 35 39. 40 39. 50 39. 40 30. 35 31. 55 32. 40 32. 25 31. 55 32. 40 32. 40 32. 25 33. 40 34. 40 35. 40 36. 50 37. 50 38. 50 39. 50 39. 50 30. 45 31. 55 32. 40 39. 50 30. 45 31. 55 32. 40 32. 40 32. 40 32. 40 32. 40 32. 40 33. 40 34. 55 32. 45 31. 55 32. 40 29. 40 29. 25	May 19 0. 30 0. 43 1. 24 1. 40 1. 44 2. 25 3. 35 3. 57 4. 26 4. 41 5. 19 5. 27 6. 14 5. 19 5. 27 6. 33 7. 34 6. 35 7. 34 8. 35 9. 22 9. 43 9. 26 10. 41 11. 27	1357 1360 1361 1361 1366 1371 1368 1371 *** 1381 1376 1372 1355 1379 1369 1372 1367 1388 1386 1386 1386 1386 1388 1388 1388	May 19 o. o o. 40 3. 48 4. 28 4. 41 5. 5 5. 22 6. 27 6. 48 7. 12 10. 34 11. 30 12. 41 12. 55 14. 36 19. 35 23. 59	·03332 ·033438 ·03424 ·03462 ·03452 ·03480 ·03470 ·03488 ·03482 ·03464 ·03443 ·03440 ·03424 ·03440 ·03422 ·03400	May 10 1. 0 3. 0 9. 0 22. 0	60 °C	62 ·1 61 ·0 62 ·1 60 ·0	14. 7 14. 18 14. 24 14. 36 15. 4 15. 54 16. 37 17. 4 17. 26 17. 54 18. 0 18. 7 18. 29 18. 32 18. 41 18. 58 19. 7 19. 17 19. 26 20. 18 20. 40 20. 52 21. 05 23. 15 23. 59 May 20	29. 45 29. 45 29. 10 28. 15 28. 30 28. 10 27. 30 *** 26. 25 *** 27. 10 25. 25 26. 10 24. 15 25. 20 24. 10 25. 10 24. 15 25. 26. 10 24. 50 27. 15 *** 27. 25 29. 40 28. 30 33. 55 33. 50 33. 50	May 20 0. 12 0. 26 20. 42 21. 25 21. 54 22. 36 22. 59 23. 23 23. 44 23. 56 23. 59	1359 1364 1359 1364 1366 1372 1364 1367 1366	May 20 0. 0 0. 23 6. 41 9. 42	·03400 ·03410 ·03472 ·03478	May 20 1. 0 9. 15 21. 0	60 ·2	62 •1
10. 26 10. 42 10. 58 11. 12 11. 26	30. 20 29. 55 31. 0 30. 40 29. 0	11. 54 12. 22 12. 36 12. 54 13. 10	1380 1383 1380 1383 1376						1. 23 3. 23 3. 59 4. 29 4. 57	35. 25 33. 25 33. 25 32. 40 32. 50	1. 12 1. 43 2. 11 3. 41	**** *1374	13. 45 18. 54 20. 36 23. 59	.03457 .03443 .03405 .03407 .03378			

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tiou.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
7. 30 7. 53 8. 26 9. 33 9. 54 10. 2 11. 58 12. 20 12. 55 13. 21 14. 14 14. 57 15. 14 15. 38 15. 56 16. 28 16. 56 17. 26 17. 37 17. 46 18. 3 18. 14 18. 53 19. 6	20. 31. 40 31. 50 31. 40 32. 5 31. 0 31. 20 30. 50 30. 20 29. 45 30. 15 29. 40 28. 55 29. 30 28. 30 29. 50 27. 55 28. 0 27. 50 27. 50	May 20 4. 10 4. 41 5. 36 6. 13 6. 42 6. 50 7. 0 7. 14 9. 55 10. 47 12. 44 12. 52 15. 24 15. 40 16. 11 17. 13 17. 55 18. 55 19. 56 20. 44 20. 52 21. 24 22. 11	****  1377 1382 1380 1383 1388 1388 1388 1388 1375 1376 1374 1377 *** 1377 1374 1380 1376 1376 1376 1376 1376 1376 1376 1376	h m		h m	0	0	May 21  13. 50  14. 8  14. 21  15. 41  15. 56  16. 13  16. 43  16. 55  17. 57  18. 6  18. 55  19. 7  19. 48  20. 11  20. 44  20. 53  21. 17  21. 53  22. 5  22. 9  22. 50  23. 8  23. 21  23. 41  23. 59	20. 30. 5 29. 30 29. 40 27. 50 28. 50 27. 50 28. 10 *** 27. 50 26. 30 27. ** 25. 25 25. 10 26. 30 26. 30 26. 30 26. 30 30. 0 34. 45 33. 55 34. 30 36. 20	May 21 10. 26 11. 52 12. 21 13. 10 13. 39 13. 50 15. 41 17. 41 18. 51 19. 57 20. 14 20. 51 21. 11 21. 41 21. 50 22. 0 22. 22 22. 41 22. 56 23. 11 23. 23 23. 42 23. 59	*1379 *1379 *1379 *1378 *1376 *1376 *1375 *1376 *1375 *1376 *1376 *1362 *1362 *1362 *1366 *1359 *1364 *1372 *1368 *1376	h m		h m	0	0
19. 29 19. 41 19. 51 20. 3 20. 38 20. 41 20. 56 21. 14 22. 12 22. 43 22. 55 22. 59 23. 44 23. 59 May 21 0. 0 0. 43 0. 55 1. 38 3. 41	25. 40 25. 0 25. 55 26. 10 27. 15 27. 40 32. 30 34. 10 35. 25 36. 35 37. 20 37. 0 32. 55 30. 5	22. 19 22. 42 22. 57 23. 12 23. 28 23. 59  May 21 0. 0 0. 41 0. 56 1. 10 1. 36 1. 42	1370 1373 1376 1373 1372	May 21 0. 0 1. 32 1. 44 3. 58 8. 54 13. 43	*03378 *03404 *03416. *03437 *03434 *03417	3. o	59 •9 59 •4	60 °0 61 °0 60 °0	0. 12 0. 18 0. 25 0. 58 1. 8 1. 53 1. 59 2. 20 2. 39 4. 10 5. 12 5. 39 5. 49 6. 39 7. 45 8. 26 8. 41 8. 55	20. 36. 20 35. 40 36. 10 35. 5 36. 0 37. 5 36. 10 35. 30 35. 35 35. 5 33. 40 32. 0 31. 20 30. 50 30. 50 30. 30 31. 0 29. 55 31. 0	2. 11 3. 10 3. 22 3. 47 4. 12 4. 22 4. 43 5. 0 5. 12 5. 25 5. 35 5. 51	1376 1379 1375 1377 1370 1372 1384 1380 1383 *** 1376 1378 1375 1368 1376 1376 1376 1376 1376 1376	May 22 o. o 3. 41 5. 41 g. 12 g. 44 19. o 21. 11 23. 25 23. 59	.03316 .03374 .03412 .03403 .03383	9. 0 21. 0 22. 0	59 ·5 59 ·6 59 ·2 58 ·3 58 ·3 58 ·4	61 ·2 60 ·8 58 ·7 58 ·8
5. 41 7. 28 7. 32 8. 11 8. 32 12. 0 12. 12	29. 55 30. 15 31. 25 30. 55 31. 10 30. 0 30. 20 30. 10 ***	2. 15 3. 40 4. 11 4. 22 4. 56 6. 55 7. 11 7. 26	1373	16. 29 21. 20 22. 44 23. 59	·03397 ·03343 ·03340 ·03316				9. 13 9. 26 9. 49 10. 26 12. 36 12. 40 15. 18	30. 0 30. 40 30. 40 31. 20 30. 10 30. 25 29. 20 30. 10	6. 10 6. 36 8. 3 8. 27 8. 51 9. 11 9. 36 9. 53	·1377 ·1374 ·1378 ·1376 ·1378 ·1380 ·1374 ·1376					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The me	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
May 22 h 15. 45 15. 57 16. 13 16. 44 16. 59 17. 54 18. 25 18. 28 18. 40 18. 54	20. 30. 25 29. 50 29. 50 28. 15 28. 20 27. 40 27. 55 29. 30 27. 20 30. 0	May 22 12. 23 12. 41 12. 56 14. 57 15. 41 16. 22 17. 12 17. 27 18. 10 18. 42	1374 1376 1375 1377 1374 1378 1377 1380	h m		h m	•	0	May 23 h m 23. 59	20. 34. 45	May 23 h 19. 20 20. 5 20. 27 21. 58 22. 22 22. 35 23. 40 23. 55 23. 59	1376 1371 1372 1361 1356 1357 1367 1366 1368	b m		h m	0	О
19. 8 19. 26 19. 59 20. 43 21. 57 22. 32 22. 40 23. 50 23. 59	30. 10 29. 5 28. 50 27. 40 29. 30 31. 55 32. 0 34. 30 34. 40	18. 54 19. 6 19. 27 20. 18 21. 13 22. 4 22. 26 22. 45 23. 10 23. 14 23. 59	·1365 ·1361 ·1370 ·1375 ·1374 ·1369 ·1366 ·1366 ·1371 ·1364 ·1366						0. 4 0. 12 2. 7 2. 22 3. 55 4. 4 5. 33 6. 40 7. 23	20. 34. 45 35. 25 34. 50 36. 35 36. 0 32. 45 33. 0 30. 55 30. 5 30. 5	May 24 0. 0 0. 13 0. 22 0. 41 0. 56 1. 26 1. 43 2. 10 3. 26 3. 41	1368 1367 1370 1376 1371 1375 1373 1377 1378	May 24 o. o 5. 13 8. 56 g. o 20. 56 23. 59	*03269 *03316 *03302 *03297* (†) *03300 *03269	May 24 0. 0 1. 0 2. 0 3. 0 9. 0 21. 0	58 · 1 58 · 6 58 · 2 58 · 3 58 · 3	58 •5 58 •7 59 •1
May 23 o. o o. 41 o. 54 1. o 1. 16 1. 26 4. 15 5. 41 7. 26 8. 25 10. 50 11. 55 12. 13 13. 37 13. 42 14. 9 14. 21 14. 43 15. o 15. 29 15. 56 16. 41 17. 16 17. 48 18. 6 18. 23 18. 39	28. 45 27. 0 26. 25 27. 35	13. 14 13. 49 14. 13	1366 1373 1374 1373 1375 1376 1378 1377 1378 1377 1378 1376 1378 1376 1379 1376 1379 1376 1379 1376 1379	May 23 o. o 1. 25 6. 10 9. 26 10. 11 19. 10 22. 10 23. 11 23. 59	•03300 •03366 •03388 •03368 •03340 •03303 •03263 •03269	2. 0 3. 0 9. 0 21. 0 22. 0	58 ·7 59 ·1 58 ·8 59 ·3 59 ·7	60 ·2 60 ·7 60 ·0 60 ·2 60 ·7 59 ·0 57 ·6 58 ·1	8. 11 9. 10 9. 55 10. 28 10. 41 10. 46 11. 8 11. 54 12. 13 12. 27 13. 18 13. 22 13. 33 14. 24 14. 56 15. 36 15. 40 15. 58 16. 11 16. 22 16. 39 17. 12 17. 19 17. 28 17. 37	30. 20 30. 10 30. 0 28. 50 29. 20 28. 55 29. 50 26. 15 27. 40 26. 45 27. 10 26. 55 27. 35 *** 28. 15 29. 30 28. 0	4. 8 4. 14 4. 53 4. 59 5. 14 5. 57 6. 11 6. 44 6. 57 8. 43 21. 43 22. 43 23. 29 23. 59	1378 1380 1377 1381 1378 1382 1380 1383 1381 1383 1381 1383 1366 1366 1366					
18. 54 19. 15 19. 32 20. 56 21. 56 23. 40 23. 57	25. 0 25. 40 24. 40 25. 30 28. 10 34. 20		1374 1381 1374 1377 1376 1379			·			17. 43 18. 0 19. 48 20. 2 20. 14 20. 48 21. 6 22. 4	26. 40 24. 5 24. 30 24. 20 25. 45 25. 50 28. 40							

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner.

The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

May 24. The Horizontal Force trace was lost from 9<sup>h</sup>. 13<sup>m</sup>., to 21<sup>h</sup>. 43<sup>m</sup>., and the Vertical Force trace was lost from 8<sup>h</sup>. 56<sup>m</sup>. to 20<sup>h</sup>. 56<sup>m</sup>., through a partial failure in the supply of gas.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The	Of V.F. Magnet.	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H.F. Magnet.	mo- ers
May24 b m 22. 51 23. 59	20. 31. 25 33. 55	h m		h m		h m	۰	0	May 26 20. 22 21. 26 22. 30	20. 26. 30 26. 35 29. 50	May 26 h m 11. 19 11. 27 11. 41		h m		h m	0	٥
1. 59 3. 28 3. 44 5. 24 5. 30 6. 21 7. 29 7. 56 8. 16 11. 19 11. 34 11. 56 12. 36 12. 58 13. 25 13. 53	20. 33. 55 36. 50 35. 0 35. 0 32. 20 32. 50 30. 20 30. 55 30. 20 30. 30 29. 45 29. 40 30. 35 30. 0	May 25 O. O. 50 I. 21 I. 49 2. 8 2. 21 2. 50 3. 44 5. 42 6. 26 7. II 7. 29 8. 42 9. 02	·1365 ·1374 ·1378 ·1374 ·1377 ·1374 ·1373 ·*** ·1380 ·1378 ·1380 ·1378 (†) ·1382*	May 25 0. 0 5. 28 10. 57 18. 24 22. 21 23. 59	•03269 •03338 •03320 •03329 •03282 •03297	3. o	58 ·8 59 <b>·2</b> 58 ·6	60 ·2 60 ·4 59 •4 59 ·0	23. 30 23. 59	33. 55 35. 20	12. 7 12. 15 13. 44 13. 54 14. 24 17. 43 19. 56 20. 20 20. 33 21. 23 21. 54 22. 20 22. 51 22. 56 23. 0 23. 25 23. 42	·1381 ·1383 ·1381 ·1378 ·1381 ·1379 ·1366 ·1367 ·1364 ·1363 ·1365 ·1362 ·1362 ·1362 ·1365 ·1365 ·1366 ·1366 ·1366 ·1367					
14. 9 15. 11 15. 53 18. 12 18. 32 19. 2 19. 51 20. 0 20. 13 20. 41 22. 8 22. 55 23. 59	30. 50 28. 50 29. 10 24. 30 24. 50 23. 50 24. 5 23. 30 24. 20 24. 30 29. 5 31. 30 33. 55	10. 23 11. 42 11. 56 12. 40 12. 51 13. 54 14. 11 15. 31 15. 43 18. 57 21. 17 21. 25 22. 41 23. 59	·1379 ·1377 ·1379 ·1376 ·1379 ·1375 ·1381 ·1372 ·1374 ·1366 ·1368 ·1366						May 27 0. 0. 1. 0 2. 9 2. 56 3. 28 5. 0 6. 4 7. 29 8. 24 8. 33 8. 53 9. 22 9. 39	20. 35. 20 37. 25 36. 35 35. 0 33. 30 31. 15 30. 55 30. 40 29. 40 28. 40 28. 40 30. 10	May 27 0. 24 0. 55 1. 20 1. 44 2. 30 3. 34 4. 41 6. 14 7. 53 8. 8 8. 34 8. 54	(†) •1373 •1376 •1374 •1378	May 27 0. 0 5. 12 10. 57 16. 50 21. 23 22. 12 23. 59	*03363 *03439 *03457 *03438 *03396 *03401 *03400	May 27 1. 0 8. 30 21. 0	60 °4 ( 60 °7 ( 59 ·8 (	62 •4
May 26 6. 0 0. 54 2. 30 4. 20 4. 39 6. 18 7. 51 7. 57 8. 18 9. 10 9. 16 11. 14 11. 40 11. 51 13. 47 14. 21 14. 53 18. 53 19. 13 19. 44 20. 11	20. 33. 55 34. 25 33. 55 32. 10 32. 10 30. 45 30. 55 30. 30 31. 10 30. 40 31. 10 31. 0 29. 30 29. 30 28. 55 25. 55 26. 0	May 26 0. 0 0. 25 0. 54 1. 13 2. 29 2. 59 3. 13 3. 27 3. 59 4. 27 5. 20 6. 5 6. 51 7. 36 7. 52 8. 59 9. 13 9. 42 10. 3 10. 24	*1372 *1373 *1378 *1375 *1381 *1377 *1380 *1377	May 26 0. 0 4. 24 7. 12 8. 44 11. 53 15. 34 20. 12 23. 23 23. 59	•03297 •03383 •03406 •03360 •03398 •03417 •03403 •03360 •03363	3. 0	59 <b>.</b> 4 60 <b>.</b> 1 59 <b>.</b> 5	62 ·2	10. 13 10. 30 10. 46 11. 30	29. 35 30. 0 29. 30 30. 10 29. 45 30. 0 29. 45 28. 55 27. 35 28. 20 29. 10 27. 25 26. 0 27. 5 25. 10 24. 0 25. 30	9. 11 10. 31 10. 41 10. 51	1381 ***  1378 1377 1377 1377 1379 1377 1378 1376 ***  1376 1380 1377 1382 1370 1382 1370 1366 1368 1356					

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	lings of rmo- ters.	Greenwich Mean Solar Time.	Western Declina-	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read O Ther met	f mo- ers.
	1		Hori H.	Mea	Veri	Mea	Of H. F. Magnet.	Of V. F. Magnet.					Meg	Vertical parts of V. F. u for Ter	Me	Of H. F. Magnet.	Of V. F. Magnet.
May 27 h 19. 14 19. 29 19. 39 19. 52 20. 6 20. 12 20. 15 20. 35 20. 36 21. 8 21. 37 21. 39 21. 44 21. 53 21. 59 22. 28 23. 6 23. 25 23. 40 23. 55	22. 25 23. 55 22. 10 22. 15 24. 20 23. 10 23. 25 22. 30 24. 10 25. 10 29. 30 29. 15 30. 5 29. 20 31. 55 33. 10 37. 10 37. 50 37. 30 37. 45	May 27 h m 21. II 21. 27 21. 30 21. 39 21. 42 22. 26 22. 50 22. 59 23. 4 23. 11 23. 37 23. 59	1352 1348 1353 1346 1350 1366 1361 1368 1361 1350 1358	h m		h m	0	0	7. 46  8. 40  8. 54  9. 55  10. 29  11. 18  11. 35  11. 46  12. 13  12. 25  13. 38  14. 25  14. 28  14. 48  15. 18  15. 23  15. 39  15. 58  16. 12	29. 10 26. 30 28. 10 24. 30 27. 40 30. 10 31. 45 26. 40 25. 5 26. 10 25. 35 25. 55 27. 0	May 28 7, 42 7, 53 8, 22 8, 56 9, 56 10, 42 10, 49 11, 11 11, 24 11, 42 12, 12 13, 0 15, 55 16, 22 16, 33 17, 356 18, 23 21, 29	1375 1378 1379 1378 1375 1375 1373 1370 1386 1374 1384 1384 1361 1376 1376 1376 1376 1376 1376 1376	h m		h m	0	•
May 28 0. 23 0. 23 0. 40 0. 43 0. 53 1. 45 1. 56 2. 21 2. 39 2. 44 2. 53 3. 39 3. 56 4. 12 4. 29 4. 40 6. 13 6. 23 6. 54 7. 14	37. 45 37. 0 36. 10 37. 55 37. 10 37. 50 39. 50 39. 50 39. 40 38. 30 39. 40 38. 30 37. 55 38. 0 35. 50 35. 10 36. 5 36. 10 34. 0 32. 5 30. 30 31. 15 30. 10 22. 40 25. 15	May 28 0. 0 0. 17 0. 27 0. 49 1. 12 1. 25 1. 51 2. 48 2. 56 3. 28 3. 41 4. 0 4. 17 4. 29 4. 41 5. 48 6. 10 6. 44 7. 11 7. 25 7. 29	1358 1365 1370 1375 1365 1368 1384 1386 1356 1358 1356 1358 1356 1358 1369 1365 1377 1380 1380 1380 1380 1380 1380 1386 1386 1386 1386 1386 13884 1390 13883 1378 1378	11. 53 12. 7 12. 26 12. 57 13. 50 14. 12 14. 44 16. 34 17. 30 19. 12 21. 8 22. 26 23. 59	.03400 .03408 .03434 .03457 .03518 .03505 .03520 .03496 .03426 .03400 .03466 .03371 .03364 .03352 .03360 .03352 .03360 .033535 .03312 .03306 .03320 .03336 .03338	3. 0 9. 0 21. 0	60 ·6 59 ·9 60 ·9 58 ·8	62 ° 9	16. 47 17. 4 17. 51 18. 10 18. 16 18. 44 19. 12 19. 16 20. 28 21. 15 21. 23 21. 45 22. 11 22. 37 22. 42 23. 9 23. 59  May 29 0. 0 0. 28 0. 38 1. 14 1. 39 2. 29	20. 36. 0 36. 50 37. 40 38. 50 38. 30 *** 38. 30	May 29 0. 0 0. 39 1. 6 1. 38 1. 53 2. 32 3. 27	·1366 ·1370 ·1366 ·1362 ·1366 ·1374 ·1371	May 29 o. o 3. 43 5. 56 7. 4 9. 33 10. 27 12. 2	·03338 ·03419 ·03444 ·03443 ·03362 ·03358 ·03322	6. 30 9. 0 21. 0 22. 0 23. 0	60 · 1 60 · 3 60 · 6 58 · 6 57 · 3 57 · 9 58 · 4	61 ·8 62 ·0 59 ·5 58 ·0 59 ·5 60 ·0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magneti Therm meter W A A A	no-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. Magnet. Magnet. Magnet. Magnet. Magnet.
May 29 3. 1 4. 4 4. 23 5. 21 5. 55 6. 55 8. 6 9. 38 9. 58 10. 38 10. 38 10. 49 11. 12 11. 16 11. 43 12. 25 13. 11 13. 26 14. 19 14. 25 15. 51 15. 55 16. 32 16. 40 17. 32 17. 49 18. 1	20. 37. 20 34. 30 34. 20 30. 50 31. 0 30. 50 30. 50 30. 55 28. 0 27. 30 28. 5 28. 40 21. 0 25. 25 29. 55 28. 45 29. 40 28. 50 29. 40 29. 50 33. 50 31. 50 29. 40 29. 40 29. 40 29. 40 29. 40 29. 40 29. 40 29. 40 29. 40 29. 50 31. 50 27. 35 29. 10 27. 35 29. 10 27. 25 27. 10 28. 35 27. 10 26. 20 27. 25 27. 10 24. 40 24. 55	19. 29 20. 19 20. 42 21. 43	1376 1378 1371 1376 1379 1383 1376 1378 1368 1373 1368 1376 1374 1369 1374 1369 1374 1369 1376 1376 1368 1376 1368 1376 1368 1368 1376 1368	May 29 13. 13 13. 54 14. 56 18. 5 23. 59	·03315 ·03280 ·03238 ·03222 ·03244	h m	0	0	May 30 3. 38 4. 42 4. 59 5. 25 5. 34 6. 22 7. 58 8. 51 9. 18 9. 30 10. 62 11. 13 11. 13 11. 13 11. 37 12. 2 13. 12 13. 43 14. 51 15. 43 15. 56 16. 20 17. 19 17. 32 18. 27 18. 33 18. 42 18. 51 19. 46 20. 24 20. 53 21. 57 22. 59 23. 59	0. 34. 50 35. 35. 35. 32. 55 33. 40 32. 15 32. 35 29. 35 29. 35 29. 40 28. 25 29. 40 28. 25 29. 25 28. 40 27. 30 28. 40 27. 30 27. 30 28. 55 29. 25 28. 40 27. 30 27. 30 28. 55 29. 25 28. 40 27. 30 27. 30 28. 55 29. 25 29. 25 28. 40 27. 30 27. 30 27. 30 28. 55 29. 25 29. 26 29. 27 29. 27 29. 28 29. 29 29. 29	May 30  b	1360 1373 1379 1388 1388 1389 1389 1382 1377 1381 1385 1385 1377 1386 1377 1384 1377 1376 1376 1377 1366 1377 1366 1379 1366 1360 1364 **** 1369 1372	May 30 5. 19 8. 54 9. 55 12. 12 15. 17 12. 11 23. 14 23. 59	·03368 ·03384 ·03325 ·03322 ·03334 ·03299 ·03277 ·03279	May 3c h m 2. 0 3. 0 9. 0 21. 0 22. 0 23. 0	59 ·3 61 ·1 59 ·8 62 ·0 57 ·8 58 ·0 60 ·0 60 ·0 59 ·3 60 ·0
19. 4 19. 17 19. 26 19. 48 20. 4 20. 17 20. 53 21. 56 23. 53 23. 59	24. 55 23. 15 24. 50 24. 10 24. 20 23. 45 *** 24. 55 27. 0 35. 15 35. 30	23. 12 23. 59	*** *1348 *1349						0. 29 0. 44 1. 13 2. 26 2. 50 4. 33 6. 55 7. 33	20. 34. 25 35. 20 35. 55 35. 0 35. 10 32. 15 32. 5 31. 20	May 31 0. 0 0. 12 0. 29 0. 56 1. 9 1. 55 2. 13 2. 26 2. 38	1372 1374 1371 1378 1380 1384 1391 1386	May 31 0. 0 1. 25 4. 11 7. 14 19. 57 21. 11 23. 59	·03279 ·03314 ·03397 ·03388 ·03356 ·03343 ·03376	1. 0 2. 0 3. 0 9. 0	59 · 561 · 1 59 · 861 · 2 60 · 2 62 · 3 60 · 2 62 · 2 59 · 461 · 2 59 · 760 · 4
May 30	20. 35. 30 37. 10	May 30 0. 0 0. 26	·1349	May 30 0. 0 2. 55	·03244 ·03307	May 30	58 · 7 6	0.0	11. 54 12. 18 12. 27 12. 51	29. 5 29. 50 30. 15 29. 30	2. 43 3. 20 3. 25 3. 37	·1387 ·1389 ·1390				

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. sa m so so mil
May 31 13. 58 14. 25 14. 46 15. 32 16. 38 16. 46 17. 10 17. 23 18. 43 19. 15 19. 40 20. 56	20. 29. 45 28. 0 27. 40 29. 50 26. 25 26. 30 25. 45 26. 0 24. 5 25. 10 24. 55	May 31 4. 96 4. 26 5. 15 5. 41 6. 56 7. 11 7. 34 8. 40 10. 56 11. 42 12. 14	*1386 *1390 *1385 *1389 *1387 *1386 *1388 *1388 *1385 *1389	h m		h m	o	0	June 1 18.39 18.59 19.16 19.33 20.20 20.43 21.24 21.49 22.37 22.56		June 1 15. 42 17. 11 19. 54 20. 10 20. 39 21. 12 21. 20 21. 40 22. 47 22. 56	*1385 *1384 *1371 *1373 *1367 *1365 *1368 *1366 *1373 *1373 (†)	h m		h m	c	0
22. 10 22. 58 23. 9 23. 23 23. 29 23. 50 23. 59	29. 10 31. 40 31. 35 32. 10 31. 45 32. 55	12. 43 13. 42 13. 56 15. 26 15. 56 19. 23 21. 27 22. 12 23. 24 23. 38 23. 43 23. 59	·1388 ·1385 ·1388 ·1382 ·1385 ·1380 ·1369 ·1367 ·1374 ·1372 ·1376 ·1374			·			June 2  1. 0 3. 0 5. 39 7. 51 8. 26 8. 45 9. 26 9. 41 9. 56 10. 5	(†) 20. 36. 12* 34. 39* 29. 40 29. 55 29. 20 29. 10 29. 40 29. 35 29. 10 28. 35	June 2  1. 0 3. 0 5. 38 5. 45  7. 14 7. 28 7. 57 8. 42 8. 57 9. 25	(†) -1368* -1380* -1378 -1386 -1389 -1386 -1389 -1388	June 2  1. 0 3. 0 5. 30 6. 39 8. 48 9. 11 11. 40 12. 26 19. 40 20. 57 22. 39	(†) '03460* '03501* '03620 '03655 '03614 '03618 '03546 '03519 '03529 '03512 '03522	3. o	62 ·7 63 ·0 63 ·3 62 ·4	65 °0 64 °1 64 °6 63 °8
June 1 0. 0 0. 15 0. 17 0. 20 0. 46 1. 16 1. 33 1. 40 3. 8 3. 43 3. 58 5. 57	20. 32. 35 32. 45 31. 20 32. 0 31. 25 33. 5 32. 10 32. 30 31. 25 31. 45 30. 55 30. 0	June 1 0. 0 0. 25 0. 43 1. 14 1. 33 1. 43 2. 45 2. 56 3. 11 3. 47 4. 11 4. 42	1374 1375 1377 1387 1382 1385 1387 1384 1386 1387	12. 52 15. 55	.03376 .03381 .03442 .03460 .03438 .03403 .03403 .03403 .03384 (†)	3. o 9. o	60 ·1	60 ·8	10. 58 11. 25 11. 39 11. 59 12. 25 12. 30 13. 3 13. 26 15. 6 16. 26 17. 56 19. 8	28. 35 26. 20 28. 0 28. 10 26. 40 27. 5 26. 25 27. 25 27. 35 23. 40 23. 40 22. 30	9. 41 9. 55 10. 21 10. 42 11. 12 11. 24 11. 56 12. 35 13. 11 17. 35 21. 4 21. 57	1387 1381 1384 1383 1392 1387 1389 1386 1379 1385 1370	23. 10	°03505			
6. 20 7. 57 8. 9 10. 0 10. 39 10. 56	30. 30 30. 20 29. 55 29. 30 27. 55 28. 40	5. 3 5. 12 5. 24 5. 55 6. 5 6. 26 6. 33	·1389 ·1391 ·1388 ·1388 ·1391 ·1394						19. 13 19. 26 21. 33 22. 19 23. 59 June 3	22. 40 25. 30	22. 12 22. 27 22. 41 23. 12 23. 59 June 3	•1363 •1364 •1366 •1367 •1366	June 3		June 3		
11. 17 11. 50 12. 11 12. 32 12. 47 12. 59 13. 28 13. 45 14. 44	27. 35 28. 15	6. 44 7. 12 7. 32 8. 40 8. 56 9. 26 10. 41 10. 54 11. 40	1392 1398 1388 1392 1388 1393 1389 1387 1392						0. 0 1. 15: 2. 7 2. 14 2. 22 4. 22 6. 10 7. 12 8. 38		0. 0 2. 40 2. 56 5. 43 6. 9 6. 41 8. 56 9. 40	1393 1388 1390 1387	0. 0 3. 43 5. 10 10. 54 20. 19	•03523 •03554 •03588 •03590 •03557 •03536 •03543	0. 0	63 •6	65 ·o
15. 36 15. 54 17. 24 18. 23	26. 55 24. 40	12. 6 12. 43 13. 25 13. 55	1393 1385 1388 1383						9. 57 10. 25 10. 43 11. 12	29. 0 29.35 29.35 30. 5	II. I2	·1389 ·1387 ·1389 ·1394					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	Of V.F. seg seg seg seg seg seg seg seg seg seg
11. 43 11. 50 12. 11 12. 28 12. 42 12. 48 13. 6 13. 27 14. 10 14. 25 14. 38 14. 59 15. 17 15. 48 15. 53 16. 3 16. 13	27. 45 27. 40 26. 40 27. 40 26. 20 27. 20 28. 15 27. 40 27. 30 27. 50 26. 45 27. 10 26. 20 26. 40	June 3 11. 43 12. 54 12. 57 13. 44 16. 52 18. 12 18. 37 18. 41 19. 21 20. 15 20. 59 21. 21 22. 10 22. 41 23. 56 23. 59	1389 1384 1387 1382 1386 1384 1382 1376 1378 1371 1373 1368 1369 1374 1373	h m		<b>в</b> ш	0	0	June 4 16. 36 17. 18 17. 29 17. 42 18. 16 18. 28 18. 39 18. 48 19. 8 19. 20 19. 41 19. 59 20. 54 20. 58 21. 36 22. 13 23. 59	20. 25. 25 26. 15 25. 55 28. 20 25. 0 24. 20 24. 20 24. 20 25. 20 25. 20 25. 20 25. 20 25. 20 25. 20 25. 30 31. 30	June 4 16. 9 17. 19 18. 12 18. 43 19. 51 20. 6 23. 55 23. 59	1384 1381 1379 1380 1378 1381 1369 1370	h m		h m	0	0
17. 8 17. 29 18. 12 18. 28 18. 40 18. 49 19. 28 20. 45 21. 13 22. 10 22. 38 23. 46 23. 55 23. 59	26. 10 25. 30 *** 25. 25 24. 30 24. 30 25. 35 25. 25 25. 25 27. 0 26. 50 28. 20 30. 35 34. 20 34. 10 34. 45	-							June 5 0. 0 1. 56 2. 26 3. 26 4. 15 4. 27 4. 48 5. 3 5. 33 6. 44 7. 43 8. 21 9. 10 10. 13 10. 59	20. 31. 30 34. 35 34. 0 34. 20 32. 40 33. 5 32. 40 31. 35 31. 50 29. 30 29. 10 29. 20 28. 40 28. 30 28. 35	June 5 0. 0 0. 56 1. 44 2. 46 3. 51 4. 27 4. 51 5. 8 5. 31 6. 35 6. 51 7. 4 7. 42 9. 56 11. 11	1370 1380 1376 1382 1381 1392 1388 1386 1393 1393 1395 1395 1395	June 5 o. o o. 41 4. 25 6. 14 9. 15 16. 24 22. 26 23. 19 23. 59	*03337 *03345 *03424 *03415 *03377 *03313 *03257 *03238 *03238	June 5 1. 0 3. 0 9. 0 21. 0 22. 0 23. 0	61 °0 61 °2 58 °8 58 °6 58 °2 58 °1	62 ·7 59 ·8 59 ·0 58 ·5
June 4 o. o o. 56 1. 59 2. 16 4. 29 6. 35 7. 43 8. 56 9. 30 9. 58 11. 16 11. 43 13. 8 13. 16 13. 25 13. 39 14. 0 14. 46 14. 52 15. 33 15. 46	20. 34. 45 35. 45 35. 20 36. 0 30. 30 30. 30 28. 25 29. 0 28. 25 28. 15 28. 25 28. 25 29. 55 28. 25 29. 55 29. 55	June 4 0. 0 0. 45 0. 59 1. 59 2. 36 3. 14 3. 30 3. 56 4. 19 4. 50 5. 12 5. 35 7. 11 7. 11 9. 59 13. 12 13. 30	1374 1380 1376 1381 1386 1382 1383 1381 1380 1383	June 4 o. 0 o. 48 1. 12 3. 54 6. 19 7. 38 8. 19 10. 11 13. 10 15. 43 19. 36 22. 58 23. 59	·03543 ·03552 ·03544 ·03603 ·03618 ·03605 ·03592 ·03537 ·03500 ·03464 ·03423 ·03361 ·03337	June 4 1. 0 3. 0 9. 0 21. 0	63 ·6 64 ·2 59 ·9	65 .0	11. 26 11. 45 12. 9 12. 39 12. 52 13. 42 14. 13 14. 37 14. 58 15. 59 16. 10 16. 30 16. 44 16. 59 17. 44 18. 26 19. 31 19. 56 20. 16 20. 40 21. 0	27. 30 28. 25 26. 40 26. 40 27. 40	12. 26 12. 56 16. 25 18. 41 19. 45 21. 19 23. 49 23. 59	1384 1384 1385 1381 1376 1380 1382					

June 5 2.2. 30 2.2. 10 2.2. 50 3.3. 10 3.2. 50 3.3. 10 3.2. 50 3.3. 10 3.2. 50 3.3. 10 3.2. 50 3.3. 10 3.3. 50 3.3. 10 3.3. 50 3.3. 10 3.3. 50 3.3. 10 3.3. 50 3.3. 10 3.3. 50 3.3. 10 3.3. 50 3.3. 10 3.3. 50 3.3. 10 3.3. 50 3.3. 10 3.3. 50 3.3. 10 3.3. 50 3.3. 10 3	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of of rmo- ters.
33. 59	22.30 22.59	<b>20.</b> 29. 10 <b>30.</b> 30	h m				h m	0	0	h m 23.49	20. 32. 55 32. 45	h m		h m		h m	•	0
1. 34		33. 20	June 6		June 6					o. o o. 3o 1. 3o	32. 25 33. 20	o. o o. 36 1. 20	1370	o. o o. 38 2. 56	·03366 ·03422	0. 0 1. 0 2. 0	61 ·4 61 ·6 61 ·7	63 · 3
3, 56	0. 0 1. 34 2. 16 2. 43 3. 25	35. 20 34. 45 33. 15 32. 30	0. 55 1. 12 1. 41 1. 56	1387 1384 1388 1381	1. 44 5. 12 5. 31 8. 23	.03296 .03360 .03352 .03360	1. 0 2. 0 3. 0 9. 0	59 ·8 60 ·3 58 ·9 60 ·7	61 °0 60 °8 60 °8 58 °2 62 °2	3. 56 4. 26 4. 41 5. 9 5. 19	30. 25 29. 45 30. 0 29. 45 30. 5	2. 17 2. 42 3. 11	1376 1379 1381 1368	6. 51 9. 26 13. 34 19. 38	.03460 .03485 .03435 .03424	9. 0	61 ·9 62 ·2 62 ·2	64 · 6 64 · 1 63 · 6
5. 42         31. 25         4. 56         '1406         23. 59         '03352           12. 53         28. 5         11. 48         '1382           13. 3         27. 55         13. 14         '1378           1381           13. 3         27. 55           13. 12           13. 3         27. 45           13. 12           13. 30           17. 56           1381           13. 30           27. 45           1370           13. 30           27. 45           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 59           1370           20. 20. 59           1370           20. 59           1370           20. 20. 59           1370           20. 20. 59           1370           20. 20. 59           1370           20. 20. 59           20. 20. 59           20. 20. 59           20. 20. 59	3. 56 4. 10 4. 27 4. 41	32. 20 33. 0 32. 20 32. 20 ***	3, 24 3, 44 3, 56 4, 15	1382 1392 1401 1388	13. 28 13. 55 15. 11 15. 26 17. 4	*03341 *03336 *03338 *03343 *03356	22. 0	61 .1	62 ·5 63 ·o	10. 49 11. 6 11. 33 11. 51	29. 5 29. 30 27. 45 28. 15	6. 44 9. 27 9. 57 10. 41	1386 1382 1384 1381					
8. 51	5. 42 5. 48 6. 16 6. 47 7. 43	31. 25 31. 25 30. 30 30. 35 30. 0	4. 56 5. 0 5. 12 5. 41 6. 40	1406 1402 1408 1380		•03352				12. 53 13. 3 13. 21 13. 30 13. 43	28. 5 27. 50 29. 5 27. 45 27. 30	11. 48 13. 14 17. 56 19. 13 20. 59	1382 1378 1381 1377 1370					
11. 49	8.51 9.42 10.4 10.11	29. 20 29. 40 30. 0 30. 20 28. 10	7. 45 7. 56 8. 11 8. 41 10. 4	1395 1393 1395 1389 1390						15. 24 15. 37 16. 29 16. 48 16. 56	26. 0 26. 55 24. 20 24. 20 23. 30	23. 12	1373					
13. 26       28. 20       13. 36       '1391         13. 36       28. 20       13. 49       '1399         13. 43       30. 5       14. 11       '1394         14. 13       27. 25       14. 41       '1387         14. 38       27. 45       14. 55       '1389         14. 58       26. 15       15. 40       '1382         15. 43       25. 15       17. 12       '1380         15. 56       23. 40       17. 31       '1383         15. 56       24. 40       19. 56       '1374         16. 24       24. 40       19. 56       '1374         17. 10       22. 55       23. 13       '1374         17. 45       23. 0       23. 45       '1374	11.49 12.4 12.32 12.45:	29. 30 29. 40 29. 0 27. 55	10. 58 12. 10 12. 18 12. 34	1387 1389 1386 1389				•		17. 33 17. 43 17. 53 18. 9	22. 50 23. 25 23. 10 24. 0							
14. 58       26. 15       15. 40       '1382         15. 25       23. 25       16. 35       '1386         15. 43       25. 15       17. 12       '1380         15. 56       23. 40       17. 31       '1383         16. 24       24. 40       19. 56       '1374         ***       21. 22       '1374         17. 10       22. 55       23. 13       '1374         17. 45       23. 0       23. 45       '1374       June 8	13. 26 13. 36 13. 43 14. 13	28. 20 28. 20 30. 5 27. 25	13. 36 13. 49 14. 11 14. 41	1391 1399 1394 1387		·				20. 26 22. 8 22. 58	25. o 28. 3o 31. 5							
17. 10 22. 55 23. 13 1374 1376 29. 10 3. 37 1371 23. 59 03380 17. 45 23. 0 23. 45 1374 23. 25 1374 23. 25 1374 23. 25 1379 23. 379 23. 45 1379 23. 59 03403	14. 58 15. 25 15. 43 15. 56	23. 25 25. 15 23. 40 24. 40	15. 40 16. 35 17. 12 17. 31 19. 56	1386 1380 1383 1377						0. 0 1. 39 3. 10 4. 55	33. 50 32. 10 30. 30	0. 0 0.42 2. 6 2.29	1376 1374 1374 1377	o. o 5. o 9•53 15.42	·03543 ·03572 ·03397	1. o 3. o	63 ·3	65 •4 66 •c
117 55 1 25 30 125 30   1074	17.45	22. 55 *** 23. 0	23. 13 23. 25 23. 45	1374 1370 1374						6.36 6.56 8.9	28. 40 29. 10 29. 5	3. 17 3. 33 4. 25	·1373 ·1371 ·1379	21.19	03380			
17. 33     28. 45     5. 38     1373       19. 30     25. 30       20. 4     24. 25       22. 3     29. 40       23. 25     32. 15       23. 33     31. 50         11. 34     28. 45     5. 38     1373       13. 19     27. 25     6. 26     1379       15. 19     26. 20     7. 10     1385       15. 40     26. 30     7. 43     1382       16. 29     24. 55     7. 56     1385       17. 18     23. 40     8. 19     1383	20. 4 22. 3 22. 23 23. 25	25. 30 24. 25 29. 40 29. 40 32. 15	23. 59	.1374		٠				11. 34 13. 19 14. 9 15. 19 15. 40 16. 29	28. 45 27. 30 27. 25 26. 20 26. 30 24. 55	5. 38 5. 50 6. 26 7. 10 7. 43 7. 56	1373 1379 1379 1385 1382					

<u> </u>		Τ .	1.0	1			1 -		31	T T	<del></del>	1	1	1	1 .		
Greenwich Mean Solar Time.		Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.		dings of	Greeuwich Mean Solar Time.		Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.		adings of
enwic olar	Western Declina-	nwic olar '	al Forther	enwic	For the ncorr	nwic		ermo- eters.	nwic olar	Western Declina-	nwic	al Fo the ncorr	nwic	For the ncorn	nwic		ermo- eters.
Gree an S	tion.	Gree an S	izont rts of F. u	Gree an S	Vertical parts of V. F. ul for Ten	Gree an Se	H. F.	7. F.	Gree an Se	tion.	Gree an So	izont rts of F. u	Gree an Sc	rts of F. u.	Gree an Sc	I. F.	r. F.
Me		Me	Hor Pa H.	Me	Verd Pal V.	Me	Of H. F. Magnet.	Of V. F. Magnet.	Me		Me	Hor For	Me	Veri	Me	Of H. F. Magnet.	Of V. F. Magnet.
June 8		June 8	,			1.			Junero		Junero						
	20. 23. 55	15. 11	1379	h m		h m	٥	°	15. 6	20. 27. 20	h m	1382	h m	ĺ	h m	°	°
20. 23 20. 35	25. 0 24. 35	18.59	***						15. 26 15. 43	27.30 26.55	18. 41 18. 55	·1373 ·1373					
21.47 22.12	27. 55 28. 40	19.56	1378						15. 55 16. 16	27.30 26.30	19.21	1369					
23.52	33 <b>.</b> 30	21.24 22.14	1374						l l	***	19.42 20.9	1365			ļ		
23. 59	33. 45	23.59	1372						16. 54 17. 0	25. 30 26. 0	20. 13 20. 25	1367 1365					
June 9	22 . 5	June 9	2	June 9		June 9	(2.5		'	***	20. 45	1372			]		
2.40	20. 33. 45 35.   0	0. 0	·1372 ·1370	0.0	°03403 °03414	3. o	63 ·5	64 .7	17. 33 17. 51	25. o 25. 3o	21. 4	1368					
5. 46 7. 34	28. 55 28. 5	2. 12 2. 19	1374	5. 8 10. 26	·03527 ·03586	9. 0 11. 0	64 .4	65 .9	18. 14 18. 23	23. 55 24. 40	21.54 22. 3	1372 1369	 				
8. 10	28. 25	2.26	1375	16.40	·o3579	21.20	64 ·5		18.34	22. 25	22.30	1373	}	}	}		1
8. 59 9. 54	27. 30 28. 30	3. 18 5. 45	·1372 ·1382	19. 36 21. 33	·03582 ·03543				18. 51	*** 24. 10	22. 44 22. 59	1368					
10. 26	27. 20 28. 30	8. 12 8. 55	·1387 ·1383	23. 59	03597				19. 11	22.35	23.30	1371					
10.54	28.50	11.44	1375						19. 26 19. 28	22. 45 22. 0	23. 59	1370					
12. 53 13. 18		15. 12 18. 10	·1378 ·1373						19. 39 19. 57	22. o 23. 3o							
15. 15	27. 5	20. 0	1364 1366						20. 10	25.55							
15. 32 16. 46		21. 8 21. 55	1366 1362						20. 15	25. 20 25. 50							
16. 54	25. 50	22. 12 22. 30	·1367 ·1363			•			20. 26	25.30			ĺ		Í		
16. 59 17. 8	25. 0	23. 15	1368						20.40	28. 25 ***							
18. 55 19. 24		23. 18 23. 59	·1367 ·1366						21. 9	29. 30 28. 30							
21.21	26. 5	20.09	1000						22. 2	29.35							
21.51 21.57	27.50 29.20		e	·					22. 14 22. 49	29. 20 31. 20							
22. 26	30. 5 35. 10								22.55	30.40							
<b>23.</b> 59									23. 41 23. 59	34. 10 34. 5							
Junero o. o	20. 35. 10	June 10	·1366	Junero	·o3597	June 10 0. 15	65 •7	67 1	June 11		Junei i		Juner 1		June 1 1		
0.39	36. 10	1.26	·1368	0.58	·o3638	6.30	66 '1	68 0	0. 0	20.34. 5	0. 0	.1370	0. 0	·03491	1.0	64 •2	65 •8
1.39 2.23	36. 10 35. 10	2. 15 2. 38	•1364 •1368	3. 42 7. 40	•03672 •03698	9. 10 21. 0	63 °0	64.0	0.54	34. 10 35. 30	0.11	·1371 ·1370	1. 26 5. 36	•03519 •03591	3. o 9. o	63 •9	64 .5
<b>2. 2</b> 9 <b>4.</b> 34	35. 25 31. 45	3. 35 3. 57	·1374 ·1373	12.26	·03597 ·03502				1. 8 1. 31	35. 10 37. 50	o. 56	·1375 ·1381	9.26	•o3565 •o3483	21. 0	61 .7	63 ·o
5. 22	30.40		***	20.42	'03513				1.44	36. 5	1.11	·1378	11.56	.03407			
6. 4 6. 17	30. 15 29. <b>5</b> 5	6. 22 6. 34	.1386 .1300	<b>23.</b> 59	.03491				1.59 2.15	36.40 36. 0	1.33 1.51	·1385 ·1368	12. 24 17. 23	·03411 ·03338			
8. 11	28.40	8. 55	1393						.2. 24	36. 15	2. 0	·1369	22. 5	·o3366			
9.51		II. II II. 22	1387 1382						2. 43 3. 25	35. 10 33. 55	2. 15 2. 29	·1367	22. 58 23. 59	·03349 ·03355			
11. 6		11.42 12.8	1386 1387						3. 39 3. 56	34. 25 34. 25	2.55 3.25	·1363 ·1370					ĺ
12. 0	27.40	12.12	1384			•			4. 10	33. 5	3. 42	1380					
12.59	*** 27. 20	12.41 13.22	·1387 ·1379						4. 26 4. 44	32. 5 32. 5	4. 5 4. 28	·1387 ·1374					
13. 16 13. 26	27.40	13.49 14. 6	.1383 .1383						<b>6.</b> 39	28. 20 28. 30	4. 54 5. 18	1384 1384			1		
13. 54	27.40		***						7. 25 7. 49	27.40	6. 20	1379					
14. 3 14. 29		16. 41 17. 30	·1383 ·1379						8. 18 8. 46	28. 20 28. 20	7. 0 7. 15	•1386 •1381			ŀ		
	, ,	•	, ,			<u> </u>		1	<u>                                     </u>		'					,	<u> </u>

June 12	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	0	Of V.F. Sample of Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-
0. 0       20. 31. 20       0. 0       1378       0. 0       0. 3355       1. 0       62. 663:2       20. 32       25. 5       27. 50       23. 30       23. 20       23. 30	10. 8 10. 23 10. 41 11. 14 11. 19 12. 30 12. 51 13. 8 13. 44 13. 55 14. 19 15. 26 15. 39 16. 8 16. 53 17. 51 18. 13 18. 13 18. 13 18. 37 18. 18. 37 18. 13 19. 47 20. 41 20. 57 21. 15 21. 26 22. 58 23. 24 23. 35 23. 59	20. 24. 5 24. 20 25. 40 25. 40 24. 30 34. 10 22. 30 21. 40 24. 20 25. 10 26. 10 25. 30 23. 40 20. 30 21. 55 21. 55 21. 55 21. 55 21. 55 22. 35 22. 30 23. 40 25. 30 21. 55 21. 55 21. 55 22. 35 22. 35 23. 35 22. 35 23. 35 24. 15 23. 35 24. 15 25. 35 26. 10 26. 10 27. 20 28. 30 29. 30 21. 55 21. 55 21. 55 22. 35 22. 35 23. 35 24. 15 25. 35 26. 10 26. 10 27. 20 28. 35 29. 35 21. 55 21. 55 21. 55 22. 45 23. 35 24. 15 25. 35 26. 10 26. 10 27. 20 27. 35 27.	n m 7. 38 7. 55 8. 22 9. 15 9. 55 10. 43 11. 18 12. 22 12. 54 13. 38 16. 43 17. 25 18. 12 19. 45 20. 43 21. 27 21. 38 22. 50 23. 32 23. 45 23. 59	1379 1382 1376 1378 1372 1385 1374 1380 1378 1378 1367 1378 1371 1374 1374 1376 1374 1378 1378					0	5. 13 5. 59 6. 49 6. 49 6. 56 7. 23 7. 39 7. 58 8. 24 8. 33 9. 39 9. 10 10. 24 10. 53 11. 4 11. 35 12. 56: 13. 11 13. 23 14. 26 14. 57 15. 8 16. 41 17. 36 17. 47 17. 54 18. 38 18. 52 19. 19. 19. 19. 19. 19. 19. 19. 19. 19.	31. 10 29. 45 29. 45 28. 30 28. 35 27. 55 26. 35 26. 35 26. 20 26. 20 26. 20 26. 10 27. 45 21. 40 22. 20 25. 20 26. 19. 40 27. 45 28. 45 28. 45 28. 45 28. 45 28. 45 28. 45 28. 45 28. 45 28. 45 28. 45 29. 45 20. 55 20. 2	June 12 h 7. 25 7. 54 9. 43 11. 42 12. 14 12. 46 13. 23 13. 52 14. 12 17. 6 17. 25 19. 19 19. 41 20. 27 21. 13 22. 0 22. 43 23. 23	*1394 *1382 *1381 *1371 *1383 *1398 *1398 *1375 *1370 *1373 *1363 *1363 *1367 *1366 *1372	June 12	03215	h m	0	0
2. 33	0. 0 0. 9 0. 22 1. 43	20. 31. 20 31. 30 32. 30 34. 35	o. o o. 26 o. 49 I. I	·1378 ·1379 ·1376 ·1379	0. 0 2. 26 4. 18 8. 52 11. 43	·03355 ·03427 ·03438 ·03363 ·03303	1. 0 3. 0 9. 0 21. 0	62 ·6 61 ·8 58 ·6 59 ·1 59 ·2	62 ·9 59 ·7 59 ·2	20. 32 21. 9 21. 39 23. 32 23. 59	25. 5 27. 50 28. 0 35. 0							
T : 5   6   F   C - 1 - 200   -   C   - 4 - 2	2. 33 3. 13 3. 38	*** 35. 15 35. 5 *** 32. 20 *** 30. 50	1. 35 1. 54 2. 14 3. 11 4. 26 5. 11 5. 56	1376 1384 1382 1395 1394 1385 1396	13. 0 13. 41 14. 11 15. 19 15. 42 17. 26 20. 55	.03228 .03220 .03177 .03180 .03163	23. 0	59 •6	60 •3	June 13 0. 0 0. 55 1. 14 1. 39 2. 6	20. 35. 50 36. 45 36. 30 37. 0 36. 10	0. 0 0. 9 0. 26 0. 51 1. 10	•1381 •1386 •1396 •1394	0. 0 3. 23 7. 9 9. 12 13. 14	.03215 .03260 .03276 .03217 .03208	0. 0 1. 0 3. 0 9. 0	59 °7 60 °2 59 °4 58 °0 58 °1	60 ·6 60 ·0 57 ·0 58 ·3

																_	
Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	Of V. F. Magnet.
June 13 h m 2. 40 3. 24 5. 7 5. 33 5. 56 6. 33 6. 43 7. 15 7. 29 7. 34 7. 59 8. 51 9. 12 9. 53 10. 26 10. 49 11. 21 11. 46 12. 6 12. 23 12. 29 12. 41 13. 8 13. 26 13. 33 13. 39 13. 58 14. 18 14. 50 15. 25	0. 35. 35 36. 5 33. 45 32. 45 29. 30 29. 45 27. 55 27. 25 28. 5 27. 25 28. 15 27. 50 27. 50 27. 40 26. 20 27. 40 26. 40 27. 50 27. 25 28. 5 27. 25 28. 15 27. 50 27. 50 27. 50 27. 50 27. 50 27. 26 28. 5 28. 5 28. 10 26. 20 27. 25 28. 5 28. 10 26. 40 27. 55 28. 5 28. 5 28. 5 29. 40 26. 20 27. 25 28. 5 28. 5 28. 10 27. 50 27. 25 28. 10 27. 50 27. 20 28. 5 28. 5 28. 10 26. 40 27. 50 27. 25 28. 5 28. 10 27. 25 28. 10 27. 25 28. 10 27. 25 28. 5 28. 5 28. 10 27. 25 26. 20 27. 30 27. 30 27. 25 26. 20 27. 30 27. 25 26. 20 27. 30 27. 25 26. 20 27. 30 28. 5 26. 20 27. 30 28. 10 26. 20 27. 30 28. 10 26. 20 27. 30 28. 5 26. 20 27. 30 28. 10 26. 25 26. 50 27. 30 28. 10 26. 25 26. 10 26. 25 26. 10	June 13  1. 12  2. 45  3. 15  3. 34  4. 54  5. 55  6. 42  6. 40  7. 41  8. 36  9. 13  9. 13  11. 20  12. 53  13. 41  14. 14  14. 14  15. 15  17. 23  18. 26	1399 1395 1397 1395 1398 1395 1398 1396 1396 1396 1396 1397 1399 1387 1389 1389 1389 1389 1389 1389 1389 1389	June 13 15. 23 17. 28 21. 15 23. 59	•03176 •03147 •03182 •03196	22.30		61 .0 90 .1	8. 22 8. 32 9. 29 11. 21 13. 8 13. 36 14. 21 16. 6 16. 29 17. 4 17. 59 18. 26 19. 25 19. 32 19. 50 19. 58 20. 29 21. 26 21. 59 22. 21 22. 41 22. 50 23. 59 23. 59	20. 29. 20 28. 35 28. 45 28. 0 27. 45 28. 50 28. 30 27. 50 25. 20 25. 45 24. 55 23. 20 24. 10 23. 55 24. 20 24. 10 23. 25 24. 20 25. 55 27. 10 27. 55 29. 25 30. 5	June 14 h 5. 25 6. 20 6. 26 6. 43 8. 15 8. 42 9. 25 10. 43 11. 30 13. 56 17. 57 19. 13 20. 18 21. 14 22. 30 23. 35 23. 59	1393 1388 1391 1387 1382 1383 1385 1385 1385 1376 1376 1377 1370 1367 1368	h m		h m	0	o
15. 53 16. 29 16. 41 16. 48 16. 56 17. 8 17. 16 17. 23 18. 13 18. 26 19. 43 21. 6 23. 34 23. 59 June 14	***  28. 5  25. 40  25. 20  24. 25  25. 10  24. 20  25. 5  24. 30  24. 20  23. 45  ***  23. 20  24. 40  33. 45  34. 35	June 14 0. 0 1. 12 1. 29 2. 8 2. 29 3. 0 3. 14 4. 56	·1366 ·1369 ·1372	June 14 0. 0 2. 56 4. 56 9. 29 17. 25 19. 24 23. 59	·03196 ·03280 ·03327 ·03356 ·03242	3. o	59 ·9 60 ·8 61 ·3 61 ·6	62 1	0. 30 0. 38 1. 6 2. 28 2. 54 3. 33 4. 36 5. 27 5. 41 6. 15 7. 26 7. 59 8. 16 8. 54 9. 24	20. 30. 5 31. 50 32. 30 33. 0 *** 35. 55 35. 20 36. 10 36. 20 36. 33. 30 32. 25 33. 30 32. 25 30. 55 31. 0 30. 20 31. 5 30. 30 29. 10 29. 20	June 15 0. 0 1. 36 1. 51 2. 14 2. 41 2. 58 3. 52 4. 26 5. 34 5. 50 6. 5 7. 13 7. 55 8. 12 9. 19 10. 20 11. 52 12. 3	.1389 .1389	16. 53 17. 41 18. 29 21. 59 22. 42	·03260 ·03258 ·03357 ·03368 ·03283 ·03242 ·03263 ·03292 ·03280 ·03315	3. o	61 ·6	61 ·8

1 20 4	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read There met Magnet.	f rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Reading of Therm meter western with the state of the stat	mo-
June 15 11. 36 11. 42 11. 51 11. 58 12. 47 13. 11 13. 21 13. 39 14. 13 14. 13 14. 19 14. 41 14. 49 14. 59 15. 12 15. 24 15. 33 15. 51 15. 59 16. 10 16. 37 16. 42 17. 12 17. 39 17. 45 17. 55 18. 9 18. 20 18. 39 18. 42 17. 12 17. 39 17. 45 17. 55 18. 9 18. 20 18. 39 18. 42 19. 26 20. 24 20. 38 20. 47 20. 57 21. 8 21. 21 21. 47 22. 12 22. 36 22. 43 23. 26 23. 40 23. 47 23. 59  June 16 0. 16 0. 16 0. 21 0. 39 0. 54	27. 20 27. 20 27. 20 28. 5 26. 30 26. 35 27. 25 26. 30 27. 25 26. 30 27. 25 26. 30 27. 25 27. 30 27. 25 27. 25 28. 30 27. 25 28. 30 27. 25 28. 30 29. 26. 35 29. 26. 35 21. 55 21. 55 22. 55 23. 55 24. 40 23. 24. 45 21. 55 22. 55 23. 55 24. 45 25. 55 26. 55 27. 25 26. 35 27. 25 26. 35 27. 25 26. 35 27. 25 27. 25 28. 30 29. 25 20. 25 21. 55 22. 55 23. 30 24. 45 25. 25 26. 35 27. 25 27. 25 27. 25 28. 30 28. 30 29. 25 20. 35 21. 55 22. 25 23. 25 25. 25 26. 35 27. 25 27. 25 27. 25 28. 30 28. 30 28. 30 33. 55 27. 25 28. 30 33. 55 29. 25 20. 35 20. 35 21. 55 22. 25 25. 25 26. 35 27. 25 27. 25 28. 30 28. 30 33. 55 27. 25 28. 30 33. 55 27. 25 27. 25 28. 30 33. 35 33. 35 36. 35 37.	June 15 13. 43 14. 11 15. 15 16. 40 16. 455 17. 11 17. 29 18. 54 20. 22 20. 43 21. 19 21. 26 22. 10 22. 21 22. 50 23. 12 23. 59	1396 1388 *** 1396 1396 1396 1390 1390 1391 1376 1372 1365 1372 1365 1349 1349	June 16 o. o. 46 o. 45 o. 3 o. 28	.03315 .03337 .03406 .03397 .03407	3. o 9. o	61 ·9 62 ·0 59 ·0	62 ·9	June 16  1. 26  1. 41  1. 48  2. 16  2. 25  2. 38  3. 26  3. 43  4. 41  5. 14  5. 38  5. 54  6. 32  6. 56  7. 13  7. 53  8. 25  8. 39  8. 44  9. 1  9. 10  9. 26  9. 51  10. 36  10. 52  11. 7  11. 18  11. 29  12. 14  12. 32  14. 51  15. 16  16. 13  17. 18  17. 33  17. 49  18. 11  18. 21	20. 35. 25 34. 35 35. 55 34. 50 35. 45 35. 20 35. 30 35. 5 35. 10 33. 40 33. 40 33. 35 32. 55 33. 35 32. 55 30. 25 29. 40 28. 40 26. 40 26. 40 26. 40 26. 40 27. 25 26. 50 27. 25 27. 55 27. 50 27. 40 27. 40		1383 1391 1386 1385 1383 1389 1388 1391 1383 1381 1367	June 16 h 6.50 7.12 7.53 8.59 10.10 12.38 13.22 17.50 18.57 22.31 23.59	.03413 .03400 .03400 .03403 .03340 .03268 .03275 .03246 .03244 .03136 .03074 .03093	h m	0	0

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	f mo-
18. 28 18. 39 19. 3 19. 8 19. 26 19. 28 19. 48 20. 29 20. 56 21. 11 21. 23 21. 58 22. 26 23. 10 23. 14 23. 59 June 17	20. 23. 40 24. 35 23. 20 23. 45 23. 10 23. 40 22. 55 23. 40 23. 55 24. 40 24. 10 25. 0 25. 55 26. 0 28. 10 28. 40 28. 15 29. 55 31. 30	June 17 0. 0 1. 6 1. 41 2. 13 2. 25	1376 1374 1386 1378 1379	June 17 0. 0 2. 43 3. 10 4. 34 9. 8 9. 57	·03093 ·03142 ·03163 ·03198 ·03223 ·03178	June 17 1. 0 9. 15 21. 0	58 ·4 58 ·8	58 ·4 59 ·2 59 ·7	June 17 13. 50 14. 21 14. 40 14. 56 15. 8 15. 13 15. 23 15. 39 16. 6 16. 15 16. 40 16. 50  17. 29 17. 41 18. 19 18. 55 19. 4 19. 16  19. 38 19. 44 19. 52 19. 56 20. 3 20. 8	20. 28. 0 24. 35 24. 30 25. 25 27. 20 27. 10 26. 20 25. 30 28. 0 29. 40 27. 35 30. 25 *** 31. 55 30. 30 25. 55 22. 20 22. 55 21. 30 22. 50 21. 30 22. 50 22. 50 22. 50 ***	June 17 15. 27 16. 12 16. 40 17. 12 17. 59 18. 55 22. 12 23. 14 23. 25 23. 40 23. 59	*1394 *1395 *1402 *1383 *1388 *1382 **** *1367 *1371 *1368 *1371 *1371	h m		h m		0
3. 42 4. 10 4. 34 4. 51 5. 25 5. 43 5. 56 6. 4 6. 20 6. 42 7. 15 7. 43 8. 39 9. 12 9. 56 10. 28 11. 32 11. 51 12. 11 12. 29 12. 33 12. 40 12. 53 13. 9 13. 33	36. 50 34. 20 33. 50 34. 5 32. 55 32. 40 32. 0 31. 0 31. 0 29. 55 30. 5 29. 30 29. 40 28. 20 25. 55 24. 0 22. 30 27. 30 27. 30 27. 30 25. 20 25. 30 22. 45 26. 0 24. 30 24. 30 24. 30 26. 25 28. 20	2. 38 3. 12 3. 43 4. 15 9. 5. 41 5. 56 6. 11 5. 56 6. 11 7. 53 9. 43 9. 45 10. 45 11. 11 11. 45 12. 13 12. 22 12. 35 13. 38 13. 55	·1385 ·1407 ·1398 ·1380 ·1397 ·1396 ·1404 ·1398 ·1401	9. 57 10. 58 11. 55 13. 9 13. 44 14. 14 16. 11 16. 41 17. 50 19. 42 23. 59	03180 03136 03127 03085 03082 03103 03094 03087 03143				20. 56 21. 29 21. 58 22. 7 23. 26 23. 37 23. 59  June 18 0. 0  1. 39 1. 42 2. 7  2. 52 2. 58 3. 9 3. 13 3. 20 3. 36 3. 42: 4. 28 4. 41 4. 54 5. 30 5. 40 6. 12 6. 39	23. 20 24. 25 26. 10 25. 55 30. 30 30. 20 31. 20  20. 31. 20  20. 31. 20  20. 31. 20  34. 30 34. 30 34. 30 34. 25 35. 25 34. 30 34. 25 33. 35 34. 0 33. 30 34. 15 30. 15 30. 15 ***	June 18 0. 0 0. 12 1. 24 1. 57 2. 59 3. 14 3. 33 3. 44 4. 10 4. 55 5. 13 5. 27 5. 50 6. 14 6. 29 6. 42	·1371 ·1374 ·1380 ·1395 ·1384 ·1378 ·1397 ·1388 ·1395 ·1405 ·1393 ·1394	15. 36 16. 26 17. 3 17. 15	'03147 '03188 '03226 '03257 '03260 '03173 '03140 '03157 '03141 '03156 '03150 '03197 '03217	<i>3</i> . o	58 ·9 59 ·4 60 ·0	60 °0 61 °0 62 °2 60 °2

Sola	Vestern Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Ther met There Ther	of mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	f mo-
7. 14 7. 26 8. 14 8. 40 9. 4 9. 29 9. 41 9. 48 9. 55 10. 30 11. 24 11. 40 11. 45 12. 38 12. 49 13. 4 13. 21 14. 23 14. 44 15. 55 16. 59 17. 22 17. 33 17. 56 18. 32 17. 56 18. 32 18. 40 19. 36 19. 36 19. 36 19. 36 19. 36 20. 33 20. 53 21. 24 22. 4 23. 43	7.30. 20 29. 40 29. 40 20. 40	June 18  6. 55  7. 9  7. 14  8. 22  8. 50  9. 47  10. 49  13. 12  14. 56  16. 14  17. 26  18. 15  18. 54  19. 41  19. 55  20. 12  20. 38  21. 6  22. 11  22. 35  23. 13  23. 43  23. 59	1395 1398 1398 1398 1394 1416 1396 1390 1400 1393 1404 1384 *** 1368 1373 1375 1378 1368 1376 1366 1376 1366 1370 1366 1366 1370	June19		June 19	0	C	June 19  4. 26  4. 42  4. 55  5. 36  5. 41  5. 48  6. 30  6. 49  6. 56  7. 22  7. 53  7. 57  8. 24  8. 47  8. 57  9. 25  10. 106  11. 49  12. 56  13. 56  14. 12  14. 26  13. 56  14. 12  14. 33  15. 14  15. 37  16. 57  18. 51  18. 53  19. 26  20. 54  21. 33  21. 57  22. 29  23. 21  23. 40	20. 31. 25 31. 25 32. 20 30. 10 30. 30 30. 30 29. 55 30. 30 30. 55 27. 50 28. 35 27. 30 28. 50 29. 30 28. 50 29. 30 28. 50 29. 30 28. 50 29. 20 28. 35 29. 20 28. 35 29. 20 29. 20 28. 35 29. 25 29. 20 29. 20 28. 35 29. 45 29. 45 29. 45 29. 55		1387 1386 1384 1397 1397 1394 1397 1406 1392 1388 1393 1395 1490 1395 1490 1395 1396 1385 1388 1387 1386 1388 1387 1386 1388 1387 1386 1388 1387 1386 1388 1387 1386 1387 1386 1387 1386 1387 1387 1387 1387 1387 1387 1387 1387	h m		h m	0	0
0. 0 20. 0. 12 0. 53 1. 15 2. 38 3. 8 3. 39	29. 55 29. 55 *** 32. 5 32. 5 33. 45 32. 10 32. 20	0. 0 0. 18 0. 41 0. 54 1. 12 1. 26 1. 56 2. 11	1369 1371 1374 1379 1376 1378 1380	o. o 1. 10 5. 19 8. 6 18. 12 23. 59	·03217 ·03224 ·03323 ·03352 ·03316 ·03296	1. 0 3. 0 9. 0 21. 0 22. 0 23. 0	60 ·1 60 ·3 60 ·3 60 ·5 60 ·5	63 °0 61 °0 61 °0 61 °0	23. 59 June 20 0. 0 0. 39 0. 53 1. 8 1. 24	32. 5	June 20 0. 0 0. 12 0. 34 1. 1	·1371 ·1374 ·1377 ·1376 ·1372	June 20 o. o 5. 54 6. 24 9. 9 12. 28	*03296 *03380 *03400 *03384 *03323	June 20 0. 0 1. 0 3. 0 9. 0 21. 0	60 ·9 60 ·9 61 ·3 61 ·0 61 ·4	62 ·0 62 ·4 62 ·0 62 ·6

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Wagnet. F. Magnet. F. Magnet. F. Magnet. Magne	10-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
June 20 1. 44 2. 30 3. 26 4. 13 4. 25 5. 33 5. 41 5. 50 6. 14 6. 38 6. 41 7. 44 9. 19 9. 59 13. 47 14. 42 15. 39 15. 39 15. 54	20. 33. 25 32. 10 32. 25 31. 10 31. 50 29. 30 28. 35 25. 10 26. 55 26. 35 29. 25 29. 25 27. 35 28. 0 27. 10 27. 30 25. 40 25. 20	June 20  2. 28 2. 56 3. 18 3. 36 3. 57 4. 35 4. 56 5. 12 5. 35 5. 41 5. 56 6. 10 6. 25 6. 44 6. 55 7. 53 8. 12 8. 25	*1380 *1387 *1383 *1386 *1400 *1404 *1399 *1395 *1397 *1397 *1391 *1389 *1389 *1389 *1389	June20 h m 14. 26 16. 9 18. 0 19. 57 23. 59	.03307 .03318 .03315 .03327 .03342	June 20 h m 22. 0 23. 0	6î·56	2·8 3·0	14. 39 15. 10 15. 41 16. 53 17. 14 18. 29 18. 35 18. 56 19. 6 20. 7 20. 59 21. 6 22. 41 22. 49 23. 5 23. 30 23. 49 23. 59	20. 30. 10 30. 20 27. 5 24. 30 23. 50 23. 10 23. 40 23. 40 25. 10 24. 5 28. 55 28. 55 30. 25 30. 25 31. 30	June 21 15. 12 16. 19 17. 12 18. 57 20. 12 21. 57 23. 3 23. 10 23. 59	*1394 *1392 *1393 *1384 *1377 *1377 *1380 *1378 ****	h m		h m	C	0
16. 8 16. 17 16. 26 16. 58 17. 7 17. 25 17. 40 17. 51 17. 54 18. 10 19. 5 19. 22 19. 47 19. 5 20. 21 20. 27 21. 47 22. 37 23. 9 23. 45 23. 59	26. 30 25. 50 26. 30 23. 45 24. 35 23. 55 25. 20 24. 35 24. 30 24. 30 24. 50 23. 15 25. 25 26. 20 25. 40	8. 42 9. 57 10. 56 11. 22 12. 10 15. 22 16. 56 18. 11 18. 43 19. 56 20. 19 20. 40 21. 41 22. 8 22. 36 23. 59	1384 1387 1383 1386 1383 1388 1381 1381 1371 1373 1367 1370 1370 1370						June 22 0. 0 0. 9 0. 17 0. 22 0. 35 0. 53 1. 6 1. 29 1. 41 2. 11 2. 21 2. 27 2. 36 2. 39 2. 48 3. 6 3. 33 4. 53 5. 26 6. 13:	20. 31. 30 32. 20 31. 50 32. 30 32. 50 34. 10 31. 45 33. 20 32. 20 *** 32. 40 31. 35 31. 40 30. 55 31. 40 30. 55	June 22 0. 0 0. 12 0. 26 0. 41 0. 52 1. 11 1. 27 1. 41 2. 12 2. 25 2. 35 2. 45 2. 52 3. 12 3. 38 4. 7 5. 12 5. 33 5. 44 6. 38	1386 1382 1393 1395 1405 1372 1382 1375 ***	June 22 0. 0 0. 25 0. 43 0. 56 1. 52 4. 23 6. 38 9. 41 11. 57 14. 34 17. 41 20. 24 23. 59	•03436 •03442 •03437 •03464 •03526 •03526 •03424 •03377 •03280 •03344	g. 0	63 ·8 64 ·2 63 ·9	66 •0 66 •2 66 •2 62 •9
June 21 0. 0 1. 9 2. 23 3. 39 5. 26: 6. 49 10. 17 11. 25 11. 56 12. 59 13. 24 13. 30 13. 54 14. 10	20. 30. 55 32. 15 31. 5 30. 25 28. 45 29. 10 28. 50 28. 25 28. 35 27. 55 28. 25 27. 55	June 21 0. 0 0. 20 1. 35 3. 27 5. 26 6. 43 8. 8 9. 11 9. 26 10. 0 12. 11 13. 50 14. 21	1370 1372 1372 1386 1386 1388 1389 1384 1389 1387 ***	3. 42 5. 41 10. 14 14. 8 17. 43 20. 30 22. 44	·03342 ·03436 ·03441 ·03498 ·03463 ·03415 ·03428 ·03436	1. 0 2. 0 3. 0	62 · 1 6 62 · 7 6 62 · 8 6 62 · 8 6 64 · 1 6 62 · 8 6	4 · 1 5 · 2 4 · 8 5 · 9	6. 51 7. 8 7. 23 7. 56 8. 4	28. 50 26. 20 26. 10 28. 10 28. 0 29. 20 28. 40 29. 50 28. 35 25. 10 24. 5 25. 10 26. 10 25. 45 26. 40	7. 10 7. 41 8. 4 8. 42 9. 57 9. 23 9. 54 10. 25 10. 44 11. 43 12. 24 12. 55 13. 19 14. 0	1390 '1389 '1387 '1390 '1383 '1385 '1386 '1387 '1386 '1377 '1383 '1381 '1381 '1389 ***					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	rmo- ters.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther meter	f rmo- ers.
June 22 h m 13. 58 14. 43 14. 58 15. 10 15. 58 16. 6 16. 31 17. 20 18. 21 18. 40 19. 3 19. 13 19. 32 19. 51 20. 6 20. 23 20. 32	20. 25. 55 28. 0 27. 40 26. 30 25. 0 25. 20 23. 40 22. 55 23. 30 23. 55 23. 40 24. 20 24. 30 24. 30 24. 30 25. 45 25. 35	June 22 16. 45 17. 30 17. 42 18. 12 19. 35 19. 44 20. 12 20. 50 21. 19 21. 56 23. 59	*1391 *1384 *1390 *1389 *1384 *1379 *1382 *1379 *1382 *1380 *1391	h m		h m	0	0	June 23 15. 36 15. 52 16. 8 16. 27: 17. 26 17. 36 17. 41 18. 10 18. 56 19. 36 20. 14 21. 39 23. 14 23. 26 23. 33 23. 59	20. 23. 45 24. 30 24. 10 24. 45 23. 20 23. 30 24. 25 23. 55 24. 30 24. 30 24. 30 24. 30 27. 50 30. 25 31. 35 31. 20 32. 25	June 23 12. 42 12. 57 13. 25 14. 0 14. 57 15. 44 16. 27 17. 36 19. 15 21. 42 22. 29 23. 12 23. 25 23. 41 23. 59	*1403 *1401 *1398 *1388 *1391 *1393 *1385 *1382 *1376 *1376 *1380 *1388 *1383 *1383	h m		h m	0	0
21. 11 21. 56 22. 53 23. 21 23. 29 23. 48 23. 59	26. 30 29. 30 30. 50 30. 50 31. 25 31. 30 32. 5	T		I		June 23			June24 o. o o. 19 1. 36 1. 47 2. 4 2. 8 2. 22 4. 12	20. 32. 25 32. 25 34. 20 33. 50 33. 15 34. 15 32. 50 30. 30	June 24 0. 0 0. 56 1. 15 1. 41 2. 5 2. 12 2. 29 3. 20	1384 1386 1385 1390 1391	June24 0. 0 2. 14 5. 56 8. 55 10. 38 12. 23 15. 40 17. 34	*03389 *03433 *03457 *03484 *03414 *03356 *03268 *03218	8.30	63 · 1 64 ·o 60 ·7	65 .6
June 23 0. 0 0. 43 1. 8 1. 50 2. 56 3. 42 4. 40 5. 8 7. 15 7. 29 8. 3 8. 40 8. 54 9. 41 9. 55 10. 26 10. 55 11. 8 11. 22 11. 54 12. 39 13. 15 13. 23 13. 35 13. 39 14. 29 14. 50 15. 11	20. 32. 5 32. 40 33. 10 34. 0 33. 0 31. 50 31. 50 31. 5 30. 10 27. 25 30. 20 27. 30 27. 30 27. 30 27. 55 28. 30 27. 55 28. 10 24. 25 25. 0 24. 10 22. 40 23. 5 21. 30	June 23 0. 0 0. 13 1. 14 1. 57 2. 12 2. 29 2. 43 3. 30 3. 56 4. 51 5. 36 5. 47 6. 6 6. 27 6. 42 7. 43 8. 12 8. 45 9. 34 10. 41 11. 12 11. 25 11. 57 12. 24	·1391 ·1388 ·1392 ·1400 ·1395 ·1400	June 23 0. 0 4. 19 9. 26 11. 7 14. 12 15. 13 16. 53 17. 40 20. 56 23. 59	·03344 ·03435 ·03478 ·03414 ·03357 ·03354 ·03356 ·03389	1. 0 3. 0	62 0	64 •2	4.27	30. 55 29. 55 29. 55 29. 20 28. 55 28. 25 27. 45 28. 0 25. 25 24. 10 23. 50 24. 40 25. 10 24. 55 26. 0 25. 50 25. 45 24. 35	3. 49 5. 55 6. 21 8. 35 8. 43 10. 23 10. 42 12. 13	1388	19. 52 23. 59	03244	which i		

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.
20. 19 20. 34	20. 24. 40 24. 25 24. 25	h nu		h m		h m	0	0	June 25 23. 21 23. 51 23. 59	20. 33. "0 32. 40 33. 5	h m		h m		h m	0	0
21. 23 21. 39 21. 54 22. 2 23. 0 23. 11 23. 37 23. 59	27. 20 27. 55 28. 50 28. 30 32. 10 32. 10 33. 55 34. 35	~							June 26 0. 0 0. 11 1. 9 1. 30 2. 26 3. 1 3. 22	20. 33. 5 34. 10 35. 0 35. 5 33. 50 33. 5	June 26 0. 0 0. 41 0. 57 1. 57 2. 14 2. 45	·1384 ·1389 ·1384 ·1387 ·1391 ·1396	June 26 0. 0 1. 11 4. 10 9. 34 15. 12 17. 45 19. 56	.03363 .03385 .03463 .03503 .03433	3. 0 9. 0 19. 0 21. 0	63 · 0 64 · 5 64 · 1 63 · 5 63 · 3 63 · 1 63 · 6	65 ·7 66 ·0 64 ·0 65 ·7 64 ·5
June 25 0. 0 0. 4 0. 14 0. 22 0. 39 0. 59 1. 26 1. 41 2. 56 4. 3 5. 7 7. 6 7. 30 9. 23 9. 43 10. 9 11. 34 12. 7 12. 36 13. 25 14. 11 15. 7 15. 39 16. 19 17. 22 17. 33 17. 39 18. 12 17. 33 18. 12 18. 19 18. 28 18. 33 19. 16 19. 26 20. 19 20. 38 20. 42 22. 12	20. 34. 35 34. 45 33. 50 34. 10 33. 20 32. 10 32. 45 31. 25 30. 30 29. 35 29. 20 28. 35 27. 30 28. 40 28. 0 26. 55 27. 20 26. 55 25. 40	June 25 0. 0 0. 41 1. 50 2. 25 4. 11 4. 20 4. 48 4. 57 7. 11 7. 22 7. 50 9. 42 13. 12 14. 26 15. 26 16. 35 17. 49 19. 11 21. 44 22. 54 22. 57 23. 19 23. 59	*1380 *1388 *1395 *1392 *1395 *1391 *1395 *1397 *1397 *1397 *1397 *1397 *1397 *1397 *1397 *1397 *1397 *1397 *1397 *1397 *1397 *1397 *1398 *1398 *1375 *1380 *1384	June25 o. o o. 3o 3. 53 g. o 21. o 22. 3 22. 58 23. 59	·03282 ·03297 ·03363 (†) ·03406* ·03353* ·03356 ·03363	3. o 9. o 21. o	61 ·9 62 ·7 62 ·9	63 ·4 63 ·6 65 ·0 63 ·6	36. 26 7. 40 7. 49 8. 14 8. 36 9. 6 10. 14 11. 6 11. 33 11. 45 11. 57 12. 39 13. 22 13. 56 14. 10 15. 9 15. 14 15. 21 16. 6 17. 13 17. 50 18. 16 18. 10 18. 15 18. 15 18. 23 18. 51 19. 11 19. 41 20. 59 21. 21 21. 45 22. 12 22. 29 22. 56 23. 14 23. 59	29. 5 28. 35 29. 0 26. 45 28. 10 29. 0 29. 0 28. 20 27. 25 28. 0 27. 20 28. 5 27. 35 26. 40 26. 55 *** 25. 35 22. 10 22. 20 23. 50 21. 20 24. 40 23. 40	3. 6 3. 25 4. 51 5. 6 5. 22 5. 59 6. 55 7. 19 7. 35 8. 8 8. 22 8. 33 8. 49 12. 14 13. 26 14. 5 14. 20 17. 13 18. 20 19. 42 20. 26 21. 155 22. 17 23. 59	1395	22. 43 23. 59	·03415 ·03440	·		
22. 26 22. 41 22. 55 23. 4	32. 10 32. 20 33. 15 32. 10	,							June27 0. 0 0. 22 2. 54	20. 32. 40 33. 20 32. 40	June27 o. o o. 27 1. 52	·1383 ·1388	June27 0. 0 6.11 11.48	.03440 .03546 .03577	Jane 27 0. 0 1. 0 2. 0	63 ·6 64 ·6	67 .0

For the Horizontal and Vertical Forces, increasing readings denote increasing forces.

June 25. The Vertical Force time-piece was not going from 3<sup>h</sup>. 53<sup>m</sup>. to 22<sup>h</sup>. 3<sup>m</sup>.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	0	rmo- ers.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. Magnet.	ers.
June 27 3. 11 5. 6 5. 41 7. 11 7. 39 8. 43 8. 59 9. 26 9. 38 10. 26 11. 8 11. 39 11. 56 12. 23 12. 55 13. 8 13. 22 14. 13 15. 20 16. 0		June 27 2. 0 2. 12 2. 26 4. 18 4. 41 5. 58 6. 12 6. 43 6. 56 7. 12 7. 20 7. 52 8. 15 8. 41 8. 45 9. 0	1386 1394 1390 1389 1391 1388 1392 1394 1392 1394 1392 1394 1392 1394 1392 1394	June 27 12. 24 23. 59	·03546 ·03523	June27 3. 0 9. 0 21. 0 22. 0 23. 0	64· 6 65· 4 64· 8		17.46	20. 25. 20 23. 0 23. 0 24. 10 22. 10 23. 30 22. 25 *** 25. 5 28. 10 30. 10 30. 10 31. 10 30. 40 32. 55 32. 50 35. 5	June 28 h m 17. 12 19. 3 20. 25 20. 53 21. 11 22. 10 22. 32 22. 53 23. 12 23. 34 23. 52 23. 59	1391 1384 1376 1376 1372 *** 1379 1367 1367 1368 1366	h ni		h m	0	0
16. 6 16. 42 17. 6 17. 17 19. 11 19. 23 19. 54 20. 36 22. 9 23. 23 23. 28 23. 59	26. 20 25. 10 25. 0 24. 25 23. 5 22. 40 23. 30 26. 0 30. 55 30. 30	9. 24 10. 12 10. 31 10. 58 11. 43 12. 12 13. 46 17. 5 19. 50 21. 41 21. 55 22. 56 23. 12 23. 30	1387 1392 1389 1386 1387 1406 1388 1388 1383 1367 1366 1366 1366						June 29 0. 0 0. 25 0. 40 1. 28 2. 13 2. 47 3. 17 3. 26 3. 39 4. 3 4. 26 4. 47 5. 23 5. 47	20. 35. 5 35. 5 36. 30 35. 10 35. 20 34. 30 35. 55 35. 40 34. 25 33. 40 32. 0 30. 55 29. 30	June29 0. 0 0. 40 0. 48 1. 11 1. 41 2. 45 3. 12 3. 20 3. 43 3. 55 4. 15 4. 42 4. 56 5. 38	1369 1378 1378 1376 1382 1392 1405 1412 1389 1384 1391 1403	June29 0. 0 1. 0 3. 0 4. 16 7. 2 8. 52 9. 0 11. 24 14. 34 16. 50 23. 11 23. 59	·03490 ·03500* ·03537* (†) ·03560 ·03585 (†) ·03584* ·03563 ·03496 ·03472 ·03464 ·03477	3. o	64. 8 64. 8 66. 0 64. 1	67. o
June 28 0. 0 1. 26 1. 56 3. 22 3. 41 4. 15 6. 26 8. 53 9. 29 10. 45 11. 51 12. 9 12. 22 12. 39 13. 8 13. 23 13. 51 14. 7 14. 44 16. 30	20. 32. 15 34. 10 35. 40 33. 55 33. 5 32. 35 28. 50 27. 30 28. 0 26. 55 27. 40 27. 50 26. 30 29. 10 29. 10 26. 25 27. 0	June 28 0. 0 0. 40 1. 16 1. 27 2. 5 2. 16 2. 42 3. 25 4. 12 4. 50 6. 12 6. 39 7. 26 7. 50 9. 26 13. 26	1373 1375 1383 1380 1392 1384 1385 1390	June28 0. 0 1. 26 1. 57 3. 38 4. 57 9. 26 11. 57 13. 41 17. 15 21. 34 23. 59	·03523 ·03532 ·03534 ·03554 ·03577 ·03602 ·03556 ·03507 ·03502 ·03464 ·03490	3. o	65· 3 65· 3 65· 7	67.0	7. 6	27. 55 26. 20 27. 20	5. 52 6. 14 6. 26 6. 55 7. 13 7. 40 7. 50 8. 12 8. 26 8. 45 9. 50 10. 10 11. 3 12. 12 12. 26 13. 57 14. 23 15. 32 16. 42	1398 1397 1399 1394 1399 1394 1396 1392 1389 1399 1399 1399 1399 1399 1391 1392 1391 1394 1391 1394					

Greenwich Mean Solar Tirne.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Read of Ther met Wagnet.	f mo- ers.
June 29, 16. 41, 17. 11, 17. 20, 18. 52, 18. 59	20. 26. 15 24. 15 25. 0 *** 23. 0 23. 30	June 29 h m 17.47 19.2 20.26 20.42 21.59 22.43	1389 1382 1382 1380 1376	h m		h m	0	0	June 30 22. 56 23. 21 23. 46 23. 55 23. 59	20. 29. 30 32. 0 32. 0 32. 30 32. 35	h m		h m		h m	٥	0
19. 17 20. 4 20. 25 20. 34 20. 52 21. 3 21. 10 22. 11 22. 38 22. 52 22. 56 23. 59 June 30	23. 5 23. 10 24. 35 24. 0 24. 10 25. 10 24. 50 27. 55 27. 30 29. 15 28. 40 31. 0	22. 56 23. 11 23. 27 23. 59 June 30	·1378 ·1376 ·1373 ·1376	June30		June30			July 1 0. 0 0. 26 0. 55 1. 37 2. 6 4. 3 5. 44 6. 23 7. 23 8. 23 8. 58 10. 10 11. 50	20. 32. 35 32. 55 34. 5 34. 5 33. 0 30. 0 28. 40 29. 20 28. 25 28. 50 28. 5	July 1 0. 0 0. 19 0. 57 1. 15 1. 56 2. 26 3. 6 3. 41 4. 22 5. 12 6. 43 7. 51	·1388 ·1383 ·1387 ·1382 ·1385 ·1399 ·1391 ·1394 ·1394 ·1399 ·1397 ****	July 1 0. 0 1. 45 4. 43 6. 12 7. 26 9. 8 11. 4 17. 54 20. 42 23. 26 23. 40 23. 59	·03368 ·03363 ·03423 ·03420 ·03420 ·03328 ·03140 ·03134 ·03164 ·03154 ·03160	9. 0	62 · 7 61 · 2 59 · 7	62 .9
	20. 31. 0 32. 20 31. 50 32. 0 31. 10 30. 0 30. 20 30. 20 30. 0 28. 55 29. 0 28. 30 27. 10 27. 40 27. 40 27. 55 26. 25 27. 20 25. 35	0. 0 0. 56 2. 0 2. 13 2. 26 3. 13 3. 35 3. 56 4. 24 4. 59 6. 9 6. 22 6. 41 6. 57 8. 54	1376 1383 1389 1386 1385 1387 1383 1386 1384 1389 1391 1390 1393 1391 1397 ***	o. o 6. 21 9. 8 10. 56 13. 4 18. 14 19. 30 23. 0 23. 59	·03477 ·03562 ·03565 ·03522 ·03484 ·03386 ·03391 ·03337 ·03368	1. 0 3. 0 9. 0	65 ·0 65 ·4 64 ·2 61 ·4	66 ·4 66 ·8 66 ·3 63 ·7 63 ·0	12. 33 14. 39 15. 27 15. 53 17. 9 17. 21 17. 24 17. 31 17. 44 17. 56 18. 10 18. 33 19. 7 19. 18 19. 41: 20. 4 20. 16	26. 40 26. 20 25. 30 25. 30 22. 15 23. 20 21. 50 21. 55 21. 50 22. 30 *** 21. 45 22. 30 20. 40 21. 35		'1401 ***  '1406 '1400 '1402 '1398 '1400 '1393 '1381 '1368 '1385 '1391 '1389 '1407 '1399 '1407					
15. 48 16. 23 16. 31 16. 44 17. 3 17. 25 17. 39 18. 8 18. 13 18. 33 18. 54 19. 16 20. 9	27. 55 24. 50 24. 50 24. 20 24. 35 23. 30 24. 20 23. 40 23. 20 24. 45 23. 55 25. 5	17. 42 19. 40 20. 21 20. 42 21. 9 21. 43 21. 56 22. 45 23. 20 23. 34	1395 1390 1382 1380 1382 1378 1379 1377 1381 1390 1385		·				20. 24 20. 29 20. 49 21. 23 21. 26 21. 35 21. 41 21. 56 22. 28: 23. 0 23. 26 23. 37 23. 46 23. 59	21. 5 22. 55 24. 0 30. 20 29. 55 30. 50 29. 55 30. 20 28. 5 28. 0 29. 50 31. 40 30. 40 31. 20							
20. 37 20. 49 20. 56 21. 59 22. 26 22. 36	24.40 25.40 25.20 26.30 27.30 28.55								July 2 0. 0 0. 25 0. 55 1. 3	20. 31. 20 31. 30 32. 10 31. 40 ***	July 2 0. 0 0. 26 0. 39 1. 11	1396 1390 1396 1385	July 2 0. 0 1. 25 3. 56 4. 55	.03160 .03182 .03236 .03257	July 2 1. 0 3. 0 9. 0 21. 0	60 ·1	63 ·o 63 ·5

Greenwich Mean-Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Ther met	of mo-
July 2 i. 16 i. 43 i. 59 2. 6 2. 18 2. 28 2. 39	20. 32. 30 31. 40 32. 15 31. 55 32. 0 30. 55 31. 55	July 2  1. 43  1. 57  2. 10  2. 14  2. 26  2. 41  2. 55	1389 1397 1393 1395 1388 1395	July 2 h m 6. 12 g. 22 10. 32 10. 41 11. 33 14. 42 16. 10	.03276 .03278 .03214 .03214 .03182 .03155 .03141	h m	o	o	July 2 h m 21. 49 22. 41 23. 6 23. 15 23. 25 23. 39 23. 59	20. 28. 0 30. 30 31. 20 32. 10 32. 20 33. 10 33. 30	h m		h m		h m	0	O
3. 12 3. 24 4. 9 4. 41 5. 9 6. 11 6. 30 6. 48 8. 9 8. 24 8. 42 9. 53 10. 30 11. 18 11. 36 11. 58 12. 36 13. 10 13. 33 14. 43 14. 51 15. 36 15. 51 16. 59 17. 59 18. 59 17. 59 18. 59 17. 59 18. 59 19. 10 19. 14 19. 36	31. 20 31. 50 30. 40 31. 10 30. 25 29. 40 29. 40 28. 15 28. 30 28. 40 24. 55 23. 10 25. 35 24. 30 25. 10 26. 0 27. 15 26. 40 26. 55 24. 40 26. 55 24. 40 25. 35 24. 25 25. 30 25. 40 26. 20 25. 30 25. 40 26. 20 25. 30 26. 20 25. 30 26. 20 27. 30 27. 40 27. 40	3. 24 4. 4 4. 11 4. 17 4. 24 4. 54 5. 13 5. 54 6. 20 6. 43 6. 57 7. 133 7. 133 8. 56 9. 25 10. 11 10. 36 10. 57 112. 50 13. 12 14. 6 15. 50 17. 29 18. 11 18. 28 19. 26 19. 35 19. 58 20. 54 21. 35 21. 35 21. 53	1394 1398 1397 1403 1399 1403 1405 1406 1406 1406 1406 1406 1406 1407 1405 1399 1404 1408 1406 1407 1408 1406 1401 1408 1406 1401 1408 1406 1399 1393 1394 1397 1392 1387 1380 1378	16. 10 17. 41 21. 14 22. 54 23. 59	·03141 ·03114 ·03138 ·03143				July 3 0. 0 0. 13 0. 26 1. 11 1. 48 2. 55 3. 30 3. 43 4. 35 4. 46 5. 20 5. 33 6. 3 7. 59 8. 59 9. 42 11. 21 12. 23 12. 36 13. 23 14. 23 14. 44 14. 55 15. 47 15. 59 16. 14 16. 26 17. 7 17. 53 18. 24 18. 41 18. 48	20. 33. 30 32. 10 33. 0 32. 0 33. 10 32. 45 33. 40 33. 0 31. 50 32. 30 30. 30 29. 30 29. 0 28. 10 26. 30 27. 10 26. 30 27. 30 *** 26. 30 27. 10 23. 0 25. 30 27. 10 22. 40 23. 0 24. 30 25. 10 24. 30 25. 10 26. 30 27. 10 27. 10 28. 10 29. 0 28. 10 29. 0 29. 0 29. 0 29. 0 29. 0 29. 0 29. 0 29. 10 20. 30 20.	July 3 0. 0 0. 11 0. 27 0. 44 1. 123 2. 27 3. 26 3. 41 3. 55 4. 37 4. 43 4. 57 5. 11 5. 19 5. 54 6. 11 7. 54 11. 22 11. 44 12. 2 12. 25 12. 47 13. 59 14. 28 15. 42 16. 55 17. 51 18. 12 18. 42 18. 55 19. 54	1407 1403 1407 1405 1411 1409 1413 *** 1408 1408 1405 1407 1403 1408 1406 1407 1402 1409 1405 1405 1409 1405 1399 1405 1399 1402 1398 1397 1398	July 3 0. 0 2. 6 4. 21 7. 55 12. 41 13. 10 13. 49 14. 18 16. 6 17. 57 19. 35 21. 12 21. 56 22. 55 23. 59	·03143 ·03180 ·03217 ·03224 ·03165 ·03153 ·03137 ·03137 ·03120 ·03115 ·03117 ·03127 ·03105 ·03137	3. 0 9. 0 21. 0 22. 0	60·9 57·3·59·5 59·5	61 ·7 58 ·4 61 ·5 59 ·8
19. 53 19. 59 20. 37 20. 43	25. 5 24. 55 *** 26. 30 25. 40 ***								18. 56 19. 9 19. 20 19. 28 19. 41 20. 23	22. 40 22. 5 22. 35 22. 30	20. 12 20. 40 21. 24 22. 6 22. 52 23. 11	·1393 ·1393 ·1383 ·1387 ·1389 ·1387					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	dings of rmo-ters. Wagnet.
July 3  h m 20. 28  21. 28  22. 43  23. 32  23. 51  23. 59	20. 24. 5 26. 15 30. 5 30. 5 30. 30 30. 30 31. 5	July 3 23. 26 23. 42 23. 59	•1394 •1389 •1392	∄n m		h m	0	0	12. 49 13. 21 13. 30 14. 7 14. 28 14. 58	20. 14. 40 14. 0 18. 35 17. 50 23. 45 34. 50 24. 30	July 4 23. 56 23. 59	·1402 ·1406	h m		h m	0	0
July 4 o. 0 o. 14 o. 26 o. 48 o. 56 i. 32 i. 42 2. 21 2. 29 2. 47 3. 7 3. 19 3. 24 3. 55 4. 7 4. 23 4. 44 5. 51 6. 6 6. 21 6. 28 6. 41 7. 25 7. 36 7. 51 8. 7 8. 26	20. 31. 5 32. 15 31. 55 31. 30 32. 0 31. 55 32. 20 32. 30 *** 31. 55 31.	July 4 0. 0 0. 11 0. 36 0. 58 1. 21 1. 50 2. 24 2. 53 3. 12 3. 22 3. 26 3. 52 4. 49 5. 13 5. 45 5. 59 6. 12 6. 22 6. 41 7. 26 7. 41 7. 43 8. 15 8. 40 8. 41 8. 50	1399 1439 1423 1431 1397 1405 1392 1394	July 4 0. 0 1. 21 3. 11 4. 32 4. 57 6. 12 6. 25 6. 52 7. 10 7. 26 7. 41 7. 55 8. 12 8. 25 8. 39 9. 21 9. 26 9. 52 10. 13 10. 26 11. 9 11. 16 11. 34 12. 6 12. 26 13. 12 13. 34 14. 15 14. 32 14. 53	·03137 ·03148 ·03172 ·03235 ·03235 ·03236 ·03236 ·03236 ·03257 ·03238 ·03257 ·03238 ·03252 ·03242 ·03253 ·03250 ·03255 ·03203 ·03174 ·03152 ·03132 ·03132 ·03037 ·03030 ·03057 ·03064 ·03057 ·03017	1. 0 3. 0 9. 0 21. 0	60 · 5 61 · 0 61 · 1 59 · 0 58 · 8	61 ·6 61 ·6 59 ·8	15. 25 15. 40 15. 55 16. 9 16. 27 16. 55 17. 7 17. 41 18. 38 18. 44 19. 9 19. 24 19. 33 20. 10 20. 21 20. 33 20. 42 20. 57 21. 8 21. 22 21. 53 22. 0 22. 8 22. 26 23. 34 23. 40 23. 53 23. 59	22. 15 22. 25 23. 20 23. 0 24. 0 22. 35 23. 20 23. 20 23. 20 22. 25 23. 0 22. 10 23. 0 24. 35 24. 25 21. 40 ***  25. 45 27. 40 28. 20 27. 40 28. 20 27. 40 28. 20 27. 40 30. 30 32. 30 32. 30 32. 55							
8. 32 8. 43 8. 58 9. 10 9. 23 9. 29 9. 42 9. 50 9. 57 10. 11 10. 32 10. 56 11. 8 11. 23 11. 36 11. 49 12. 12	22. 55 20. 30 22. 40 22. 5 20. 40 21. 20 16. 50 15. 10 17. 30 18. 0 26. 0 23. 50 15. 0	9. 9 9. 26 11. 12 11. 56 12. 41 15. 35 17. 20 18. 13 18. 34 21. 18 22. 6 22. 25 22. 35 22. 43 22. 58 23. 11 23. 14 23. 34 23. 42	1396 1382 1384 1420 1389	16. 26 18. 21 19. 15 20. 52 22. 41 23. 59	·03060 ·03064 ·03077 ·03063 ·03090 ·03102				July 5 0. 0 0. 26 0. 39 1. 3 1. 20 1. 38 1. 52 2. 11 2. 24 2. 56 3. 18 3. 43 3. 55 4. 54 4. 59	20. 32. 55 32. 20 33. 10 34. 30 34. 30 32. 0 33. 55 33. 55 33. 55 33. 40 32. 50 32. 50 32. 50 32. 15 30. 45 33. 5	July 5 0. 0 0. 17 0. 25 0. 56 1. 6 1. 25 1. 30 1. 38 1. 43 1. 54 2. 11 2. 12 2. 26 3. 14 3. 22 3. 42 3. 56	•1395 •1404 •1393 •1398	July 5 0. 0 1. 23 1. 34 1. 53 2. 56 4. 55 5. 0 5. 14 8. 53 11. 12 13. 54 17. 26 20. 16 22. 15 23. 22 23. 59	***  **  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  **  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  **  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  **  ***  **	2. 0 3. 0 9. 0	59 ·8 59 ·6 60 ·0 58 ·0	61 ·6

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	no-
July 5 h m 5 12 6. 0 7. 43 9. 26 10. 18 10. 29 11. 7 11. 25 11. 49 12. 28 12. 42 12. 55 13. 26 13. 41 13. 56 14. 6 14. 12 14. 35 15. 26 15. 53 16. 7 17. 6 17. 11 17. 57 18. 4 18. 10 18. 18 18. 26 18. 39	20. 31. 55 32. 30 30. 25 28. 5 26. 55 26. 25 27. 5 26. 25 27. 5 26. 20 26. 55 27. 5 26. 20 25. 40 25. 50 26. 0 25. 10 25. 50 26. 0 25. 10 25. 20 ***  23. 20 24. 10 23. 25 24. 15 23. 30	July 5 4.56 5.11 5.14 5.42 5.50 6.43 6.56 7.18 8.50 11. 23 11.2 22 12.56 14.50 17. 3 19.57 23. 0 23.59	*1404 *1422 *1415 *1408 *1413 *1411 *1415 *1411 *1408 *1409 *1402 *1408 *1402 *1408 *1402 *1408 *1402 *1408 *1402 *1408 *1402	h m		h m	0	0	July 6  h m  g. 3  g. 12  g. 39  10. 13  10. 28  10. 57  11. 11  11. 23  11. 40  11. 54  12. 2  12. 14  12. 48  13. 12  14. 36  15. 3  15. 16  16. 12  16. 43  17. 22  19. 56  20. 38  22. 42  23. 55  23. 59	20. 26. 35 26. 25 23. 55 23. 10 24. 40 23. 45 25. 30 26. 0 25. 20 25. 30 27. 15 30. 55 31. 20 24. 45 25. 15 21. 35 21. 35 21. 30 22. 20 21. 45 23. 20 21. 45 23. 20 21. 45 23. 30 21. 45 23. 20 21. 45 23. 30 21. 45 23. 20 21. 45 23. 30 21. 45 23. 20 21. 45 23. 20 21. 45 23. 20 21. 45 23. 30 21. 45 23. 20 21. 45 23. 30 21. 45	July 6 7. 41 8. 36 8. 59 9. 25 9. 51 10. 12 10. 22 10. 27 10. 40 12. 24 13. 13 13. 44 14. 14 17. 5 21. 20 22. 28 23. 4 23. 14 23. 55 23. 59	1416 1407 1410 1408 1414 1410 1404 1408 1404 1413 1404 1411 1402 *** 1401 1385 1383 1389 1387 1391 1389	h m		h m	0	0
18. 44 20. 11 22. 25 23. 11 23. 47 23. 59 July 6	24. 55 25. 0 28. 10 30. 0 31. 20 31. 15	July 6 0. 0 0.36 1.11 1.19 1.42 1.57 2.11 2.37 2.54 3.11 3.15 3.26 3.40 4.25 4.36 5.9 5.22 5.44 6.18 7.20	1396 1400 1400 1402 1400 1403 1401 1416 1408 1400 1409 1408	July 6 o. o 3. 1 4. 19 4. 26 9. 22 11. 26 11. 59 12. 55 14. 24 16. 17 17. 30 19. 23 21. 26 22. 37 23. 59	·03068 ·03103 ·03136 ·03127 ·03183 ·03107 ·03054 ·03013 ·02997 ·02976 ·03000 ·03012 ·03007 ·03045	9. 0	59 · 5 60 · 3	60 · 5 60 · 0 61 · 8 59 · 3	5. 13 6. 22	26. 10 25. 30 25. 30 26. 20 24. 50 26. 5	July 7 o. 0 o. 12 o. 20 1. 12 1. 45 2. 9 2. 42 3. 23 3. 51 4. 26 5. 38 5. 55 6. 25 6. 43 7. 11 9. 41 9. 56 12. 43 13. 15 13. 58 14. 54 15. 55 17. 23 19. 7 21. 43	1390 1394 1391 1399 1397 1405 1405 1405 1407 1407	July 7 o. 0 2. 12 2. 26 5. 53 8. 12 10. 15 13. 25 15. 55 17. 59 19. 25 20. 36 21. 26 23. 59	*33045 *03077 *03068 *03135 *03096 *03058 *03040 *03019 *03023 *03047 *03052 *03052 *03076	July 7 1. 0 3. 0 9. 0 21. 20	59 ·0 59 ·0 58 ·1	60 ·8 59 ·6

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met		Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Reading of Therm meter H. E. C. C. C. C. C. C. C. C. C. C. C. C. C.	mo-
1. 12 1. 20 2. 30 3. 11 4. 27 4. 56 5. 54 6. 56 7. 11 7. 26 7. 56 13. 25 15. 30 16. 56 18. 41 18. 51 19. 33 19. 45 19. 54 20. 11 20. 38 21. 26 22. 21 22. 29 23. 3 23. 19 23. 27 23. 37 23. 59	26. 20 25. 40 25. 40 23. 55 24. 0 22. 25 22. 30 21. 55 23. 10 22. 40 22. 55 25. 30 25. 40 27. 0 28. 10 28. 10 28. 45 30. 10	July 7 23. 0 23. 59  July 8 0. 57 1. 20 1. 33 2. 6 2. 14 2. 56 4. 12 5. 0 10. 42 16. 56 17. 26 21. 10 21. 21 21. 44 22. 40 23. 59	1402 1401	July 8 o. o 2. 54 4. 40 10. 42 16. 24 23. 38 23. 59	.03076 .03124 .03146 .03200 .03191 .03187 .03192	8.30	59 *9 60 *4 60 *8	62 .6	2. 38 3. 5 3. 26 3. 37 3. 43 3. 55 5. 49 6. 26 6. 26 6. 49 8. 55 9. 26 9. 57 10. 54 11. 4 12. 29 13. 16 13. 26 13. 34 13. 59 14. 54 16. 42 16. 43 16. 53 17. 8 17. 25 17. 43 18. 6 18. 13 18. 13 18. 38 18. 42	25. 30 26. 15 28. 20 26. 15 28. 10 26. 30 25. 40 *** 27. 30 *** 26. 35 25. 10 26. 35 27. 10 26. 30 ***	July 9 1 3. 45 4. 9 4. 24 5. 52 6. 34 7. 36 8. 54 10. 13 10. 24 10. 35 11. 55 12. 12 13. 20 14. 12 15. 14 16. 10 16. 57 17. 25 17. 43 18. 7 18. 42 19. 42 20. 0 20. 42 20. 58 21. 12 21. 55 22. 18 622. 51 12 23. 48	1409 1391 1400 1405 1399 1404 1400 1405 1399 *** 1404 1397 1403 1402 1407 *** 1405 1402 1407 *** 1405 1402 1388 1397 1398 1394 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1384 1379 1388	July 9 17. 56 18. 12 19. 30 20. 9 21. 36 23. 11 23. 59	·03277 ·03291 ·03282 ·03273 {·03263 ·03411 ·03407 ·03426	h m	0	0
July 9 0. 0 0. 21 0. 27 0. 37 0. 59 2. 8 2. 13 2. 21	20. 3c. 10 30. 40 31. 45 31. 10 *** 32. 40 33. 0 32. 25 32. 50	July 9 0. 0 0. 41 0. 44 2. 11 2. 15 2. 26 3. 34 3. 40	'1407 '1405 '1409 '1412 '1406 '1410 *** '1415 '1407	July 9 0. 0 1. 38 4. 12 7. 11 10. 26 16. 9 16. 26 16. 57 17. 25	·03192 ·03204 ·03277 ·03296 ·03343 ·03300 ·03307 ·03296 ·03300	<i>3.</i> o	62 °1	64 ·3 65 ·7	19. 8 19. 10 19. 16 19. 21 19. 25 19. 31 19. 38 19. 41 19. 58 20. 8		23. 48 23. 59	·1392 ·1394					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read There met	of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. E. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	
July 9 20. 12 20. 26 20. 28 20. 38 20. 44 20. 56 21. 9 21. 18 21. 25 21. 33 21. 39 22. 55 23. 14 23. 54	20. 24. 30 27. 50 25. 30 26. 10 24. 40 26. 10 26. 25 29. 20 28. 40 29. 20 27. 40 31. 40 34. 35 34. 15	h m		:h m		h m	0	0	11. 44 12. 0 13. 0 1 <sup>3</sup> . 30 13. 47 14. 25 14. 54 15. 38 15. 54 16. 59 16. 59 17. 56 18. 20 18. 26	20. 26. 0 25. 30 26. 20 26. 20 28. 40 28. 0 24. 25 23. 40 22. 30 21. 15 21. 15 23. 0 21. 30 21. 30 21. 30 21. 40	July 10 h m 14. 12 14. 36 15. 11 15. 57 17. 0 18. 10 23 19. 56 20. 23 20. 52 22. 24 22. 43 22. 59 23. 59	1395 1391 1394 1399 1389 1385 1381 1383 1384 1379 1374 1376 1372 1378	h m		h m	0	0
July 10 0. 0 0. 28 0. 39 0. 56 1. 4 1. 25 1. 32 1. 41 1. 49	2c. 34. 15 33. 30 34. 10 33. 50 34. 15 33. 40 34. 45 35. 0 35. 45 ***	July 10 0. 0 0. 22 0. 26 0. 50 0. 57 1. 12 1. 27 1. 57 2. 18 2. 25	1394 1389 1391 1396 1393 1395 1391 1401 1379	July 10 0. 0 2. 52 4. 9 4. 14 4. 39 5. 41 5. 53 6. 5 6. 25	.03426 .03537 .03560 .03555 .03562 .03580 .03577 .03592 .03608 .03597	22, 0	63 · 7 64 · 9 63 · 4 63 · 9	65 ·9 67 ·4 64 ·2	18. 59 19. 19 19. 40 20. 17 20. 31 20. 56 22. 32 22. 44 22. 59 23. 47 23. 59	22. 5 21. 30 23. 0 21. 20 22. 20 21. 40 25. 30 27. 10 27. 0 30. 0 29. 50							
2. 58 3. 10 3. 25 3. 38 3. 54 4. 33 4. 48 5. 11 5. 35 5. 41 5. 54 6. 26 6. 59 7. 28 7. 53 8. 10 8. 49 8. 58 9. 51 10. 10 10. 32 10. 46 11. 3	25.40 25.20 26. 0	2. 27 2. 57 3. 11 3. 21 3. 30 3. 43 4. 11 4. 20 4. 37 5. 36 5. 57 6. 13 6. 27 7. 40 6. 57 7. 40 8. 33 8. 52 9. 11 9. 34 9. 43 10. 28 10. 28 11. 34 11. 35 10. 28 11. 36 11.  1390 1387 1391 1387	12.58 14.22 17.57 18.43 19.55 20.38 23.59	· 03573 · 03523 · 03483 · 03488 · 03516 · 03508 · 03507				July 11 0. 0 0. 43 1. 55 2. 21 4. 34 7. 43 8. 23: 9. 11 9. 56 10. 23 10. 42 11. 15 11. 47 11. 56 12. 13 12. 24 12. 30 13. 9 13. 14 13. 28 13. 38 13. 56 14. 14 14. 36 15. 9 15. 46 16. 0 16. 29 16. 41	25. 20 23. 0 22. 10 21. 15 21. 20	13. 13	1376 1381 1382 1380 1383 1380 1386 1386	19. 12 21. 25 23. 23	.03507 .03596 .03596 .03623 .03597 .03517	1. 0 2. 0 3. 0 9. 0 21. 0	64 · 3 64 · 5 64 · 6 64 · 8 65 · 4 63 · 5	66 · ı	

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	
July 11 16. 53 17. 13 17. 54 18. 45 18. 59 19. 9 19. 54 20. 5 20. 11 20. 43 21. 25 22. 21 22. 53 23. 11 23. 34 23. 59	20. 21. 50 22. 25 21. 30 *** 20. 55 21. 55 21. 56 21. 56 22. 30 21. 50 22. 40 ***	July 11 15. 42 16. 3 16. 56 17. 30 18. 23 18. 45 19. 12 19. 43 20. 18 20. 54 21. 12 21. 41 23. 59	·1396 ·1398 ·1392 ·1392 ·1389 ·1386 ·1387 ·1388 ·1379 ·1380 ·1376 ·1390	h m	•	h m	0	0	14. 7 14. 11 14. 14 15. 2 15. 9 15. 18 15. 23 15. 35 16. 6 16. 9 16. 16 16. 23 16. 29 16. 57 16. 59	18. 0 19. 40 11. 20 15. 10 15. 0 17. 0 16. 40 20. 30 *** 20. 50 16. 15 19. 20	July 12. 37 12. 37 12. 59 13. 29 13. 55 14. 20 14. 35 15. 0 15. 24 15. 41 15. 45 16. 0 16. 12 16. 13 16. 24 17. 17 17. 34 17. 57	1399 1399 1417 1400 1405 1397 1412 1407 1412 1407 1410 1397 1402 1398 1389 *** 1374 1370	h m		h m	۰	0
July 12 0. 0 1. 14 1. 40 2. 15 2. 40 3. 56 4. 19 4. 26 4. 32 4. 40 4. 55 7. 8 7. 19 7. 56 8. 13 8. 58 9. 13 9. 26 10. 40 10. 40 10. 55 11. 18 11. 23 11. 32 11. 41 11. 54 12. 9 12. 43 12. 56 13. 4 13. 10	20. 30. 15 31. 0 32. 10 31. 30 30. 30 29. 20 27. 45 28. 40 28. 15 28. 30 27. 55 28. 0 28. 35 28. 0 24. 35 24. 25 23. 30 25. 50 25. 0 25. 40 24. 40	10. 55 11. 12 11. 25 11. 36 11. 53 11. 59 12. 10	1390 1389 1391 1388 1391 1397 1387 1395 1412 1406 1401 1405 1407 1414 1405 1412 1405 1412 1405 1407 1405 1407	July 12 0. 0 2. 29 4. 11 4. 22 4. 38 4. 44 6. 49 11. 25 11. 29 13. 41 14. 13 14. 24 15. 50 15. 58 16. 7 16. 14 16. 26 17. 34 18. 28 22. 11 22. 18 23. 59	•03521 •03556 •03600 •03596 •03616 •03607 •03612 •03620 •03622 •03566 •03427 •03486 •03427 •03403 •03456 •03427 •03403 •03456 •03456 •03456 •03456 •03456 •03456 •03521 •03503 •03528 •03503 •03528 •03557	July 12 0. 0 1. 0 2. 0 3. 0 9. 0 21. 0	63 ·9	66 · 1 66 · 1 66 · 1	17. 6 17. 11 17. 16 17. 23 17. 31 17. 38 17. 41 17. 53 17. 56 18. 29 18. 41 18. 48 19. 6 19. 13 19. 18 19. 25 19. 34 19. 56 20. 2 20. 10 20. 22 20. 26 20. 55 20. 55 20. 55 21. 8 21. 16 21. 26 21. 39 21. 53 21. 56  22. 11 22. 26 22. 34 22. 40 23. 9 23. 24	17. 20 16. 20 18. 25 18. 20 16. 20 16. 50 14. 35	18. 20 18. 51 19. 3 19. 59 20. 22 20. 55 21. 12 21. 41 21. 50 22. 10 22. 10 22. 26 23. 24 23. 59	1372 1371 1379 1373 1366 1358 1355 1356 1352 1342 1342 1343 1343 1354					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.		Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	met	f rmo- ers.
July 1 2 23. 34 23. 59	° 20. 31. 25 32. 55	h m		h m		b m	0	0	July 13 16. 21 16. 33 16. 41	20. 22. 10 22. 40 23. 40	July 13 h m 14. 55 15. 24 15. 34	1389 1393 1389	h m		h m	o	۰
July 13 o. o o. 7 o. 11 o. 16 o. 24 o. 27 o. 39 o. 43 1. 6 1. 26 1. 33 2. 36 2. 52 3. 9 3. 18	20. 32. 55 33. 0 32. 15 33. 20 33. 25 32. 15 33. 40 32. 50 33. 30 33. 10 34. 40 31. 25 31. 35 30. 15	July 13 0. 0 0. 18 0. 22 0. 40 0. 42 0. 48 0. 55 1. 11 1. 33 1. 41 1. 55 2. 6 2. 12	·1380	July 13 0. 0 2. 36 4. 59 8. 28 10. 37 10. 57 11. 55 13. 43 14. 23 15. 45 16. 47 17. 13 20. 29 22. 55	***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  **  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  **  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  **  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  **  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  **  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  **  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  ***  **  ***  ***  **	July 13 1. 0 3. 0 9. 0 21. 0	65 ·7 66 ·4	67 ·2 68 ·0 68 ·7 68 ·0	17. 3 17. 7 17. 11 17. 22	22. 35 22. 25 22. 20 22. 25 21. 40 21. 40 22. 10 21. 15 20. 40 21. 15 20. 20 21. 55 23. 0 23. 0 25. 40 30. 20	16. 6 16. 29 17. 0 18. 43 19. 39 19. 56 21. 40 22. 55 23. 59	1384 1384 1387 1375 1373 1370 1364 1372 1376					
3. 43 4. 21 4. 30 4. 39 4. 51 5. 38 5. 44 6. 13 6. 23 6. 42 7. 19 7. 40 8. 11 8. 47 9. 36 9. 58 10. 47 10. 57 11. 34 12. 13 12. 13 12. 13 13. 10 13. 18 13. 10 14. 39 15. 51 15. 56	26. 30 25. 25 25. 30 23. 30 23. 30 25. 10 24. 35 24. 40 22. 25 22. 55 21. 30	11.34 11.57 12.11	1379 1392 1380 1386 *** 1391 1395 1391 1398 1398 1398 1393 1393 1394 1393 1396 1393 1396 1393 1396 1393 1396 1393 1396 1393 1396 1393 1396 1393 1396 1389 1389 1389 1389		·03606				July 14 0. 0 1. 3 3. 38 4. 12 4. 40 4. 51 4. 56 5. 13 5. 46 5. 54 6. 10 6. 22 6. 47 6. 54 7. 12 7. 36 7. 52 7. 56 8. 13 8. 23 8. 31 8. 47 9. 58 10. 24 10. 39 10. 24 11. 33 11. 40 11. 48 12. 7 12. 26	23. 20 25. 55 23. 0	10. 36 10. 50	1376 1382 1386 1384 1387 1384 1386 1387 1383 1392 1393 1396 1393 1395 1394	July 14 0. 0 4. 58 6. 42 7. 6 7. 22 8. 51 10. 4 10. 12 10. 34 10. 53 11. 43 12. 40 13. 2 17. 44 18. 39 19. 15 21. 51 22. 26 23. 59	•o36o6 •o37oo •o37o3 •o3717 •o37o8 •o3714 •o3717 •o37oo •o3686 •o3623 •o3635 •o3573 •o356o •o3573 •o3580 •o3580	July14 1. 0 3. 0 9. 0 22. 0	66 ·3 66 ·6	68 °0, 69 °0 68 °4, 65 °7

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	Of V. F. Nagnet.
July 14 h 12. 58 13. 4 13. 37 14. 16 14. 43 15. 25 15. 56 17. 9 17. 18 17. 26 18. 7 18. 21 18. 42 18. 59 19. 30 19. 50 20. 8 20. 15 21. 38 23. 47 23. 59	20. 20. 20 21. 40 23. 35 24. 40 22. 55 22. 35 ***  19. 40 19. 45 19. 30 20. 0 19. 40 19. 55 19. 40 20. 20 20. 20	July 14 11. 51 12. 8 12. 22 12. 41 13. 7 13. 41 14. 47 15. 40 16. 15 16. 53 17. 36 17. 51 18. 55 21. 21 21. 50 22. 15 23. 24 23. 59	1377 1379 1395 1385 1389 1386 1390 1386 1386 1386 1386 1371 1366 1371	h m		h m		0	July 15 h m 12. 9; 12. 34 12. 52 13. 18 13. 33 13. 54 14. 6 14. 12 14. 38 14. 53 15. 9 15. 44 16. 12 16. 18 16. 23 16. 40 17. 30 17. 39 17. 47 17. 51 17. 56	24. 30 28. 20 27. 0 25. 45 26. 0 23. 25 23. 50 *** 22. 55 21. 35	July 15 h m 10. 45 11. 15 11. 40 11. 57 12. 36 12. 44 13. 14 13. 29 14. 0 14. 51 15. 25 15. 49 16. 15 17. 52 18. 9 18. 24 18. 42 19. 0 19. 11 19. 22 19. 12	1403 1398 1396 1395 1395 1393 1396 1395 1396 1397 *** 1396 1396 1396 1396 1396 1396 1373 1383	h m		h m	0	0
July 15 0. 0 0. 46 0. 58 1. 7 2. 13 2. 29 3. 11 3. 16 3. 32 4. 6 4. 21 4. 28 4. 41 4. 47 5. 11 5. 24 5. 41 7. 6 7. 33 8. 26 9. 39 9. 44 10. 12 10. 21 10. 26 10. 36 11. 25 11. 53 11. 58	20. 29. 15 31. 25 32. 40 32. 30 34. 30 34. 5 33. 50 32. 30 32. 30 32. 55 31. 45 30. 55 29. 30 28. 30 29. 30 28. 40 27. 35 ***  27. 40 25. 40 22. 15 18. 20 19. 30 22. 50 22. 30 23. 0 24. 35	July 15 0. 02 0. 22 0. 550 1. 12 1. 57 2. 12 2. 24 3. 21 3. 42 4. 30 4. 41 4. 30 4. 41 4. 48 5. 45 5. 6. 12 6. 6. 40 7. 44 9. 25 9. 30 9. 55 10. 9	1396 1389 1380 1383 1375 1391	17. 29 18. 20 18. 26 18. 52 19. 4 19. 19 19. 32 20. 57	·03580 ·03646 ·03660 *** ·03691 ·03702 ·03695 ·03649 ·03583 ·03560 ·03505 ·03522 ·03537 ·03537 ·03538 ·03524 ·03538 ·03544 ·03544 (†)	9. 0	66 ·8	66 ·6 68 ·0 65 ·8	18. 3	21. 40 22. 15 21. 50 22. 45 20. 40 20. 0 25. 40 23. 15 30. 50 29. 50 29. 50 30. 30 31. 40 31. 20 28. 10 29. 50 26. 20 27. 40 26. 10 25. 20 27. 0 28. 45 27. 50 28. 45 27. 50 27. 50 27. 50 27. 50 30. 20	20. 51 21. 10 21. 18 21. 44 22. 14 22. 57 23. 21 23. 45 23. 59	*** '1378 '1383 '1377 '1375 '1363 *** '1370 '1365 '1370					

Greenwich Solar Time. Mestern Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
July 16  n  0. 0  20. 30. 20  30. 20  30. 20  30. 15  ***  1. 38  32. 20  1. 43  32. 0  2. 6  31. 55  ***  3. 11  32. 10  ***  3. 58  31. 0  4. 6  4. 18  4. 27  5. 22  29. 5  5. 28  29. 30  5. 50  28. 15	July 16 h m O. O O. 42 I. 11 I. 20 I. 44 I. 56 2. 8 2. 23 2. 44 3. 7 3. 24 3. 28 3. 53 4. 5 4. 15 4. 28	1370 1378 1390 1385 *** 1384 1379 1387 *** 1384 1389 1384 1391 *** 1382 1382 1382	July 16 h m  0. 26  1. 26  2. 52  5. 43  6. 11  9. 26  10. 59  13. 35  14. 12  16. 24  17. 20  19. 19  22. 56  23. 59	(†) .03552 .03568 *** .03620 .03663 .03677 .03660 .03523 .03493 .03502 .03497 .03518 .03520 .03537	3. o	65 · 9 66 · 4 66 · 6 64 · 1	67 <b>·</b> 9	July 16 h 19. 33 19. 44 20. 24 20. 45 21. 23 21. 40 22. 6 22. 13 22. 29 22. 43 22. 57 23. 0 23. 4 23. 23: 23. 43 23. 59	20. 21. 10 20. 30 21. 20 22. 15 21. 40 24. 0 23. 25 22. 35 23. 45 22. 50 24. 20 25. 10 25. 0 26. 40 27. 55 27. 0 26. 20 28. 5 28. 40	July 16 h 20. 20 27 20. 45 21. 52 22. 53 23. 12 23. 35 23. 43 23. 59	·1378 ·1381 ·1376 ·1371 *** ·1371 ·1364 ·1371 ·1367 ·1370	h m		h m	0	0
5. 58   25. 30   6. 21   27. 10   7. 23   27. 40   7. 41   26. 30   7. 55   27. 0   8. 7   26. 40   8. 28   27. 20   8. 41   27. 10   8. 59   24. 40   9. 33   25. 25   10. 6   25. 30   10. 38   27. 0   11. 8   25. 25   11. 24   24. 20   11. 50   25. 30   12. 12   24. 30   12. 24   25. 0   12. 30   24. 10   13. 13   24. 30   13. 37   31. 35   13. 49   30. 20   13. 55   30. 5   14. 9   27. 10   14. 20   27. 30   15. 7   24. 30   15. 7   24. 30   15. 24   20. 15. 23   10. 15. 24   24. 20   15. 23   15. 24   24. 20   15. 23   23. 10   15. 24   24. 20   25. 50   16. 6   22. 50   16. 56   22. 20   16. 56   22. 20   16. 56   22. 20   16. 56   22. 20   16. 56   22. 20   16. 56   22. 20   16. 56   22. 20   16. 56   22. 20   20. 20	4. 42 4. 42 4. 55 5. 11 5. 20 5. 34 5. 51 6. 26 6. 50 7. 14 7. 27 7. 50 9. 11 9. 27 10. 34 11. 37 11. 45 12. 30 13. 14. 11 14. 20 14. 43 15. 23 15. 50 17. 143 19. 27	1383 1387 1386 1386 1388 1388 1391 1388 1393 1393 1394 *** 1393 1394 1394 *** 1396 1391 1394 *** 1396 1391 1394 *** 1396 1391 1394 *** 1396 1396 1390 1396 1390 1396 1390 1396 1390 1398						July17	20. 28. 40 29. 30 30. 40 32. 45 32. 40 *** 34. 0 30. 45 30. 20 31. 30 28. 40 27. 50 26. 50 26. 30 26. 15 27. 40 26. 10 27. 50 28. 55 29. 55 20. 10 20. 10 21. 20 21. 20 21. 20 21. 20 21. 20 21. 20 22. 50	July 17 0. 0 0. 41 0. 56 2. 0 2. 12 2. 20 2. 29 2. 50 3. 35 3. 35 4. 33 5. 12 5. 26 6. 29 6. 45 7. 51 8. 40 8. 49 8. 57 9. 23 9. 51 10. 16 10. 48 11. 12 11. 45 11. 58 12. 26 13. 10 13. 43	.1399 .1399 .1396	July 17 o. o o. 41 2. 19 2. 27 3. 8 3. 57 7. 8 8. 28 8. 42 9. 55 11. 41 16. 55 17. 42 18. 23 21. 11 23. 59	.03537 .03552 .03603 .03594 .03617 .03603	July 17 1. 0 3. 0 9. 0 13. 0 21. 0 22. 0 23. 0	65 · 1 65 · 6 62 · 6 59 · 5 61 · 9 62 · 8	66 · 5 67 · 0 63 · 9 60 · 2 63 · 0 63 · 6

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. Magnet.	f rmo-	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read There T	mo-
July 17 10. 57 11. 8 11. 33 11. 41 11. 59 12. 21 12. 37 13. 10 13. 35 14. 13 14. 53 14. 56 15. 17 15. 50 16. 24 16. 31 16. 58 17. 9 17. 21 17. 43 17. 53 18. 14 18. 21 18. 56 19. 33 19. 53 20. 6 20. 12 21. 18 22. 32 22. 43 23. 59	20. 24. 10 23. 0 24. 25 25. 25 25. 35 25. 0 26. 5 29. 25 27. 30 26. 10 26. 40 25. 10 26. 30 24. 40 24. 10 25. 25 23. 35 24. 0 23. 10 24. 40 26. 30 25. 10 26. 30 27. 0 27. 30 27. 0 20. 20 21. 0 22. 30 27. 0 27. 5 30. 25 30. 55 31. 10	July 17 14. 0 14. 15 14. 41 15. 14 16. 40 17. 26 18. 11 19. 12 20. 42 22. 35 22. 54 23. 15 23. 59	·1399 ·1398 ·1403 ·1402 ·1406 ·1410 ·1392 ·1398 ·1394 ·1385 ·1381 ·1385 ·1384 ·1386	h m		h m	•	0	July 18  7 · 41  7 · 49  7 · 56  8 · 11  8 · 25  8 · 54  9 · 24  10 · 31  11 · 56  14 · 13  14 · 39  14 · 44  15 · 36  16 · 50  16 · 50  17 · 3  17 · 26  17 · 37  18 · 9  19 · 22  20 · 57  20 · 38  20 · 54  21 · 56  22 · 38  23 · 14  23 · 46  24 · 58  25 · 59  July 19	20. 26. 40 25. 40 25. 50 26. 30 26. 20 26. 20 26. 20 26. 30 26. 20 26. 30 25. 40 25. 20 25. 40 25. 20 25. 30 27. 55 23. 20 24. 30 24. 30 24. 25 25. 20 26. 30 27. 25 27. 20 27.  July 18 6. 12 7. 0 7. 20 7. 55 8. 43 8. 52 9. 20 9. 42 10. 41 15. 12 16. 0 16. 40 17. 11 17. 25 18. 12 18. 47 19. 0 20. 58 21. 59 22. 43 23. 59	11403 11404 11404 11406 11408 11400 11402 11407 11404 **** 11406 11409 11404 11407 11405 11402 11397 11398 11389 11381 11385 11384	July19		July19	0	0	
July 18 o. o o. 14 1. 8 1. 12 1. 21 .1. 28 2. 43 3. 10 3. 27 3. 56 4. 97 4. 41 4. 55 6. 4	20. 31. 10 30. 40 32. 20 32. 10 33. 5 33. 30 31. 35 30. 5 30. 5 29. 10 29. 35 28. 5 28. 30 28. 0 28. 30	July 18 o. o o. 34 o. 40 1. 12 1. 30 1. 59 2. 21 2. 43 2. 54 3. 15 3. 25 4. 25 5. 25 5. 44	·1386 ·1392 ·1394 ·1395 ·1402 ·1395 ·1400 ·1403 ·1403 ·1397 ·1399 ·1399	July 18 0. 0 3. 32 8. 55 9. 52 11. 43 13. 22 14. 42 15. 40 17. 56 19. 12 21. 13 23. 59	·03348 ·03417 ·03486 ·03424 ·03356 ·03304 ·03283	2. o 3. o	63 · 0 63 · 7 63 · 8 63 · 8 62 · 8 61 · 6	65 · 0 65 · 2 65 · 2 63 · 6 62 · 5 63 · 3	0. 0 2. 23 2. 56	20. 29. 55 30. 25 30. 5 30. 5 29. 15 27. 10 28. 0 27. 35 24. 20 26. 0 27. 25 25. 30 24. 55 25. 20	0. 0 0. 41 0. 53 1. 20 1. 58 2. 12 2. 43 3. 7 3. 36 3. 55 4. 29 5. 43 6. 54 7. 12 7. 51 9. 12	1390 1393 1395 1393 1398 1396 1401 1397 1400	0. 0 2. 41 5. 53 8. 54 11. 10 12. 40 15. 5 17. 34 20. 20 22. 39 23. 59	03306 03397 03452 03463 03354 03303 03262 03200 03196 03166	0. 0 1. 0 3. 0 9. 0	63 · 6 63 · 6 63 · 9 63 · 9 58 · 9	65 ·5 65 ·5 65 ·5

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.			Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected, for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.  Of V.F. Wagnet.
July 19 15. 6 15. 54 16. 41 17. 47 18. 23 18. 28 18. 41 18. 51 18. 56 19. 3 19. 6 19. 12 20. 36 20. 43 21. 34 21. 56 22. 41	20. 23. 40 23. 45 23. 45 23. 40 22. 30 22. 30 22. 30 23. 15 22. 20 23. 10 22. 30 24. 10 25. 0 26. 0 26. 55	July 19 9. 27 9. 56 10. 44 11. 25 11. 51 13. 50 16. 42 17. 12 17. 40 18. 26 18. 56 20. 11 21. 5 22. 41 23. 59	*1399 ***  *1406 *1404 *1409 ***  *1406 *1406 *1406 *1406 *1401 *1400 *1394 *1392 *1404	h m		h m	0	O	July 21 h m 3. 2 5. 12 5. 44 6. 49 7. 13 7. 27 8. 26 9. 47 10. 17 10. 26 10. 41 10. 59 13. 14 13. 55 15. 36 16. 42 16. 52	20. 32. 10 27. 20 26. 50 26. 55 27. 15 26. 40 26. 10 26. 45 26. 20 25. 25 26. 20 25. 30 24. 40 23. 20 21. 45 22. 0	July 21 h. 54 3. 9 3. 12 3. 26 4. 12 4. 36 4. 43 5. 12 5. 26 5. 43 6. 45 7. 21 8. 20 8. 50 9. 10	1414 1412 1415	July 21 9. 12 17. 40 19. 43 21. 56 23. 59	•03397 •03243 •03276 •03268 •03302	July 21 9. 0 22. 0	63°164°5 61°663°5
23. 34 23. 59 July 20 0. 0 1. 39 2. 23 3. 7 4. 43 5. 33 6. 22 7. 53 8. 46 9. 24 9. 39 9. 57 11. 52 13. 36 14. 11 14. 36 15. 19 15. 57	20. 30. 5 31. 50 31. 45 29. 55 28. 20 28. 50 27. 20 26. 30 26. 30 25. 40 25. 40 26. 0 25. 40 27. 0 26. 40 27. 0 24. 50 24. 40	July 20 0. 0. 1. 5 3. 10 7. 12 8. 52 9. 11 9. 20 9. 56 11. 33 12. 25 13. 30 13. 56 14. 24 15. 10 15. 20 16. 7 19. 10 21. 22 21. 43 23. 12 23. 59	*1404 *1407 *1412 *1415 *1412	July 20 o. o 4. 56 7. 27 9. 19 11. 36 17. 45 20. 38 23. 59	.03194 .03331 .03340	3. o 9. o 13. o	61 ·5 62 ·1 62 ·6 58 ·2		17. 25 17. 33 17. 36 17. 40 17. 42 17. 57 18. 20 18. 28 18. 41 19. 10 19. 23 19. 39 19. 48 19. 59 20. 7 20. 42 21. 17 22. 21 22. 41 23. 26 23. 56 23. 59	20. 30 22. 0 20. 45 21. 10 19. 50 21. 25 19. 50 20. 45 20. 10 *** 20. 55 19. 40 21. 30 21. 30 22. 20 22. 40 22. 10	9. 19 10. 19 10. 15 10. 40 10. 58 11. 43 11. 55 12. 10 13. 41 14. 20 14. 55 15. 40 18. 6 18. 55 20. 10 21. 25 22. 0 23. 5 23. 26 23. 59	11414 11412 11410 11408 11415 11410 11415 11411 11406 11407 11405 11408 11403 11393 11393 11393 11393 11393				
16. 14 16. 42 17. 11 17. 43 18. 56 19. 40 20. 14 22. 23 23. 51 23. 59	23. 0 22. 35 21. 50 21. 0 21. 50 20. 40 21. 0 25. 20 31. 20 31. 30	July 21 o. o o. 40	·1406 ·1410	July 21 0. 0 2. 49	03220	July 21 1. 0 3. 0	62 0	62 °0 64 °0	0. 13 0. 59 1. 13 1. 43 2. 35 2. 49 3. 16	20. 32. 0 31. 30 33. 20 32. 55 *** 33. 5 *** 31. 35 32. 20 31. 40 30. 30 31. 0	July 22 o. 0 o. 14 o. 37 o. 59 i. 14 i. 20 i. 25 i. 28 i. 36 i. 42 i. 53 2. 12	1404 1407 1405	July 22 0. 0 2. 12 3. 14 4. 52 5. 6 8. 21 10. 26 14. 54 15. 53 16. 55	03302 03357 *** 03376 *** 03384 03403 03440 03342 03228 03178 03157	8. o 21. o	62 ·8 64 ·8 63 ·7 66 ·0 58 ·8 59 ·2

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f rmo-
July 22  4. 8  4. 53  5. 10  6. 8  6. 14  6. 36  6. 57  7. 27  8. 30  9. 42  9. 53  10. 45  11. 24  12. 21  14. 40  15. 52  16. 23  16. 51  17. 11  18. 12  18. 39  18. 45  19. 25  19. 36  19. 25  19. 36  19. 25  21. 28  21. 50  22. 43  23. 41  23. 59	20. 29. 55 28. 40 29. 15 28. 30 29. 0 28. 40 27. 45 26. 40 27. 5 26. 20 25. 35 26. 0 25. 50 24. 25 24. 0 21. 25 23. 10 21. 10 21. 40 21. 20 20. 55 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 22. 45 22. 0 21. 10 21. 10 21. 40 21. 20 20. 55 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30		1409 1404 1403 1407 1404 1411 1408 1413 1408 1405 1405 1415 1411 1415 1411 1415 1411 1416 1410 1414 1409 1408 1411 1415 1411 1410 1414 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1408 1411 1409 1401 1401 1410	July 22 17. 52 19. 12 20. 56 23. 59	·03138 ·03158 ·03134 ·03176	h m	0	•	July 23  7. 25  7. 41  8. 19  8. 19  8. 56  9. 13  9. 23  9. 56  10. 30  11. 11  11. 54  12. 14  12. 26  13. 13  13. 42  14. 41  14. 51  15. 40  15. 57  16. 24  16. 33  17. 9  17. 13  17. 23  18. 12  18. 17  18. 28  19. 18  19. 18	22. 5 22. 5 21. 10 22. 20 19. 40 21. 30 23. 40	July 23 5. 11 6. 8 6. 35 6. 47 6. 57 7. 29 7. 41 7. 57 8. 12 8. 27 8. 56 9. 17 10. 12 10. 35 11. 46 11. 25 11. 35 11. 46 12. 21 12. 33 12. 36 12. 57 13. 43 14. 12 14. 18 14. 26 14. 46 14. 55 15. 42 15. 56 16. 11	1412 1420 1417 1419	July 23 h 11. 42 13. 4 13. 26 15. 15 17. 13 17. 26 18. 55 20. 43 23. 59	·03227 ·03183 ·03191 ·03184 ·03181 ·03206 ·03192 ·03239	h m	•	0
July 23 o. o o. 9 1. 6 1. 18 1. 29 1. 59 2. 56 3. 36 5. o 5. 38 6. 51	20. 29. 10 28. 25 29. 55 32. 0 31. 30 32. 20 32. 5 30. 30 28. 0 27. 40 28. 0	July 23 o. o o. 50 i. 6 i. 20 i. 39: 2. o 2. 28 3. ii 3. 22 3. 43 4. ii	1410 1412 1408 1413 1410 1414 1412 1418 1414	July 23 o. o 1. 12 3. 9 5. o 7. 11 8. 24 8. 56 9. 57 10. 58 11. 12 11. 16	.03176 .03183 .03247 .03296 .03312 .03320 .03339 .03272 .03232 .03237 .03222	3. o 9. o	91 .0 91 .9 91 .9	63 · 0 63 · 7 62 · 4 60 · 9	19. 38 19. 43 19. 53 20. 4 21. 7 22. 14 22. 28 22. 40 23. 23 23. 59	22. 40 23. 30 23. 20 23. 30 27. 20 26. 20 26. 40 26. 20 ***	18. 12 18. 29 18. 43 19. 3	11401 11404 11399 11402 11398 11392 11387 11386 11386 11384 11389					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet,	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f rmo- ers.
h m	0 / //	July 23 23. 20 23. 29 23. 59	·1397 ·1394 ·1399	h m		h m	0	0	July 25  11. 0  11. 38  12. 0:  12. 47	20. 28. 5 24. 20 25. 25 23. 20	July 25  7. 12  7. 25  8. 12  8. 42	1408 1412 1413	July 25 21. 24 21. 56 22. 20 23. 59	°03224 °03224 °03236 °03272	h m	o	0
July 24 0. 0 0. 12 1. 7 1. 53 3. 28 3. 38 3. 49 4. 32 4. 51 8. 21 8. 44 9. 28 10. 56 11. 11 13. 26 14. 30 14. 51 15. 6 15. 20 14. 51 15. 58 16. 11 16. 45 17. 40 17. 59 18. 23 19. 56 20. 7 20. 23 20. 38 22. 21 22. 43 23. 8 23. 59	20. 30. 20 30. 30 31. 20 28. 25 28. 40 28. 40 27. 30 26. 50 26. 40 25. 15 26. 40 25. 30 26. 45 25. 30 26. 45 25. 30 26. 50 27. 50 26. 45 25. 30 26. 45 27. 30 28. 25 29. 20 29. 30 20. 30 20. 30 20. 40 20. 30 20. 30 20. 30 20. 40 20. 30 20.	1399 1401 1407 1405 1405 1408 1406 1408 1404 1403 1407 1404 1409 1409 1409 1407 1408 1409 1407 1408 1407 1408 1407 1408 1407 1408 1407 1408 1407 1408 1409 1398 1406 1398 1402 1398 1398 1399	July 24 0. 0 1. 26 4. 39 8. 59 10. 44 14. 13 17. 27 19. 13 21. 57 23. 59	·03239 ·03277 ·03343 ·03357 ·03296 ·03237 ·03228 ·03204 ·03245	3. 0 9. 0 21. 0 22. 0	62 ·0 62 ·3 62 ·6 59 ·8 60 ·5	63 · 9 64 · 0 60 · 9	13. 21 14. 9 14. 20 14. 23 14. 26 14. 43 14. 59 15. 16 15. 21 15. 51 16. 53 17. 23 17. 33 17. 56 18. 6 18. 14 18. 38 19. 23 19. 30 19. 56 20. 4 20. 16 20. 33 21. 18 21. 27 21. 43 21. 56 22. 26 23. 38 23. 59	23. 20 21. 50 21. 50 21. 50 21. 50 22. 40 23. 50 23. 10 24. 35 24. 25 27. 0 26. 30 27. 15 26. 25 26. 10 21. 20 20. 0 21. 20 20. 15 19. 0 19. 40 19. 10 19. 35 19. 0 18. 50 22. 0 23. 0 24. 0 25. 0	8. 57 9. 27 9. 47 10. 12 10. 41 10. 55 11. 35 12. 43 14. 14 14. 24 14. 24 15. 35 15. 55 16. 35 16. 35 17. 41 17. 50 18. 17 18. 18. 38 18. 55 19. 26 20. 10 20. 15 20. 29 21. 26 21. 44 21. 55 23. 59	1411 1412 1409 1409 1415 1415 1415 1417 1414 1406 1411 1415 1415 1411 1415 1418 1418 1418	20.09					
July 25	29. 50 30. 20 30. 30 30. 0 30. 5 27. 30 26. 55 27. 25	23. 59  July 25 0. 0 0. 55 2. 19 2. 42 3. 6 3. 41 3. 55 4. 26 5. 10	1403 1403 1407 1411 1407 1411 1405 1410	July 25 o. o 3. o 9. 6 10. 44 11. 22 14. 17 14. 26 15. 41 16. 48	·03245 ·03320 ·03346 ·03322 ·03298 ·03257 ·03264	2. 0 3. 0 9. 0 21. 0	61 ·1 61 ·7 61 ·8 62 ·0 61 ·7 61 ·5 61 ·8	63 · 2 63 · 5 64 · 0 63 · 1 62 · 9 63 · 2	July 26 0. 0 0. 36 1. 21 1. 43 3. 3 3. 19 3. 33 5. 8 5. 21 5. 48 6. 10	20. 31. 25 32. 55 31. 40 31. 55 29. 40 30. 10 29. 20 27. 30 27. 50 27. 0	July 26 0. 0 1. 8 1. 23 1. 54 1. 58 2. 25 2. 34 2. 45 2. 56 3. 12 3. 26	·1406 ·1404 ·1407	July 26 o. o 3. 14 5. 10 9. 12 10. 26 10. 54 17. 25 18. 58 21. 25 23. 59	.03272 .03342 .03378 .03416 .03376 .03346 .03267 .03296 .03277 .03300	2. o 3. o	62 ·3 62 ·6 62 ·8 63 ·0 63 ·3	64 ·8 65 ·0 64 ·0 65 ·8
9. 40 9. 53 10. 27 10. 42	27. 0 26. 25 26. 30 25. 30	5. 23 6. 10 6. 29 6. 55	1407		·03192 ·03168 ·03180 ·03198				6. 38 6. 44 8. 5	26. 30 26. 50 *** 26. 0	3. 43 4. 12 4. 43 5. 12	1401 1400 1402 1399	`				

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Nead of Ther meter of the Ther meter of the Ther meter of the Thermal New York (1997) and the	mo-
8. 59 9. 10 9. 41 9. 53 10. 12 10. 36 10. 55 11. 28 11. 40 12. 26 12. 43 13. 25 13. 43 13. 58 14. 16 14. 44 15. 30 16. 11 16. 23 16. 38 17. 25 17. 37 18. 14 18. 24 18. 24 18. 27 18. 14 18. 24 19. 26 19. 30 10	20. 27. 5 25. 30 25. 40 25. 0 25. 0 25. 0 22. 5 21. 20 23. 35 24. 25 24. 20 25. 0 24. 25 24. 20 24. 45 23. 30 24. 25 24. 20 24. 40 24. 40 24. 40 24. 40 22. 30 22. 30 21. 40 22. 30 21. 30 22. 30 21. 30 22. 30 21. 30 22. 30 21. 30 22. 30 21. 30 22. 30	July 26 h 5. 32 5. 45 6. 10 6. 20 6. 43 6. 54 7. 53 8. 03 9. 13 9. 12 10. 40 10. 53 11. 44 12. 15 12. 40 14. 26 16. 53 17. 19 18. 16 19. 10 21. 21 23. 7 23. 24 23. 59	1406 1400 1404 1409 1409 1407 1406 1403 1403 1413 1411 1406 1406 1407 1408 1398 1398 1398 1398 1398 1398 1399 1395 1395	h m		h m	0	0	July 27 9. 26 9. 56 10. 9 10. 12 11. 12 11. 12 11. 28 11. 43 12. 34 13. 14 13. 40 15. 26 16. 13 16. 41 17. 11 17. 40 18. 3 18. 14 18. 40: 19. 2 19. 18 19. 56 20. 7 22. 18 22. 53 23. 9 23. 59	0, 25. 35 23. 30 24. 25 24. 0 25. 20 23. 35 24. 40 23. 55 24. 5 23. 45 23. 45 23. 40 23. 45 23. 40 22. 40 23. 55 23. 0 22. 40 23. 55 23. 0 22. 40 23. 55 23. 0 22. 40 23. 55 23. 0	July 27 5. 37 6. 22 6. 40 6. 57 7. 53 8. 21 8. 37 9. 43 10. 40 10. 59 11. 54 12. 12 12. 34 13. 38 14. 14 14. 55 15. 55 16. 44 17. 26 18. 13 19. 25 20. 41 21. 59 23. 37 23. 59	1404 1398 1404 1403 1406 1407 1408 1405 1409 1407 1411 1409 14112 1416 1415 1409 14112 1409 1411 1409 1406 1407 1406 1407 1406 1407 1405 1407 1403 1397 1394 1395 1392	h m		h m	0	0
20. 46 22. 39 22. 59 23. 39 23. 59 July 27	22. 30 24. 30 26. 20 28. 25 29. 20 20. 29. 20 30. 50 30. 55 30. 0 29. 30 27. 40 27. 25 26. 30 26. 20 25. 40	July 27 2. 0 0. 44 1. 10 1. 24 1. 33 2. 18 3. 20 3. 26 3. 36 4. 16 4. 42	1395 1397 1400 1399 1402 1400	July 27 o. 0 3. 2 5. 32 9. 30 17. 11 20. 10 22. 14 23. 59	•03300 •03352 •03377 •03380 •03272 •03303 •03316 •03337	g. o	62 .1	64 °0 62 °8	July 28 0. 0 1. 33 3. 8 4. 39 7. 26 7. 59 8. 56 9. 44 11. 19 12. 21 12. 38 13. 6 13. 24 14. 18 14. 56	20. 27. 40 30. 0 ***  29. 40 27. 40 25. 20 25. 30 23. 40 25. 20 26. 25 25. 40 27. 5 26. 0 25. 5	July 28 o. 0 o. 40 1. 26 1. 41 2. 3 2. 12 2. 29 2. 44 3. 29 4. 35 5. 10 5. 41 5. 57 6. 41 7. 11 7. 59 8. 55	1404 1403 1396 1399 1396 1398 1396	July 28 0. 0 2. 33 3. 46 6. 26 9. 12 11. 4 14. 56 21. 11 23. 24 23. 59	•o3337 •o3383 •o3381	9. 0	63·2 63·4 63·6 62·6	64 ·8 64 ·6

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readi of Thern meter weter to the the therm with the the therm with the therm with the therm with the therm with the the therm with the therm with the therm with the the therm with the therm with the therm with the the the therm with the therm wi	mo- ers.
July28 h m 16. 33 17. 14 18. 40 19. 0 20. 3 21. 20 23. 59	20. 24. 0 22. 55 22. 5 21. 35 21. 30 24. 5 33. 50	July 28 h m 9. 21 9. 55 10. 18 10. 53 12. 11 13. 20 13. 40 16. 57 18. 57 20. 22 21. 20 22. 19 22. 57 23. 59	1403 1403 1405 1402 1403 1406 1406 1397 1389 1384 1385 1386	h m		h m	0	0	July30 h m o. 0 c. 41 1. 27 2. 27 2. 37 3. 6 4. 14 5. 26: 6. 41 7. 41 8. 9 8. 19 9. 23 9. 37 10. 13	20. 32. 50 33. 25 32. 40 30. 45 30. 50 30. 0 27. 0 25. 45 26. 55 26. 30 26. 55 26. 55 26. 55 26. 55 26. 55	July30  n 0 1. 24  2. 12  3. 10  4. 12  4. 30  4. 43  4. 59  5. 46  6. 11  6. 45  8. 21  8. 35	·1399 ·1401 ·1404 ·1409 ·1411 ·1406	July30  n. 0. 0  5. 14  9. 38  12. 26  16. 36  17. 25  19. 4  21. 24  23. 21  23. 59	.03177 .03300 .03304	July 30  1. 0  3. 0  9. 0  21. 0	61 · 36 61 · 66 62 · 06 56 · 95	53 •0 53 •5
July 29 0. 0 0. 30 2. 25 4. 33 4. 44 5. 0 5. 56 6. 4 6. 41 7. 25 7. 37 7. 55 8. 16 8. 37 8. 43 8. 58 9. 18 9. 35 10. 2 11. 56 13. 34 13. 54	25. 40 25. 5 25. 55 25. 30 26. 0 *** 25. 15	17. 6 18. 26 19. 26 20. 13	1396 1394 1405 1404 1407 1407 1412 1408 1406 1408 1407 1407 1410 1413 1407 1410 1413 1407 1408 1404 1408 1409 1409 1409	July 29 o. 0 o. 53 2. 19 3. 55 6. 31 10. 12 14. 24 17. 43 19. 12 23. 14 23. 59	·03324 ·03336 ·03380 ·03407 ·03420 ·03319 ·03263 ·03203 ·03156 ·03177	July 29 o. 15 6. 0 10. 0 14. 30 21. 0	63 ·6 63 ·7 59 ·6 58 ·7	64 *7 64 *8 62 *0 59 *6 60 *5	11. 14 11. 36 12. 24 13. 7 13. 26	25. 35 26. 0 24. 20 24. 45 25. 20 24. 30 25. 10 24. 20 25. 0 24. 10 23. 30 23. 30 23. 30 22. 35 *** 22. 10 21. 55 22. 10 25. 0 25. 0 25. 0 26. 0 27. 10 27. 10	9. 12 9. 21 9. 36 11. 44 11. 57 12. 31 13. 55 16. 27 17. 45 18. 23 18. 55 21. 24 23. 42 23. 59	1409 11409 11407 11405 11405 11408 11410 11407 11408 11405 11405 11405 11405 11405					
14. 56: 15. 14 15. 29 16. 16 16. 51 17. 11 18. 58 19. 28 20. 29 21. 43 22. 24 23. 39 23. 53 23. 59	26. o 26. 50	21. 16 22. 26 23. 26 23. 59	·1384 ·1388 ·1395 ·1399						July31 0. 0 1. 22 1. 28 1. 43 1. 52 2. 21 2. 56 3. 11 3. 43 4. 59 5. 17 5. 28 5. 42 6. 6 6. 40 7. 28	20. 30. 20 32. 50 32. 30 32. 40 32. 5 30. 55 30. 40 28. 10 26. 20 26. 55 26. 10 26. 30 26. 0 26. 50 26. 50	July 31 o. o o. 55 1. 40 2. 40 3. 19 3. 50 3. 56 4. 26 4. 42 4. 55 5. 22 5. 36 5. 43 6. 12 6. 34 6. 43	1406 1411 1413 1422 1415	13. 28 16. 19 17. 26 19. 46 21. 14 23. 38	.03057 .03076 .03122 .03174	9. 0 21. 0 22. 0	58 · 7 6 58 · 8 6 59 · 1 6 58 · 3 5 58 · 6	50 ·6 50 ·4 59 ·0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readi Thermete	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	mo-
July 31 7.58 8.8 8.25	20. 26. 55 24. 0 21. 30	July31 7.11 7.23	·1421 ·1419	h m	·	h m	0	0	July 31 23. 26 23. 59	20. 31. 0 32. 5	h m		h m		h m	0	
8. 58 9. 43 10. 11 10. 26 11. 26 11. 29 11. 45 12. 26 12. 33 13. 37 13. 46 14. 56 15. 59 15. 55 16. 14 16. 46 17. 36 17. 36 17. 37 17. 58 18. 19 18. 19 18. 19 19. 19. 19. 19. 19. 19. 19. 19. 19. 19.	14. 55 20. 40 18. 40 20. 40 18. 40 17. 25 17. 55 19. 25 19. 10 18. 0 17. 20 19. 35 22. 30 23. 55 23. 30 16. 50 17. 10 16. 0 17. 40 19. 15 21. 15 29. 10 26. 25 31. 15 29. 10 27. 55 28. 10 26. 25 28. 10 26. 45 28. 20 26. 45 28. 10 26. 45 28. 10 26. 55 28. 10 26. 30 26. 40 25. 40 26. 55 28. 10 26. 50 26.	19. 55 20. 27 20. 55 21. 12 21. 20 21. 41 21. 54 22. 20 22. 40 22. 54 23. 12 23. 53	1428 1423 1419 1422 1420 1428 1426 1426 1426 1404 1406 1403 1411 1401 1406 1409 1411 1408 1410 1408 1408 1414 1409 1413 1408 1408 1408 1408 1408 1409 1413 1408 1409 1414 1409 1413 1408 1409 1413 1408 1409 1413 1408 1409 1413 1408 1409 1413 1408 1409 1413 1408 1409 1413 1409 1413 1409 1413 1409 1413 1409 1413 1409 1414 1409 1413 1409 1413 1409 1413 1409 1413 1409 1413 1409 1413 1409 1413 1409 1414 1409 1418 1409 1388 1380 1366 1370 1374 1379 1384 1389 1389 1389 1389 1389						Aug. 1 0. 0 0. 6 0. 16 0. 29 0. 53 2. 4 2. 53 3. 24 3. 34 4. 13 4. 13 4. 13 4. 13 4. 13 6. 11 6. 26 6. 42 6. 53 7. 11 7. 36 7. 55 8. 11 7. 36 7. 55 8. 11 15. 28 8. 41 11. 5. 28 16. 44 18. 13 18. 20 18. 56 19. 14 19. 34 19. 34 19. 34 19. 34 19. 34 19. 34 21. 39 22. 13 22. 25 23. 59 Aug. 2	23, 45 25, 0 26, 0 25, 40 27, 25 27, 0 30, 0	Aug. I o. o. o. o. o. 1 o. 25 o. 44 I. 5 I. 11 I. 13 I. 25 I. 41 2. 12 2. 42 2. 52 3. 11 3. 42 3. 56 4. 40 5. 10 5. 12 6. 45 6. 55 6. 12 6. 45 6. 55 7. 11 7. 59 8. 12 8. 20 8. 56 9. 24 10. 25 13. 54 16. 30 17. 26 18. 11 19. 27 19. 43 20. 6 21. 56 22. 12 23. 59  Aug. 2	1391 1395 1393 1401 1399 1401 1399 1401 1399 1401 1399 1400 1409 1405 1404 1411 1406 1422 1419 1421 1411 1415 1412 1415 1409 1409 1411 1406 1422 1419 1421 1415 1409 1409 1409 1409 1409 1409 1409 1409 1419 1409 1410 1409 1411 1409 1309	Aug. I o. o o. 42 2. 26 3. o g. 30 II. 25 I2. 27 I7. 28 Ig. 19 21. 20 23. 4 23. 59	·03086 ·03104 ·03158 (†) ·03194 ·03239 ·03170 ·03158 ·03173 ·03170 ·03164 ·03180	Aug. 1 0. 0 1. 0 2. 0 3. 0 9. 0 21. 0 22. 0 23. 0	60 ·8 60 ·7 60 ·9	60 ·8 61 ·5 62 ·0 61 ·0 62 ·0
22. 19 23. 7 23. 11	34. 30 *** 32. 30 31. 50									20. 30. 0 30. 20 29. 0	o. o 1.35 1.48	·1403 ·1403 ·1407	o. o 3. 59 8. 59	.03180 .03282 .03325	0. 0 1. 0 2. 0	61.6	62 ·8 63 ·1 63 ·9

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	(		Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Oth. F. Magnet.	f mo-
Aug. 2 h m 1. 41 2. 20 2. 30 5. 3 5. 21 5. 43 6. 11 6. 36 7. 34 8. 4 8. 11 8. 17 9. 23 10. 9 10. 38 10. 45 11. 20 11. 40 12. 9 12. 24	20. 29. 30 29. 30 28. 45 26. 30 27. 0 26. 55 26. 30 27. 30 25. 35 25. 45 25. 45 25. 35 25. 40 25. 30 23. 30 23. 30	Aug. 2  1 40  2 52  3 39  5 55  6 12  6 25  6 57  8 52  8 56  9 12  15 54  16 57  19 43  21 22  23 25  23 59	*1405 *1407 *1406 *1412 *1408 *1411 *1409 *1414 *1405 *1405 *1405 *1407 *1404 *1396 *1398 *1398 *1399	Aug. 2 h m 11. 28 14. 12 15. 42 17. 22 18. 56 23. 10 23. 59	·03323 ·03280 ·03255 ·03243 ·03255 ·03246 ·03254	Aug. 2  h m 3. 0  9. 0  21. 0  22. 0  23. 0	62 ·6 61 ·5	63·9 64·0 62·8 62·9 63·0	Aug. 3 15. 31 16. 53 19. 26 20. 26 21. 38 21. 59 23. 44 23. 59	20. 24. 0 21. 40 23. 10 24. 40 29. 55 29. 55	Aug. 3  h m  7. 22  7. 36  8. 6  8. 42  8. 57  9. 11  9. 20  12. 43  13. 45  17. 7  17. 20  18. 42  20. 14  21. 27  22. 6  23. 10  23. 26  23. 54  23. 59	1403 1408 1406 1408 1411 1410 1411 1406 1406 1405 1405 1404 1400 1390 1396 1395 1398	h m		h m	0	٥
13. 23 13. 33 13. 59 14. 26 15. 36 17. 25 17. 40 18. 40 19. 33 21. 25 21. 39 22. 12 23. 17 23. 40 23. 59	23. 25 24. 0 24. 0 25. 10 22. 40 21. 50 21. 20 22. 5 26. 40 28. 0 29. 50 29. 50 30. 50								Aug. 4 o. o o. 11 o. 19 o. 55 2. 29 5. 11 7. 30 8. 6 9. 18 12. 53 19. 44 20. 54 20. 57 21. 56	20. 29. 55 30. 5 29. 35 3c. 0 29. 30 25. 10 25. 0 24. 30 24. 35 24. 55 21. 10 20. 30 23. 10	Aug. 4 0. 0 0. 41 1. 12 1. 20 3. 23 3. 57 5. 14 6. 22 6. 45 8. 53 11. 20 17. 17 18. 52 19. 58	1397 1398 1397 1400 1403 1400 1405 1407 1410 1413 1411	Aug. 4 0. 0 0. 25 3. 6 6. 4 9. 11 10. 19 12. 6 17. 24 19. 10 20. 24 22. 54 23. 59	·03177 ·03188 ·03243 ·03273 ·03284 ·03235 ·03184 ·03103 ·03116 ·03107 ·03092 ·03111	Aug. 4 1. 0 3. 0 9. 0 9. 40 21. 10	61 °0 61 °5 61 °8 58 °9 59 °2	63 ·o 63 ·4 61 ·o
0.39 1.8 1.43 2.14 3.18 3.43 4.13 4.58	20. 30. 50 31. 20 31. 20 29. 55 29. 30 27. 30 27. 10 26. 5 25. 30	Aug. 3 o. o o. 20 o. 38 o. 51 i. 44 i. 54 2. 10 2. 21 2. 43	1399 1401 1405 1403 1403 1406 1404 1406	Aug. 3 o. 0 o. 56 3. 12 4. 34 5. 6 9. 39 10. 41 11. 58 14. 49	.03254 .03273 .03335 .03346 .03337 .03364 .03353 .03316 .03232	3. 0 9. 0 12. 0	61 ·5 62 ·3 62 ·6 62 ·5 63 ·2 59 ·6		22. 6 23. 32 23. 54 23. 59	24. 20 28. 50 31. 0	20. 45 21. 1 21. 54 21. 59 22. 25 22. 54 23. 11 23. 24 23. 44 23. 59	1404 1410 1410 1413 1415 1423 1421 1421 1417					
6. 29 7. 33 8. 43 11. 3 11. 17 13. 3 13. 26 13. 51 14. 0 14. 39 14. 39	25. 25 26. 20 26. 5 25. 40 24. 50 24. 25 23. 40 24. 30 24. 0 22. 55 23. 40 23. 5	2. 57 3. 34 3. 43 4. 10 4. 26 4. 59 5. 12 5. 27 5. 43 6. 11 6. 26	•1406 •1404	17. 41 18. 54 20. 41 23. 14 23. 59	·03183 ·03193 ·03172 ·03164 ·03177				Aug. 5 o. o o. 11 o. 36 o. 41 1. 13 1. 26 2. 16 3. 9 4. 4 5. 16	20. 30. 55 30. 50 33. 0 31. 30 32. 20 33. 30 33. 20 32. 30 29. 40 27. 0	Aug. 5 o. o o. 35 o. 42 i. 12 i. 24 i. 41 2. 9 2. 20 2. 57 3. 24	1417	Aug. 5 o. o 1. 59 4. 8 6. 11 9. 24 10. 14 11. 58 11. 58 12. 51 13. 40	·0311.1 ·03163 ·03196 ·03207 ·03225 ·03221 ·03200 ·03137 ·03128 ·03107	21. O 22. O	60 · 5 61 · 1 59 · 3 59 · 8 59 · 8	62 ·8 60 ·2 60 ·9

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	met	f rmo-
Aug. 5 7. 43 8. 13 8. 39 8. 52 9. 6 9. 23 9. 39 10. 4 10. 39 10. 54 11. 27 12. 6 12. 36 12. 42 13. 11 13. 33 14. 7 14. 36 15. 42 16. 13 16. 50 17. 9 17. 14 17. 57 18. 21 18. 38 19. 18 19. 56 19. 58 20. 16	16. 0 17. 30 16. 25 20. 20 20. 10 20. 55 20. 25 22. 50 22. 30		1403 1407 1406 1413 1410 1411 1417 1416 1416 1416 1418 1418 1418 1418 1418	Aug. 5 h m 15. 42 17. 21 19. 13 20. 54 23. 40 23. 59	°03104 °03098 °03128 °03105 °03129 °03138	h m	0	•	Aug. 6 h m 4. 43 5. 7 6. 55: 7. 40 8. 7 8. 11 9. 10 9. 34 9. 51 10. 18 12. 43 13. 6 15. 9 16. 11 16. 45 17. 44 19. 17 22. 0 23. 41 23. 59	20. 28. 0 25. 15 *** 25. 30 19. 30 23. 5 21. 30 *** 25. 10 25. 0 24. 50 24. 50 24. 50 23. 10 21. 55 21. 0 23. 30 27. 55 28. 35	Aug. 6 m 3. 5 1 2 4 4 2 2 5 5 5 5 6 6 5 2 5 5 6 6 5 2 5 5 6 6 7 5 5 5 6 6 7 5 5 5 6 6 7 5 5 5 6 6 7 6 5 5 6 6 7 6 7	1413 1416 1429 1423 1425 1408 1413 1425 1416 1416 1416 1416 1418 1416 1416 1416 1417 1416 1417 1419 1416 1417 1419 1416 1417 1419 1416 1417 1419 1418 1395 1398	h m		h m	0	
20. 36 21. 24 21. 58 22. 56 23. 25 23. 56 23. 59 Aug. 6	23. 10 25. 30 25. 25 27. 30 29. 30 29. 50 30. 5		1400 1396 *** 1393 1400 1404 1405 1405 1410 1407 1415 1415 1415 1412 1416	Aug. 6 o. o 2. 54 6. 9 7. 41 7. 56 10. 12 14. 41 18. 13 23. 59	.03121	2. 0 3. 0 9. 0 21. 0 22. 0	60 ·3 60 ·9 60 ·3 59 ·7 60 ·4 60 ·6	62 · 5 62 · 9 62 · 9 61 · 0 60 · 0 62 · 0 62 · 0	0. 27 0. 44 1. 13 1. 40 2. 11 3. 41 4. 19 4. 47 7. 11 7. 39 8. 3 8. 11 8. 56 9. 50	20. 28. 35 29. 0 29. 5 30. 25 29. 55 29. 50 27. 10 27. 5 26. 30 25. 50 25. 40 24. 20 20. 0 19. 20 24. 25 23. 40 24. 35 24. 35 24. 35 24. 10 23. 25	Aug. 7 o. 25 o. 41 1. 10 1. 36 2. 25 2. 54 3. 26 3. 43 4. 10 4. 22 4. 41 5. 33 5. 58 6. 47 6. 56 7. 33 7. 56 8. 12	1404 1399 1404 1403	Aug. 7 o. 0 2. 41 6. 47 7. 58 8. 24 10. 44 15. 4 17. 10 18. 53 20. 28 21. 3 23. 59	.03137	2. 0 3. 0 9. 0 14. 0	61 .6 61 .6 58 .8 55 .4 59 .1 59 .8	63 · 2 63 · 4 61 · 0 58 · 0 61 · 0 61 · 3

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-
Aug. 7 13. 35 16. 28 19. 40 23. 11 23. 51 23. 59	20. 24. 0 23. 0 21. 0 27. 30 30. 0 30. 10	Aug. 7 12. 28 14. 33 17. 47 18. 53 21. 12 22. 27 23. 6 23. 12 23. 29 23. 44 23. 59	*1416 *1413 *1409 *1407 *1401 *1405 *1409 *1408 *1410 *1415 *1411	h m		h m	o	0	Aug. 9 3. 43 3. 55 4. 11 4. 24 5. 10 5. 33 7. 11 7. 40: 8. 39 9. 4	20. 30. 20 31. 0 28. 30 29. 40 *** 29. 40 28. 0 27. 45 27. 0 27. 30 27. 0 26. 0	Aug. 9 h	1409 1400 1417	Aug. 9 9. 19 10. 16 10. 20 10. 44 10. 59 11. 23 11. 40 12. 39 13. 4 14. 41 14. 45	•03257 •03227 •03216 •03221 •03203 •03187 •03200 •03163 •03160 •03065 •03067	Aug. 9 23. 0	60°2¢	5î •8
Aug. 8 o. 0 o. 52 1. 9 2. 11 2. 33 3. 56 4. 28 6. 23 7. 43 8. 43 9. 58 10. 9 10. 27 11. 13 11. 41 14. 9 15. 53 16. 11 16. 24 17. 11 17. 32 18. 9 18. 24 18. 43 19. 53 20. 8 21. 39: 22. 24 23. 59	21. 55 22. 35 22. 25 23. 5 22. 0 22. 15 21. 40 22. 55 22. 30 24. 5 29. 20 30. 0	10. 56 11. 26 11. 56 12. 51 13. 55 16. 8 17. 43 19. 24 21. 23 22. 11	1411 1413 1417 1418 1417 1418 1412 1416 1413 1412 1405 1413 1410 1411 1414 1411 1412 1415 1410 1412 1415 1410 1412 1408 1411 1408 1411 1409 1410 1408 1398 1394 1399 1397 1407	Aug. 8 o. o o. 42 3. 13 g. o 14. 58 21. 15 23. 59	*03122 *03140 *03203 *03224 *03200 *03146 *03177	1. 0 2. 0 3. 0 9. 0 21. 0	60 ·8 61 ·2 61 ·3 60 ·5 60 ·5		9. 26 9. 33 9. 42 10. 34 10. 55 11. 13 11. 26 11. 56 12. 48 13. 13 13. 22 13. 33 13. 42 14. 36 14. 46 14. 46 15. 11 15. 23 15. 33 15. 41 15. 56 16. 17 16. 56 17. 13 17. 23 17. 30 17. 41	13. 10 11. 55 12. 30 13. 30 20. 55 20. 55 22. 10 *** 22. 50 21. 25 21. 10 19. 10	10. 41 10. 50 11. 12 11. 25 11. 33 11. 42 11. 49 12. 26 12. 41 12. 45 13. 12 13. 36 13. 57	1414 1412 1415 1410 1401 1396 1397 1394 1398 1405 1403 1411 1409 1417 1417 1418 1417 1418 1418 1418 1418	15. 12 15. 40 15. 44 16. 55 17. 41 19. 10 19. 20 19. 56 20. 11 23. 59	•03057 •03060 •03056 •03077 •03060 •03081 •03076 •03080 •03095 •03123			
Aug. 9 o. 0 o. 10 o. 56 2. 4 2. 48 2. 56 3. 25	20. 30. 0 30. 25 31. 30 33. 5 32. 20 21. 25 32. 10	Aug. 9 o. 0 o. 24 o. 40 o. 47 l. 24 l. 41 l. 49	1409 1409 1412 1409 1417 1412	Aug. 9 o. 0 o. 24 2. 50 2. 56 3. 54 5. 34 7. 32	·03262	1. 0 3. 0	61 ·7 61 ·7 61 ·0 57 ·8 59 ·6	64 · 1 64 · 0 62 · 9 58 · 7 61 · 4	19. 16	20. 20 19. 45 20. 20 17. 55 21. 30 20. 0	14. 35	1431 1426 1428 1421 1423 1420 1423 1417					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
Aug. 9 h 19. 27  19. 41 19. 53 19. 57 20. 1 20. 26 20. 42 20. 53 21. 51 22. 13 22. 24 22. 32 23. 29 23. 47 23. 59	20. 19. 30 *** 21. 40 19. 45	Aug. 9 16. 25 16. 29 16. 41 16. 53 16. 58 17. 13 17. 25 17. 41 18. 12 18. 54 19. 54 19. 58 20. 21 20. 41 20. 48 21. 12 21. 25 22. 12 22. 35 22. 54 23. 59	*1413 *1415 *1410 *1409 *1417 *1412 *1412 *1403 *1403 *1401 *1407 *1398 *1399 *1388 *1391 *1387 *1380 *1382 *1377 *1380 *1385 *1390 *1395	h m		h m	0	0	13. 33 13. 47 14. 3 14. 43 14. 54 15. 6 15. 11 16. 26 16. 51 17. 21 17. 33 17. 56 18. 3 18. 11 18. 25 18. 37 18. 41 18. 59 19. 12 19. 25	20. 20. 20. 20. 24. 20. 23. 40. 23. 30. 23. 50. 21. 30. 22. 50. ***  20. 0 21. 40. 19. 50. 19. 20. 20. 20. 20. 19. 15. 20. 30. 19. 15. 20. 30. 19. 30. ***  19. 30. 22. 0. 20. 0	Aug.10 9.56 10.11 10.36 11.57 12.52 13.45 13.57 14.22 15.41 16.26 16.44 17.10 17.20 18.22 18.44 19.25 19.42 20.5 20.12 20.23 20.43	1414 1421 1408 1416 1411 1406 1406 1410 1413 1416 1413 1416 1411 1412 1405 1403 1403 1403 1403 1403 1403	h m		h m	0	0
Aug. 10 0. 0 0. 29 0. 56 1. 41 1. 54 3. 3 3. 13 4. 9 4. 26 5. 7 5. 22 5. 34 6. 14 6. 56 7. 13 7. 33 9. 43 9. 23 9. 29 9. 41 10. 6	20. 31. 20 31. 30 32. 40 32. 20 33. 25 *** 29. 20 29. 30 *** 27. 25 26. 0 26. 20 25. 50 25. 50 25. 20 25. 25 24. 55 23. 45 24. 5 23. 50 28. 10	Aug.10 0. 0 0. 24 0. 53 1. 13 1. 40 1. 56 2. 11 2. 21 2. 50 2. 57 3. 35 4. 26 4. 41 4. 55 5. 12 5. 42 6. 3 6. 14	1395 1396 1401 1399 1402 1401 1397 1395 1396 1404 1402 1406	Aug.10 0. 0 2. 12 3. 5 5. 12 5. 34 8. 56 9. 35 12. 30 16. 45 17. 59 19. 12 20. 27 23. 21 23. 59	•03123 •03184 •03207 •03217 •03208 •03216 •03180 •03132	Aug. 10 0. 0 1. 0 3. 0 9. 0 11. 0 21. 0 22. 0 23. 0	60 ·4 60 ·7 61 ·3 59 ·8 57 ·9 59 ·1 59 ·3	62 ·6 63 ·2 62 ·1 60 ·1 59 ·0 60 ·0	20. 11 20. 18 20. 36 20. 40 20. 56 21. 26 22. 9 22. 33 22. 43 22. 58: 23. 26 23. 36 23. 41 23. 56 23. 59	*** 30.55 32. 0 31.30 32.55 32.20 33.40 32. 0 32. 0	20. 54 21. 13 21. 41 21. 59 22. 12 22. 35 23. 23 23. 35 23. 42 23. 59 Aug.11 0. 0	*1392 *1386 *1382 *1375 *1378 *1394 *1391 *1387 *1389 *1395 *1390  *1390  **** *1403 *1405	Aug.11 o. o 1.39 1.51 3.19	*03103 *03132 *03127 *03153	Aug.1; o. o 1. o 2. o 3. o		61 ·5
10. 13 10. 41: 10. 58 11. 12 11. 38 12. 0	27.40	6. 29 6. 43 7. 3 7. 12 8. 42 9. 18 9. 42	1407 1405 1405 1408 1404 1408	•					1. 41 2. 6 2. 11 2. 17 2. 28 2. 34 2. 53	32. 40 31. 0 31. 20 30. 30 31. 5 30. 20 30. 25	1. 26 1. 41 1. 47 2. 11 2. 27 2. 40 2. 54	'1404 '1406 '1411 '1403 '1408 '1404 '1405	3, 38 4, 41 5, 14 5, 41 6, 32 6, 55 7, 26	*03166 *03180 *03201 *03205 *03201 *03194 *03200	9. 0 22. 0	59 ·7	61.0

Greenwich Mean Solar Time.	Western Deckna-	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	met	f rmo- ers.	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Ther met	f rmo- ers.
Gr Mean	tion.	Gr Mean	Horizo parts H. F for T	Gr Mean	Vertical parts of V. F. u for Ten	Gı	Of H. F. Magnet.	Of V.F. Magnet.	Gı Mean	tion,	Gı Mean	Horizo parts H. F for J	G) Mean	Vertical parts of V. F. for Ter	G <sub>1</sub> Mean	Of H. F. Magnet.	Of V. F. Magnet.
Aug. 11 3. 26 3. 38 3. 51 3. 59 4. 11 4. 18 4. 43 4. 53 5. 23 5. 31 5. 38 5. 46 7. 17 7. 36 7. 42 7. 56 8. 9 8. 17 8. 39	20. 29. 55 30. 20 29. 55 29. 55 29. 0 29. 0 27. 0 27. 10 26. 0 27. 20 27. 30 25. 15 25. 0 25. 15 25. 25 25. 25 25. 25 25. 0 26. 5 27. 20 27. 30 27. Aug. 11 h 3. 11 3. 25 3. 45 4. 45 5. 18 5. 18 5. 18 5. 18 5. 18 5. 18 6. 25 6. 45 7. 33 7. 59 8. 39	1396 1390 1401 1406 1393 1398 1398 1405 1415 1417 1413 1425 1404 1398 1402	Aug.11 h 7. 47 8. 36 9. 20 10. 39 11. 41 13. 12 13. 30 15. 4 16. 19 17. 19 17. 52 18. 26 19. 22 21. 59 23. 59	.03192 .03213 .03202 .03140 .03100 .03077 .03088 .03076 .03083 .03048 .03020 .03023 .03044 .03057 .03060 .03076	h m	0	0	Aug.11  16.41  16.47  16.56  17.7  17.12  17.29  17.38  17.55  18.13  18.28  18.37  18.51  19.18  19.43  20.9  20.51  21.28  21.48  22.17  22.26  22.39  22.57  23.50  23.59	20. 25. 50 25. 30 26. 50 25. 50 26. 20 26. 20 26. 20 27. 20 29. 15 28. 30 28. 40 27. 35 26. 40 27. 35 26. 40 27. 35 26. 40 27. 30 26. 30 30. 30 30. 30	Aug.11 23. 6 23. 43 23. 51 23. 59	*1404 *1406 *1411 *1406	h m		h m	0	O	
8. 55 9. 7 9. 23 9. 32 9. 40 9. 54 10. 25 10. 25 10. 39 10. 45 11. 54 11. 59 12. 27 12. 34 13. 13 13. 26 13. 34 13. 39 14. 10 14. 39 15. 13 15. 25 15. 39 15. 52 16. 13 16. 26	33. 55 27. 0 22. 20 24. 30 25. 55 22. 0 21. 20 22. 50 19. 55 20. 35 19. 10 22. 20 23. 40 23. 55 23. 55 23. 30 25. 0 23. 55 26. 5 24. 40 24. 40	12. 18 12. 35 12. 42 13. 21 14. 11 14. 51 15. 12 16. 53 17. 39 18. 11 18. 25 18. 48 19. 6	1402 1416 1418 1407 1418 1408 1413 1403 1413 1433 1430 1415 1420 1417 1421 1403 1410 1411 1406 1419 1408 1408 1409 1408 1409 1408 1409 1409 1409 1409 1409 1409 1409 1409						Aug.12 o. 0 o. 9 o. 28 o. 37 o. 41 o. 45 o. 53 o. 57 1. 26 1. 37 1. 55 2. 18 2. 28 2. 38 2. 41 2. 47 2. 56 2. 58 3. 25 3. 33 3. 51 3. 59 4. 53 5. 34 5. 43 5. 56	20. 30. 20 30. 15 32. 0 31. 40 30. 25 30. 30 29. 50 30. 40 30. 55 30. 0 30. 25 29. 55 30. 0 30. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 45 29. 50 20. 27. 10 26. 20 27. 0	Aug. 12 0. 0 0. 10 0. 51 1. 43 1. 57 2. 22 2. 44 2. 53 3. 3. 45 3. 55 4. 21 4. 55 5. 54 5. 59 5. 6. 44 7. 12 7. 27 8. 24 8. 43 9. 35 9. 55	1411 1406 1398 1415	19. 15 20. 13 21. 11	.03076 .03152 .03150 .03168 *** .03163 .03197 .03205 .03197 .03203 .03209 .03188 .03182 .03177 .03153 .03140 .03157 .03153 .03166 .03187	5. 0 9.30 21. 0 22. 0	60 ·8 61 ·3 61 ·4 60 ·9 61 ·3 61 ·7	62 ·9 62 ·6 62 ·5 62 ·6

<b>1 2 3 3</b>	Vestern eclina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of A. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	of rmo-
6. 36 6. 44 7. 4 7. 16 7. 37 7. 43 7. 56 8. 13 8. 41 8. 56	25. 45 25. 45 23. 50 16. 50 22. 15 25. 40 25. 10 25. 50 23. 50 25. 0 22. 40	Aug. 12 h m 10. 20 10. 41 11. 10 11. 36 12. 12 12. 28 13. 23 14. 20 14. 59 15. 21	*1410 *1415 *1414 *1406 *1410 *1407 *1410 *1424 *1416 *1419 *1407	h m		h m	0	0	Aug.12 h m 21.26 21.29 21.41 22.11 22.19 22.53 23.4 23.11 23.31 23.59	20. 24. 0 23. 5 23. 0 26. 0 25. 30 *** 26. 20 27. 40 27. 30 29. 50 28. 25	h m		h m		h m	0	0
10. 41 10. 56 11. 9 12. 32 12. 41 12. 58 13. 21 13. 26 13. 40 13. 56 14. 11 14. 38 14. 43 14. 51 15. 6 15. 34 15. 54 16. 4 16. 9 17. 18 17. 36 17. 51 18. 7 18. 17 18. 38 18. 42 17. 18 17. 36 19. 8 19. 11 19. 32 19. 36 19. 41 19. 32 19. 36 19. 41 19. 53 20. 19 20. 39 20. 42	26. 0 22. 50 21. 10 21. 0 19. 25 24. 0 23. 25 24. 10 26. 30 27. 20 25. 25 28. 40 27. 25 28. 40 27. 25 26. 30 27. 25 28. 40 27. 25 26. 30 27. 25 26. 30 27. 25 26. 30 27. 25 28. 40 27. 25 26. 30 27. 25 28. 40 29. 25 20. 30 20. 55 20. 40 22. 15 22. 15	15. 35 15. 57 16. 10 16. 55 17. 24 18. 3 18. 12 18. 36 18. 54 19. 30 19. 41 19. 55 20. 24 20. 43 20. 55 21. 25 21. 25 22. 20 22. 42 23. 41 23. 59	·1409 ·1406 ·1409 ·1407 ·1395 ·1410 ·1406 ·1403 ·1405 ·1401 ·1403 ·1392 ·1387 ·1392 ·1389 ·1389 ·1386 ·1388						Aug. 13 o. o o. 4 o. 13 o. 42 1. 43 2. 9 3. 46 4. 52 5. 34 5. 58 6. 24 6. 40 6. 55 7. 6 7. 17 7. 36 7. 51 8. 3 8. 16 8. 27 8. 43 9. 0 9. 17 9. 28 9. 39 9. 56 10. 14 11. 55 11. 0 11. 13 11. 26 11. 41 11. 55 12. 3 12. 24 12. 41 13. 8 13. 30 13. 42 13. 46 14. o	22. 10 22. 0 20. 0 19. 50 17. 50 18. 5 21. 0 21. 0 23. 5 23. 0 25. 0 28. 45 28. 50	Aug.13 o. 46 o. 57 1. 26 2. 12 2. 40 2. 44 2. 57 3. 13 3. 4. 57 5. 39 5. 54 5. 51 7. 31 7. 41 8. 15 8. 58 9. 43 9. 55 10. 21 11. 54 11.	1388 1397 1383 1388 1408 1400 1403 1396 1395 1407 1398 1400 1406 1403 1406 1403 1406 1410 1406 1410 1406 1410 1406 1410 1406 1410 1406 1410 1409 1399 1396 1394 1402 1411 1405 1399 1412 1405	Aug.13 0. 0 1. 56 5. 19 9. 24 10. 11 10. 29 11. 25 13. 42 14. 21 15. 56 17. 27 18. 45 22. 24 23. 59	.03187 .03240 .03305 .03297 .03254 .03220 .03198 .03154 .03167 .03156 .03187 .03204 .03207	1. 0 3. 0 9. 0 21. 0 22. 0	61 · 9 62 · 4 62 · 5 62 · 2 61 · 4 61 · 7	64 ·0 64 ·2 63 ·7 62 ·9

Mestern ar Time which are Time which ar Time which are Ti	Magnet. Magnet. Magnet. Magnet.
Aug. 13 14. 9 20. 53. 5	1 '463 '9 1 '763 '5 1 '763 '5 1 '663 '5 1 '662 '2 1 '79 '961 '79 1 '79 '961 '79

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Magnet.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Ther mete	f mo-
3. 30 3. 56 4. 10 4. 26 4. 36 4. 58 5. 10 5. 24 6. 53 7. 13 7. 28 7. 38 7. 54 8. 56 9. 25 10. 5 11. 26 14. 41 12. 12 13. 26 14. 53 15. 45 16. 41 17. 28 18. 26 19. 25 19. 25	20. 29. 30 30. 29. 35 28. 35 28. 35 27. 40 28. 20 25. 20 24. 55 25. 25 25. 25 25. 30 24. 55 25. 30 25. 40 25. 30 25. 40 25. 30 24. 55 25. 30 26. 50 27. 26. 50 27. 26. 50 28. 20 29. 20 29. 20 29. 20 29. 20 20. 21. 55 20. 21. 55 21. 55 21. 55 21. 55 21. 45 22. 10	Aug. 15 h 3. 25 3. 36 3. 56 4. 18 4. 35 5. 18 5. 18 5. 18 5. 41 6. 54 6. 54 7. 36 8. 30 9. 43 10. 41 11. 24 11. 25 15. 43 16. 12 14. 12 14. 12 14. 12 15. 43 16. 10 17. 26 18. 11 18. 25 15. 43 16. 10 17. 26 18. 11 18. 25 21. 23 21. 41 23. 59	1398 1401 1400 1398 1403 1396 1409 1407 1410 1408 1411 1408 1411 1408 1411 1408 1401 1405 1405 1406 1409 1404 1407 1410 1408 1406 1409 1405 1408 1407 1411 1408 1407 1411 1408 1407 1411 1408 1407 1411 1408 1409 1409 1409 1409 1409 1409 1409 1409	Aug. 15 h m 23. 30 23. 59	·03109 ·03117	h m	0	0	Aug. 16 h 1. 23 1. 43 1. 55 2. 11 2. 23 2. 40 3. 58 4. 23 4. 57 5. 28 5. 32 6. 41 6. 58 7. 12 7. 38 8. 49 9. 23 9. 54 10. 50 10. 57 11. 11 11. 53 12. 26 14. 49 16. 39 17. 13 18. 38 19. 58 21. 13 18. 38 19. 58 21. 3 22. 11 22. 51 23. 59	24. 20 25. 0 27. 10 22. 25 23. 50 24. 20 23. 45	Aug.16 h 2. 14 3. 26 4. 41 5. 24 5. 42 6. 42 6. 55 7. 56 9. 12 9. 43 9. 57 10. 11 112. 25 16. 56 17. 11 17. 24 17. 43 18. 25 20. 38 21. 45 22. 45 23. 59	1400 1406 1401	Aug. 16 h 5. 26 7. 50 9. 32 9. 51 10. 42 13. 57 17. 12 18. 52: 19. 57 21. 19 23. 59	.03187 .03174 .03137 .03010 .03083 .03041 .03000 .03014 .03004 .02984 .03017	22. 0	57 .8	3 9 9 9 9
20. 26 21. 7 21. 41 22. 28 22. 58 23. 43 23. 59	21. 35 ***  21. 50 23. 5 25. 5 25. 40 27. 40 27. 45								0. 23 0. 41 1. 27 2. 43 2. 57	20. 30. 30 31. 50 31. 20 32. 0 29. 30 29. 30	Aug.17 o. o o. 35 1. 39 2. 12 2. 45 3. 12 3. 40	1399 1401 1408 1406 1408 1417	Aug 17 0. 0 0. 40 3. 6 5. 20 9. 21 11. 30 13. 23	·03017 ·03017 ·03095 ·03126 ·03143 ·03057 ·03023	9. 0	59 •6	62 ·0 61 ·3 61 ·8 62 ·8 60 ·2
Aug.16 o. o o. 28 o. 43 1. 7	20. 27. 45 28. 5 30. 30 30. 20	Aug.16 o. o o. 41 1. 43 1. 56	•1391 •1402 •1402 •1399	Aug.16 0. 0 2. 29 4. 41 5. 14	.03117 .03178 .03189 .03197 ***	Aug.16 0. 0 1. 0 3. 0 9. 0	59 <b>·</b> 9 60 ·8 59 <b>·</b> 8	62 ·4 62 ·3		28. 30 28. 45 28. 0 25. 45 26. 50 26. 30	3. 40 4. 41 4. 56 5. 11 5. 33 5. 57	1406 1404 1408 1419	14. 11 17. 25 18. 19 18. 59 21. 12	•03033 •02997 •03019 •03034 •03008	23. 0	59 •3	60 .4

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readi of Therm mete	mo-
Aug.17 6.32 6.42 7.26 7.38 8.39 8.54 9.18 9.53 11.13 11.53 11.53 11.53 11.53 11.53 11.53 11.53 11.53 11.53 11.53 12.25: 13.14 14.56 15.28 16.0 16.10 16.28 17.28 17.38 18.18 18.54 19.40 19.51 20.62 20.33 20.55 21.7 21.42 22.25 22.33 22.50 23.8 23.34 23.39	20. 27. 0 26. 30 26. 40 26. 0 26. 0 26. 30 25. 10 25. 25 24. 20 24. 30 22. 50 24. 30 22. 50 24. 10 20. 40 21. 30 23. 55 25. 0 23. 55 25. 0 23. 10 25. 30 23. 10 25. 30 27. 10 27. 40 28. 10 29. 10 29. 25 29. 10 29. 25 29. 25	23. 42 23. 51	1409 1418 1411 1418 1414 1417 1411 1408 *** 1411 1416 1412 1415 1409 1414 1409 1414 1409 1416 1407 1416 1407 1416 1407 1416 1407 1416 1407 1416 1407 1416 1407 1416 1407 1416 1408 1403 1399 1403 1399 1403 1399 1408 1408 1407	Aug.17 h m 23.59	.03025	h m	0	0	Aug.18  3.56  4.9  4.43  5.10  5.25  5.56  6.27  7.55  8.13  8.33  8.57  9.6  10.7  10.12  10.53  11.10  12.11  12.24  12.38  13.40  13.40  14.25  14.32  14.38  14.51  15.36  15.44  15.53  16.13  16.28  16.43  16.53	20. 0 21.10 25.30	Aug.18  h 3. 27 3. 39 3. 47 4. 0 4. 12 4. 22 4. 28 4. 42 5. 3 5. 22 5. 55 6. 11 6. 14 6. 37 6. 49 7. 0 7. 21 7. 29 7. 37 7. 42 7. 56 8. 12 8. 24 8. 41 9. 15 9. 24 10. 26 11. 26 11. 23 11. 55 11. 6 11. 24 11. 55 11. 59 12. 11 12. 14	1411 1405 1407 1404 1409 1408 1411 1407 1416 1416 1416 1418 1413 1423 1423 1418 1425 1426 1424 1427 1420 1414 1415 1416 1414 1410 1414 1395 1406 1414 1419 1414 1419 1414 1419 1414 1419 1414 1417 1418	Aug.18 20. 4 23. 59	*02918 *02997	h m	0	•
Aug.18 o. o o. 18 o. 43 1. 3 1. 6 1. 22 1. 37 2. 7 2. 28 3. 4 3. 23 3. 33 3. 48	29. 30  20. 29. 30  30. 0  30. 45  29. 55  30. 10  30. 20  31. 30  30. 20  31. 10  29. 55  30. 0  28. 40  29. 15	Aug. 18 0. 0 0. 15 0. 21 0. 41 1. 4 1. 11 1. 21 1. 29 2. 11 2. 38 2. 45 3. 12 3. 24	1407 1411 1409 1409 1401 1403 1402 1416 1405 1413 1408 1406 1408	Aug. 18 o. o 2. 34 4. 57 8. 56 10. 16 11. 10 13. 51 13. 52 15. 30 16. 12 16. 28 17. 21 17. 56	·03025 ·03094 ·03137 ·03166 ·03100 ·03023 ·02973 ·02928 ·02884 ·02878 ·02836 ·02838	1. 0 2. 0 3. 0 9. 0 21. 0	59 .8 50 .8 50 .8	61 ·5 61 ·8 62 ·0 63 ·0	17. 7 17. 12 17. 23 17. 32 17. 50 18. 0 18. 28 19. 9 19. 14 19. 20 19. 33 19. 54 20. 12 20. 21 20. 39	23. 30 25. 0 23. 10 21. 30 21. 30 *** 23. 40 21. 55 22. 55 23. 10 21. 5 21. 0 22. 0	12. 29 12. 34 12. 46 13. 22 13. 41 13. 53 14. 11 14. 13 14. 29 14. 41 15. 8 15. 12 15. 26 15. 42 15. 52	1412 1417 1414 1417 1423 1417 1421 1417 1424 1416 1423, 1421 1425 1425 1426 1423					

Greenwich Mean Solar Time.	Western Declina- tion	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther		Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	no-
Aug. 18 h m 20. 51 21. 0 22. 2 22. 43 23. 6 23. 37 23. 55 23. 59	20. 21. 50 21. 5 *** 24. 30 25. 40 25. 25 27. 30 27. 20 27. 30	Aug. 18 16. 8 16. 14 16. 30 16. 42 17. 22 17. 40 17. 54 17. 59 18. 13 18. 35 19. 14 19. 25 19. 42 20. 24 20. 43 22. 27 22. 54 23. 59	1	h m		h m	0	0	15. 9 15. 24 15. 32 15. 55 16. 33 16. 56 17. 11 17. 25 18. 55 19. 33 19. 52 19. 55 20. 13 20. 26 20. 49 21. 54 21. 54 22. 13	20. 22. 0 21. 40 22. 30 22. 20 21. 20 21. 20 21. 20 21. 20 21. 10 20. 30 21. 10 20. 30 21. 30 21. 30 21. 40 21. 20 23. 30 25. 11 25. 40 ***	Aug.19 9. 48 11. 9 11. 24 11. 35 11. 43 11. 57 12. 36 13. 12 13. 49 14. 9 15. 35 16. 12 17. 20 17. 54 17. 59 18. 44 20. 6 20. 30 20. 42	1408 1407 1412 1419 1412 1407 1404 1407 1404 1405 1405 1407 1405 1406 1406 1409 1409 1397	h m		h m	o	•
Aug.19 o. o o. 22 o. 29 o. 56 1. 18 1. 22 2. 11 2. 23 2. 43 2. 53 3. 3 3. 9 3. 26 3. 53 4. 93 3. 5. 13 6. 18 7. 7 9. 12 9. 24 9. 33 10. 55 11. 1 11. 9 11. 21 11. 46 11. 56 12. 9 12. 26 12. 55 13. 39 14. 18	20. 27. 30 28. 0 27. 40 28. 20 27. 25 28. 5 27. 30 26. 20 26. 55 25. 40 24. 45 23. 30 24. 40 25. 0 26. 0 24. 40 25. 30 24. 20 25. 40 25. 30 24. 25 25. 15 25. 15 25. 15 25. 50 22. 30 22. 30 22. 30 22. 30 22. 30 22. 30 22. 30 22. 45 21. 30	Aug.19 o. o o. 21 o. 27 o. 45 1. o 27 o. 45 1. o 27 o. 45 1. o 27 o. 45 1. o 27 o. 45 1. o 27 o. 45 0. 11 1. 28 1. 51 2. 33 2. 43 2. 52 2. 56 2. 58 3. 13 3. 23 3. 44 4. 11 4. 52 5. 36 6. 57 7. 11 7. 50 8. 28 9. 27 9. 33 9. 41	1392 1393 1390 1391 1395 1398 1398 1400 1408 1401 1393 1396	Aug·19 o. o 1. 41 2. 30 2. 43 3. 57 7. 25 9. 24 11. 12 11. 43 12. 3 17. 10 18. 55 23. 59	.02997 .03037 .03044 .03040	Aug.10 9. 0 21. 0 22. 0 23. 0	60 .8 20 .8	61 ·0 63 ·1 63 ·0 63 ·4 63 ·7	Aug.20 0. 0 0. 11 0. 19 0. 54 0. 57 1. 11 1. 26 1. 29 1. 58 2. 47 3. 49 4. 48 4. 58 5. 49 5. 57 6. 5 6. 11 6. 26 7. 25	27. 5 28. 40 28. 50 29. 50 29. 50 30. 0 30. 55 30. 40 29. 50 29. 40 30. 10 30. 10 29. 40 27. 10 27. 0 26. 10 25. 35 26. 5 26. 5 26. 5 25. 10 26. 10 26. 5 26. 5	20. 57 21. 11 21. 17 21. 45 21. 52 22. 15 22. 26 22. 34 23. 59 Aug.2c 0. 0 20 0. 27 0. 43 0. 57 1. 19 1. 34 2. 6 2. 14 2. 36 2. 14 2. 36 4. 12 4. 28 4. 40 4. 58 5. 9 5. 26 5. 42 5. 59 4. 6. 10	1390 1395 1393 1394 1403 1402 1407 1413 1406 1404 1407 1405 1410	Aug.20 0. 0 0. 46 1. 56 4. 41 5. 42 5. 50 6. 26 8. 22 11. 35 14. 9 15. 25 17. 12 19. 12 23. 59	.03116 .03116 .03155 .03177 .03187	1. 0 3. 0 9. 0 21. 0	61 ·6 61 ·6 61 ·7 62 ·6 61 ·1 61 ·1	64 °0 64 °1 64 °1 62 °5 61 °8

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. Magnet	10-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.  Od V. F. Wagnet.
Aug. 20  7. 42 8. 3 8. 25 8. 53 8. 59 9. 23 9. 37 9. 43 9. 51 10. 15 10. 28 11. 4 12. 7 13. 16 13. 29 13. 48 14. 4 14. 7 14. 40 14. 55 15. 9 15. 53 16. 12 16. 33 16. 41 17. 5 17. 23 17. 39 17. 53 18. 38 18. 43 18. 51 19. 37 19. 42 20. 6 20. 11 20. 39 22. 15 22. 39 23. 12 23. 20 23. 38 23. 59	23. 5 25. 10 24. 0 24. 30 23. 0 23. 30 20. 45 *** 20. 30 21. 25 20. 0 *** 21. 50 22. 30 22. 10 *** 24. 35 27. 25 28. 0 27. 30 27. 20 28. 5	19. 38 20. 18 21. 36 22. 5 22. 21	1419 1409 1406 1409 1406 1411 1412 1403 1404 1403 1415 1420 1411 1413 1401 1396 1399 1398 1404 1403 1409 1409 1409 1409 1409 1409 1409 1409	b m		h m	0	0	Aug.21 h 0. 24 1. 23 1. 43 1. 55 2. 20 2. 32 2. 37 3. 18 3. 24 3. 57 4. 42 5. 56 7. 56 7. 56 8. 11 8. 27 8. 43 10. 55 11. 39 12. 54 13. 28 14. 42 15. 13 16. 26 16. 47 16. 58 17. 53 18. 49 18. 57 19. 11 21. 34 22. 21 23. 59	25. 55 25. 50 23. 10 22. 25 22. 35 21. 30 23. 40 23. 30 27. 50	12. 57 13. 26 14. 6 14. 27 14. 53 15. 2 15. 11 15. 15 15. 27 15. 55 16. 39 17. 11	1397 1403 1401 1405 1404 1410 1415 1415 1405 1415 1405 1415 1405 1416 1416 1416 1411 1416 1411 1401 1411 1401 1411 1401 1411 1409 1413 1410 1411 1409 1413 1410 1409 1413 1410 1409 1411 1407 1411 1409 1409 1409 1409 1409 1409 1409	Aug. 21 h m o. o 3. 40 7. 12 7. 41. 16. 49 19. 40 21. 21 23. 59	03120 03198 03187 03199 03139 03120 03118	1. 0 2. 0 3. 0 9. 0 21. 0 22. 0 23. 0	61 · 1 62 · 5 61 · 7 63 · 0 61 · 7 63 · 0 61 · 8 63 · 0 60 · 0 61 · 7 60 · 9 61 · 7 61 · 4 62 · 1

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readi of Ther meter Therefore The Therefore Therefore Therefore Therefore Therefore Therefore The Therefore Therefore Therefore Therefore Therefore Therefore The Therefore Therefore Therefore Therefore Therefore Therefore The Therefore The Therefore The Therefore The Therefore The Therefore The Therefore The Therefore The Therefore The Therefore The The The The The The Therefore The The The The The The The The Th	mo-
h m	o , ,,	Aug. 21 23. 56 23. 59	·1397 ·1398	h m		h wa	0	0	3. 11	20. 34. 50 36. 5	Aug. 23  1. 41 2. 6	·1407 ·1413	Aug. 23 5. 39 5. 52	•03262 •03260	Aug.23	6 <b>3</b> ·1	54°•5
0. 41 0. 57 1. 6 3. 17 4. 10: 5. 4 5. 55 6. 53 7. 4 8. 58 11. 12 12. 6 12. 34 12. 57 13. 21 14. 6 14. 21 14. 43 15. 14 15. 43: 16. 24 16. 27 16. 38 16. 54 17. 12 17. 40 18. 33 19. 55 20. 26 20. 55 21. 8 21. 41 21. 56 22. 15 22. 15 22. 28 Aug.23 0. 11 0. 20	22. 45 22. 10 20. 40 23. 40 23. 40 24. 5 25. 0 25. 30 25. 25 26. 10 25. 30 27. 40 (†)	17. 12 17. 27 18. 11 18. 42 19. 8 19. 37 19. 47 20. 27 21. 21 22. 28 23. 59 Aug. 23 0. 0 0. 19 0. 36	1410 1407 1416	Aug. 22 0. 0 1. 19 3. 20 9. 32 11. 26 13. 41 13. 57 14. 40 15. 43 16. 22 19. 56 23. 59	.03018 .03052 .03180	Aug. 23. 0 21. 0 22. 0 23. 0 3. 0	61 · 66 · 59 · 4 · 60 · 60 · 60 · 60 · 60 · 60 · 60	62 · 8 62 · 8 62 · 7 63 · 2 61 · 0 62 · 0 62 · 0 62 · 5 63 · 9	3. 21 3. 39 3. 56 6 6 7 7 6 55 5 7 9 7 7 8 1 1 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	21. 0 26. 20 18. 10 20. 0 18. 45 21. 20 19. 20 20. 30 21. 40 21. 20 27. 0 25. 5	13. 12 13. 28 13. 45 14. 11 14. 26 14. 58 15. 29	1386 1374 1391 1388 1397 1395 1401 1406 1455 1414 1386 1412 1402 1408 1424 1403 1387 1399	6. 12 6. 54 6. 57 7. 40 7. 44 7. 59 8. 12 8. 36 8. 44 11. 19 11. 24 11. 54 11. 54 12. 39 13. 26 14. 51 15. 16 15. 46 14. 51 15. 16. 35 17. 19 19. 19. 19. 19. 19. 19. 19. 19. 20. 20. 156 20. 41 21. 39 20. 20. 41 21. 39 20. 20. 20. 20. 20. 20. 20. 20. 20. 20.	.03242 *** .03253 .03242 .03258 .03258 .03268 .03316 .03210 .03252 .03275 .03284 .03222 .03237 .03131 .03116 .03139 .03153 .03133 .03136 .03077 .03085 .03077 .03085 .03077 .03085 .03104 .03112 .03104 .03111 .03118 .03166 .03197 .03169 .03104 .03111 .03118 .03166 .03142 .03160 .03197 .03188 .03221 .03122 .03160 .03197 .03188 .03223 .03237			
0. 49 1. 41 2. 53	34. 55 34. 25 35. 45	0. 40 0. 44 1. 26	1418 1411 1411	4. 26 4. 43	.03240 .03321 .03324	9. 0 21. 0	62 ·8	65 ·9	17. 23	22. 50 28. 35 28. 20	15. 50 15. 59	1397 1400 1391					

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.		f mo-
Aug. 23 h m 17. 56 18. 0 18. 18. 10 18. 18 18. 26 18. 33 18. 39 18. 43 19. 21 19. 32 19. 41 19. 55 19. 59 20. 4 20. 13 20. 21 20. 28 20. 53 21. 23 21. 58 22. 13 22. 26 22. 57 23. 33 23. 41 23. 49 23. 59	20. 31. 10 31. 0 32. 50 32. 25 33. 30 37. 40 35. 30 36. 50 *** 34. 10 34. 40 32. 50 30. 40 29. 50 28. 10 27. 40 29. 50 26. 15 23. 40 27. 15 26. 20 37. 45 31. 40 31. 50 29. 50 31. 25 30. 0	Aug. 23  16. 43  17. 12  17. 26  17. 48  17. 56  18. 10  18. 13  18. 26  18. 36  19. 19  19. 41  19. 59  20. 26  20. 34  20. 45  21. 24  21. 57  22. 13  22. 57  23. 12  23. 59	1398 1410 1403 1387 1379 1377 1379 1368 1374 1375 1356 1349 1340 1340 1342 1329 1313 1312 1323 1354 1359 1369 1377 1378 1380 1377	h m		h m	0	0	Aug. 24  19. 27  10. 27  11. 26  12. 50  12. 50  13. 38  14. 138  15. 57  16. 29  16. 57  17. 10  17. 56  18. 42  19. 17  19. 25  19. 36  19. 43  19. 56  20. 41  20. 56  22. 55  23. 59	19. 30 19. 5 19. 40 19. 0 19. 30 18. 50	Aug. 24 6. 24 6. 49 7. 16 7. 24 7. 24 7. 5 0 8. 11 8. 39 10. 5 3 12. 14 12. 34 13. 5 3 14. 27 14. 41 15. 45 16. 57 17. 55 17. 56 18. 22 19. 14 19. 15 19. 16 19. 17 19. 18. 25	1404 1393 1400 1399 1405 1399 1400 1404 1398 1400 1395 1395 1395 1395 1396 1393 1404 1396 1396 1396 1396 1396 1396 1396 1396 1396 1396 1396 1396 1396 1396 1397 1396 1397 1396 1397 1396 1397 1398 1398	h m		h m	0	•
Aug·24 0. 0 0. 28 1. 26 2. 36 2. 39 2. 42 3. 12 3. 28 3. 43 4. 23 5. 54 6. 14	20. 31. 0 31. 40 29. 30 29. 30 28. 50 28. 5 28. 15 27. 25 28. 30 27. 50 27. 30 25. 5	Aug.24 o. o o. 26 o. 55 2. 19 2. 28 2. 40 2. 45 3. 12 3. 33 3. 45 3. 57 4. 19 4. 43	•1403 •1395 •1399 •1397	14. 32	·03355 ·03300 ·03300 ·03253 ·03237 ·03226 ·03207 ·03228	21. 0	63 ·4 63 ·7 63 ·8 64 ·4 62 ·1 63 ·1	64 · 9 65 · 0 65 · 2 63 · 5 64 · 0			18. 55 19. 28 19. 56 20. 15 20. 44 20. 55 21. 26 22. 9 22. 41 22. 55 23. 13 23. 45 23. 59	·1391 ·1385 ·1382 ·1383 ·1379 ·1381 ·1374 ·1376 ·1374 ·1381 ·1388 ·1384	Av. 05		Ang 25		
6. 14 6. 28 6. 44 7. 7 7. 58 8. 33 8. 58	24. 15 25. 0 24. 25 24. 30 25. 20 23. 55	4. 45 4. 58 5. 11 5. 20 5. 46 5. 58 6. 11	1399 1398 1401 1400 1403	23. 19 23. 59	*03231 *03258				o. 19 o. 40 o. 56 I. 3	20. 30. 10 32. 5 30. 40 31. 55 30. 50	Aug·25 0. 0 0. 12 0. 48 0. 52 0. 56	·1384 ·1387 ·1378 ·1380 ·1384	Aug.25 o. o o. 29 2. 34 3. 4 3. 28	·03258 ·03263 ·03347 ·03348 ·03357	9. 0	63 · 1 63 · 6 63 · 6 63 · 6 64 · 5	65 · 1 65 · 5 65 · 5 66 · 5

Greenwich Mean Solar Time. Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. Wagnet. Of V. F.	)-	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. omred ters.
Aug. 25 h 1. 9 20. 30. 50 2. 7 2. 13 2. 25 2. 51 2. 51 2. 58 3. 12 2. 58 3. 56 4. 11 29. 40 4. 45 29. 0 5. 12 27. 20 5. 28 5. 43 5. 57 6. 8 6. 26 6. 38 6. 25 6. 38	Aug. 25 h 1. 11 1. 30 1. 45 2. 12 2. 19 2. 25 2. 43 2. 56 3. 12 3. 32 3. 34 3. 44 4. 26 4. 45 5. 6	1406 1405 1401 1409 1406 1408 1412 1402 1392 1392	Aug, 25 4. 26 5. 10 6. 3 7. 22 9. 53 12. 50 13. 55 14. 23 15. 28 16. 56 19. 24 22. 10 23. 59		Aug.25 h m 21.45	62.865	, o	Aug. 25 h m 19. 43 19. 58 20. 17 20. 40 22. 44 22. 56 23. 59	20. 20. 35 21. 40 20. 0 20. 20 27. 45 29. 20 31. 25	Aug. 25 h 18. 41 18. 57 19. 10 19. 18 19. 26 19. 53 19. 58 20. 56 21. 22 21. 30 21. 57 22. 43 22. 58 23. 36 23. 56 23. 59	1391 1393 1398 1392 1394 1388 1391 1382 1383 1381 1384 1389 1379 1384 1379 1388	h m		h m	٥	0
14. 54     23. 0       15. 42     23. 40       16. 3     22. 0       16. 17     23. 5       16. 44     22. 5       16. 56     22. 20       17. 9     21. 30       17. 40     22. 25       17. 43     21. 30       17. 56     21. 30       18. 19     21. 30       18. 27     22. 10       18. 39     21. 5       18. 45     21. 5       19. 6     22. 30       19. 13     22. 10       10. 23     20. 40	5. 14 5. 22 5. 29 5. 42 5. 57 6. 8 6. 12 6. 20 6. 43 7. 14 7. 27 7. 40 7. 48 8. 21 8. 30 8. 45 9. 14 10. 19 10. 47 11. 36 11. 49 12. 20 12. 44 13. 25 13. 54 14. 13 14. 54 15. 12 16. 34 17. 11 17. 32 17. 38 18. 20 18. 26	1401 1395 1396 1391 1393 1396 1398 1398 1398 1398 1398 1398 1398 1399 1396 1399 1396 1399 1396 1400 1397 1398 1399 1396 1400 1397 1398 1398 1399 1396 1399 1396 1399 1396 1397 1398 1398 1398						Aug. 26 o. o o. 37 o. 54 1. 22 1. 33 1. 53 2. 4 2. 22 2. 35 2. 44 2. 54 2. 58 3. 34 3. 51 3. 52 4. 13 4. 52 5. 33 5. 43 6. 26 6. 41 6. 56 7. 12 7. 49 8. 33 8. 58 9. 56 10. 53 11. 15 11. 33 11. 53 11. 53 11. 53 11. 53 11. 53 11. 53 11. 15	20. 31. 25 31. 40 31. 40 32. 55 31. 55 31. 55 31. 25 28. 30 28. 50 27. 30 26. 0 24. 30 24. 30 24. 55 24. 55 24. 20 24. 45 23. 50 22. 30 25. 10 25. 10 25. 20 23. 30 24. 25 29. 30 24. 10 24. 10 24. 10	Aug. 26 o. 40 o. 55 i. 37 i. 56 2. 11 2. 22 2. 41 2. 46 2. 56 3. 3 3. 35 5. 56 4. 16 4. 25 5. 3 5. 42 6. 14 6. 36 6. 54 7. 12 8. 8 8. 41 9. 43 9. 57 10. 13 10. 42	·1385 ·1396 ·1394	Aug.26 o. o o. 42 2. 6 2. 32 2. 43 3. 19 6. 39 6. 56 9. 44 10. 41 11. 41 14. 5 16. 49 18. 20 23. 59	•03258 •03276 •03340 •03351 •03342 •03366 •03386 •03372 •03324 •03320 •03294 •03307 •03326	5. 0 9. 20 21. 0	64·1 64·6 64·8 63·8 64·2 64·2	66 ·7 66 ·9 66 ·1

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	0		Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
15. 3 15. 25 15. 39 15. 53 16. 12 16. 26 17. 30 17. 59 18. 18 18. 22 18. 41 19. 23 19. 54 21. 26 21. 40 22. 47 22. 54 23. 12 23. 40 23. 59 Aug. 27 0. 0 0. 13 0. 51 1. 0 3. 3 3. 10 3. 36	20. 24. "0 23. 0 24. 10 24. 20 23. 35 24. 35 21. 0 20. 20 21. 40 20. 20 21. 40 20. 30 21. 40 25. 40 25. 20 29. 0 28. 45 29. 20 31. 20 32. 0  20. 32. 0  20. 32. 0  21. 45 32. 0 27. 45 28. 0 26. 25	Aug. 26 h 10. 58 11. 16 11. 40 12. 43 13. 20 13. 57 15. 11 15. 45 16. 6 16. 25 16. 49 17. 55 18. 14 18. 25 18. 43 19. 50 19. 54 20. 42 21. 7 21. 41 21. 56 22. 12 23. 59  Aug. 27 0. 43 2. 41 2. 53 3. 6 3. 12 3. 37	1413 11405 11406 11395 11396 11396 11397 11395 11386 11399 11382 11380 11379 11382 11380 11379 11382 11380	Aug.27 o. o 1. 37 3. 11 4. 54 7. 20 7. 43 9. 10	·03326 ·03343 ·03380 ·03396 ·03397 ·03394	1. 0 2. 0 3. 0 9. 0 9. 30 21. 0	64 ·3 65 ·0 65 ·0 63 ·9 62 ·6 61 ·9	66 ·6 66 ·6 66 ·6 64 ·4 63 ·5 64 ·1	12. 38 12. 51 13. 6 13. 14 13. 24 13. 32 13. 41 13. 54 14. 22 15. 23 16. 23 16. 23 16. 37 16. 50 17. 6 17. 51 18. 26 18. 56 19. 0 19. 21 19. 40 20. 36 20. 36	20. 16. 55 22. 45 23. 40 30. 20 29. 15 29. 5 26. 50 26. 50 21. 20 20. 20 21. 10 20. 45 19. 40 23. 40 23. 40 27. 50 26. 40 27. 50 26. 40 27. 50 26. 40 27. 50 26. 40 27. 50 26. 40 27. 50 26. 40 27. 50 26. 40 26. 40 27. 50 26. 40 26. 40 27. 50 26. 40 26. 40 27. 50 26. 40 26. 40 26. 40 26. 40 26. 40 26. 40 26. 40 26. 40 26. 40 26. 40 27. 50 26. 40 26. 40 26. 40 26. 40 26. 40 26. 40 26. 40 26. 40 26. 40 27. 50 28. 40 29. 40 20. 40 20. 40 21. 10 26. 40 26. 40 27. 50 26. 40 26. 40 27. 50 26. 40 26. 40 27. 50 26. 40 27. 50 26. 40 26. 40 27. 50 26. 40 27. 50 26. 40 26. 40 27. 50 28. 40 29. 40 29. 40 20. 40 20. 40 20. 40 21. 40 26. 40 26. 40 27. 50 26. 40 27. 50 28. 40 29. 40 29. 40 20.	Aug. 27 h 2 41 13. 11 13. 37 13. 54 14. 14 14. 40 15. 7 16. 49 16. 54 17. 12 17. 52 17. 41 17. 52 18. 10 18. 24 18. 53 19. 55 20. 57 23. 24 23. 32 23. 43 23. 59	1387 1391 1400 1395 1398 1404 1406 1401 1403 1405 1400 1401 1399 1399 1399 1394 1391 1399 1384 1380 1389 1389 1395	h m		h m	0	0
3. 41 4. 9 4. 17 4. 50 5. 41 6. 23 6. 37 6. 58 7. 28 8. 25 8. 25 8. 33 9. 13 9. 25 9. 33 9. 43 9. 58 10. 12 10. 43 11. 23 11. 39	26. 55 25. 0 25. 0 24. 15 23. 50 24. 10 24. 15 21. 10 24. 25 25. 50 24. 20 23. 0 24. 20 23. 0 24. 20 23. 25 22. 10 16. 15 20. 20 21. 35 21. 35 20. 40	3. 43 3. 55 4. 13 4. 20 4. 42 5. 8 5. 20 5. 51 6. 24 7. 28 7. 51 8. 42 8. 58 9. 43 10. 12 10. 24 10. 43 11. 11 11. 26 11. 54 12. 9	1394 1395 1388 1392 1390 1395 1394 1398 1393 1402 1400 1407 1403 1399 1406 1429 1417 1407 1401 1401	12. 45 13. 11 13. 40 14. 13 17. 11 18. 42 19. 56 21. 55 23. 59	•03236 •03205 •03212 •03195 •03187 •03197 •03186 •03218 •03205 •03206 •03236	23. o	62 •6		0. 13 0. 55 1. 7 1. 40 1. 55 2. 1 2. 16 2. 46 3. 1 3. 23 4. 56 5. 23 5. 42 6. 26 6. 41 7. 13	20. 30. 10 29. 30 30. 5 29. 45 29. 35 28. 20 29. 10 28. 30 29. 0 28. 30 23. 55 24. 10 23. 55 24. 40 23. 55 24. 20 23. 45	Aug.28 o. o o. 12 o. 55 o. 58 1. 27 1. 52 1. 57 2. 12 2. 20 2. 37 2. 44 3. 8 3. 22 3. 33 3. 51 4. 6 4. 52	1395 1401 1400 1399 1401 1399 1403 1403 1403 1403 1403 1403 1403 1403 1403 1403 1403 1403 1403 1403	Aug.28 o. o 3. 22 8: 43 10. 12 13. 24 13. 58 14. 54 16. 33 17. 10 19. 26 22. 20 23. 59	·03236 ·03328 ·03337 ·03258 ·03200 ·03176 ·03163 ·03163 ·03163	21. 0 22. 0 23. 0	63 · 6 63 · 9 61 · 4 61 · 5 60 · 6 60 · 4	65 · 9 63 · 9 63 · 0 62 · 2 62 · 0

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	of rmo- ers.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
Aug. 28 7. 54 8. 23 8. 38 9. 9. 32 10. 31 10. 39 11. 12 11. 34 11. 40 11. 58 12. 26 12. 51 13. 25 13. 58 14. 9 14. 39 14. 39 14. 39 14. 39 17. 24 17. 29 18. 43 18. 56 19. 13 18. 56 19. 13 18. 56 19. 13 20. 10 21. 9 21. 33 22. 19 22. 53 23. 59	20. 24. 30 23. 55 19. 45 22. 50 14. 55 20. 30 20. 30 22. 55 19. 20 20. 10 22. 25 23. 55 23. 55 23. 55 23. 20 24. 0 21. 20 *** 23. 10 22. 35 22. 30 21. 30 22. 25 23. 10 22. 25 23. 10 22. 35 22. 35 22. 35 22. 35 22. 35 22. 30 22. 35 22. 30 22. 35 22. 35 22. 35 22. 35 22. 35 22. 30 22. 35 22. 40 22. 45 22. 36	Aug.28 5. 12 5. 19 5. 43 6. 33 6. 42 6. 33 6. 42 7. 16 7. 343 7. 57 8. 14 8. 33 10. 41 11. 59 12. 13. 36 13. 54 14. 58 15. 49 16. 42 17. 42 18. 27 19. 36 20. 43 21. 44 22. 41 23. 12 23. 38 23. 59	1402 1398 1399 1394 1399 1403 1407 1404 1407 1404 1407 1404 1406 1406 1406 1403 1398 1401 1398 1403 1397 1403 1399 1403 1399 1403 1399 1403 1399 1403 1399 1398 1394 1396 1398 1394 1396 1398	h m		h m	O	0	Aug. 29 h m 10. 13 10. 41 11. 8 12. 13 12. 26 12. 43 12. 53 13. 14. 7 14. 26 14. 59 15. 13 15. 38 15. 57 16. 25 16. 40 17. 8 17. 26 17. 42 17. 54 18. 4 18. 4 19. 27 19. 29 19. 33 19. 46 20. 9 20. 14 20. 23 20. 34 20. 41 20. 54 21. 32 21. 53 22. 13 22. 26 22. 34 22. 13 22. 26	20. 24. 10 24. 55 24. 55 24. 55 24. 0 26. 0 25. 10 27. 15 23. 45 23. 45 23. 45 23. 35 22. 35 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 21. 30 22. 35 21. 30 21. 30 22. 35 21. 30 22. 30 21. 45 20. 30 24. 30	Aug. 29 h 3. 11 13. 30 14. 11 17. 7 17. 34 17. 56 18. 12 19. 30 19. 38 19. 55 20. 6 20. 14 20. 25 20. 45 20. 56 21. 11 21. 23 21. 29 21. 46 22. 11 22. 26 22. 36 22. 11 23. 27 23. 52 23. 59	1419 1421 1411	Aug.29 20. 47 20. 56 21. 4 22. 12 22. 34 22. 53 23. 59	**\cdot 03044 *\cdot 03028 *\cdot 03007 *\cdot 03013 *\cdot 03042	h m	0	0
Aug.29 0. 0 0.55 1.51 3.40 4.18 5.14 7.26	20. 29. 10 30. 15 28. 10 25. 30 25. 30 24. 55 23. 50	Aug.29 o. o o. 13 3. 56 5. 59 7. 56 8. 34 9. 6	1395 1400 1409 1415 1413	Aug.29 0. 0 1. 36 3. 55 6. 41 12. 56 13. 41 14. 26	.03163 .03200 .03183 .03122 .03112 .03092	2. 0 3. 0 9. 0 21. 0	62 °C 62 °4 60 °I 59 °5 58 °8 58 °7	63 ·8 62 ·5 61 ·8 60 ·6 59 •9	23. 9 23. 14 23. 23 23. 26 23. 32 23. 39 23. 53 23. 59	31. 10 31. 55 31. 50 33. 10 32. 30 33. 10 30. 55 32. 30		,					
9. 23 9. 40 9. 51 9. 58	24. 25 25. 10 24. 50 25. 0	9. 34 10. 6 12. 26 12. 56	1415 1413	17. 25 19. 38 19. 43 20. 32	•03056 •03076 •03065 •03062				Aug.30		Aug.30 0. 0 0. 48	·1379 ·1411	Aug.30	•03042 •03066	Aug.30	59 .7	61 ·4 62 ·3

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. Magnet. Magnet. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
Aug.3ch 0. 11 7 0. 33 7 0. 51 0. 59 1. 48 1. 23 0. 1. 39 1. 46 2. 12 2. 30 2. 38 2. 43 2. 54 3. 25 4. 41 5. 14 5.	20. 33. 10 36. 20 36. 10 36. 30 41. 25 41. 20 42. 10 44. 10 45. 5 44. 10 38. 40 37. 10 35. 30 35. 45 33. 30 35. 45 33. 30 35. 45 33. 30 20 29. 50 27. 40 28. 20 27. 45 26. 50 27. 10 26. 30 26. 20 22. 45	Aug.30 h 0. 58 l. 3 l. 14 l. 32 l. 43 l. 51 l. 59 2. 21 2. 26 2. 43 2. 55 3. 12 3. 16 3. 26 3. 50 3. 57 4. 63 4. 27 4. 40 4. 41 5. 15 5. 24 5. 33 6. 6 6. 14 6. 18 6. 40 6. 54 7. 11 7. 25 7. 32 8. 69 8. 41 9. 11	11403 11395 11409 11418 11409 11405 11405 11417 11405 11416 11422 11416 11423 11417 11423 11417 11423 11417 11423 11417 11423 11418 11418 11419 11418	Aug.30 h 0.33 0.55 1.10 1.42 1.54 2.44 2.52 3.10 4.496 5.14 5.26 6.58 8.33 9.8 10.21 11.58 12.22 11.41 11.58 12.22 13.9 13.54 14.18 14.25 13.9 13.54 14.18 12.22 13.9 13.54 14.18 12.22 13.9 13.54 14.18 12.22 13.9 13.54	·03060 ·03087 ·03083 ·03122 ·03174 ·03162 ·03150 ·03155 ·03157 ·03152 *** ·03133 ·03138 ·03144 ·03094 ·03077 ·03050 ·03033 ·020982 ·02982 ·02972 ·02983 ·02983 ·02983 ·029984 ·02983 ·02996	Aug. 3c, 0 3. 0 9. 0 21. 0 22. 0 23. 0	61°-5 62°-7 61°-3 62°-6 59°-6 61°-7 60°-1 61°-9 60°-1 62°-9	14. 43 15. 8 15. 14 15. 34	20. 18. 30 15. 35 19. 40 19. 40 22. 5 21. 40 19. 20 21. 40 19. 20 20. 5 19. 20 20. 35 21. 30 21. 30 21. 30 21. 55 24. 10 21. 55 24. 10 25. 55 24. 10 27. 30 28. 55 27. 30 28. 55 27. 30 29. 20 29. 30 21. 55 24. 10 25. 55 26. 10 27. 55 28. 55 27. 30 28. 55 27. 30 29. 30 20. 30 21. 55 24. 10 25. 55 26. 10 27. 55 28. 55 27. 30 28. 55 27. 30 29. 30 29. 30 20. 30 21. 55 24. 10 25. 55 26. 55 27. 30 28. 55 27. 30 29. 30 29. 30 20. 30 21. 55 21. 55 24. 10 25. 55 26. 55 27. 30 28. 55 27. 30 29. 30 30. 50	Aug.3c h m 14- 25 14- 43 14- 55 15- 12 15- 27 15- 56 16- 18 16- 33 16- 41 16- 50 16- 54 17- 8 17- 36 18- 0 18- 13 18- 22 18- 40 19- 14 20- 22 20- 54 22- 25 21- 54 22- 32 22- 58 23- 25 23- 36 23- 59	1401 1394 1399 1396 1404 1394 1401 1403 1400 1403 1398 1396 1398 1396 1398 1399 1389 1389 1382 1389 1382 1388 1393 1388 1395 1395	h m		b m	0	0
9. 1 9. 9 9. 13 9. 29 9. 43 9. 53 9. 56 10. 19 10. 33 10. 55 11. 9 11. 34 11. 56 12. 17 13. 17 13. 26 13. 53 14. 3	23. 25 23. 0 21. 50 22. 30 21. 45 21. 20 22. 55 20. 25 22. 0 21. 25 25. 30 25. 30 27. 40 22. 45 *** 18. 30 19. 15 15. 5	9. 14 9. 34 9. 55 10. 12 10. 36 10. 57 11. 11 11. 25 11. 40 11. 45 12. 12 12. 26 12. 45 12. 59 13. 11 13. 20 13. 48 13. 55 14. 12 14. 15	1410 1415 1407 1408 1397 1397 1405 1398 1397 1415 1421 1408 1406 1401 1399 1401 1398 1399					Aug.31 o. o o. 11 o. 24 o. 56 1. 41 2. 11 3. 6 3. 16 3. 28 4. 13 4. 32 5. 41 5. 59 6. 23 6. 52 7. 25 7. 40 8. 9	20. 30. 50 32. 5 31. 5 31. 55 29. 30 30. 25 28. 50 27. 55 27. 30 26. 45 27. 0 26. 40 25. 50 26. 5 22. 0 25. 10	Aug.31 o. o o. 28 o. 44 o. 55 o. 59 i. 8 i. 11 i. 29 i. 43 i. 57 c. 19 c. 44 c. 56 d. 12 d. 20 d. 3. 41 d. 43	1395 1397 1393 1402 1399 1403 1402 1406 1413 1410 1410 1410 1410 1410 1410 1410 1410	Aug.31 0. 0 1. 22 4. 26 7. 21 7. 38 7. 56 8. 11 8. 22 8. 44 9. 34 9. 41 10. 53 13. 10 13. 44 14. 12 14. 34 14. 12	.02996 .03043 .03077 .03098 .03095 .03107 .03110 .03103	1. 0 3. 0 8. 20 9. 0 9. 30 20. 0 21. 0	60 · 7 61 · 0 61 · 5 62 · 0 60 · 1 59 · 7 60 · 8 60 · 9 61 · 3 61 · 5	62 ·9 63 ·0 64 ·1 61 ·9 61 ·5 62 ·1 62 ·5

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.  Naguet: Wagnet: Wag
Aug.31 h 8. 26: 8. 57 9. 11 9. 25 9. 36 9. 53 9. 56 9. 53 11. 47 12. 13 12. 24 12. 30 12. 53 13. 11 14. 28 14. 39 14. 43 14. 58 15. 31 15. 38 16. 45 16. 34 16. 58 17. 8 18. 13 18. 28 19. 43 20. 39 21. 55 23. 24 23. 59	27. 0 25. 30 22. 5 23. 0 21. 25 23. 10 27. 35 27. 40 26. 10 24. 20 20. 35 21. 20 20. 45 23. 30 22. 0 24. 25 28. 30 28. 0	16.53 17.8		Aug.31 15. 44 16. 12 16. 59 18. 54 23. 2 23. 59	•02963 •02977 •02960 •03007 •03048 •03048	h m	o	•	Sept. 1  1. 17  1. 38  1. 43  1. 58  2. 48  4. 46  5. 36  6. 23  7. 28  7. 39  7. 44  8. 39  8. 56  10. 14  10. 55  11. 41  10. 55  11. 41  12. 23  12. 32  12. 36  13. 14  15. 40  15. 51  17. 27  18. 36  18. 49  19. 17  19. 39  19. 32  19. 32  19. 32	21. 20 22. 25 22. 0 22. 40 22. 0 26. 5 25. 0 26. 20 27. 30 28. 30 24. 30 23. 0 23. 0 23. 55 26. 30 29. 40 28. 40 28. 40 23. 30	Sept. II  1. 57  2. 19  4. 14  4. 50  5. 17  6. 15  7. 18  9. 12  10. 12  10. 12  11. 21  11. 27  11. 10  12. 12  13. 16  13. 41  14. 34  15. 0  16. 51  17. 55  18. 18  18. 18  19. 25  19. 25  19. 25  19. 25  20. 18  21. 44  23. 26  23. 59	1409 1403 1411 1406	Sept. 11 2. 3 5. 4 6. 53 7. 6 7. 22 9. 7 11. 11 11. 34 12. 52 13. 29 16. 11 19. 52 21. 32 23. 59	***o3088 ***o3133 ***o3152 ***o3154 ***o3157 ***o3068 **o3057 **o3076 **o3058 **o3083 **o3083 **o3040	Sept. 1  1  2. 0  3. 0  9. 0  21. 25  22. 40	62°1 63°8 62°664°0 60°562°0 61°663°0 59°7
Sept. 1 o. o o. 19	20. 28. 55 30. 0	Sept. 1 o. o o. 26	.1393 .1399	Sept. 1 0. 0 1. 26	•03048 •03066	Sept. 1 o. o J. o		63 · 1 63 · 5	21.43	24. 30 ***	,		,			

ne.		ne	e in tole sted re.	ne.	in nole sted re.	me.	Rea	dings of	me.	·	me.	te in hole cted	me.	in hole cted re.	me.	Readings of
Greenwich Mean Solar Time.	Western	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	ermo-	Greenwich Mean Solar Time.	Western	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Thermo- meters.
Green an Sol	Declina- tion.	Green an Sol	izonta rts of F. ur Tem	Greer an So	Vertical parts of V. F. ur for Tem	Greer an So	Of H. F. Magnet.	Of V. F. Magnet.	Greer an So	Declina- tion.	Green an So	izonta rts of F. u	Green an So	Vertical parts of V. F. ulfor Tem	Greer an So	Of H. F. Magnet. Of V. F. Magnet.
Me		Me	Hori Pal H.	Me	Verd pal V. for	Me	Off	Of N	We		, w	Hor R.H.	, w	Ver pa V.	ğ	Of H. F. Magnet. Of V. F. Magnet.
Sept. 1	0 / //	h m		h m		h m			Sept. 3	0 / 1/	Sept. 3		Sept. 3		Sept. 3	10 0
h m 22.59 23.59	20. 27. 35 29. 55			·					2. 5 <sub>4</sub> 3. 4	20. 27. 20 27. 40	1. 42 2. 13	1416	8.59 12.41	·03136	9. 0 20. 0	61 .6 63 .0
Sept. 2		Sept. 2		Sept. 2		Sept. 2	2		3. 56 4. 55	25. 40 25. 10	2.41 2.54	1414	12. 52 13. 23	.03127	2I. O 22. O	61 .8 63 .0
0. 0 I. 4	20. 29. 55 31. 0	o. o o. 26	·1396 ·1397	0. 0 2. I4	·03040 ·03137	0. 0 1. 0	61.6	63.0	6. 9 6. 26	26. o 24. 35	3. 3	1416	14. 9 15. 12	.03086 .03106	23. 0	61 .8 63 .1
1.34	3o. o	1. 6	1399	3. 26	.03166	9. 0	62 .	63 .8	6. 49	24.40	3. 18	1416	19.57	.03117		
1.56 2.33	29. 50 27. 25	1.20	•1397 •1400	9. 19 12. 52	·03177	21. 0	I	5 60 ·6	7· 4 7· 12	26. o 26. o	3. 29 4. 18	1413	<b>23.</b> 59	.03098		
3. 23	<b>26.</b> 30	1.44	·1399	18. 45	·o3o66	23. 0		61.0	7.40	27. o 26. o	5. 22 5. 34	1413				
4. 21 4. 49	24. 20 24. 10	1.56 2.12	°1403 °1400	21. 0 23. 59	·03007 ·03036				7.58	26. 10	5. 45	1415	l	,		
5. 11	23. 25	2. 24	1402						9. 14	24. 25 24. 55	5. 5 <sub>4</sub> 6. 11	1409				
5.33 6.22	23. 35 24. 30	2.39 2.57	•1398 •1402						9.36	23. 40	6. 29	1414				
6.55	22.20	3. 8	1400						10. 14	24. 20 23. 45	7. 3 7. 22	1419				
7. 13 7. 25	23.50 21.40	3. 26 3. 43	°1408 °1402						10.58	23. 45	7. 54	1423				
7.56	20. 10	<b>3.</b> 59	1398						11.21	24. 20 23. 20	8. 41 8. 50	1417				
8.21 8.27	22.40 20.50	4. 23 4. 45	·1398						12.21	24.50	10. 9	1415				
9.6	23. 30	5. 6	1400						12.41	22. 55 29. 55	10.56	1412				
9. 39 9. 51	24. 0 23. 40	5. 20 5. 41	·1403 ·1406						13. 9	29. 5	11.56	1414				
10. 26	24. 5	5.50	·1405 ·1406						13. 15	29. 10 24. 0	12. 15 12. 43	1416				
10.51	23. 20 24. 45	6. 12 6. 19	1400			•			14. 20	20.55	13. 12	1422				
11.37	23. 40	6. 24	•1408 •1406						14. 43 15. 21	19.55 19.50	13.47	1412				
11.59 12.24	25. 50 25. 40	6. 35 6. 49	1411						16. 10	20.50	14. 12	1412				
13. 10	23. 5	7. 6 7. 18	1413					1	16. 44 17. 26	24. 10 23. 0	14. 51 15. 11	1408				
13. 28 14. 4	24. 40 23. 25	7.33	1410						17.51	21.30	15.50	1403				
14. 21	23. 55 22. 45	7. 43 7. 56	·1416 ·1418						17. 56	21.55 21.0	16. 12 16. 34	1407				
14. 49 14. 57	22. 55	8. 23	1408						18.51	21.40	17. 12	1408				
15. 52 17. 11	22. 0 23. 0	8.3 <sub>9</sub>	•1419 •1408			•			19.59	1	18. 12	1395			1	
18. 9	22.20	9.59	.1408	l					21.44	24. 40 24. 30	21.56	1392				
18. 56 19. 23	22.30 22.0	10. 19 10. 28	1406 1408						22. 3	26. 10	22. 24 22. 55	1397				
19.47	22. 0	10.49	1404						22. 38	25. 35 25. 35	<b>23.</b> 59	1403				
19.54 21.41		11.11	°1406 °1406						23. 39	27.30						
22. 11	26.40	12.57	1408						23. 59	28. 0	<u> </u>			}		
22. 16 22. 25	27. 35 27. 25	13. 22	·1405 ·1403						Sept. 4		Sept. 4	-	Sept. 4		Sept. 4	
22. 57	28.35	18.41	1400							20. 28. 0	0. 0	1403	0. 0 3. 52	°03098	0. 0	62 1 63 .7
23. 27 23. 59		20. 24	·1401 ·1397						0. 29	27.30	0.34	1400	10. 36	03104	2. 0	62 · 3 64 · 1
- 5	*	22.48	•1396						0.38	28. 10 27. 55	0.44 2.4		11. 4	°03194 °03202	3. 0	62 6 64 0
		<b>23.</b> 59	·1409			]	_	-	1.19	28. 5	2.22	1409	14. 12	.03222	9. 0 20. 0	63 .0 64 .7
Sept. 3	20 20 55	Sept. 3	17.400	Sept. 3	·o3o36	Sept. 3	60.1	62.5	2. 13	27. 0 27. 20	2. 35 3. 6	1406	19. 10 23. 59	.03241 .03226	21. O 22. O	63 · 6 65 · 1
0. 0	20. 29. 55 30. 30	0. O I. I 2	*1409 *1410	0. 0 2.21	•03085	1. 0	60 .	62 .6	2. 37	26. 25	3. 14	1409	120.09	00220		63 6 65 1
1.28	30. 5 30. 30	I. 22 I. 27	1412 1410	5. 38 6. o	.03112 .03100	2. o 3. o	61 ·	62 .9	4· 49 5. 13	24. 15 24. 35	3. 26 3. 56	1407	]			
						ļ	<u> </u>		<u>                                     </u>	here an ast	<u> </u>		<u> </u>	(	1	

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.		Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of Nagnet.
Sept. 4 5. 47 5. 57 6. 10 6. 23 6. 40 6. 51 7. 26 7. 37 8. 42 9. 29 10. 32 10. 46 11. 48 13. 26 14. 21 14. 22 14. 28 14. 41 14. 59 15. 33 15. 59 16. 50 17. 36 18. 38 18. 44	24. 5 23. 30 24. 20 25. 10 25. 10 23. 10 24. 0 23. 30 24. 0 23. 10 23. 0 19. 25 21. 5 21. 0 22. 40 22. 40 22. 45 21. 55 23. 0 21. 55 22. 5 21. 20 21. 40 21. 40 21. 25 21. 20 21. 40 21. 0 19. 40 20. 25 19. 40 20. 10	Sept. 4  4. 20  4. 34  4. 50  5. 8  5. 20  6. 36  7. 10  7. 24  7. 33  7. 44  8. 52  9. 43  10. 9  10. 20  10. 29  10. 56  11. 12  11. 56  12. 20  13. 38  14. 12  14. 33  14. 40  16. 25  18. 55  19. 12  19. 42  21. 6  21. 16  21. 50  22. 24  23. 59	1409 1407 1409 1414 1414 1414 1411 1414 1415 1415 141	h m		h m	0	0	Sept. 5 7. 56 8. 12 8. 42 9. 25 9. 33 9. 56 10. 21 10. 59 11. 28 11. 46 12. 53 13. 4 13. 31 14. 41 15. 9 15. 32 15. 32 15. 58 16. 33 16. 50 17. 17 17. 39 17. 51 18. 23 18. 41 19. 2 19. 24 19. 53 20. 32 21. 14 23. 59	25. 30 25. 15	Sept. 5 3. 46 3. 50 4. 19 5. 35 6. 44 7. 34 8. 26 8. 41 9. 30 9. 43 10. 26 10. 41 10. 56 11. 36 11. 36 12. 11 12. 16 13. 43 14. 11 14. 26 15. 35 15. 43 16. 12 17. 43 19. 11 19. 42 20. 14 21. 38 23. 59	1401 1398 1399 1404 1404 1410 1407 1413 1409 1410 1413 1409 1410 1414 1408 1410 1407 1407 1407 1407 1407 1407 1407	h m		h m	•	0
18. 44 19. 26 19. 53 20. 21 20. 40 21. 9 21. 27 22. 14 22. 56 23. 47 23. 59 Sept. 5 0. 0 0. 52 3. 41 3. 45 3. 55 4. 6 5. 29 6. 25 6. 59	19. 50 21. 10 23. 0 24. 30 24. 0 25. 25 26. 25 28. 55 29. 10 20. 29. 10 29. 30 23. 55 24. 30 23. 50 23. 50 23. 50 23. 50 24. 0	Sept. 5 o. o o. 33 i. 12 i. 15 i. 51 2. 42 3. 11 3. 26 3. 38	·1395	Sept. 5 o. o 3. 19 10. 12 16. 42 21. 51 23. 59	·03226 ·03263 ·03281 ·03252 ·03206 ·03206	1. 0 2. 0 3. 0 9. 0 20. 0 21. 0	64 · 5 64 · 4 64 · 1 64 · 2 63 · 5 63 · 4 63 · 5	66 .5	0. 7 0. 55 1. 53 2. 25 3. 2 3. 13 4. 7 4. 41 5. 12 5. 47 7. 51 8. 36 11. 34 12. 39 13. 4 13. 22 13. 52:		Sept. 6 o. o o. 54 1. 26 1. 43 2. 8 2. 56 3. 12 4. 41 5. 16 7. 12 7. 36 8. 54 9. 10 9. 27 11. 20 11. 39 12. 0 12. 11 12. 25	1405 1401 1401 1406	Sept. 6 0. 0 2. 34 7. 19 12. 26 12. 59 13. 34 14. 25 16. 43 21. 56 23. 11 23. 59	•03206 •03257 •03245 •03232 •03232 •03203 •03214 •03184 •03198 •03193	1. 0 3. 0 7. 25 9. 0 20. 0 21. 0	64 · 1 64 · 1 64 · 1 63 · 6 63 · 4 63 · 4	65 ·2 65 ·6 65 ·0 64 ·5 64 ·3 64 ·5

(																	
Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f m <b>o-</b>
Sept. 6 h m 14. 42 15. 3 15. 28 17. 6 17. 23 17. 35 17. 51 18. 29: 19. 13 19. 26 19. 38 19. 52 19. 59 20. 24 20. 40 21. 4 22. 14: 22. 41 23. 59  Sept. 7 0. 0 1. 6 1. 35 1. 41 3. 53 4. 13 4. 24 4. 58 5. 22 5. 40	17. 30 22. 50 21. 55 22. 45 23. 0 20. 0 21. 20 20. 55 21. 30 21. 30 23. 5 23. 0 27. 50 27. 20 28. 0 28. 20 27. 20 27. 30 25. 25 25. 15 24. 25 25. 15 24. 55 25. 45 25. 45	Sept. 6  12. 35  12. 54  13. 49  14. 25  15. 19  15. 57  16. 55  17. 36  18. 12  19. 20  20. 39  21. 42  22. 41  23. 59  Sept. 7  0. 42  0. 42  0. 59  4. 59  4. 59  5. 54  6. 18  6. 52	1416 1418 1418 1414 1417 1420 1417 1410 1405 1405 1405 1403 1406 1404 1391 1398 1405 1410 1410 1410 1410 1410 1410 1410	Sept. 7 0. 0 0. 42 4. 53 6. 49 7. 12 7. 42 11. 45 12. 59 17. 40 19. 42 21. 19 23. 59	*03193 *03193 *03252 *03295 *03294 *03257 *03212 *03232 *03200 *03196	Sept. 7 o. o 1. o 2. o 3. o 9. o 20. o 21. o 22. o 23. o	63 · 7 63 · 8 64 · 3 64 · 3 64 · 3 63 · 6 63 · 7 63 · 7	64.6 64.8 65.4 65.5	Sept. 7 h 12. 41 12. 47 12. 55 13. 6 13. 26 13. 36 13. 54 14. 8 14. 43 14. 56 15. 28 15. 53 16. 21: 16. 33 17. 13 17. 13 17. 13 17. 13 17. 18. 19 18. 25 18. 36 18. 44 18. 58 19. 13 20. 4 20. 41 20. 45 21. 43 22. 18 22. 26 22. 18	24. 0 24. 30 23. 30 23. 30	Sept. 7 m 15. 36 15. 48 17. 23 18. 26 18. 44 20. 44 21. 37 22. 19 22. 30 23. 15 23. 42 23. 59	*1402 *1404 *1401 *1403 *1398 *1400 *1392 *1400 *1392 *1382 *1390 *1387	h m		h m	0	0
5. 56 6. 4 6. 11 6. 13 6. 32 6. 39 6. 44 7. 9 7. 21 7. 24 7. 42 8. 11 8. 33 9. 35 10. 58 11. 21 11. 32 11. 40 11. 53 12. 11 12. 27	16. 0 19. 55 19. 15 22. 0 23. 0 21. 45 22. 25 22. 0 23. 25 24. 0 26. 30 26. 45	7. 13 7. 18 7. 27 7. 49 8. 14 8. 50 8. 55 9. 54 10. 30 10. 42 11. 26 11. 41 12. 6 13. 14 13. 14 13. 29 13. 41 14. 6 14. 39 14. 57	1394 1396 1384 1396 1385 1394 1392 1406 1407 1410 1407 1407 1407 1407 1407 1407						23. 27 23. 59 Sept. 8 0. 0 0. 39 0. 45 1. 24 1. 51 2. 39 3. 25 3. 39 4. 11 4. 17 4. 32 4. 51 5. 26 5. 57 6. 11 6. 38 6. 56	20. 35. 30 32. 50 32. 50 29. 20 28. 0 28. 35 26. 55 25. 25 26. 0 25. 15 25. 55 25. 20 22. 35 22. 35 24. 30 24. 30 20. 30 8. 0	Sept. 8 o. o o. 27 1. 5 1. 9 1. 41 2. o 2. 36 3. 9 3. 24 3. 38 3. 50 4. 11 4. 15 4. 28 4. 45 5. 11 5. 24 5. 55 6. 14	1387 1394 1402 1401 1406 1415 1404 1407 1417 1412 1399 1406 1396 1397 1394 1397	Sept. 8 o. o 2. 5 5. 13 6. 15 6. 42 7. 20 7. 52 7. 57 9. 56 10. 11 10. 26 10. 39 11. 4 12. 26 12. 56 14. 34 15. 26 17. 25	03196 03247 03253 03260 03252 03266 03250 03235 03235 03224 03218 03197 03201 03193 03158 03192 03200 03194	1. 0 2. 0 3. 0 9. 0	63 ·8 64 ·1 64 ·1 64 ·1 63 ·7 63 ·1	65 · 6 65 · 6 65 · 6

Greenwich  Mesan Solar Time  Declination.	Greenwich Mean Solar Time. Horizontal Force in	parts of the whole H. F. uncorrected for Temperature. Greenwich	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Sept. 8  7. 3  20. 6. 0  7. 25  7. 40  7. 57  8. 7  8. 7  8. 33  8. 51  9. 9  9. 17  9. 20. 30  9. 28  9. 17  9. 41  9. 52	7. 11	Sept 1392 18. 1 1411 18. 5 1426 19. 2 1424 20. 3 1414 21. 4 1416 22. 4 1400 23. 1 1404 23. 5 1404 1399 1400 1399 1400 1399	03163 6 03172 8 03154 9 03154 9 03164 03167 03167 03150 ***	h m	0	۰	Sept. 8 21. 56 22. 21 22. 26 22. 35 22. 52 23. 4 23. 18 23. 25 23. 34 23. 40 23. 52 23. 59	20. 27. 30 26. 10 26. 45 26. 15 31. 0 29. 25 28. 55 29. 10 32. 10 31. 25 32. 30 31. 25	h m		h m		h m	0	O
10. 24 13. 40 10. 43 18. 20 10. 57 16. 15 11. 6 16. 30 11. 18 19. 0 11. 51 15. 50 12. 25 29. 45 13. 6 24. 0 13. 21 22. 30 13. 34 21. 30 13. 44 21. 30 15. 9 22. 30 15. 45 22. 55 15. 12 22. 55 15. 12 22. 55 16. 10 20. 45 16. 33 21. 40 16. 42 21. 15 16. 51 22. 50 17. 6 25. 30 17. 25 28. 0 17. 36 30. 20 17. 40 28. 40 18. 12 34. 5 18. 19 33. 50 19. 34. 30 19. 33 36. 0 19. 33 36. 0 19. 33 36. 0 19. 33 36. 0 19. 33 36. 0 19. 58 33. 40 ****	10. 11	1426 1421 1434 1413 1399 1394 1403 1401 1413 1408 1407 1403 1403 1403 1403 1403 1401 1415 1388 1389 1409 1392 1405 1409 1398 1405 1399 1398 1405 1506					0. 20 0. 26 0. 33 0. 58 1. 17 1. 26 1. 42 2. 13 2. 22 2. 26 2. 39 2. 41 2. 46 2. 55 3. 4 3. 9 3. 17 3. 26 3. 36 3. 55 4. 4 4. 11 4. 26 4. 36 4. 48 4. 55 5. 10 5. 14 5. 28	20. 31. 25 32. 20 35. 0 34. 20 32. 45 *** 32. 20 30. 50 31. 30 34. 40 32. 10 33. 20 28. 10 28. 15 26. 50 29. 30 27. 10 28. 15 26. 10 28. 15 26. 25 22. 15 28. 15 27. 30 12. 20 20. 11. 25 12. 20 20. 13. 10 9. 15 11. 50 10. 20 21. 20 24. 0 23. 55	Sept. 9 0. 20 0. 49 0. 49 0. 49 0. 49 0. 50 0. 60 0. 60 0. 60 0. 7	1382 1454 1466 1456 1421 1423 1416 1408	Sept. 9 0. 0 1. 57 2. 78 2. 55 3. 11 3. 21 3. 38 3. 45 4. 12 4. 54 5. 38 5. 42 6. 56 6. 59 9. 58 9. 58 10. 20 10. 32 11. 51 19. 56 22. 14 22. 53 23. 59	.03176 .03240 .03237 .03272	9. 15 20. 0 21. 0 22. 0	63 · 7 63 · 4 63 · 6 63 · 7 63 · 8	64 ·8 64 ·2 64 ·1 65 ·3

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.
Sept. 9 7. 56 8. 16 8. 41 8. 56 9. 12 9. 22 9. 40 9. 47 9. 55	20. 23. 0 23. 45 22. 10 13. 20 16. 40 12. 55 12. 40 16. 30 15. 10	Sept. 9 h m 9. 13 9. 26 9. 43 9. 55 10. 6 10. 12 10. 21 10. 32 10. 53	1405 1411 1440 1431 1432 1412 1403 1399	h m		h m	o	۰	22. 51 23. 11 23. 24 23. 35 23. 41 23. 48 23. 59	20. 27. 40 29. 0 29. 30 29. 10 29. 30 31. 20 31. 30 27. 10	h m		h m		h m	0	0
10. 4 10. 13 10. 23 10. 33 10. 41 10. 55 11. 2 12. 11 12. 27 12. 54 13. 3 13. 4 14. 23 14. 23 15. 34 15. 39 15. 55 16. 15 16. 41 16. 55 17. 4 17. 55 18. 18 18. 28 18. 18 18. 28 18. 37 18. 43 19. 28	18. 5 11. 0 10. 30 17. 10 19. 15 21. 0 ***  22. 30 25. 45 24. 15 26. 30 26. 15 28. 30 30. 20 29. 55 28. 0 22. 25 20. 40 21. 20 21. 10 21. 40 20. 30	11. 40 12. 10 12. 19 12. 52 13. 6 13. 25 13. 49 14. 25 15. 26 15. 26 15. 36 15. 26 15. 36 15. 28 16. 12 16. 43 18. 3 18. 13 18. 13 18. 13 18. 13 18. 13 18. 13 18. 13 20. 12 20. 12 20. 22 21. 40 21. 58 22. 12 22. 19 22. 29	1396 1397 1393 1400 1399 1395 1402 1397 1402 1403 1406 1400 1397 1400 1395 1396 1396 1397 1392 1394 1389 1393 1376 1378 1378 1378 1378 1379 1379						Sept. 10 0. 52 1. 12 1. 24 1. 56 2. 28 2. 59 3. 26 3. 35 4. 11 4. 26 4. 44 4. 58 5. 11 5. 36 5. 41 5. 53 6. 24 6. 28 6. 43 7. 13 7. 24 7. 36 8. 8 8. 12	20. 27. 10 27. 20 28. 55 28. 55 27. 15 27. 50 27. 45 28. 30 27. 55 28. 30 28. 10 21. 55 19. 50 20. 5 22. 30 23. 30 23. 30 25. 15 23. 0 22. 20 16. 15 23. 15 20. 0 17. 20 15. 0 18. 5 16. 15 23. 30 22. 15 23. 30	Sept.10  0. 37 1. 23 1. 45 1. 57 2. 44 3. 11 3. 52 4. 24 4. 23 4. 45 5. 33 4. 45 5. 33 5. 44 4. 57 6. 24 6. 39 6. 50 7. 12 7. 35 7. 44 8. 12	(†) 1396 1400 1397 1399 1394 1398 1396 1396 1396 1397 1396 1396 1399 1424 1399 1421 1383 1414	Sept.10 0. 26 2. 55 3. 39 3. 46 4. 24 4. 46 5. 14 5. 55 7 6. 21 6. 38 6. 43 7. 12 8. 4 11. 7 11. 12 11. 41 12. 21 13. 10 15. 24 16. 14 16. 14 17. 53 18. 20 23. 59	.03194 .03212 .03242 .03242 .03260 .03273 .03266	1. 0 2. 0 3. 0 9. 0 20. 0 21. 0 22. 30	64 · 0 64 · 1 64 · 0 62 · 7 62 · 5 62 · 5	65 · 7 66 · 2 66 · 1 66 · 2 65 · 7 63 · 4 63 · 1 64 · 0 64 · 0
19. 36 19. 41 19. 42 19. 45 19. 51 19. 58 20. 30 21. 7 21. 38 21. 43 22. 9 22. 12 22. 26	21. 20 18. 35 20. 40 20. 30 22. 15 22. 0 *** 25. 20 24. 10 26. 55 28. 5 28. 15 27. 40 28. 10	22. 56 23. 12 23. 21 23. 25	·1385 ·1387 ·1380 ·1374 ·1395 (†)						8. 43 9. 56 10. 11 10. 23 10. 41 10. 59 11. 17 11. 53 11. 57 12. 4 12. 12 13. 29 13. 51	22. 30 23. 45 23. 0 21. 40 20. 25 20. 35 33. 50 20. 0 20. 40 20. 30 19. 35 22. 10 20. 45 20. 20	8. 24 9. 57 10. 12 11. 12 11. 38 11. 53 12. 8 12. 17 12. 39 13. 30 13. 41 14. 33	1401 1403 1407 1402 1429 1417 1405 1408 1405 1407 1409 1397		•			

Greenwich Mean Solar Tirze.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	+ •		Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Sept. 10 14. 33 14. 44 14. 53 15. 23 15. 23 15. 51 16. 17 16. 39 17. 26: 17. 43 18. 21 18. 21 18. 58 19. 14 19. 27 19. 38 19. 14 19. 27 21. 43 21. 52 22. 38 23. 28 23. 59	20. 22. 30 21. 0 21. 35 21. 5 23. 45 23. 25 23. 55	Sept.10  14. 51  15. 24  15. 34  16. 0  16. 26  16. 55  17. 27  18. 4  18. 55  18. 58  19. 24  20. 11  22. 29  23. 24  23. 40  23. 44  23. 59	1397 1397 1400 1385 1396 1401 1383 1394 1395 1384 1388 *** 1387 1393 1395 1396	h m		h m	0	0	10. 6 10. 35 10. 47 11. 4 11. 14 11. 23 11. 39 11. 54 12. 27 12. 58 13. 42 14. 15 14. 53: 15. 21 15. 55 15. 58 16. 38 16. 51 17. 26 17. 41 17. 53 18. 21 18. 41 19. 53 20. 3 20. 12	20. 25. 30 20. 50 21. 40 21. 45 23. 40 23. 20 20. 55 21. 10 22. 30 24. 10 23. 30 24. 30 24. 30 24. 55 23. 30 24. 55 25. 40 27. 45 27. 20 28. 25 27. 35 27. 35 27. 35 27. 35 27. 35 27. 36 27. 36 27. 35 27. 35 27. 35 27. 36 27. 35 27. 36 27. 36 27. 36 27. 36 27. 36 27. 36 27. 36 27. 35 27. 36 27. 36	Sept.11  7. 47  8. 51  9. 6  9. 18  9. 24  10. 12  10. 44  11. 11  11. 22  11. 37  12. 13  12. 51  13. 38  14. 25  14. 49  15. 55  16. 14  16. 26  16. 43  16. 57  17. 20  17. 44  18. 19  18. 54  19. 56  21. 11  21. 55  22. 11	1408 1410 1425 1414 1405 1405 1409 1407 1408 1408 1408 1408 1408 1406 1408 1406 1405 1408 1406 1407 1406 1407 1407 1405 1396 1399 1403 1398 1399 1388	h m		h m	0	
Sept. 11 0. 0 0. 21 0. 27 0. 40 1. 26 2. 14: 2. 28 2. 38 2. 44 2. 59 3. 57 4. 8 5. 12 6. 43 6. 58: 7. 16 8. 13 8. 42 8. 54 9. 8 9. 21	20. 28. 50 29. 30 28. 55 29. 30 28. 20 26. 20 27. 20 26. 55 25. 45 25. 0 24. 0 23. 35 22. 50 23. 25 22. 30 23. 10 22. 5 17. 10 18. 45 20. 10	Sept.11 0. 0 0. 49 1. 6 1. 24 2. 21 2. 30 2. 44 3. 10 3. 37 3. 49 4. 18 4. 43 4. 54 5. 13 5. 22 5. 40 6. 13 6. 33 6. 54 7. 22	1396 1405 1407 1409 1408 1414 1412 1404 *** 1401 1403 1406	Sept.11 0. 0 2. 39 8. 56 9. 11 9. 25 9. 55 11. 15 11. 43 12. 16 15. 52 18. 25 19. 12 20. 23 23. 26 23. 59	.03137 .03176 .03168 .03158 .03178 .03140 .03156	1. 0 2. 0 3. 0 9. 0 20. 0	62 ·6 62 ·8 62 ·8 62 ·6 61 ·6 61 ·6	64 · 0 64 · 0 63 · 8 62 · 5 62 · 3	22. 32 22. 43 22. 59 23. 25 23. 55 23. 59 Sept.12	26. 40 28. 25 28. 30 27. 55 27. 35 29. 10 27. 40 28. 5 29. 25 29. 30 30. 10 31. 30 31. 10 30. 25	Sept.12 0. 0 0. 20 0. 41 0. 58 1. 19	·1397 ·1408 ·1406 ·1409	Sept. 12 o. o 2. 57 5. 3 5. 42 10. 33	.03068 .03137 .03127 .03138 .03097	2. o 3. o	61 ·7 62 ·1 62 ·0 62 ·1 62 ·0	63 ·c 63 ·9 62 ·9

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. Of W. F. Of V. F. Of V. F.	o-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.
2. 1 2. 10 2. 16 2. 22 2. 39 2. 53 2. 58 3. 32 3. 41 3. 58 4. 23 4. 56 5. 1 5. 25 5. 47 6. 11 6. 39 7. 55 8. 14	20. 33. 55 30. 55 27. 50 26. 30 27. 5 24. 0 25. 20 26. 30 26. 55 26. 50 24. 45 23. 40 21. 55 23. 40 21. 55 23. 40 22. 55 22. 55 22. 15	Sept. 12 h . 38 1. 43 2. 21 2. 30 4. 25 4. 25 5. 52 4. 57 5. 52 6. 48 7. 19 9. 44 10. 27 11. 11	*1400 *1403 *1396 *1393 *1398 *1410 *1405 *1407 *1401 *1405	Sept. 12  n m 11. 41 12. 41 13. 10 13. 26 13. 55 14. 40 15. 21 16. 3 17. 24 18. 22 19. 42 20. 57 21. 11 22. 9 22. 41 23. 54 23. 59	****  **3100 **03082 **03085 **03056 **03056 **03056 **03079 **03077 **03081 **03078 **** **3078 **** **3074 **3074	Sept.12 h m 20. 0 21. 0 22. 0 23. 0	62 · 1 62 · 0 62 · 0 62 · 0 63 · 0	3 · 1 3 · 0	Sept. 12 h m 20. 17 20. 24 20. 28 20. 48 21. 0 21. 36 21. 41 22. 13 22. 26 22. 36 22. 40 22. 51 22. 56 23. 7 23. 21 23. 26 23. 39 23. 43 23. 59	0 1 "20. 22. 40 20. 10 22. 30 23. 50 26. 10 *** 27. 55 26. 30 30. 35 30. 35 31. 45 30. 45 31. 30 33. 55 33. 10 33. 55 35. 20 37. 20 ***	Sept. 12 22. 22 22. 41 23. 6 23. 25 23. 41 23. 55 23. 59	*1380 *1374 *1399 *1372 *1381 *1363 *1367	h m		h m	0	O
9. 21 9. 29 9. 39 9. 53 10. 41 11. 16 11. 25 11. 28 11. 55 11. 55 12. 38 13. 56 14. 11 14. 53 15. 7 15. 14 15. 26 15. 36 15. 43 16. 13 16. 13 16. 20 16. 39 17. 57 18. 53 19. 13 19. 28	21. 30 21. 55 21. 20 22. 10 21. 55 22. 40 22. 5 23. 25 23. 40 19. 50 30. 10 28. 5 26. 55 23. 0 16. 40 15. 20 14. 50 16. 30 16. 30 16. 20 22. 45 22. 45 22. 45 25. 50 24. 5 25. 50 21. 50 21. 50 22. 45 22. 45 23. 25 24. 5 25. 20 24. 5 27. 5 28. 5 29. 20 20. 30 21. 45	11. 33 11. 39 11. 57 12. 6 12. 27 12. 54 13. 11 13. 33 14. 11 14. 18 14. 23 14. 14. 23 14. 43 16. 17 16. 10 16. 12 16. 30 16. 12 16. 30 17. 13 17. 13 17. 13 17. 13 17. 13 19. 44 19. 56 19. 56 19. 56 20. 11 20. 50 21. 10	1414 1416 1419 1418 1421 1423 1418 1420 1438 1438 1433 1412 1416 1423 1416 1423 1418 1419 1411 1413 1406 1395 1399 1401 1415 1405 1405 1406 1386 1386 1386 1386 1379 1372						Sept. 13 o. o o. 9 o. 12 o. 36 o. 40 o. 56 i. 22 i. 28 i. 33 i. 40 i. 54 i. 57 2. 8 2. 14 2. 26 2. 41 2. 47 3. 11 3. 21 3. 26 3. 40 3. 54 4. 6 4. 9 4. 22 4. 33 4. 42 4. 56 5. 33 5. 54 5. 57 6. 11 6. 17	20. 32. 20 31. 40 32. 30 28. 10 29. 40 28. 50 31. 30 33. 10 32. 0 32. 10 32. 55 31. 55 33. 25 32. 15 31. 40 29. 30 24. 0 23. 40 22. 25 23. 30 26. 20 27. 20 28. 30 26. 20 27. 20 28. 30 26. 30 26. 10 21. 20 *** 26. 20 13. 40 11. 50	Sept. 13 O. 0 O. 21 O. 26 O. 41 O. 57 I. 11 I. 22 I. 54 2. 2 2. 11 2. 176 2. 41 2. 51 3. 14 3. 43 4. 12 4. 20 4. 41 4. 55 5. 12 5. 28 5. 46 6. 36 6. 45 7.	1367 1388 1393 1400 1397 1399 1409 *** 1394 1395 1409 1396 1396 1396 1396 1398 1416 1412	Sept.13 o. 0 o. 44 2. 7 2. 15 2. 37 2. 41 3. 6 3. 12 3. 28 8. 26 9. 11 9. 18 9. 49 10. 12 11. 17 13. 52 15. 9 17. 45 19. 5 23. 0 23. 59	•03083 •03116 •03127 •03148 •03135 •03152 •03142	Sept.13  1. 0  3. 0  9. 0  20. 0  21. 0  23. 0	62 · 5 62 · 8 62 · 6 62 · 6 62 · 6 62 · 4	64 °0 64 °2 64 °3 64 °0 63 °3 63 °0 63 °1

Sola De	estern clina- ion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	Of V. F. sound Sanith
6. 54 7. 11 7. 15 7. 24 7. 29	21.30 10.55 15.10 15.30 18.15	ept.13 7. 25 7. 41 7. 52 8. 6 8. 8	·1404 ·1409 ·1399 ·1406 ·1400 ·1418	h m		h m	0	0	23. 28 23. 40 23. 55 23. 59	20. 29. 10 30. 10 29. 40 30. 40 29. 45	h m		h m		h m	0	0
7. 43 7. 56 8. 8 8. 23 8. 43 8. 56 9. 8 9. 17 9. 37 9. 52 10. 9 10. 27 10. 43 11. 34 11. 53 12. 10: 12. 21 12. 33 12. 42 12. 49 13. 0 13. 11 13. 20 13. 26 14. 10 14. 43 15. 11 15. 22 15. 33 15. 4 15. 11 15. 22 15. 33 15. 42 16. 59 17. 13 17. 23 18. 17 18. 36 19. 38 20. 28 20. 36 21. 42	20. 10 17. 0 17. 15 14. 30 18. 0 18. 10 19. 40 18. 10 18. 55 11. 15. 50 11. 15. 50 11. 18. 35 11. 10 12. 10	8. 38 8. 58 9. 19 9. 24 9. 19 9. 24 9. 57 10. 12 21. 34 22. 34 23. 34 24. 37 24. 37 24. 45 25. 13 26. 41 27. 42 38. 55 38. 55 38. 58 99. 24 99. 25 99. 26 99. 2	1423 1412 1399 1397 1417 1419 1419 1425 1406 1402 1407 1403 1405 1399 1403 1399 1403 1399 1403 1399 1403 1399 1397 1403 1399 1397 1403 1398 1404 1399 1393 1398 1404 1398 1398 1404 1398 1389 1388 1389						Sept. 14 0. 0 0. 23 0. 32 0. 39 0. 53 0. 58 1. 4 1. 13 1. 34 2. 11 2. 34 3. 43 4. 5 1. 5 5. 56 6. 21 7. 15 5. 66 8. 14 8. 33 8. 48 9. 19 9. 26 9. 56 10. 14 10. 37 11. 25 11. 39 12. 11 12. 25 13. 48 13. 53 14. 52 14. 57 15. 13 16. 13 16. 13 17. 12 17. 29 17. 40 17. 49 18. 6	23. 30 23. 25 24. 5 22. 45 23. 15 22. 40 23. 5 22. 30 23. 30 23. 55 23. 30 26. 20 25. 15 26. 30	10. 28 11. 15 11. 42 11. 58 12. 26 13. 45 14. 6 14. 24 15. 12 16. 21 17. 18 17. 49 18. 38 19. 11 19. 26 19. 42 20. 4 20. 35 21. 12	·1368 ·1369 ·1376 ·1381 ·1390 ·1382 ·1388 ·1395 ·1400 ·1397	Sept.14 o. o 3. 4 8. 25 8. 57 10. 45 11. 50 16. 12 18. 54 20. 29 21. 14 22. 11 23. 59	.03097 .03138 .03146 .03125 .03120 .03098 .03092 .03066 .03068 .03057 .03066 .03067	Sept.14 0. 0 1. 0 2. 0 3. 0 9. 0 20. 0 21. 0 22. 0 23. 0	62 ·6 62 ·9 62 ·7 63 ·1 61 ·5 61 ·5	63 · 3 63 · 5 63 · 6 64 · 3 62 · 5 62 · 5 62 · 5

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.		Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.
Sept. 14 18. 21 18. 32 18. 41 19. 4 19. 26 19. 53 19. 58 20. 32 20. 39 21. 24 21. 24 21. 24 21. 25 22. 32 22. 41 22. 51 23. 2 23. 9 23. 12 23. 34 23. 59	20. 30. 25 30. 5 27. 35 25. 0 24. 40 26. 30 25. 30 26. 40 26. 10 27. 5 27. 30 24. 35 28. 0 27. 45 30. 0 28. 40 28. 45 29. 30 29. 0 30. 10	Sept. 14 h 21. 43 21. 53 22. 11 22. 12 22. 45 22. 57 23. 4 23. 43 23. 59	*1358 *1356 *1367 *1365 *1374 *1383 *1379 *1390 *1381	h m		h m	0	O	Sept. 15  8. 57  9. 34  9. 51  9. 58  10. 29  10. 55  11. 11  11. 34  11. 42  11. 58  12. 41  12. 44  13. 8  14. 26  14. 33  15. 16  15. 38  16. 12  16. 39  16. 51  17. 14  17. 26	20. 18. 10 18. 10 22. 45 19. 50 22. 55 19. 0 19. 15 11. 0 11. 30 16. 10 20. 0 30. 40 30. 30 27. 40 23. 0 22. 10 23. 35 22. 0 22. 25 24. 55 25. 10 30. 50	Sept. 15 11. 56 12. 26 13. 11 13. 24 13. 50 14. 43 15. 36 16. 30 16. 55 17. 29 18. 12 18. 26 18. 41 19. 21 21. 38 22. 25 22. 44 23. 59	*1406 *1393 *1406 *1416 *1405 *1405 *1407 *1400 *1396 *1411 *1408 *1410 *1403 *1395 *1391 *1398 *1392	.h m		h m	0	0
Sept.15 o. o o. 13 o. 33 o. 42 o. 54 o. 59 1. 9 1. 41 1. 50 2. 21 2. 26 2. 34 2. 40 2. 43	20. 30. 10 29. 50 31. 20 28. 10 27. 0 27. 25 27. 10 29. 20 30. 15 28. 10 27. 20 27. 10 25. 40 26. 0	Sept.15 o. o o. 15 o. 40 o. 56 1. 10 1. 43 2. 6 2. 21 2. 26 2. 54 3. 36 3. 56 4. 41 4. 45	·1381 ·1387 ·1384 ·1390 ·1388 ·1394 ·1392 ·1392 ·1393 ·1406 ·1400 ·1408 ·1404	11. 25 12. 41	·03067 ·03112 ·03115 ·03122 ·03125 ·03114 ·03135 ·03120 ·03132 ·03107 ·03080 ·03053 ·03044 ·03066	1. 0 2. 0 3. 0 9. 0 20. 0	61 ·9 62 ·2 62 ·4 62 ·4 61 ·6 60 ·8	64 .0	18. 10 18. 14 18. 33 18. 42 18. 54 19. 11 19. 33 21. 44 22. 29 22. 52 23. 55 23. 59 Sept. 16	23. 20 23. 5 21. 40 21. 55 21. 25 21. 55 21. 10 23. 0 25. 25 24. 55 *** 26. 0	 Sept. 16	1392	Sept.16	,0301d		62:0	6.3 * 2
2. 54 3. 30 4. 10 4. 17 5. 26 5. 41 5. 56 6. 14 6. 40 6. 54 7. 13 7. 23 8. 3 8. 3 8. 26 8. 31 8. 37	21. 0 18. 20		1405 1389 1406 1405 1400 1410 1405 1405 1409 1408 1411 1416 1414 1428 1416 1413 1417	17. 12 17. 34 18. 56 20. 36 23. 59	•03053 •03064 •03060 •03048 •03043 •03040 •03019				0. 24 0. 39 0. 56 0. 59 1. 53 2. 6 2. 32 2. 47 3. 23 4. 51 4. 58 5. 28 5. 37 5. 43 6. 54	2c. 26. 40 26. 0 26. 30 29. 0 29. 0 27. 55 28. 10 27. 55 28. 15 27. 45 27. 45 27. 40 26. 30 25. 20 26. 20 24. 20 22. 30 22. 40 24. 20 23. 10		1393 1398 1404 1395 1399 1406 1407 1406 1410 1406 1412 1408 1404 1408 1402 1404 1404 1399	0. 54 4. 43 5. 48 8. 15 8. 30 8. 53 9. 26 11. 22 15. 3 15. 25 16. 22 16. 54 19. 6 21. 14 22. 49 23. 59	·03043 ·03077 ·03095 ·03100 ·03063 ·03055 ·03064 ·03057 ·03063 ·03034 ·03034 ·03032 ·03022 ·03020 ·03033 ·0308 ·02992 ·03007	8. 0 20. 0 21. 0 22. 0 23. 0	62 ·4 60 ·6 60 ·6 60 ·7 60 ·9	63 · 8 61 · 8 61 · 1 61 · 2 61 · 4

Greenwich Mean Solar Time, tion.	reen Sola	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	met	f rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers. Ot V. F. Wagnet. Magnet.
18. 11 23. 18. 28 26. 18. 43 26. 19. 4 30. ***  19. 39 34. 19. 55 33. 20. 8 30. 20. 58 27. 21. 6 26. 21. 19 25.	20 6. 50 30 6. 59 7. 12 7. 25 7. 52 8. 11 8. 30 9. 35 9. 35 10. 45 11. 30 10. 45 11. 30 11. 30 13. 30 13. 30 10. 30 1	11403 11407 11403 11409 11411 11406 11406 11407 11408 11413 11400 11404 11403 11407 11404 11407 11408 11407 11409 11397 11401 11413 11400 11403 **** 11398 11401 11403 **** 11398 11401 11403 **** 11398 11402 11372 11367 11396 11390 11400 (†)	h m		h m	0	0	Sept.17  0. 52  1. 24  1. 44  2. 55  3. 3  3. 42  4. 33  4. 47  4. 56  5. 11  5. 25  5. 33  5. 48  6. 42  7. 21  7. 39  7. 49  8. 26  8. 40  8. 40  8. 40  9. 56  10. 39  10. 44  11. 48  12. 41  13. 59  14. 23  14. 23  14. 23  14. 23  14. 23  14. 23  15. 57  16. 6  96  16. 96	22. 50 21. 10 21. 15 34. 40 24. 40 29. 10 29. 35 29. 5 13. 5 18. 30 16. 25 19. 20 19. 30 23. 35 22. 30 21. 30 20. 20 21. 10 20. 5 20. 15	17. 33 17. 43 17. 52	(†) 1399 1393 1404 1399 1397 1408 1405 1409 1404 1398 1393 1396 1387 1394 1401 1395 1392 1401 1395 1392 1400 1400 1400 1400 1400 1400 1400 140	Sept.17 o. 1. 44 2.12 6. 57 7. 24 7. 49 8. 12 8. 43 11. 18 11. 36 11. 56 12. 42 13. 11 14. 43 16. 55 18. 54 19. 35 23. 22 23. 40 23. 44 23. 59	·03007 ·03013 ·03036 ·03088 ·03076 ·03078 ·03060 ·03038 ·03047 ·02980 ·02951 ·02967 ·02960 ·02977 ·02984 ·02973 ·02964 ·03004 ·02992 ****	Sept.17 h m o. o 1. o 2. o 9. o 20. o 21. o 22. o 23. o	60°9 61°5 61°3 62°1 61°4 62°1 61°4 62°1 60°5 60°7 60°1 60°8 60°1 60°8

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f mo-
17. 35 17. 51 17. 55 18. 2 18. 39 18. 47 18. 53 19. 35 19. 35 19. 35 19. 56 20. 20 20. 30 21. 7 21. 11 21. 17 21. 29 22. 14 22. 25 23. 18 23. 24 23. 23 24. 40 23. 12 23. 18 23. 24 23. 53 23. 40 23. 42 23. 53 23. 40 23. 42 23. 53 24. 40 25. 50 26. 20 27. 11 28. 20 29. 20 20. 30 21. 11 21. 17 21. 29 22. 14 23. 12 23. 18 23. 24 23. 36 23. 40 23. 40 23. 53 24. 40 25. 51 26. 20 27. 11 27. 11 28. 28 29. 20 20. 20 20. 20 20. 30 21. 7 21. 11 21. 17 21. 29 23. 12 23. 18 23. 24 23. 53 23. 40 23. 40 23. 53 24. 40 25. 50 26. 20 27. 11 28. 20 29. 20 29. 20 29. 20 20. 20 2	20. 21. 50 21. 50 22. 45 22. 45 21. 40 22. 35 21. 40 22. 35 21. 0 25. 30 24. 30 26. 30 *** 29. 5 29. 40 31. 15 29. 30 30. 30 30. 40 32. 40 31. 10 35. 55 32. 10 35. 55 36. 30 37. 40 29. 40 31. 10 35. 55 36. 30 37. 40 37. 40 38. 40 29. 50 39. 50 29. 40 31. 10 35. 55 32. 10 35. 55 36. 30 37. 40 37. 40 38. 40 29. 50 39. 50 30. 30 30. 40 31. 10 35. 55 36. 30 37. 45 29. 55 37. 10 37. 10	Sept-17  18. 42 18. 51 19. 40 20. 15 20. 26 20. 41 21. 2 21. 41 21. 45 22. 19 22. 45 23. 11 23. 56 23. 56 23. 59	*1404 *1410 *1396 *1367 *1369 *1363 *1363 *1367 *1376 *1373 *1376 *1378 *1377 *1376 *1378 *1388 *1397 *1376 *1388 *1397 *1376 *1388	Sept.18 o. o 1. 7 1. 53 1. 57 2. 11 3. 11	*02996 *** *03053 *03056 *** *03102	Sept.18 o. o 1. o 2. o 3. o 9. 15 20. o 22. o	60 · 60 · 60 · 60 · 60 · 60 · 60 · 60 ·	61 · 7 62 · 6 61 · 8 61 · 9 62 · 4 62 · 4	Sept. 18  2. 39 2. 54 2. 58 3. 11 3. 22 3. 30 3. 39 3. 41 3. 52 4. 15 4. 39 4. 53 5. 12 5. 33 5. 55 6. 10 6. 33 6. 51 6. 56 7. 32 7. 56 8. 21 8. 26 8. 39 9. 36 10. 13 10. 53 11. 13 12. 26 12. 39 14. 13. 14 13. 25 14. 17 14. 48 15. 11	14. 30 17. 30 16. 25 22. 45 22. 45 22. 45 21. 30 25. 55 25. 10 22. 55 23. 40 22. 30	11. 12 11. 57 12. 14 12. 21 12. 54 13. 12 13. 40 13. 45 13. 59 14. 24 14. 39 14. 54 15. 6	1393 1389 1364 1388 1434 1428 1399 1395 1395 1395 1395 1396 1397 1400 1397 1405 1405 1405 1405 1406 1446 1442 1442 1441 1405 1406 1406 1407 1408 1397 1408 1409 1409 1409 1409 1409 1409 1409 1409	Sept.18  h. 56  9. 6  9. 42  12. 30  14. 25  15. 49  19. 5  21. 19  23. 59	1 .	h m	0	0
1. 34 1. 41 1. 53 2. 3 2. 12	34. 50 34. 30 30. 15 33. 30 32. 30 ***	1. 43 1. 54 1. 58 2. 20 2. 41 2. 55 3. 12	*1376 *1370 *1380 *1349 *1386 *1397 *1386	3. 40 3. 56 4. 24 6. 19 7. 56 8. 16 8. 29	*03074 *03146 *03100 *03054 *03056 *03033	23. 0	61 •6	62.6	15. 58 16. 24 16. 38 16. 44 16. 55	*** 21.45 21.45 22.45 22.0	15. 35 16. 3 16. 11 16. 15 16. 57 17. 12	1406 1406 1402 1405 1406 1404					
The	indications	are take	n fuom 41						' '	***				umber in	-which i	natana	

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Of H. E. Ther meter	mo-
Sept. 18 h m 18. 19 18. 33 18. 39 18. 41 19. 5 19. 13 19. 39 20. 6 20. 11 20. 59 21. 27 21. 41 21. 54 22. 27 22. 34 22. 40 22. 47 22. 51 22. 58 23. 12 23. 26 23. 36 23. 54 23. 59	20. 21. 40 23. 10 22. 15 24. 0 23. 30 24. 20 23. 25 22. 30 23. 5 22. 30 23. 5 22. 30 24. 20 26. 30 26. 5 27. 25 26. 40 26. 40 26. 45 26. 45 27. 40 28. 25 28. 30 27. 40 28. 25 28. 30	Sept. 18	*1398 *1405 *1399 *1381 *1389 *1381 *1377 *1385 *1376 *1385 *1380	h m		h m	0	0	7. 0 7. 12 7. 28 7. 41 7. 56 8. 4 8. 9 8. 13 8. 41 8. 45 9. 28 9. 47 9. 58 10. 28 11. 11 12. 12 12. 43 12. 58 13. 28 14. 3 14. 3 15. 33 15. 53 16. 9	20. 12. 40 17. 40 17. 0 14. 40 19. 20 16. 10 17. 30 21. 40 20. 20 24. 30 19. 0 21. 20 24. 40 23. 40 25. 10 24. 0 25. 45 25. 35 24. 40 25. 55 25. 55 26. 20 27. 20 28. 20 29. 20 20. 2	Sept. 19 7. 27 7. 43 7. 54 7. 58 8. 11 8. 28 8. 41 9. 34 9. 55 10. 20 11. 6 12. 12 12. 54 13. 14 13. 54 14. 15 14. 51 15. 29 16. 41 16. 58 17. 56 18. 20 18. 55 19. 24 20. 15	1394 1386 1395 1411 1403 1410 1399 1405 1396 1396 1407 1399 1401 1399 1402 1397 1402 1399 1404 1403 1395 1404 1399 1404 1399 1404 1399 1405 1403 1395 1389	h m		h m		0
Sept.19 o. 0 o. 8 o. 19 o. 51 o. 58 i. 11 i. 24 i. 50 i. 58 2. 41 2. 57 3. 66 3. 56 4. 38 5. 6 5. 21 5. 39 5. 43 5. 58 6. 26 6. 37	20. 27. 20 26. 45 28. 30 27. 45 29. 30 28. 30 28. 30 28. 30 29. 30 20. 55 19. 15 23. 20 24. 30 26. 5 24. 20 24. 55 23. 45 18. 20 19. 10 10. 55 11. 20 11. 20 12. 30	Sept. 19 0. 246 0. 2466 1. 18 1. 44 93 2. 355 8 1. 34. 1266 2. 355 8 3. 4. 1266 5. 4496 6. 5496 6. 5496 7. 22	1380 1389 1390 1388 1392 1390 1402 1392 1374 1395 1407 1403 1404 1405 1406 1400 1385 1400 1396	Sept.19 o. o o. 41 2. 45 3. 57 4. 58 5. 19 5. 41 5. 48 6. 54 7. 27 7. 43 7. 55 8. 42 10. 18 10. 43 11. 41 14. 9 15. 18 19. 41 22. 57 23. 59	*03012 *03028 *** *03077 *03072 *03080 *03077	2. 0 3. 0 9. 0 20. 0 21. 0	62 · 1 6 62 · 0 6 62 · 3 6 62 · 1 6 61 · 2 6 61 · 3 6	63 · 4 63 · 4 63 · 5 63 · 4 62 · 0 62 · 0	17. 41 18. 28 18. 48 19. 23 19. 51 20. 47 21. 5 21. 54 21. 57 22. 3 22. 10 22. 21 22. 33 22. 47 22. 54 23. 11 23. 52  Sept.20	22. 30 23. 10 22. 30 23. 25 22. 50 24. 15 26. 30 25. 50 27. 5 26. 10 27. 0 26. 45 25. 30 27. 5 26. 20 27. 55 27. 5 26. 20 27. 55 27. 0 (†)	Sept.20 0. 0 18 0. 24 0. 34 1. 6	·1397 ·1396 ·1396 ·1405 ·1397 ·1398 ·1402	Sept.20 0. 0 0. 3q 2. 15 8. 52 10. 53	*02977 *02986 *03037 *03023	3. 0	61 ·4 61 ·8 62 ·6 61 ·7	62 ·9 63 ·3 62 ·7

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	no-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	rmo- ers.
2. 9 2. 24 2. 27 2. 38 3. 8 3. 11	20. 28. 25 29. 10 27. 15 24. 45 22. 55 *** 24. 35 23. 40	Sept. 20 h . 26 i. 55 2. 11 2. 26 2. 43 3. 14 4. 4 4. 12	*1406 *1388 *1396 *1380 *1388 *1391 *1402 *1400	Sept.20 h m 11. 40 12. 15 13. 21 16. 56 23. 59	•03006 •02992	22. 0		°2 ·8	Sept.20  h m 21. 43 21. 57 22. 6 22. 21 22. 32 22. 59 23. 9 23. 59	20. 26. 0 26. 0 25. 0 27. 55 26. 40 28. 55 28. 20 30. 30	Sept.20 h m 23. 42 23. 49 23. 59	·1391 ·1389	h m		h m	0	٥
3. 21 4. 17 4. 39 4. 57 5. 34 5. 56 6. 25 6. 33 6. 50 6. 58 7. 42 8. 47 8. 56 9. 44: 10. 22 10. 28 10. 57 11. 14 11. 39 12. 59 13. 21 13. 43 14. 26: 14. 51 15. 12 15. 12 15. 12 16. 40 17. 43 18. 23 18. 26 19. 39 19. 56 20. 49 21. 31	19. 20 20. 30 23. 5 22. 55 26. 5 25. 0 22. 50 23. 0 20. 30 22. 10 25. 35 24. 45 26. 0 28. 30 28. 5 28. 40 25. 30 26. 20 25. 45 26. 0 27. 0 26. 40 27. 0	14. 50 15. 6 15. 20 15. 56 16. 14 16. 40 17. 26 18. 24 18. 40 18. 58 19. 41 19. 56 20. 41 20. 56 21. 50 22. 11	1400 1403 1400 1398 1400 1398 1400 1404 1410 1406 1411 1406 1415 1406 1416 1405 1403 1403 1402 1403 1402 1403 1403 1403 1403 1403 1403 1403 1403						Sept.21 0. 0 2. 48 3. 7 3. 48 4. 41 5. 52 6. 10 6. 21 6. 28 6. 53 7. 17 7. 58 8. 13 10. 22 11. 39 12. 11 12. 25 12. 29 12. 41 13. 40 14. 10 14. 32 14. 56 15. 23 15. 34 16. 27 16. 58 17. 21 18. 44 19. 20 20. 41 21. 44 22. 23 22. 41 23. 12 23. 26 23. 36 23. 36 23. 59	20. 30. 30 25. 0 26. 40 21. 10 25. 30 23. 55 24. 45 21. 55 22. 30 21. 40 20. 35 23. 0 22. 50 23. 20 22. 50 23. 20 22. 50 25. 0 21. 40 21. 40 22. 50 25. 20 26. 40 19. 25 21. 20 21. 40 22. 40 21. 35 21. 20 22. 40 22. 35 22. 50 24. 30 25. 55 25. 40 27. 30 28. 10 27. 30 28. 10	13. 21 13. 41 14. 5	1400 1384 1400	Sept.21 0. 0 0. 28 2. 43 3. 19 3. 42 4. 54 9. 10 10. 18 12. 41 13. 4 13. 26 14. 55 20. 11 21. 56 23. 59	·02978 ·02996 ·03002 ·03017 ·03011 ·03016 ·02986 ·02955 ·02952 ·02955 ·02938 ·02878 ·02880	Sept. 21 O. O 1. O 2. O 3. O 20. O 21. O 22. O 23. O	62 ·1 62 ·1 61 ·5 59 ·8 59 ·7	63 ° 0 63 ° 0 63 ° 0 62 ° 8 60 ° 4 60 ° 2 61 ° 0 60 ° 8

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time	Of H.F.	Magnet.
h m	0 1 "	Sept. 21 17. 6 17. 41 18. 45 19. 35 19. 56 20. 22 22. 21	*1408 *1405 *1410 *1405 *1395 *1399 *1397	h m		h m	0	0	Sept.22  h m  22. 41  22. 53  23. 39  23. 51  23. 59	20. 26. 0 26. 40 26. 40 26. 25 26. 30	h m		h m		h :	n o	0
Sept.22	20. 27. 25	23. 15 23. 59 Sept.22	1403 1405	Sept.22	·02880	Sept.22	60:4	61 •1	Sept.23 o. o o. 33 1. 4 1. 12	20. 26. 30 28. 10 28. 0 27. 10	Sept.23 o. o o. 38 1. 12 1. 26	.1406 .1408 .1402	Sept.23 o. o 2. 4 3. 26 5. 27	*02840 *02866 *02900 *02911	9. 20.	60 · 60 · 60 · 60 · 60 · 60 · 60 · 60 ·	61 .0
0.45 1.9 1.38 2.33	27. 20 25. 45 26. 10 24. 15	0. 19 1. 11 1. 49 2. 4 3. 24	1402 1397 1406 1403	2. 40 5. 45 9. 46 14. 40 16. 54	·02920 ·02939 ·02932 ·02900 ·02878	1. 0 3. 0 9. 0 20. 0	60 °5 60 °5 58 °5	61 ·6 61 ·9 60 ·0	2.58	24. 30 24. 10 25. 0 24. 0 20. 40	2. 45 3. 36 4. 50 5. 5 5. 25	1406 1408 1403 1405	14. 40 19. 36 23. 59	•02904 •02895 •02873	22.	o 60 u	61 ·5 61 ·5
2. 41 2. 55 3. 17 4. 11 5. 6 5. 14	24. 20 23. 50 24. 0 22. 55 23. 5 22. 55	5. 24 4. 0 4. 24 5. 54 6. 44 6. 57	1400 1405 1402 1406 1412	17. 18 23. 59	·02882 ·02840	21.30	39 2	59 •9	5. 54 6. 11 6. 23 6. 47	20. 40 22. 10 21. 30 22. 55 21. 55	6. 7 6. 43 7. 14 7. 56 8. 20	1411 1407 1414 1409				*	
5. 51 6. 8, 6. 15 6. 34 6. 50	24. 0 23. 15 23. 30 23. 0	7. 53 8. 14 9. 44 10. 23	1410 1412 1409 1411 1408						7. 4 8. 9 8. 26 8. 47 9. 12 9. 42	22. 30 23. 20 22. 40 23. 10 23. 5	8. 37 9. 19 9. 41 9. 57	1410 1415 1411 1414					
7. 42 8. 6 8. 36 9. 24 9. 38	22. 10 22. 40 22. 25 22. 25 21. 0	11. 35 11. 56 12. 12 12. 34 13. 26	1408 1411 1407 1409						9. 53 10. 12 10. 40 10. 48 10. 58	23. 50 23. 0 23. 10 23. 55 23. 0	10. 35 11. 8 11. 34 11. 42 12. 5	1416 1412 1415 1413 1416					
10. 3 10. 28 10. 57 11. 48 13. 24	23. 25	13. 56 14. 13 14. 43 15. 6 15. 38	1411 1406 1414 1409						11. 21 11. 41 12. 41 12. 53 13. 37	22. 30 23. 40 23. 15 24. 20 22. 30	12. 43 13. 37 13. 48 15. 50 17. 26	1414 1415 1410 1414 1410					
13. 58 14. 9 14. 24 14. 35 15. 14	22. 45 26. 5 25. 50 23. 50 23. 0	17. 0 18. 6 18. 43	1415 1400 1412 1411 1404						14. 3 14. 51 15. 36 16. 4 17. 35 17. 59	22. 55 22. 30 23. 10	18. 27 19. 35	1415 1408 1405 1408 1402					
15. 34 15. 42 16. 18 16. 39 17. 2 17. 39	22. 15 22. 40 20. 40 21. 35 21. 5 23. 15	20. 15 20. 44 20. 56 21. 24	1399 1398 1400 1396 1396						17. 59 18. 7 18. 14 18. 40 18. 55	22. 50 22. 20 23. 20	21. 12 21. 23 21. 36 22. 15 23. 59	1404 1400 1403 1399				-	
17. 39 18. 3 18. 33 20. 8 20. 41 20. 50	22. 25	22. 13 23. 59	•1399 •1406						19. 9 19. 21 19. 40 19. 51 19. 57 20. 39	25. 30 24. 10 23. 0 23. 50 22. 0							
21. 23 21. 52 21. 58 22. 8 22. 34	26. 20 25. 10 26. 0 25. 40 26. 15							,	20. 54 21. 20 21. 59 22. 11 23. 23	22. 55 22. 55 24. 30 24. 0 27. 20							

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	
Sept. 23 23. 43 23. 59	20. 26. 30 26. 50	h m	,	h m		h m	0	0	Sept.24 21.25 21.47 21.54	20. 23. 40 23. 55 24. 30	h m		h m		h m	0	0
0.39 1.10 1.34 3.13 3.33 3.56 4.9 4.21 4.33 4.59 5.11	20. 26. 50 27. 10 26. 25 26. 55 26. 5 23. 40 23. 15 23. 55 23. 25 23. 10 23. 20	Sept.24 o. o o. 40 2. 21 3. 20 3. 40 3. 54 4. 7 4. 27 4. 36 4. 55 5. 21 6. 3	11400 11404 11408 11399 11402 11397 11400 11398 11397 11403 11406	Sept.24 o. 0 3. 23 5. 11 5. 58 7. 12 9. 34 13. 12 13. 19 13. 54 14. 53 19. 28 23. 59	**c2873 **c2922 **c2955 **c2950 **c2959 **c2940 **c2919 **c2900 **c2907 **c2887 **c2831	1. 0 2. 0	60 ·6 60 ·6 60 ·9 60 ·7 60 ·7 59 ·7 59 ·8 59 ·7 60 ·0	62 °0 62 °1 62 °1 62 °0 60 °2 60 °3	21. 56 22. 10 22. 29 23. 20 23. 40 23. 43 23. 48 23. 53 23. 57 23. 59 Sept. 25	24. 0 25. 40 25. 40 27. 50 31. 5 32. 55 32. 5 33. 20 33. 30 35. 55	Sept.25 o. o o. 15	·1414 ·1396	Sept.25 o. o o. 45	*02831 *02854	Sept.25 o. o	60·1	60 ·9
5. 25 5. 53 6. 11 6. 44 7. 9 7. 38 7. 52 8. 9 8. 51 9. 39 10. 6	24. 30 24. 0 22. 50 22. 20 23. 0 21. 55 22. 0 21. 5 22. 40 22. 10 23. 15 23. 5	6. 14 6. 30 6. 51 7. 7 7. 14 7. 35 7. 44 8. 43 8. 53 9. 13 10. 33	1404 1405 1402 1405 1402 1404 1407 1408 1406 1409 1412						0. 10 0. 25 0. 48 1. 9 1. 18 1. 21 1. 26 1. 33 1. 39 1. 40	33. 0 *** 30. 20 32. 35 31. 30 28. 25 29. 55 28. 20 29. 30 33. 0 36. 10	0. 24 0. 55 1. 7 1. 19 1. 40 1. 55 2. 4 2. 12 2. 36 2. 43 3. 2 3. 35	11401 11399 11405 11400 11436 11411 11399 11406 11417 11406 11388	1. 25 1. 43 2. 0 2. 7 2. 44 2. 59 3. 18 3. 26	·02860 ·02916	3. o 9. o 20. o 21. o 22. o 23. o	60 •9 60 •8 60 •6 60 •7 60 •8 60 •8	62 ·3 62 ·1 61 ·8 61 ·6 61 ·8
11. 9 12. 12 12. 21 13. 11 13. 26 14. 3 14. 23 14. 55 15. 26 16. 17 16. 23	23. 30 24. 10 23. 40 *** 24. 15 29. 40 22. 55 23. 10 22. 0 21. 20 21. 55	14. 18 14. 47 15. 50 16. 51	1413 1412 1415 1412 1412 1421 1421 1415 1414 1408 1414 1415						1.56 2. 2 2. 7 2.17 2.23 2.25 2.28 2.42 2.57 3. 3 3. 6 3.12	28. 40 28. 40 27. 10 30. 20 30. 10 31. 0 36. 40 32. 15 30. 40	3.51 3.54 4.6 4.20 4.35 4.50 5.21 5.24 5.51 6.3	1399 1395 1393 1410 1392 1399 1401 1393 1401 1397	5. 42 6. 6 6. 13 6. 50 7. 10 7. 41 8. 7 9. 15 11. 41 12. 12 12. 26 13. 12	.03012 .03015 .03023 .03034 .03018 .03014 .02992 .02957 .02937 .02904 .02925			
16. 58 17. 36 17. 51 18. 9 18. 34 18. 41 18. 54 19. 20 19. 28 19. 36	21. 45 22. 10 21. 30 22. 0 21. 10 21. 25 20. 55 21. 25 20. 30	18. 2 18. 46 18. 56 19. 11 19. 29 19. 40 19. 45 19. 57 21. 14	1412 1415 1413 1409 1410 1407 1412 1408 1410 1400 1396						3. 23 3. 27 3. 32 3. 41 3. 51 4. 10 4. 26 4. 33 4. 39 4. 56	28. 0 28. 30 27. 50 27. 50 31. 25 30. 0 27. 15 34. 20 30. 55 32. 40 33. 55	6. 19 6. 40 6. 54 7. 12 7. 27 7. 50 8. 44 8. 54 9. 23 9. 33	1410 1382 1395 1384 1390 1404 1408 1406 1411	14. 41 16. 27 18. 42 18. 55 19. 41 20. 13 22. 31 22. 39 22. 49 22. 56	02894 02912 02922 02904 02913 02843 02867 02870 02881 02860 02860			
19. 59 20. 21 20. 27 20. 36 21. 11 21. 17	*** 20.50 22.15 21.20 22.30 23.25	22. 12 23. 11	1403 1408 1405 1417 1414 1418		·	•			5. 8 5. 13 5. 26 5. 29 5. 38 5. 43 5. 55	33. 40 32. 30 31. 55	11.11 11.41		23. 4 23. 18 23. 29 23. 59	•02872 •02872 •02859 •02873			

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	rmo-
Sept. 25 6. 8 6. 26 6. 39 6. 47 7. 13 7. 24 7. 38 8. 17 9. 24 9. 47 9. 56 11. 15 11. 58 12. 20 13. 41 13. 21 11. 58 15. 28 16. 18 16. 26 16. 30 16. 58 17. 59 18. 32 18. 32 18. 32 18. 32 18. 32 18. 32 18. 32 18. 32 18. 32 18. 32 18. 32 18. 33 19. 14	20. 22. 30 22. 30 22. 30 22. 30 22. 0 23. 0 20. 50 19. 40 20. 5 19. 10 22. 0 23. 25 23. 0 23. 25 21. 55 23. 5 23. 40 22. 55 19. 55 23. 5 21. 55 22. 0 21. 45 22. 5 19. 55 23. 55 21. 0 21. 45 22. 5 19. 55 23. 55 21. 0 21. 30 20. 0 21. 30 20. 40 20. 40 20. 40 21. 50	Sept. 25 12. 24 12. 34 12. 56 13. 20 13. 35 14. 54 15. 18 15. 45 16. 24 16. 59 17. 54 18. 57 19. 29 20. 19 20. 26 21. 42 21. 12 21. 25 22. 45 23. 30 23. 36 23. 59	11420 11407 11420 11423 11410 11412 11406 11407 11408 11405 11406 11409 11406 11409 11406 11409 11403 11409 11405 11309	h m		h m	C	0	Sept. 25  19. 21  19. 26  19. 29  19. 41  20. 13  20. 14  20. 23  20. 38  20. 41  20. 56  21. 18  21. 24  21. 27  21. 34  21. 41  21. 48  22. 7  22. 14  22. 51  22. 58  23. 15  23. 21  23. 32  3. 59  Sept. 26  0. 39  0. 48  0. 55  1. 21  1. 56  2. 17  2. 47  2. 47  2. 47  2. 47  2. 57  3. 16  3. 28  3. 59  4. 41  4. 56  5. 10  5. 39  5. 57	20. 31. 40 32. 50 30. 0 28. 0 23. 15 26. 50 23. 10 23. 10 23. 20 24. 30 24. 20 24. 55 26. 10 25. 40 24. 55 26. 10 25. 30 26. 25 30. 30 27. 30 29. 10 31. 0 29. 25 29. 10 27. 35 29. 10 27. 55 28. 30 27. 30 27. 35 28. 30 27. 30 27. 35 28. 30 27. 30 27. 35 28. 30 27. 30 27. 35 28. 30 27. 35 28. 30 27. 3	Sept. 26 0. 21 0. 29 0. 38 0. 56 1. 33 1. 44 2. 11 2. 43 2. 57 3. 38 3. 56 4. 39 5. 14 5. 29 6. 45 6. 45	·1389 ·1396 ·1405 ·1395 ·1406 ·1397 ·1395 ·1403 ·1405 ·1414 ·1400 ·1409 ·1400 ·1399 ·1412	Sept. 26 0. 0 0. 31 0. 54 1. 9 3. 22 3. 39 4. 21 5. 68 6. 36 9. 18 9. 53 12. 11 12. 56 14. 44 19. 56 22. 12 23. 59	'02964	2. 0 3. 0 9. 0 20. 0	61 ·1 61 ·3 61 ·4 61 ·5 61 ·6 60 ·9 61 ·0	62.5 62.5 62.6 63.0 62.1 61.8 61.9

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time	Magnet.	f mo- ers.
Sept. 26 6. 13 6. 29 6. 43 7. 39 7. 46 8. 17 8. 28 8. 37 8. 56 9. 25 9. 37 11.	20. 17. 0 15. 30 16. 40 15. 10 20. 30 21. 35 22. 55 23. 20 20. 30 21. 50 21. 50 21. 50 21. 50 21. 15 20. 55 21. 15 20. 55 21. 15 20. 55 21. 20 20. 55 21. 45 22. 55 21. 45 22. 55 21. 45 22. 25 21. 45 22. 25 23. 20 23. 20 20. 55 21. 15 22. 45 22. 10 23. 20 23. 20 20. 55 21. 45 22. 15 22. 25 21. 45 22. 25 23. 20 23. 20 23. 20 20. 55 21. 55 22. 45 22. 10 23. 20 23. 20 23. 20 23. 20 23. 20 20. 55 21. 45 22. 15 22. 25 21. 45 22. 25 23. 25	Sept.26  7. 63  7. 42  7. 59  8. 40  8. 43  9. 40  8. 43  9. 40  10. 33  11. 14  11. 20  11. 35  11. 14  11. 20  11. 35  11. 14  11. 55  12. 37  12. 37  13. 34  13. 34  14. 11  15. 14  15. 15  16. 13  16. 20  18. 31  18. 45  19. 21  19. 21  21. 30  22. 30  22. 30  23. 53	<u> </u>	h m	Δ	h m	0 °		Sept.26  21. 43 21. 58 22. 8 23. 26 23. 33 23. 48 23. 59 Sept.27	20. 22. 55 24. 30 27. 0 26. 50 28. 30 28. 0 27. 55 27. 20 29. 5 28. 10 28. 25 27. 30 28. 30 27. 50 28. 30 27. 50 28. 30 27. 50 28. 30 27. 50 28. 30 27. 50 26. 10 26. 25 25. 40 24. 30 25. 30 26. 30 27. 30 28. 30 29. 30 20. 30 2	Sept. 27 0. 0. 49 1. 1. 54 2. 15 0. 66 1. 1. 35 4. 35 4. 35 5. 66 6. 34 5. 56 6. 34 5. 56 6. 34 7. 12 7. 34 7. 34 9. 35 10. 11. 34 11. 34 11. 34 11. 34 11. 34 11. 34 11. 34 11. 34 11. 34 11. 34 11. 34 11. 34 11. 35 11. 36 11.		Sept. 27 0. 0 4. 43 5. 57 8. 43 9. 40 11. 12 13. 26 15. 32 15. 57 20. 19 22. 12 23. 59		Sept.27 o. o 1. o 2. o 3. o	61 ·5 61 ·4 61 ·3 61 ·4	62 · 6 62 · 6 62 · 6 62 · 6 62 · 8 62 · 0 62 · 1 62 · 1

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Wagnet.	10-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
Sept. 27 12. 17 12. 29 12. 39 13. 7 13. 12 13. 20 13. 39 13. 41 13. 50 14. 26 14. 41 14. 58 15. 14 17. 9 17. 11 17. 20 17. 26 17. 43 18. 24 18. 41 18. 51 18. 56	20. 23. 55 23. 30 24. 15 21. 0 21. 30 20. 50 22. 40 22. 20 23. 40 22. 15	Sept.27  15. 21  15. 50  16. 26  17. 40  18. 12  19. 5  20. 51  20. 56  22. 30  23. 59	*1409 *1403 *1407 *1410 *1410 *1406 *1396 *1395 *1397 *1405	h m		h m	0	O	Sept. 28 7. 54 8. 31 8. 41 9. 38 10. 56 11. 21 11. 36 12. 10 13. 6 13. 25 13. 33 14. 6 14. 21 14. 35 15. 0 16. 11 16. 27 18. 40 19. 33 19. 51 20. 24 21. 9 22. 4 23. 3 23. 12 23. 21 23. 25	20. 22. 45 23. 0 22. 25 23. 0 22. 10 22. 30 23. 20 22. 10 22. 5 21. 40	Sept. 28 11. 12 11. 36 11. 55 12. 30 14. 23 15. 20 15. 34 16. 12 16. 55 19. 53 21. 14 21. 36 23. 15 23. 24 23. 37 23. 59	*1407 *1411 *1417 *1408 *1406 *1406 *1406 *1406 *1406 *1406 *1407 *1407	h m		h m	о .	0
21. 30 21. 34 21. 41 21. 51 22. 15 23. 26 23. 39 23. 42 23. 50 23. 55 23. 59 Sept. 28	23. 50 23. 10 24. 30 24. 0 25. 55 27. 50 28. 55 28. 50 28. 10 27. 55	Sept.28		Sept.28		Sept.28			2. 14 2. 38 6. 11 6. 55 13. 41 15. 11 15. 36 15. 55 16. 26 18. 27	20. 27. 0 26. 20 25. 15 24. 20 23. 40 22. 0 22. 30 22. 25 22. 0 22. 30 21. 55	16.43 17.42 18.19	1407 1406 1404 1412 1414 1416 1408 1410 1407 1408 1411 1408	Sept.2g o. o 3. 26 g. 41 16. 53 20. 18 22. 32 23. 59	*02940 *02986 *03006 *03035 *03024	Sept.2c o. o 1. o 2. o 3. o 9. o 21. 10	62 ·6 62 ·8 62 ·8 63 ·0 63 ·1	64 64 64
o. 29 o. 39 o. 51 1. 29 1. 41 1. 55 2. 14 3. 26 5. 21 5. 50 7. 23	20. 27. 55 26. 55 *** 28. 55 27. 55 27. 40 27. 10 27. 40 25. 10 23. 10 23. 0 23. 30 23. 5	o. 0 o. 16 o. 30 i. 43 2. 5 2. 57 3. 34 3. 50 4. 40 5. 13 6. 41 9. 42 10. 20	1405 1403 1411 1403	0. 0 4. 4 11. 32 12. 12 21. 11 23. 59	· 02892 · 02947 · 02980 · 02974 · 02968 · 02940	0. 0 1. 0 2. 0 3. 0 9. 0 20. 0 21. 0	61 ·46 61 ·66 61 ·66 61 ·86 62 ·46 62 ·86	2 · 7 2 · 5 3 · 1 3 · 9 3 · 1 3 · 0 3 · 7	21. 25 22. 56 23. 10 23. 39 23. 59 Sept.30	22. 25 24. 30 24. 30 24. 55 26. 0	Sept.30 0. 0 1.15 2.59 3.36 6.26 6.55 8.12	1408 1396 1395 1399 1404 1408 1407 1413	Sept.30 0. 0 0. 17 2. 52 9. 52 20. 12 23. 59	*02998 *03005 *03040 *03048 *03032	Sept.3c 0. 0 9.20 20. 0 21. 0 22. 0 23. 0	63 · 6 62 · 6 62 · 8 63 · 6	65 64 64 64

Greenwich Mean Solar Time. Tion.	<u> </u>	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f rmo-	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther met.	f rmo-
Sept.30  5. 4  5. 39  6. 55  7. 13  7. 43  8. 2  23. 36  8. 40  8. 58  9. 11  9. 28  18. 45  19. 43  20. 26  21. 51  22. 6  22. 11  23. 47  26. 16  26. 26  26. 26	8. 28 8. 41 8. 54 9. 6 9. 15 9. 57 10. 55 14. 36 19. 49 21. 6 21. 18 22. 27 23. 59	1412 1415 1415 1415 1415 1416 1410 1409 1404 1396 1398 1395	b m		h m	0	O	18. 43 19. 3 19. 21 19. 35 19. 49 20. 11 20. 21 20. 39 21. 26 21. 48 21. 56 22. 18 22. 41 22. 44 23. 16 23. 41	20. 22. 40 21. 40 22. 0 *** 21. 20 *** 22. 0 21. 0 20. 45 21. 20 21. 0 23. 30 27. 10 26. 45 28. 30 28. 15 27. 30 30. 0 30. 10	Oct. 1 h m 22. 11 22. 52 23. 21 23. 40 23. 55 23. 59	*1390 *1393 *1398 *1398 *1401 *1394	h m		h m	0	0
14. 59 15. 9 15. 21 22. 15. 55 21. 3 16. 13 22. 3 16. 41 22.	0. 26 2. 37 2. 45 3. 26 4. 12 4. 56 5. 40 6. 51 7. 43 8. 17 9. 40 10. 37 10. 54 11. 11 12. 27 10. 37 10. 54 11. 11 12. 46 13. 43 15. 10 15. 10 16. 11 17. 43 18. 17 19. 40 19. 1403 1401 1405 1403 1407 1403 1406 1404 1406 1404 1411 1407 1412 1409 1410 1414 1418 1411 1415 1410 1409 1411 1409 1411 1410 1413 1410 1410 1414 1390 1490 1392 1388	Oct. 1 0. 0 4. 5 9. 5 9. 54 22. 12 23. 19 23. 59	*03000 *03031 *03043 *03035 *02976 *02957 *02964	1. 0 2. 0 3. 0 9. 0 20. 0 21. 0 22. 0	63 ·4 63 ·2 63 ·2	64 ·2 64 ·0 64 ·4 64 ·1 63 ·3 63 ·2 63 ·0	23. 53 23. 56 23. 59 Oet. 2 0. 0 0. 26 0. 30 0. 57 1. 28 1. 56 2. 11 2. 27 2. 33 2. 48 2. 54 2. 58 3. 11 3. 20 3. 46 4. 35 5. 38 5. 41 6. 20 6. 28 6. 47 6. 58 7. 14 7. 52 8. 13 8. 21	30. 50 30. 0 30. 5 30. 0 31. 30 31. 0 32. 40 33. 30 32. 30 33. 10 31. 15 31. 0 30. 20 28. 50 29. 30 28. 40 29. 10 28. 30 30. 20 23. 30 23. 30 23. 30 23. 30 21. 0 21. 0 21. 40 21. 0 21. 40 21. 0 18. 45 20. 30 19. 30	Oct. 2 0. 13 0. 25 0. 30 0. 426 1. 25 2. 24 2. 36 2. 42 2. 53 3. 37 3. 40 4. 34 4. 45 5. 12 5. 55 6. 31 6. 30 6. 41 7. 25 7. 41 7. 49 7. 25 8. 45	•1396 •1398 •1400 •1398	Oct. 2 o. 0 1. 57 2. 12 5. 53 6. 11 8. 59 11. 43 13. 55 14. 30 15. 55 20. 0 23. 43 23. 59	·03074 ·03074	9. 0 20. 0 21. 0 22. 0	62 ·1 62 ·6 62 ·6 62 ·6 62 ·6 62 ·6 62 ·6 62 ·8	64 °0 64 °0 64 °1 63 °5 64 °2 64 °2	

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.E. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. H. H. H. H. H. H. H. H. H. H. H. H. H.
Oct. 2  8. 36  9. 35  9. 54  10. 42  11. 56  12. 38  13. 46  13. 58  14. 33  14. 41  15. 7  15. 44  15. 58  16. 15  17. 59  18. 43  18. 49  18. 57  19. 28  17. 59  18. 43  18. 49  18. 57  19. 21  21. 29  21. 21  22. 3  22. 27  22. 56  23. 35  23. 48  23. 59	22. 20 23. 35 22. 40 23. 40 26. 0	23. 34	*1396 *1403 *1401 *1406 *1404 *1408 *** *1405 *1405 *1405 *1408 *1405 *1408 *1405 *1408 *1417 *1418 *1404 *1408 *1406 *1409 *1403 *1400 *1403 *1400 *1403 *1400 *1403 *1400 *1403 *1400 *1403 *1400 *1403 *1400 *1403 *1400 *1403 *1400 *1403 *1400 *1403 *1401 *1395 *1395 *1395 *1395 *1395	h m		h m	•	0	Oct. 3 3. 52 4. 50 5. 10 5. 24 5. 39 5. 52 6. 11 6. 33 6. 40 7. 20 7. 34 7. 41 8. 13 8. 26 8. 48 8. 56 9. 13 9. 57 10. 12 11. 36 11. 49 12. 28 12. 39 12. 45 14. 10 14. 56 14. 34 14. 55 15. 54 15. 55	21.50	Oct. 3 5. 5. 11 5. 20 6. 14 6. 25 7. 40 7. 57 8. 12 8. 27 8. 43 8. 56 9. 13 9. 57 10. 27 10. 36 11. 22 11. 43 11. 56 12. 19 12. 26 13. 35 14. 0 14. 43 15. 55 16. 6 16. 14 16. 40 16. 55 17. 24 17. 28 17. 355 18. 30 18. 51	1405 1403 1405 1396	Oct. 3 15. 9 15. 52 15. 57 16. 12 16. 50 17. 11 17. 25 17. 34 18. 6 21. 21 23. 59	·03021 ·02957 ·02960 ·02948 ·02932 ·02952 ·02975 ·03000 ·03014	h m	
Oct. 3 o. 0 o. 13 o. 50 o. 56 o. 59 1. 9 1. 27 2. 26 3. 6 3. 28	20. 27. 55 28. 15 28. 20 27. 55 26. 15 26. 45 25. 50 25. 45 28. 30 26. 50 24. 30	Oct. 3 o. o o. 3o 1. 6 1. 29 1. 43 1. 54 2. 5 2. 55 3. 25 3. 43 4. 33	*1395 *1396 *1387 *1395 *1401 *1400 *1402 *1397 *1395 *1400 *1405	Oct. 3 o. o 1. 12 2. 19 3. 9 6. 58 7. 29 7. 56 8. 20 8. 42 11. 41 13. 57	.03040	1. 0 2. 0 3. 0 9. 0 20. 0 21. 0 22. 0	63 · 0 63 · 2 63 · 2 63 · 6 63 · 5 63 · 3	64 · 4 64 · 5 65 · 0 64 · 4 64 · 6	16. 55 16. 11 16. 28 16. 43 16. 58 17. 9 17. 21 17. 38 17. 41 17. 46 18. 21 18. 36	27. 20 27. 20 24. 0 18. 55 15. 5 13. 50 16. 0 15. 0 12. 15 15. 25	19. 12 19. 34 19. 55 20. 1 20. 6 20. 12	14398 1398 1392 1394 1399 1393 1396 1388 1384 1388 1381 1390 1388		,		,

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther meter was the result of the res	mo-
Oct. 3  18. 41  18. 55  18. 58  19. 28  19. 43  19. 53  19. 58  20. 21  20. 26  20. 33  20. 41  20. 43  20. 55  21. 11  21. 25  21. 28  22. 11  22. 21  22. 33  22. 59  23. 11  23. 27  23. 59  Oct. 4  0. 0  0. 6  0. 10  0. 14  0. 25  0. 41  0. 52:  1. 6	20. 23. 40 23. 20 24. 15 26. 0 24. 30 24. 40 23. 20 23. 30 24. 40 25. 5 23. 40 24. 40 25. 6 28. 10 26. 35 27. 30 26. 40 27. 30 26. 40 27. 10 26. 15 26. 15 26. 10 27. 10 26. 15 26. 27. 30 27. 10 26. 15 26. 30 27. 10 26. 15 26. 30 27. 10 26. 15 26. 30 27. 10 26. 15 26. 30 27. 10 26. 15 26. 30 27. 10 26. 15 26. 30 27. 10 26. 15 26. 30 27. 10 26. 15 26. 30 27. 10 26. 15 26. 30 27. 10 26. 15 26. 30	Oct. 3 h m 23. 59  Oct. 4 o. 0 o. 12 o. 35 o. 50 i. 20 i. 25 i. 40 i. 45	·1396 ·1396 ·1410 ·1395 ·1400 ·1394 ·1403	Oct. 4 o. o o. 57 2. 45 5. 15 5. 18 5. 22 5. 36	·03014 ·03007 ·03077 ·03203 ·03258 ·03258 ·03256 ·03156	Oct. 4 o. o 1. o 2. o 3. o 9. o 21. o 22. o	63·3 63·4 63·5 63·5 63·5 62·6 62·9 62·6	64.6 64.7 65.7 664.2 63.5	Oct. 4  3.58  4.13  4.21  4.24  4.28  4.40  4.43  4.51  5.23  5.26  6.37  5.48  6.33  7.18  7.35  7.43  7.55  8.11  8.18  8.36  9.11  9.28  9.43  10.6	20. 7. 20	Oct. 4  4	1373 1394 1404 1379 1381 1379 1381 1379 1377 1372 1380 1378 1386 1393 1386 1392 1374 1388 1377 1388 1377 1388 1377 1388 1377 1388 1388	Oct. 4 h 12. 36 12. 43 13. 30 13. 44 15. 58 16. 23 17. 11 17. 42 19. 14 20. 4 20. 54 23. 45	·02986 ·02986 ·02963 ·02978 ·02976 ·02958 ·03024 *** ·03015 ·03022 ·03014 (†)	h m	0	0
1. 12 1. 12 1. 20 1. 33 1. 40 1. 51 1. 56 2. 3 2. 13 2. 21 2. 33 2. 43 2. 51 2. 53 2. 58 3. 13 3. 39 3. 43 3. 54	29. 0 28. 10 30. 30 28. 0 30. 5 29. 45 27. 50 28. 15 26. 0 27. 15 26. 50 28. 30 28. 0 31. 30 24. 55 24. 55 28. 40	1. 45 1. 56 2. 10 2. 26 2. 36 2. 41 2. 44 2. 46 2. 57 2. 58 3. 11 3. 25 3. 37 3. 42 3. 46 3. 55 4. 4	·1387 ·1394 ·1393 ·1407 ·1403 ·1405 ·1400 ·1397 ·1396 ·1397 ·1398 ·1395 ·1383 ·1383 ·1383 ·1383 ·1395 ·1392	5. 43 5. 53 6. 6 6. 23 6. 30 6. 54 7. 12 8. 10 9. 0 9. 27 9. 56		23. 0			10.26	19. 59. 0 20. 9. 0 19. 30 17. 20 15. 0 12. 50 16. 50 12. 10 13. 10 17. 0 31. 50 30. 0 31. 0 25. 30 20. 10 25. 30 24. 5	11. 7 11. 21 11. 39 11. 43 11. 50 11. 56 12. 12 12. 14 12. 15 12. 24 12. 47 13. 36 13. 55	1376 1376 1378 1378 1369 1371 1367 1375 1375 1371 1386 1388 1378 1387 1387 1389 1384 1389					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. dend of ters. Magnet.
Oct. 4 h 13. 59 14. 31 14. 22 14. 39 14. 41 15. 21 15. 27 15. 59 16. 41 16. 52 17. 39 18. 22 18. 32 18. 32 18. 32 19. 33 19. 43 19. 43 19. 43 19. 56 20. 42 21. 33 21. 33 21. 33 22. 23 23. 11 23. 44 23. 59	33. 20 31. 45 27. 5 26. 10 27. 40 25. 25 21. 55 23. 10 22. 20 24. 10 25. 0 28. 5 26. 50 27. 15 26. 30 25. 30 25. 30 25. 30 25. 30 25. 30 25. 30 25. 30 26. 40	Oct. 4m 14. 40 14. 563 15. 31 15. 32 15. 31 15. 32 16. 13 16. 37 16. 13 16. 37 16. 13 17. 40 17. 55 18. 22 19. 32 19. 32 19. 32 19. 32 19. 47 20. 21 21. 56 22. 43 22. 46 22. 48 22. 52 23. 34 24. 56 23. 34 23. 34 23. 59	1382 1390 1392 1397 1398 1397 1388 1389 1389 1389 1389 1389 1389 1388 1386 1388 1376 1389 1397 1399 1397 1399 1398 1376 1379 1379 1378 1376 1378 1376 1379 1378 1379 1379 1379 1379 1379 1379 1379 1379	h m		h m	0	·	0. 36 0. 52 0. 58 96 1. 42 2. 13 2. 23 2. 23 3. 34 4. 23 3. 34 4. 23 4. 23 3. 34 4. 23 4. 23 4. 23 5. 34 6. 36 7. 11 7. 28 8. 39 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9	17. 10 17. 30 19. 45 16. 0 22. 5 21. 0 22. 5 21. 50 20. 20 19. 25 18. 0 17. 10 17. 30 32. 5	12. 34 12. 56 13. 12 13. 44 14. 0	1373 1377 1372 1383 1384 1393 1388 1394 1390 1410 1397 1400 1397 1400 1397 1400 1397 1400 1397 1400 1397 1400 1397 1400 1397 1400 1397 1400 1397 1400 1397 1400 1398 1401 1414 1410 1402 1398 1400 1398 1400 1398 1400 1398 1400 1398 1400 1399 1410 1409 1399 1400 1399 1400 1399 1400 1399 1400	Oct. 5 h 1. 16 2. 45 4. 22 5. 26 6. 20 7. 12 7. 36 8. 51 8. 42 11. 11 11. 55 12. 18 12. 43 13. 12 13. 39 15. 42 17. 39 19. 27 22. 26 23. 59	03024 03024 03057 03035 03032 03032 03033 02995 03003 02995 02915 02924 02917 02938 02925 02963 02955 02956		62 ·9 62 ·5 62 ·4 62 ·1	63 ·0 63 ·2 63 ·5
Oct. 5 o. o o. 9	20. 26. 40	Oct. 5 o. o o. 11	·1377 ·1382	Oct. 5	(†) •03015*	Oct. 5 o. o 1. o	63 1		11. 36	31. 55 29. 10 27. 55	14. 11 14. 25	*1409 *1405		and the second			

Solar Dec	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H.F. Magnet.	f rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. Grant V. F. Of V. F.	0-
12. 37   20. 23   13. 14   23   13. 17   23   13. 26   13. 56   13. 56   13. 56   14. 21   14. 39   14. 44   14. 54   15. 3   15. 9   15. 21   15. 38   15. 44   15. 54   15. 58   16. 4   15. 54   15. 58   16. 4   16. 13   16. 13   16. 28   16. 41   16. 13   16. 28   17. 21   17. 28   17. 28   17. 39   17. 56   17. 59   18. 12   18. 34   18. 55   19. 66   19. 26   23   22   23   22   24   25   25   25   25   25   25	2. 5   14. 45 1. 10   14. 55 3. 0   15. 19 3. 0   15. 25 3. 0   15. 54 3. 0   16. 8 3. 0   16. 8 3. 0   16. 45 16. 20 16. 45 17. 26 17. 26 17. 39 18. 14 19. 15 19. 34 19. 35 19. 35 19. 45 19. 45 19. 55 20. 20. 15 20. 20. 15 20. 20. 15 21. 25 21. 19 22. 26 23. 30 22. 26 23. 30 22. 27 24. 35 25. 30 26. 50 27. 26 28. 50 29. 30 20. 50 20. 20 20. 50 20. 50 20. 20 20. 50 20. 20 20. 20 20. 20 20. 20 20. 30 20. 20 20. 20 20. 30 20.	*1400 *1398 *1400 *1399 *1396 *1400 *1398 *1405 *1399 *1407 *1402 *1405 *1405 *1405 *1405 *1394 *1397 *1394 *1397 *1393 *1389 *1393 *1389 *1391 *1379	h m		h m	•	0	Oct. 6  n 0 6  n	23. 10 23. 30 22. 50 23. 30 22. 40	13. 45 14. 1 14. 20 14. 43 15. 3 15. 41 15. 57 16. 38	1386 1408 1418 1413 1408	Oct. 6 h 0. 13 1. 12 1. 536 3. 44 5. 42 7. 55. 49 7. 56. 49 10. 13. 25 15. 25 11. 25 1	·c2956 ·02948 ·02997 ·03007 ·03007 ·03022 ·02985 ·03008 ·02987 ·02977 ·02988 ·02970 ·02962 ·02973 ·02956 ·02936 ·02956 ·02959	1. 0 2. 0 3. 0 9. 0 20. 0	62°:1 63 62:5 63 62:6 64 62:4 63 62:2 63	3·5 3·5 4·0 4·0

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The me	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.  Naguet: Wagnet: Wagnet: Naguet: Nag
Oct. 6 15. 21 15. 27 15. 50 16. 7 16. 12 16. 26 16. 44 16. 59 17. 23 17. 36 17. 41 17. 56 18. 13 18. 23 18. 45 19. 0 19. 6 19. 17 19. 26 20. 38 20. 46 20. 38 21. 10 21. 21 22. 11 22. 32 22. 47 22. 59 23. 50 23. 59	20. 23. 40 24. 5 23. 40 25. 5 24. 30 24. 35 28. 0 28. 20 27. 20 28. 30 27. 5 30. 20 29. 50 31. 40 30. 50 28. 40 28. 25 25. 30 22. 0 21. 30 22. 0 23. 10 22. 0 23. 20 23. 20 24. 30 25. 30 27. 5 30. 20 29. 50 31. 40 30. 50 21. 30 22. 0 21. 30 22. 0 23. 10 23. 25 25. 50 25. 50 27. 30 27. 5 28. 20 27. 30 28. 20 29. 50 20. 20 21. 30 22. 0 23. 20 23. 50 26. 50 27. 30 28. 40 29. 50 29. 50 29. 50 29. 50 20. 20 20. 20 21. 30 22. 0 23. 20 25. 50 26. 50 27. 30 28. 40 29. 50 29. 50 20. 20 20. 20	Oct. 6 h 17. 28 17. 57 18. 22 18. 57 19. 20 20. 33 20. 40 20. 53 21. 20 21. 44 22. 25 22. 45 22. 52 23. 24 23. 50 23. 59	11414 11406 11391 11407 11398 11400 11395 11398 11391 11393 11380 11380 11380 11381	h m		h m		•	Oct. 7 2. 41 2. 48 2. 56 3. 17 3. 26 3. 55 4. 21 4. 48 4. 40 4. 43 4. 56 5. 12 5. 33 5. 56 6. 26 6. 37 7. 37 8. 11 8. 28 8. 38 8. 56 9. 14 9. 27 9. 53 10. 25 10. 34 11. 51 11. 51 11. 5	0, 7, 7, 20, 30, 30, 28, 50, 28, 25, 30, 35, 28, 30, 25, 10, 25, 20, 24, 30, 25, 0, 23, 30, 23, 30, 23, 35, 22, 50, 17, 0, 20, 20, 20, 20, 20, 20, 20, 20, 20,		1403 1396 1401 1400 1407	Oct. 7 11. 45 12. 0 12. 30 13. 35 15. 15 16. 10 17. 41 21. 59 22. 24 22. 49 23. 59	·02953 ·02960 ·02915 ·02938 ·02918 ·02919 ·02932 ·02916 ·02912 ·02943	h m	0 0
Oct. 7 o. 0 o. 10 o. 17 o. 26 o. 32 o. 37 o. 42 o. 56 i. 9 i. 26 i. 43 i. 54 c. 2 c. 9 c. 13 c. 23 c. 37	20. 29. 10 29. 25 30. 10 29. 50 30. 55 30. 5 31. 0 33. 40 30. 20 34. 40 30. 0 25. 40 24. 5 27. 10 27. 0 30. 30	Oct. 7 o. 0 o. 27 o. 35 o. 43 o. 56 o. 57 i. 6 i. 10 i. 27 i. 40 i. 44 i. 56 2. 20 2. 27 2. 32 2. 47 3. 3 3. 17	1381 1376 1381 1378 1386 1385 1389 1384 1382 1394 1388 1367 1396 1395 1397 1381	Oct. 7 o. 0 o. 41 1. 36 1. 42 2. 20 2. 41 3. 0 3. 24 4. 56 5. 28 5. 40 6. 6 8. 24 8. 39 9. 4 9. 14 9. 57	.03012	Oct. 7 I. 0 9. 0 21. 0 22. 0 23. 0	62 ·6 62 ·6 61 ·8 61 ·8	63 ·7 62 ·6 62 ·6	12. 9 12. 13 12. 33 13. 0 13. 14 13. 53 14. 11 14. 24 14. 56 15. 8 15. 13 15. 44 16. 11 16. 36	30. 0 32. 15 26. 40 21. 50 22. 30 21. 40	12. 54 13. 6 13. 19 13. 50 14. 44 14. 59 15. 8	1414 1406 1410 1404 1415 1405 1409 1400 1396 1398 1407 1411 1399 1394 1396 1400 1399 1403				

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	of mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	
0. 25 0. 42 0. 56 1. 1 1. 26 1. 29 1. 38 1. 41 1. 53 2. 29 3. 26 3. 33 3. 53 3. 53 4. 16 4. 33 4. 16 4. 51 5. 10	23. 0 23. 0 25. 15 24. 20 23. 50 25. 40 25. 0	Oct. 8 0. 12 22. 24 22. 40 22. 55 23. 12 23. 26 23. 40 23. 51 23. 59  Oct. 8 0. 0 0. 12 1. 55 1. 57 2. 10 2. 12 2. 58 3. 15 3. 35 3. 42 4. 12 4. 25 4. 25 6. 5 6. 5	1389 1409 1409 1399 1402 1411 1405 1417 1412 1420 1423	13. 50 14. 19 16. 10 19. 57 22. 53 23. 59	.02980	Oct. 8 o. o 1. o 3. o 9. o 21. o 23. o	62 ·5 62 ·4 61 ·6 61 ·1	63 ·8 64 ·4 63 ·5 62 ·3 62 ·0	5. 30 5. 39 5. 46 6. 28 6. 42 6. 46 7. 16 7. 40 7. 56 8. 20 8. 33 8. 58 9. 34 9. 43 10. 15 10. 44 11. 58 12. 41 12. 56 13. 20 13. 43 14. 15 14. 33 14. 33 14. 35 15. 25	25. 30 22. 0 22. 55 22. 25 24. 25 26. 30 23. 10 23. 55 24. 0 29. 20 29. 30 25. 10 23. 55 22. 20 21. 30 20. 40 22. 35 20. 40 21. 10 21. 40 21. 0 23. 25 23. 20 25. 5	19. 8 19. 27 19. 39 19. 44 20. 43 21. 36 22. 3 22. 27 22. 51 23. 6 23. 13 23. 43 23. 53	1414 1426 1415 1423 1414 1401 1404 1396 1398 1396 1400 1397 1405 1408 1405 1410 1404 1412 1408 1409 1408 1409 1400 1400 1401 1402 1406 1402 1406 1402 1406 1402 1406 1402 1406 1402 1406 1402 1406 1409 1399 1399 1399 1399 1399 1399 1399 13	h m		h m	0	0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	Of V. F. Magnet.
Oct. 8 20. 54 21. 3 21. 47 22. 26 22. 58 23. 11 23. 26 23. 30 23. 36 23. 59 Oct. 9 0. 17 0. 26 0. 48 1. 51 1. 58 2. 11 2. 24 2. 27 2. 41 2. 24 2. 27 2. 41 2. 25 3. 33 3. 59 4. 39 4. 58 5. 14 5. 25 5. 54 6. 33 6. 57 7. 22 7. 34 8. 44 9. 53 10. 26 10. 56 11. 11	17. 5 17. 25 15. 30	11. 37 12. 6 13. 3 13. 11 13. 23 13. 56 14. 11 14. 58 15. 27	1386 1399 1392 1391 1374 1366 1404 1410 1402 1407 1401	Oct. 9 0. 30 3. 54 4. 14 5. 12 9. 41 9. 53 10. 8 10. 55 12. 6 13. 11 14. 36 15. 22 16. 41 17. 12 18. 3 18. 33 19. 40 23. 59	**** **** **** **** **** **** **** **** ****	Oct. 9 0. 0 1. 0 2. 0 21. 0 22. 0 23. 0	62 °1 62 °0 61 °8 61 °4	62 ·6 62 ·0	11. 26 11. 37 12. 21 12. 34 12. 55 13. 11 13. 28 13. 38 13. 50 14. 6 14. 12 14. 12 14. 21 14. 39 14. 55	19. 5 18. 20 17. 0 16. 20 21. 55 24. 0 23. 55 26. 25 21. 0 22. 30 24. 10 25. 10 25. 10 25. 30 33. 25 34. 0 33. 5 33. 40 35. 20	Oct. 9 15. 59 16. 11 16. 28 17. 17. 36 17. 51 18. 26 18. 34 18. 55 19. 35 20. 13 21. 35 22. 14 22. 20 22. 26 23. 14 23. 23 23. 24 23. 59	*1405 *1405 *1398 *1400 *1390 *1382 *1381 *1418 *1420 *1411 *1403 *1409 *1398 *1389 *1387 *1379 *1381 *1379 *1381 *1379 *1384 *1380 *1389 *1389 *1389 *1389 *1389 *1389 *1389 *1389 *1389 *1389 *1389 *1389 *1389 *1389 *1389	h m		h m	0	O

Sola Sola	estern eclina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Of H. F. Magnet.	f mo-
23. 33  23. 52  23. 59  Oet. 10  0. 0 20. 2  0. 25  0. 29  0. 33  0. 53  0. 58  1. 9  1. 18  1. 24  1. 27  1. 39  1. 43  1. 51  1. 55  2. 7  2. 26  2. 47  3. 14  4. 11  4. 25  4. 53  5. 0 2  2. 47  3. 14  4. 11  7. 33  7. 53  8. 6  8. 13  8. 25  8. 40  8. 44  8. 52  8. 57  9. 3  9. 14  9. 31  9. 36  9. 51  9. 57	28. 0   0   27. 25   28. 30   28. 0   31. 25   33. 40   24. 55   24. 40   24. 55   26. 0   0   27. 30   28. 30   27. 30   38. 25   39. 20	Det. 10 00. 33 11. 25 11. 34 11. 41 11. 4	1404 1422 1413 1403 1398	Oct. 10 0. 0 1. 23 5. 56 6. 28 6. 53 7. 52 8. 11 8. 34 9. 12 10. 33 11. 42 12. 41 13. 6 13. 57 15. 14 16. 41 21. 44 23. 18 23. 23 23. 42 23. 59	·02857 ·02903 ·02900 ·02918 ·02903 ·02892 ·02842 ·02832 ·02866 ·02833 ·02822 ·02800 ·02805 ·02805 ·02863 ·02863	Oct. 10 0. 0 1. 0 2. 0 3. 0 9. 0 10. 45 21. 0 22. 0 23. 0	61:461:561:360:660:6	62 ·9 63 ·0 62 ·6 62 ·8 62 ·2 61 ·1 61 ·1	Oct. 10 h . 29 10. 53 11. 14 11. 52 11. 59 12. 11 12. 25 12. 42 13. 39 13. 53 13. 59 14. 28 15. 40 16. 21 16. 25 16. 42 16. 54 17. 10 17. 39 17. 57 18. 11 19. 53 19. 28 19. 44 19. 53 19. 28 19. 44 19. 53 19. 57 20. 11 20. 14 20. 18 20. 26 20. 38 20. 46 21. 11 21. 15 21. 22 21. 56 22. 34 22. 14 22. 21 22. 34 23. 37 23. 49	21. 55 21. 5 22. 40 22. 0 24. 20	Oct. 10 h 20. 21 21. 4 21. 28 22. 26 22. 52: 23. 6 23. 10 23. 21 23. 32 23. 53 23. 59	*1407 *1390 *1385 *** *1393 *1386 *1374 *1358 *1348 *1359 *1364 *1357	h m		h m	0	•

Greenwich Mean Solar Time.	Western Declina- tion	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	no-
Oct. 10 23. 55 23. 59	20. 33. 30 32. 25	h m		h m		h m	o	0	Oct. 11 15. 35 15. 56 16. 26	20. 26. 0 25. 35 27. 10	Oct. 11 h m 19. 9 19. 26 20. 26	•1406 •1399 •1391	h m		h m	0	0
Oct. 11 o. o o. 6 o. 21 o. 26 o. 31  1. 0 3. 0 4. 43 4. 56 5. 13 5. 26 5. 39 5. 52 6. 44 6. 53 6. 34 6. 56 7. 12 7. 15 7. 23 7. 43 8. 28 8. 44 8. 58 9. 9	20. 32. 25 33. 5 30. 0 29. 5 29. 40 (†) 29. 32* 22. 41* 15. 40 24. 0 24. 30 28. 10 26. 30 27. 0 25. 0 20. 25. 0 21. 30 17. 40 18. 0 17. 40 18. 0 16. 30 9. 50 7. 0 16. 50 17. 0 21. 40 20. 15	Oct. 11 o. o o. 23 1. o o. 23 1. o o. 3. 21 o. 3. 33 o. 3. 38 o. 3. 58 o. 4. 11 o. 5. 3 o. 58 o. 4. 41 o. 6. 15 o. 6. 38 o. 6. 56 o. 11 o. 7. 29 o. 8. 14 o. 8. 36 o. 53	·1387 ·1386 ·1417 ·1384 ·1392 ·1369 ·1401 ·1396 ·1401 ·1418	Oct. 11 o. o o. 22 1. o 3. o 3. 21 5. 6 6. 57 7. 22 7. 45 9. o 9. 44 9. 55 10. 43 13. 22 13. 49 16. 26 17. 36 22. 10 23. 19 23. 39 23. 59	·02863 ·02872 (†) ·02886* ·03025* ·03074 ·02943 ·02897 ·02906 ·02894 (†) ·02849* ·02782 ·02808 ·02832 ·02803 ·02802 ·02802 *** ·02817 ·02826	21. 0	60 .3 61 .1 91 .3 91 .3	62 °0 62 °1 62 °2 62 °2 61 °0 61 °0	16. 39 16. 56 17. 11 17. 18 17. 25 17. 41 18. 3 18. 43 18. 58 19. 9 19. 14 19. 34 20. 0 20. 19 21. 23 21. 39 21. 58 22. 23 22. 36 23. 4 23. 13 23. 24 23. 28 23. 41 23. 48 23. 55	26. 15 26. 30 28. 15 27. 45 27. 45 25. 30 26. 55 25. 55 26. 25 25. 15 26. 25 25. 15 25. 55 25. 15 25. 55 25. 15 25. 55 25. 15 25. 55 25. 15 25. 55 25. 15 27. 45 29. 30 30. 50 31. 10 33. 40 30. 50 29. 30	20. 42 20. 53 21. 4 21. 41 21. 47 22. 2 22. 17 22. 29 22. 39 22. 49 23. 26 23. 37 23. 44 23. 59	1395 1393 1393 1383 1386 1384 1394 1392 1385 1388 1371 1368 1371 1368 1371 1368					
9. 18 9. 26 9. 28 9. 36 9. 43 10. 4 10. 36 11. 48 11. 48 12. 20 12. 44 12. 59 13. 8 13. 15 13. 23 13. 33 13. 35 14. 11 15. 12 15. 17	36. 15 32. 20 31. 0 26. 0 23. 40 36. 20 28. 50 22. 10 23. 55 22. 5 19. 0 21. 45 22. 20 24. 0 22. 45 23. 0 22. 0 23. 0 27. 0 26. 0 27. 50	12.44 13.26	1384 1403 1388 1397 1393 1415 1391 1402 1405 1395 1395 1396 1396 1396 1402 1406 1405 1393 1394 1409						0. 8 0. 15 1. 0 2. 44 3. 24; 4. 14 4. 26 5. 10; 5. 43 5. 53 6. 32	27. 30 27. 40 27. 10 (†) 33. 20* 34. 0 27. 10 24. 20 25. 0 23. 25 23. 30 20. 21. 30 19. 49. 0 20. 9. 20 22. 40	Oct. 12 0. 0 0. 7 0. 9 0. 17 0. 23 1. 0 3. 0 4. 0 5. 11 5. 53 6. 11 6. 39 7. 25 7. 40 7. 59 8. 23 9. 9 9. 54 10. 26 10. 59	1352 1355 1356 1364 1398 1398 1391 1400 1402 1393 1372 1449 1401 1399 1392 1401 1400 1405 1403	Oct. 12 o. o o. 14 I. o 3. o 9. o 21. o	·02826 ·02848 (†) ·02863* ·02922* ·02846* ·02716*	9. 0 21. 0	60 · 3 ( 60 · 7 ( 60 · 9 ( 61 · 1 ( 60 · 5 ( 58 · 7 !	62 ·1 62 ·2 61 ·5 58 ·7 59 ·2

For the Horizontal and Vertical Forces, increasing readings denote increasing forces.

October 12. The V. F. photographic trace was too faint for use.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	rmo- ers.
10. 51 11. 10 11. 31 12. 14 12. 50: 13. 25 13. 42 14. 3 14. 11 14. 30 14. 38 15. 44 16. 36 16. 57 17. 39 17. 56 18. 11 18. 33 18. 51 19. 26 19. 53 20. 11 20. 23 20. 38 20. 44 20. 56 21. 21 21. 26	23. 0 24. 30 22. 50 24. 15 23. 50 24. 15 23. 45 24. 0 23. 10 24. 15 23. 45 24. 0 26. 20 25. 45 27. 30 (†)	Oct. 12 h	*1408 *1395 *1400 *1399 *1401 *1406 *1397 *1405 *1402 *1393 *1396 *1383 *1384 *1391 (†)	h m		h m	o	0	9. 37 9. 55 10. 25 10. 52 11. 7 11. 28 11. 36 12. 14 12. 34 13. 21 13. 42 13. 58 14. 23 14. 39 14. 51 15. 26 15. 40 15. 56 16. 43 17. 36 17. 39	20. 16. 20 19. 25 20. 15 16. 0 17. 55 18. 0 18. 10 22. 10 22. 30 24. 25 25. 30 19. 0 19. 30 25. 0 27. 30 29. 0 26. 30 24. 5 28. 55 28. 55 30. 20 26. 40 27. 5 25. 30 27. 5 28. 55 30. 20 26. 40 27. 5 25. 30 27. 5 28. 55	Oct. 13 h m 11. 38 11. 53 12. 8 12. 26 13. 56 14. 28 15. 51 16. 1 16. 53 17. 10 17. 41 17. 50 18. 3 18. 11 18. 33 18. 58 19. 51 20. 38 20. 51 20. 38 20. 51 20. 57 21. 39 22. 26	1402 1404 1418 1426 1401 1408 1405 1399 1411 1389 1392 1389 1408 1406 1408 1414 1410 1410 1414 1410 1399 1399 1402 1397 1398 1393 1393 1393 1393 (†)	h m		h m	0	0
Oct. 13  1. 0 2. 40 2. 52 3. 7 3. 18 3. 28 3. 36 3. 41 4. 19 4. 30 4. 36 5. 13 5. 25 5. 38 5. 51 6. 13 6. 26 6. 39 7. 11 7. 26 7. 51 8. 26 8. 41 8. 47	(†) 29. 43* 25. 20 24. 20 25. 0 23. 5 23. 10 22. 15 22. 25 21. 30 19. 10 21. 50 21. 15 21. 40 19. 45 19. 45 19. 45 19. 45 20. 10 23. 20 22. 55 23. 0 22. 5	Oct. 13  1. 0 2. 41 3. 12 3. 58 4. 14 4. 32 4. 47 5. 12 5. 41 6. 14 7. 16 7. 38 8. 25 8. 35 8. 35 8. 43 8. 56 9. 9 9. 25 9. 41 10. 8 10. 29 10. 53 11. 23	1404 1404 1415 1408 1407 1416	Oct. 13  1. 0 2. 54 8. 22 10. 32 11. 41 12. 20 13. 0 14. 11 15. 23 16. 11 20. 19 22. 23	(†) *02713* *02764 *02757 *02737 *02728 *02684 *02689 *02652 *02646 *02680 *02737 *02712 (†)	1. o 3. o	59 ·3 59 ·6 59 ·6	59 ·8 60 ·6	17. 58 18. 12 18. 38 19. 3 19. 27 19. 55 20. 9 20. 41 20. 43 20. 53 21. 4 21. 11 21. 26 21. 54 21. 57 22. 11 22. 22 Oct. 14	25. 25 24. 55 22. 0 22. 5 21. 0 *** 21. 25 20. 40 21. 30 21. 30 21. 30 21. 30 22. 55 22. 25 23. 45 23. 20 24. 45 24. 20 (†)	Oct. 14 0. 56 1. 21 1. 41		Oct. 14 1. 0 1. 58 7. 56	(†) •02744*	21. 0	60 1 59 6 57 8	61 ·0

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. E. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Oct. 14 h 1. 26 1. 58 2. 17 2. 29 2. 39 2. 41 2. 53 3. 33 3. 43 4. 55 5. 30 6. 53 7. 33 7. 40 8. 6 10. 41 11. 56 12. 8 12. 56 13. 27 13. 40 14. 50 15. 49 14. 50 15. 49 16. 51 18. 56 19. 51 19. 58 20. 11 20. 20 20. 40 21. 13 21. 18 22. 15 23. 12	20. 28. "0 27. 55 26. 5 25. 30 24. 10 21. 25 24. 25 23. 50 24. 10 21. 30 18. 50 21. 50 21. 50 21. 50 21. 55 22. 30 21. 15 22. 30 21. 55 22. 30 21. 55 22. 30 21. 55 22. 30 21. 55 22. 10 22. 55 22. 10 22. 55 22. 10 22. 55 22. 50 22. 45 22. 50	23. 2 23. 17	1403 1404 1409 1401 1406 1408 1401 1402 1413 1412 1415 1412 1418 1411 1418 1411 1419 1418 1406 1406 1406 1399 1401 1397 1394 1396 1394 (†)	Oct. 14 h 12. 41 14. 54 21. 14 23. 12	*02729 *02696 *02660 *02637 (†)		58°·0	58°-7	1. 23 1. 42 2. 32 2. 43 2. 55 3. 56 4. 16 4. 24 4. 33 5. 21 5. 23 6. 23 6. 23 6. 58 7. 8. 13 7. 10. 37 10. 37 10. 37 11. 20 11. 42 11. 56 13. 55 14. 23 14. 36 15. 23 16. 23 17. 24 17. 38 17. 56 23. 35 23. 45 23. 45	0 28. 0 28. 30 27. 55 26. 5 5 25. 55 23. 55 22. 30 22. 30 21. 40 20. 25 23. 15 22. 30 21. 40 20. 30 21. 10 21. 30 18. 50 23. 0 20. 0 17. 15 21. 25 21. 40 20. 30 22. 35 23. 55 22. 25 23. 55 22. 25 23. 55 22. 25 23. 55 22. 25 23. 55 23. 55 23. 55 24. 20 23. 55 23. 50 24. 20 25. 20 25	Oct. 15 h 2. 41 3. 1 3. 34 5. 23 5. 41 6. 26 6. 41 7. 39 8. 55 9. 33 9. 55 10. 16 11. 12 11. 35 12. 11 14. 34 15. 29 17. 41 21. 0 23. 14 23. 59	1405 1405 1412 1419 1415	Oct. 15 3. 34 11. 17 14. 19 18. 12 21. 9 23. 16 23. 59	**O2722 **O2697 **O2713 **(†) **O2664* **O2620 **O2624		58°-8 58 ·8 59 ·2 58 ·0 58 ·0 58 ·2	60 ·4 59 ·8 59 ·7 57 ·8 58 ·3
Oct. 15	(†) 20. 28. 25*	Oct. 15	(†) •1402*	Oct. 15 o. 58	(†) •02682	Oct. 15 0. 0 1. 0	58 .5	59·6 60·2		20. 30. 35 30. 40	Oct. 16	·1396 (†)	Oct. 16 0. 0 2. 0	•02624 •02663	Oct. 16 o. o 1. o	57 .8	58 •¢ 58 •¢

Greenwich Mean Solar Time. tiou	reen'	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.  Naguet: Wagnet: Wag	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	
15. 48 26. 2 15. 57 24. 16. 7 23. 5 16. 21 24. 4 16. 54 22. 16. 59 22. 17. 49 22. 1 18. 7 23. 5 18. 29 23. 5 18. 41 24. 2 19. 0 25. 2 19. 42 26. 2 19. 58 26. 2 20. 24 28. 2 20. 41 25. 2 21. 36 25. 2 21. 36 25. 2 22. 6 26. 22. 14 25.	30   1.59   3.13   4.59   3.47   5.60   5.55	1405* 1411 1414 1410 1412 1404 1416 1416 1416 1416 1418 1410 1418 1410 1418 1407 1406 1409 1407 1406 1409 1407 1406 1401 1408 1420 1420 1420 1420 1420 1420 1420 1420	10. 24 11. 53 12. 35 13. 11 15. 41 19. 54 21. 53 23. 59	'02697 '02658 '02663 '02697 '02700 '02717 '02688	Oct. 16 h m 2. 0 3. 0 9. 0 21. 0 22. 0 23. 0	58 · 8 59 · 0 58 · 9 60 · 0 58 · 5 59 · 3 59 · 6 61 · 0 59 · 3 60 · 0	23. 59 Oct. 17	21. 50 21. 5 22. 50 20. 15 21. 50 21. 0 22. 45 21. 40 25. 0 25. 5 20. 50 23. 5 22. 50 23. 5 22. 50 21. 50	14. 24 14. 37 14. 43 14. 55 15. 6 15. 17 15. 41 18. 4 19. 26 19. 51 20. 8 20. 41 21. 8 21. 37 21. 56 22. 1	1406 1406 1399 1405 1405 1406 1419 1416 1419 1416 1416 1418 1413 1418 1413 1418 1413 1418 1411 1413 1409 1411 1411 1413 1408 1416 1411 1411 1411 1411 1411 1411 141	n m Oct. 17 o. 0 4. 56 8. 43 9. 56 14. 11 14. 42 18. 10 21. 12 22. 40	·02688 ·02726 ·02718 ·02695 ·02669 ·02700 ·02693 (†)	1. 0 2. 0 3. 0 9. 0 21. 0 22. 0 23. 0	59 · 3 · 6 · 9 · 9 · 9 · 9 · 9 · 9 · 9 · 9 · 9	60 · 6 60 · 6 60 · 5 60 · 0 60 · 1 60 · 5

Greenwich Mean Solar Time Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
Oct. 17 18. 3 20. 23. 40 18. 12 23. 0 18. 33 24. 0 18. 42 23. 55 19. 8 26. 0 ***  20. 8 26. 0 ***  21. 6 24. 5 21. 47 29. 55 21. 58 29. 55 22. 14 27. 55 22. 28 0 (†)	h m		h m		h m	0	0	Oct. 18 h m 12. 38 12. 43 13. 4 13. 17 13. 38 13. 44 13. 56 14. 11 14. 22 14. 29 14. 38 14. 41 15. 6 15. 12	20. 20. 35 20. 35 21. 30 21. 40 22. 45 21. 0 18. 40 19. 5 19. 0 19. 45 24. 50 30. 50 29. 55 29. 55	Oct. 18 17. 9 17. 26 17. 44 18. 10 18. 36 19. 38 19. 36 20. 39 20. 51 21. 8 21. 29 22. 12 22. 44 22. 59	1435 1431 1424 1420 1422 1416 1415 1417 1408 1409 1401 1398 1397 1406	h m		h m	0	0
9. 56 17. 0 10. 8 17. 40 10. 17 19. 5 10. 25 18. 45 10. 33 19. 15 10. 43 18. 20	10. 9 10. 26 10. 41 11. 3 11. 17 11. 29 11. 41 11. 55 12. 6 12. 22 13. 41 13. 57 14. 24 14. 36 15. 6 15. 6 15. 40 15. 40 16. 10	(†) 1395 1395 (†) 1407 1401 1413 1412 1416 1414 1417 1409 1414 1407 1414 1410 1417	Oct. 18  0. 35 1. 47 2. 41 6. 45 8. 54 10. 40 11. 14 11. 41 12. 23 15. 42 16. 55 17. 39 19. 57 22. 55 23. 59	(†) .02705 .02718 .02742 .02735 .02740 .02723 .02704 .02714 .02670 .02680 .02717 .02719 .02743 .02742	Oct. 18 o. o 1. o 2. o 3. o 9. o 21. o 22. o 23. o	59 ·6 59 ·7 59 ·8 59 ·6 60 ·6	61 ·2 61 ·2 61 ·2 61 ·6 61 ·6 61 ·6 61 ·6	16. 18 16. 26 16. 30 16. 41 16. 55: 17. 13 17. 24 17. 28  17. 55 18. 13 18. 33 18. 51 19. 17 19. 54 20. 3 20. 36 20. 52 20. 59 21. 9 21. 33 21. 56 22. 11 22. 24 22. 36 22. 41 22. 35 23. 57 23. 59 Oct. 19	25. 20 25. 20 23. 55 24. 10 23. 10 24. 20 23. 20 23. 25 24. 20 23. 25 23. 30 24. 20 23. 35 24. 20 23. 35 24. 20 24. 55 27. 30 28. 45 26. 55 27. 10 29. 40 30. 0 29. 25 29. 10 29. 45 29. 15 29. 0	Oct. 19 0. 0 0. 25 0. 41 0. 59 1. 17 1. 41 1. 56	1398 1403 1409 1409 1404 1414	Oct. 19 o. o o. 51 4. 25 5. 19 6. 12 7. 40	*02742 *02760 *02820 *02816 *02823 *02813	Oct. 10 0. 0. 0. 1. 0 3. 0 9. 0 21. 0 22. 0 23. 0	60 ·6 60 ·8 61 ·1 60 ·8 60 ·8	62 ·5 62 ·5 62 ·5 61 ·8 62 ·2

Greenwich Mean Solar Time. tion.	Greenwich Mean Solar Time. Horizontal Force in	H. F. uncorrected for Temperature.  Greenwich  Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f rmo-	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readi of There mete	no-
Oct. 19 1. 57 2. 20 2. 41 2. 53 3. 12 2. 53 3. 24 3. 43 25. 10 5. 4 22. 25 5. 11 22. 30 5. 28 17. 55	2. 21 '1 2. 56 '1 4. 11 '1 4. 36 '1 5. 3 '1 5. 13 '1 5. 26 '1 5. 45 '1 6. 10 '1	Oct. 19 7. 59 1407 13. 11 1407 13. 41 1411 17. 0 1407 21. 15 1411 23. 59 1418 1423 1416	*02812 *02803 *02795 *02787 *02797 *02778	h m	0	0	Oct. 19 21. 56 22. 10 22. 26: 22. 40 22. 56 23. 2 23. 8 23. 14 23. 24 23. 59	20. 24. 25 24. 10 26. 15 26. 0 27. 35 27. 20 28. 20 28. 0 27. 15 28. 35	h m		h m		h m	0	0
9. 43 21. 10 9. 55 22. 30 10. 3 22. 50 10. 10 21. 55 10. 21 22. 55 10. 43 22. 15 10. 51 21. 20 11. 39: 24. 5 12. 5 23. 30 12. 39 23. 25 12. 57 24. 10 13. 37 24. 20 13. 41 24. 0 13. 57 24. 10 14. 18 23. 45	7. 20 '1 7. 49 '1 8. 3 '1 8. 19 '1 8. 39 '1 8. 55 '1 9. 26 '1 9. 38 '1 10. 18 '1 10. 43 '1 10. 43 '1 11. 45 '1 11. 45 '1 12. 54 '1 13. 18 '1 14. 6 '1 14. 56 '1 15. 37 '1 16. 23 '1 16. 23 '1 17. 40 '1 17. 40 '1 18. 40 '1 19. 51 '1 20. 23 '1 20. 59 '1 23. 14 '1	1413 1420 1412 1419 1420 1413 1415 1411 1407 1419 1414 1416 1412 1416 1413 1418 1413 1418 1411 1415 1412 1416 1424 1411 1410 1407 1403 1406					Oct. 20 0. 0 0. 8 0. 19 0. 42 1. 26 2. 10 2. 51 3. 41 3. 56 4. 45 5. 45 6. 50 7. 24 7. 38 8. 14 8. 30 11. 32 11. 43 11. 56 12. 11 13. 10 13. 24 13. 59 14. 17 14. 31 14. 50 14. 55 15. 2 15. 11 15. 28 15. 41 15. 56 16. 38 16. 52 17. 30 18. 13 18. 22 18. 41 19. 29 19. 41 20. 6	20. 28. 35 28. 35 27. 50 25. 40 26. 20 25. 45 24. 15 23. 0 22. 55 23. 30 22. 30 22. 45 23. 0 22. 45 23. 0 22. 45 23. 0 21. 20 23. 0 21. 20 23. 30 22. 20 23. 0 21. 20 23. 30 22. 20 23. 0 21. 20 23. 30 22. 20 23. 0	19. 19 20. 7 21. 26 21. 59		Oct. 20 0. 0 1. 25 2. 43 4. 55 8. 52 14. 39 18. 8 21. 39	·02778 ·02783 ·02817 ·02823 ·02800 ·02782 ·02780 (†)	1. 0 2. 0 3. 0	61 ·0 61 ·4 61 ·2 61 ·5 60 ·9 60 ·8	62 ·6 62 ·4 62 ·4 62 ·6

Greenwich Mean Solar Time, tion tion	Solar Solar	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
21. 33 22. 21. 51 23. 21. 57 22. 22. 11 24. 22. 18 23. 22. 34 24. 23. 23 25.	" h m . 30 . 35 . 25 . 10 . 45 . 40 . 30 . 55		h m		h m	0	0	Oct. 21 h m 19. 24 19. 33 19. 40 19. 53 20. 25 20. 39 20. 44 20. 54 21. 6 21. 33 21. 39 22. 3	20. 22. 30 23. 30 23. 5 24. 0 24. 0 22. 25 22. 35 22. 20 23. 0 21. 50 22. 20 22. 20	h m		h m	,	h m	0	O
1. 28: 26. 1. 41 27. 1. 57 26. 3. 38 23. 3. 43 24. 3. 49 23. 4. 13 22. 4. 23 23. 5. 28 21. 5. 40 22. 6. 35 22. 6. 56 19. 7. 12 21. 7. 26 20. 7. 56 22. 8. 6 21. 8. 26 22. 8. 45 22. 9. 3 22. 9. 46 22. 11. 7 23. 11. 48 22. 11. 59 23. 11. 48 22. 11. 59 23. 12. 39 22. 13. 3 24. 14. 26 23. 15. 18 20. 15. 53 12. 16. 56 25. 17. 33 22. 18. 3 21. 18. 50 22.	. 0   1. 29 . 30   1. 41 . 20   2. 11 . 30   3. 44 . 20   3. 56 . 35   4. 13 . 0   4. 18	1401 1406 1413 1406 1413 1406 1413 1406 1411 1405 1410 1403 1414 1410 1419 14408 1412 1405 1414 1410 1414 1410 1414 1411 1419 1414 1419 1414 1419 1414 1419 1414 1419 1414 1407 1414 1419 1414 1407 1404 1409 1407 1400	Oct. 21 0. 0 4. 15 8. 41 13. 13 17. 34 20. 12 21. 57 23. 59	*02782* (†) *02797 *02800 *02764 *02760 *02742			62 0	22. 28 23. 44 23. 56 23. 59 Oct. 22 0. 0 0. 30 0. 55 1. 22 3. 44 6. 5; 6. 54 8. 25 8. 33 8. 49 9. 3 11. 44 12. 9 13. 32 14. 36 15. 4 15. 20 15. 39 16. 8 16. 57 17. 18 17. 18 17. 18 19. 39 19. 56 20. 33 21. 6 21. 39	23. 20 23. 0 22. 40 23. 0 22. 30 26. 55 25. 50 24. 40 23. 10 23. 10 21. 55 19. 45 20. 20 20. 55 21. 35 21. 35 21. 35 21. 35 21. 30 22. 10 21. 30 22. 10 23. 10 21. 30 22. 10 23. 10 21. 30 22. 50 23. 10 21. 35 22. 10 23. 10 21. 35 22. 10 23. 10 24. 40 25. 50 26. 55 27. 0 28. 0 29. 55 29. 20 20. 55 21. 35 21. 35 22. 10 23. 10 24. 40 25. 50 26. 55 27. 0 27. 0 28. 0 29. 20 29. 50 29. 50 20. 50 20. 50 20. 50 20. 50 20. 50 20. 50 20. 50 20. 5	Oct. 22 o. c o. 15 o. 32 1. 6 2. 13 4. 9 6. 11 12. 2 12. 24 12. 53 13. 23 14. 44 15. 22 15. 49 16. 39 19. 56 17. 16 19. 29 20. 58 21. 56 22. 4 22. 56 23. 3 23. 24 23. 39 23. 59	1419 1412 1416 1416 1415 1414 1418	Oct. 22 0. 0 9. 42 1. 55 3. 29 8. 41 14. 52 19. 42 22. 0 23. 32 23. 59	·02742 ·02732 ·02784 ·02805 ·02794 ·02660 ·02612 ·02619	1. 0 2. 0 3. 0 9. 0 11. 0 11. 30 21. 0 22. 0	60 .7 61 .2 61 .4 61 .4 61 .0 60 .5 60 .5 58 .8	63 °0 62 °9 63 °0 61 °8 61 °2

Greenwich Weatern Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.			Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. E. Magnet.	f rmo-
Oct. 22 h m 21. 49 21. 52 22. 1 22. 51 22. 56 23. 8 23. 26 23. 36 23. 43 23. 43 23. 59 26. 0	h m	,	h m		<b>в</b> 13	0	0	Oct. 23 h 10. 37 10. 57 11. 26 11. 38 11. 56 12. 8 12. 13 12. 21 13. 10 13. 38 13. 58 14. 6	20. 19. 0 21. 55 22. 0 23. 5 23. 10 23. 55 22. 50 23. 0 22. 25 22. 25 21. 45 22. 30	Oct. 23 h m 16. 55 17. 26 17. 51 17. 58 18. 8 18. 26 18. 33 18. 39 18. 41 18. 48 18. 56	1418 1416 1409 1414 1410 *** 1415 1409 1417 1417	h m		h m	0	۰
7. 16	15. 49 16. 33	1415 1416 1414 1419 1418 1427 1417 1419 1447 14419 14426 14419 1428 1385 1387 1384 1396 1409 1398	Oct. 23 o. o. 31 3. 14 5. 10 5. 43 7. 11 7. 55 9. 56 10. 12 11. 0 14. 25 14. 41 14. 56 18. 26 22. 55 23. 6 23. 12 23. 47 23. 59	*02619 *02622 *02680 *02732 *02752 *02764 *02733 *02718 *02723 *02725 *02717 *02722 *02680 *02665 *02680 *02667 *02675	Oct. 23 o. o. 1. o. 2. o. 3. o. 9. o. 21. o. 22. o. 23. o.	59 °0 59 °8 59 °9 60 °0 59 °7 59 °8	60 ·3	14. 23 14. 33 14. 52 15. 22 15. 33 15. 53 16. 3	23. 0 20. 55 22. 25 22. 10 21. 20 23. 0 22. 15 22. 55 22. 20 23. 30 20. 15 20. 45 19. 45 20. 30 21. 40 22. 5 22. 45 23. 30 23. 10 23. 55 23. 20 24. 0 23. 25 25. 0 23. 40 26. 10 25. 35 25. 40 26. 10 27. 50 21. 15 21. 35 21. 10 22. 10 21. 15 21. 35 21. 0 22. 10 21. 15 21. 35 21. 0 22. 10 22. 10 22. 10 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55	19. 7 19. 18 19. 26 19. 33 19. 36 19. 59 20. 33 20. 56 21. 10 21. 38 21. 53 22. 53 23. 4 23. 9 23. 26 23. 44 23. 59	1414 1418 1410 1422 1410 1416 1409 1407 1404 1408 1404 1402 1411 1411 1387 1396					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of N. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther meter meters.	mo-
22. 55 23. 19 23. 23 23. 29 23. 43 23. 59	20. 27. 0 25. 15 30. 30 29. 55 27. 0 26. 0	h m		h m		h m	0	0	Oct.24 h m 12.57 13.9 13.44 14.23 14.33 14.41 14.56 15.14	20. 21. 20 20. 50 26. 0 20. 10 20. 5 21. 0 20. 0 20. 45	Oc 24 16.37 16.42 16.51 17.49 18.51 19.26 19.41	1412 1419 1411 1424 1406 ***	h m		h m	0	0
Oct.24 0. 0 0. 24 0. 59 1. 26 1. 38 1. 54 2. 13 2. 23 2. 38 2. 47 2. 56 3. 4 3. 11 4. 10 4. 18 4. 24 4. 35 4. 42 5. 39 5. 53	20. 26. 0 24. 50 26. 50 25. 20 25. 55 25. 15 25. 30 27. 20 26. 20 26. 50 26. 45 26. 45 26. 5 25. 10 26. 30 25. 30 25. 30 25. 30 25. 30 26. 30 25. 30 26. 30	Oct. 24 0. 0 0. 19 1. 32 1. 56 2. 21 2. 33 2. 44 3. 3 3. 23 3. 31 3. 59 4. 13 4. 23 4. 52 5. 6 5. 23 6. 16	1396 1406 1417 1413 1419 1414 1420 1411 1411 1413 1413 1410 1418 1417	Oct. 24 O. O I. 45 2. 26 3. 16 5. 56 7. 33 7. 55 9. 57 I2. 42 I3. 4 I3. 34 I4. 4 I5. 24 I7. 37 I8. II 23. 59	.02675 .02697 .02724 .02733 .02734 .02703 .02695 .02696 .02683 .02694 .02683 .02669 .02647	Oct. 24 o. o 1. o 2. o 3. o 9. o 21. o 22. o 23. o	59 ·8 60 ·2 60 ·2 60 ·1 59 ·0 59 ·3	60 · 5 60 · 8 61 · 0 61 · 5 60 · 4 59 · 6 59 · 9 59 · 9	15. 21 15. 25 15. 33 16. 4 16. 13 16. 32 16. 37 16. 51 16. 58 17. 3 17. 3 17. 43 17. 59 18. 9 18. 21 18. 33 18. 50 18. 50 19. 21 19. 44 20. 3	22. 20 22. 20 23. 50 21. 0 22. 5 22. 10 20. 40 23. 35 21. 25 20. 20 20. 45 22. 50 22. 0 21. 20 23. 30 22. 5 22. 5 22. 5 22. 5 22. 20 23. 35	19. 53 20. 2 20. 38 21. 3 22. 29 22. 47 23. 28 23. 59	1417 1410 *** 1412 1406 *** 1401 *** 1408 1407					
6. 13 6. 23 6. 28 6. 48 6. 56 7. 25 7. 37 7. 41 7. 52 8. 11 8. 24 8. 53 9. 36 9. 50 10. 9:	24. 20 23. 50 22. 45 21. 30 23. 0 22. 20 12. 20 16. 0 17. 15 17. 0 18. 20 17. 5 20. 30 21. 55 19. 40 19. 50 21. 0	6. 32 6. 34 6. 59 7. 14 7. 29 7. 38 7. 45 7. 54 8. 24 9. 14 10. 6 10. 24 11. 45 11. 45 12. 18 12. 43	1417 1411 1412 1409 1415 1411 1426 1440 1433 1435 1427 1409 1410 1415 1417 1410 1407 1408						20. 51 21. 25 21. 38 21. 53 21. 58 22. 9 22. 20 22. 36 22. 57 23. 7 23. 10 23. 12 23. 26 23. 56 23. 59	22. 10 ***  22. 45 21. 25 21. 25 21. 50 23. 20 24. 30 24. 10 24. 40 26. 50 27. 30 28. 30 26. 0 27. 10 26. 40							
10. 23 10. 36 10. 41 11. 4 11. 21 11. 25 11. 56 12. 26 12. 41	21. 55 20. 55 21. 0 20. 15 22. 55 23. 0	12. 58 13. 24 13. 59 14. 42 14. 59 15. 16 15. 40	1417 1403 1411 *** 1412 1404 1409 1413 ***						Oct.25 o. o o. 25 o. 35 o. 43 o. 55 1. 3 1. 22 1. 39	20. 26. 40 30. 50 30. 15 26. 20 25. 10 25. 5 26. 30 25. 30	Oct. 25 o. o o. 23 o. 40 i. 7 i. 21 i. 41 i. 53 2. 3	1407 1398 1397 1408 1407 1417 1411	Oct. 25 o. o 2. 44 4. 42 4. 58 5. 14 5. 52 6. 47 8. 12	•02672	1. 0 2. 0 3. 0 9. 0 21. 0 22. 0	59 ·5 59 ·6 59 ·6 59 ·6 60 ·2 60 ·1 59 ·9	60 ·2 60 ·4 59 ·9 59 ·7 61 ·7 60 ·8

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Of H. F. Magnet.	
Oct. 25 h 1. 41 1. 45 2. 13 2. 25 2. 40 2. 48 2. 55 3. 26 3. 41 3. 53 3. 56 4. 43 5. 11 5. 28 6. 29 7. 19 7. 39 7. 55 8. 36 8. 47 8. 53 9. 7	20. 25. 45 26. 45 26. 45 26. 0 27. 5 25. 50 23. 10 23. 20 24. 5 21. 20 21. 45 23. 0 23. 55 24. 0 23. 40 8. 20 17. 30 22. 55 18. 40 18. 5 19. 30 21. 20 21. 35 19. 45 19. 55 19. 45 19. 55 13. 30 23. 20	Oct. 25 h 2. 25 2. 32 2. 39 2. 51 3. 25 4. 26 4. 453 5. 37 5. 56 6. 39 6. 56 6. 39 6. 56 7. 20 7. 59 8. 36 8. 42 9. 35 9. 54 11. 7	1400 1407 1404 1414 1403 1415 ***  1411 1414 1409 1394 1426 1410 1414 1407 1408 1419 1415 1417 1416 1417 1403 1408 1414 1403 1408 1404 1442 1414	Oct. 25 n 8. 34 g. 3 g. 26 10. 27 11. 22 11. 45 12. 29 12. 42 13. 8 13. 42 15. 43 19. 11 22. 14 23. 59	.02678 .02678 .02653 .02664 .02672 .02662 .02663 .02675 .02658 .02702 .02712 .02700 .02700	h m	0	•	Oct. 25 h m 16. 17: 16. 27 16. 44 17. 3 17. 13 17. 23 17. 56 18. 6 18. 21 18. 36 18. 57 19. 18 19. 39 19. 51 19. 55 19. 58 20. 4 20. 13 20. 26  20. 42 20. 56 21. 18 21. 29 21. 38 21. 43 21. 56	20. 22. 30 21. 0 23. 10 23. 50 23. 55 22. 15 23. 20 24. 45 23. 40 24. 30 27. 50 25. 10 24. 10 23. 0 24. 10 22. 30 23. 25 22. 10 ***  23. 0 24. 30 ***  24. 15 22. 40 24. 30 ***  24. 15 27. 0 27. 0	Oct. 25 h 20. 56 20. 56 21. 33 21. 47 21. 56 22. 29 23. 59	*1402 *1398 *1396 *1400 *** *1396 *1401	h m		h m	O	0
9. 26 9. 44 9. 57 10. 23 10. 53 11. 7 11. 32 11. 43 12. 18 12. 29 12. 39 13. 32 13. 49 14. 15 14. 23 14. 28 14. 41 14. 56 15. 7 15. 11 15. 24 15. 39 16. 8	20. 20 19. 50 22. 30 22. 50 23. 25 21. 10 20. 20 25. 10 23. 30 23. 25 21. 15 28. 55 28. 20 26. 45 23. 50 22. 50 21. 30 22. 40 21. 30 22. 10 23. 10 23. 0	13. 14 14. 7 15. 8 15. 20 15. 55 16. 5 16. 5 17. 26 18. 6 18. 21 18. 39 19. 3 19. 23 19. 47 19. 59	1420 1412 1422 1411 1420 1405 1406 1407 1411 1406 1406 1405 1405 1398 1401 1397 1406 1401 1406 1402 1407 1406 1401 1406 1401 1406 1401 1406						Oct. 26 o. o o. 19 1. 39 1. 48 2. 3 2. 10 2. 26 3. 32 3. 41 3. 58 4. 9 4. 38 5. 13 5. 56 7. 3 7. 23 7. 38 8. 3 8. 10 8. 25 8. 50 9. 26 10. 6	20. 27. 0 (†) 27. 0 26. 30 26. 5 25. 15 24. 30 27. 0 25. 0 20. 0 18. 40 22. 10 23. 55 23. 5 23. 0 22. 0 22. 10 20. 30 20. 30 19. 30 20. 0 22. 40 22. 10	Oct. 26 o. 0 o. 18 o. 29 o. 51 2. 6 2. 28 3. 3: 3. 55 4. 28 7. 0 7. 22 7. 33 7. 50 8. 8 8. 23 10. 9 13. 7 21. 0	1397		· 22700 · 02738 · 02762 · 02757 · 02710 · 02700 · 02632 · 02609 (†) · 02593*	2. 0 3. 0 6. 0 7. 25 8. 0 9. 0 10. 0 21. 0	60 · 3 60 · 1 59 · 9 60 · 0 60 · 2 57 · 4 57 · 5	61 ·7 60 ·8 60 ·5 60 ·4 60 ·8 60 ·8 57 ·1

Greenwich Mean Solar Tirae,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Read Of Ther meter the Magnet.	mo-
Oct. 26  10. 18  10. 43  11. 13  12. 43  13. 30	20. 22. 50 22. 15 22. 50 21. 55 23. 0	h m		h m		h m	0	0	Oct. 27 h m 22. 14 22. 26 22. 36 23. 59	20. 22. 55 23. 0 24. 20 26. 10	h m		h m		h m	0	٥
14. 18 21. 0 23. 52 23. 59	22.50 (†) 20.51* 26.30 26.30					0	,		Oct. 28 c. 0 o. 38 1. 58 2. 10 2. 27	20. 26. 10 26. 45 26. 15 26. 40 26. 0	Oct. 28 o. o o. 56 2. 5 2. 16 2. 32	1402 1413 1413 1417	Oct. 28  o. 30 o. 59 5. 29 .9. 34	(†) •02673* •02696 •02663 •02640	5. 45 9. 0 21. 0	60 ·5 59 ·7 58 ·9 58 ·3	60 ·0 59 ·5 59 ·5
o. 16 o. 58 2. 10 2. 49 3. 26 4. 3 5. 13 5. 58 6. 23 6. 39 7. 27 8. 39 9. 23 9. 44 10. 6	20. 26. 30 26. 45 (†) 27. 5 24. 45 22. 45 23. 10 21. 55 22. 50 21. 25 22. 15 22. 15 22. 55 21. 30 18. 10	Oct. 27  1. 0 1. 44 2. 42 3. 32 4. 8 4. 26 5. 7 5. 47 6. 13 7. 41 9. 9 9. 52 10. 18 10. 56 13. 21	(†) '1409* '1414 '1417 '1410 '1412 '1409 '1408 '1415 '1416 '1413 '1415 '1410 '1419 '1411 '1410	Oct. 27  1. 0 3. 0 9. 0 17. 20 22. 48	(†) •02556* •02602* •02641* •02683 •02672 (†)	1. 0 2. 0 3. 0 5. 0 6. 0 7. 45 9. 0	58 · 5 58 · 5 59 · 2 59 · 4 59 · 7 59 · 5	58 ·7 59 ·4 59 ·4 59 ·8 60 ·0	2. 39 3. 55 5. 3 8. 21 8. 42 10. 23 12. 53 18. 21 20. 0 22. 8 22. 53 22. 57 23. 9 23. 34 23. 48 23. 57 23. 59	26. 0 24. 55 25. 10 23. 50 23. 20 23. 15 22. 10 22. 40 21. 25 24. 0 25. 10 24. 40 25. 40 25. 30 26. 50 26. 30	3. 29 3. 50 4. 16 4. 32 4. 43 6. 11 6. 29 7. 0 8. 2 12. 41 18. 23 19. 32 20. 14 22. 38 23. 20 23. 59	1417 1414 1418 1416 1420 1424 1422 1422 1410 1414 1412 1407 1400 1404	17. 11 20. 58 23. 59	*02628 *02612 *02595	23. 0	57 .8	38 °O
10. 59 11. 14 11. 26 11. 38 11. 50 12. 23 12. 41 13. 1 13. 52 14. 13 14. 39 15. 4 15. 20 15. 56 16. 38 17. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 17. 56 18. 14 18. 28 18. 51 19. 14 20. 56 21. 14 21. 23 21. 38 22. 8	21. 25 20. 55 22. 30	21.51 22.32	11407 11413 11409 11414 11417 11416 11417 11410 11400 11400 11402						Oct. 29 o. o o. 7 o. 55 i. 54 3. 24 4. 16 4. 55 5. 13 5. 59 6. 15 7. 26 7. 41 7. 58 8. 9 8. 26 9. 12 9. 56 io. 44 io. 56 ii. 51 i2. 11 i2. 26 i2. 40 i3. 6	20. 26. 30 26. 20 27. 0 26. 0 24. 0 24. 30 23. 55 24. 5 24. 0 24. 0 26. 5 21. 0 22. 30 23. 55 22. 20 22. 55 20. 50 21. 0 18. 15 24. 5 20. 30	Oct. 29 o. 0 o. 14 o. 23 2. 13 2. 55 6. 26 7. 4 7. 21 7. 43 8. 21 8. 41 9. 10 9. 33 9. 50 10. 11 11. 35 11. 51 11. 51 11. 51 11. 35 11. 51 12. 9 13. 48 16. 13 17. 3 17. 32 17. 59	1403 1406 1403 1413 1410 1421 1414 1415 1407 1416 1409 1420 1413 1414 1423 1417 1429 1420 1416 1417 1409	12.59	*02595 *02582 (†) *02587* *02602* *02609*	3. o 9. o 21. o	58 ·8 58 ·8 58 ·9 58 ·2 58 ·8 58 ·7	58 ·9 59 ·0 58 ·8 59 ·1

For the Horizontal and Vertical Forces, increasing readings denote increasing forces. October 27. The greater part of the V. F. photographic trace was too faint for use.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	(		Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Thei met	of rmo-
Oct. 29 13. 12 13. 20 13. 29 13. 35 14. 15 14. 49 15. 50 15. 56 16. 14 16. 39 17. 6 17. 21 17. 43 18. 18 18. 53 19. 14 19. 30 20. 11 20. 39 21. 21 21. 42 22. 20 22. 28 22. 52 23. 3 23. 14 23. 34 23. 48 23. 59	19.55 22. 0 21.20 21.55 20. 5 20. 0	Oct. 29 18. 36 18. 57 19. 23 19. 46 20. 24 20. 59 21. 10 21. 58 22. 58 23. 27 23. 59	*1418 *1424 *1421 *1403 *1406 *1403 *1399 *1394 *1404 *1385	h m		h na	0	0	Oct.30 h m 12.39 12.42 12.48 13.3 13.23 13.36 13.42 13.51 14.16 14.29 15.11 15.29 15.50 15	22. 50 23. 0 19. 0 12. 45 27. 0 22. 0 21. 10 24. 0 25. 50 28. 25 28. 30 24. 50 22. 55 30. 40 43. 35 41. 45 41. 55 39. 30 36. 15 36. 55 33. 10 34. 25 26. 10 26. 0 24. 50	Oct. 30 15. 32 16. 8 16. 32 17. 8 17. 25 17. 33 17. 56 18. 11 18. 19 18. 39 19. 25 19. 56 20. 56 21. 53 21. 56 22. 17 22. 24 22. 32 22. 40 22. 42 22. 46 22. 55 22. 55 22. 55 22. 55 23. 6 23. 16	1420 ***  1407 1423 ***  1417 1415 1417 1398 1409 1403 1427 1409 1412 1401 1404 1362 1376 1395 1395 1396 1395 1399 1391 1398 1391 1398 1391 1398 1391 1398 1391 1398 1391	h m		h m	0	0
Oct. 30 0. 0 0. 12 0. 23 0. 53 0. 58 1. 7 1. 42 3. 6 3. 23 3. 47 4. 9 4. 17 4. 41 6. 13 10. 18 10. 34 10. 47 11. 3 11. 28 11. 39 11. 53 12. 3	23. 15 22. 20 20. 40 20. 55 18. 10 19. 30 20. 45 21. 5	11. 16 11. 48 12. 8 12. 26 12. 53	·1385 ·1396 ·1394 ·1397 (†) ·1398 ·1397 ·1406 ·1412 ·1415 ·1429 ·1415 ·1407 ·1432 ·1404 ·1407 ·1416 ·1436 ·1397	14. 8 14. 43 15. 22 15. 53 16. 22 16. 55 18. 7 18. 54 19. 56 22. 4	·02577 ·02597 ·02663 ·02628 ·02643 ·02583 ·02578 ·02526 ·02540 ·02517 ·02534 ·02555 ·025526 ·02552 **** ·02540	9. 0 21. 0 22. 0	59 ·4 60 · 1 59 ·5 57 · 2	60 · 3 60 · 7 57 · 8 58 · 0	21. 19 21. 24 21. 28 21. 39 21. 55 22. 0 22. 4 22. 9 22. 26 22. 41 22. 43 22. 51 23. 10 23. 17 23. 28 23. 32 23. 39 23. 41 23. 52 23. 55 23. 59	31.55 29. 0 29.40 28. 0 30. 0 29.30 28.45 29.30 28.45 29.30 28.45 27.35 *** 27. 0 28.30 27.40 28.15 28.20 28.55 28.10 29. 0 28.5	23. 30 23. 37 23. 59	*1389 *1395 *** *1393		umber in	1:12:		

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers. Ot V. F. H. Magnet.	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
0. 43 1. 10 2. 8 2. 40 3. 10 3. 23 3. 43 4. 13 4. 45 4. 57 5. 12 5. 22 6. 12 6. 23 6. 43 7. 30 7. 30 7. 30 8. 49 9. 36 9. 36 9. 36 9. 36 9. 37 9. 37 9. 38 9.	23. 30 16. 20 20. 5 15. 40	Oct. 31  h	1407 1419 1407 1414 1414 1421 1423 1426 1430 1414 1400 1403 1392 1407 1406 1403 1403	Oct. 31  0. 02  1. 225  3. 55  4. 55  5. 42  7. 46  9. 47  9. 56  10. 12  10. 52  11. 21  12. 26  13. 41  13. 41  14. 45  15. 29  16. 36  18. 57  21. 12  23. 59	**O2540 **O2537 **O2562 **O2600 **O2618 **O2672 **O2656 **O2604 **O2540 **O2527 **O2523 **O2524 **O2524 **O2477 **O2478 **O2477 **O2452 **O2476 **O2494 **O2497	1. 0	58°·1 59°·0 58°·7 59°·7 58°·8 59°·7 57°·9 59°·2 57°·6 58°·7 57°·3 58°·0 57°·4 58°·0 57°·5 58°·1	14.51 14.58 15.8 15.21 15.36 15.49 15.57	0. 30. 50 30. 50 30. 50 30. 50 30. 40 27. 15 29. 45 27. 5 26. 0 24. 5 22. 30 23. 25 22. 30 23. 50 23. 50 23. 50 23. 50 23. 50 24. 5 22. 50 23. 0 23. 50 24. 55 22. 50 23. 50 24. 55 22. 50 23. 50 24. 55 25. 50 26. 0 27. 10 28. 10 29. 10 29. 10 20. 20 20. Oct. 31 19. 12 19. 38 20. 56 21. 22 22. 37 22. 44 22. 53 23. 0 23. 37 23. 59	11416 11408 11404 11406 11405 11405 11407 11410	h m		h m	0	0	
10. 39 10. 53 11. 3 11. 14 11. 24 11. 41 11. 56 12. 9 12. 24 12. 49 12. 57 13. 12 13. 42 14. 9 14. 33	16. 0 14. 50 15. 10 14. 45 17. 30 17. 55 17. 15 18. 5 21. 0 21. 0 19. 10 24. 25 19. 40	13. 14 13. 41 14. 10 14. 34 14. 53 15. 20	:1394 :1417 :1412 :1416 :1409 :1416 :1402 :1397 :1413 :1417 :1417 :1417 :1415					Nov. 1 0. 0 0. 15 0. 28 0. 51 1. 0 1. 21 1. 30 1. 49 2. 6 2. 11 2. 18 2. 30 2. 43 2. 58	20. 26. 0 26. 15 27. 50 27. 50 26. 10 29. 30 28. 50 25. 15 27. 20 26. 55 28. 0 26. 55 26. 55	Nov. I 0. 0 0. 44 1. 5 1. 52 2. 5 2. 17 2. 33 2. 41 3. 6 3. 17 3. 26 3. 38 3. 44 3. 53	1410 1413 1403 1389 1396 1394 1392 1399 1394 (398 1393 1396	Nov. 1 o. o o. 23  1. o 3. o 4. 42 5. 11 5. 36 6. 26 8. 11 8. 27 9. 12 9. 29 10. 4	'02497 '02507 (†) '02536* '02610* '02644 '02645 '02657 '02614 '02592 '02576 '02594 '02567	9. 0 21. 0 22. 0	58 · 2 58 · 7 58 · 8	60 °0 60 °1 59 °6 60 °1 59 °7 59 °8

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	met	f rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Nov. I h 3. 10 10 13 12 13 13 14 14 15 13 15 15 15 15 16 18 16 18 18 18 18 18 18 18 18 18 18 18 18 18	14. 55 14. 55 4. 10 6. 30 19. 20 11. 0 12. 50 14. 10 16. 50 18. 30 21. 25 21. 25 23. 50 23. 50 23. 5 23. 25 23. 50 27. 20 27. 50 28. 55 27. 0 27. 5 32. 50 35. 40 26. 0	17. 39 18. 11 18. 25 18. 33 18. 40 18. 48 18. 53 19. 3 19. 24 19. 43 20. 11 20. 17 20. 26 20. 32	1382 1395 1397 1393 1402 1369 1366 1412 1409 1414 1407 1415 1418 1411 1418 1411 1418 1418 1418	Nov. 1 h 14. 21 14. 56 15. 9 15. 45 17. 7 18. 0 19. 17 21. 19 23. 20	**************************************	h na	0	0	16. 54 17. 3 17. 10 17. 16 17. 20 17. 57 18. 7 18. 17 18. 36 18. 36 18. 41 18. 50 18. 53 19. 3 19. 9 19. 13 19. 28 19. 31 19. 36 19. 40 19. 44 19. 51 20. 11 20. 16 20. 29 20. 33 20. 38 20. 40 20. 44 20. 51 20. 56 21. 3 21. 11 21. 21 21. 53 22. 21 22. 25 23. 22 23. 29  Nov. 2	20. 23. 55 26. 30 26. 30 26. 30 26. 10 23. 30 21. 10 22. 45 22. 15 23. 35 23. 0 24. 55 22. 30 22. 45 23. 30 22. 45 23. 30 22. 25 23. 10 22. 20 22. 45 23. 10 24. 30 24. 50 24. 50 23. 40 24. 50 24. 50 23. 40 27. 50 23. 40 27. 50 27. 40 28. 5 27. 10 29. 30 21. 50 21. 50 23. 40 27. 50 27. 40 28. 5 27. 10 29. 30 21. 50 21. 50 23. 40 27. 50 27. 50 27. 50 28. 5 27. 10 29. 30 21. 50 21. 50 23. 40 27. 50 27. 50 28. 5 27. 10 29. 30 21. 50 21. 50 23. 40 27. 50 27. 50 28. 5 27. 10 29. 30 21. 50 21. 50 23. 40 27. 50 27. 50 28. 5 27. 10 29. 30 21. 50 21. 50 21. 50 23. 40 27. 50 27. 50 28. 5 27. 10 29. 30 21. 50 21. 50 21. 50 23. 40 27. 50 27. 50 27. 50 28. 5 27. 10 29. 30 28. 5 27. 10 29. 30 28. 5 27. 50 29. 40 32. 5 32. 0 34. 10 19. 40 17. 55	Nov. 1 h m 22. 4 22. 36 22. 52 23. 18  Nov. 2 1. 0 1. 25 1. 56 2. 9 2. 12 2. 26 2. 41 2. 55 3. 13 3. 26 3. 59	(†) (1396 ·1398 ·1384 (†) (1396 ·1396 ·1400 ·1389 ·1395 ·1404 ·1389 ·1398 ·1394 ·1399 ·1404	Nov. 2 0. 53 1. 18 2. 26 2. 45 5. 13 5. 34 5. 41 5. 56 6. 19 9. 41		1. 0 2. 0 3. 0 9. 0 21. 0 22. 0 23. 0		62 · 3 62 · 2 62 · 0 60 · 6 60 · 3 60 · 6 60 · 8

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met		Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Nov. 2 1. 58 2. 59 3. 11 3. 13 3. 21 3. 35 4. 26 4. 38 4. 56 5. 48 4. 55 5. 48 6. 13 6. 24 6. 33 6. 58 7. 38 7. 58 7. 58 8. 53 9. 36 9. 43	20. 20. 50 21. 50 22. 50 23. 30 25. 10 24. 40 25. 30 25. 10 25. 40 23. 55 24. 0 25. 40 27. 50 11. 20 11. 40 7. 20 15. 10 20. 45 19. 10 21. 0 20. 45 21. 25 21. 50 20. 40 17. 15	Nov. 2  h	11400 11405 11405 11406 11397 11391 11399 11386 11403 11416 11405 11410 11406 11403 11406 11404 11409 11404 11438 11445 11406 11409 11404 11409 11404 11409 11404 11409 11401 11409 11401 11409 11405 11410 11407 11410 11408 11410	Nov. 2 h	02608 02617 02602 02507 02596 02589 02623	h m	0	•	Nov. 2 h m 15. 9 15. 28 15. 51 15. 59 16. 7 16. 14 16. 21 16. 43 17. 8 17. 21 17. 43 18. 13 18. 13 19. 34 19. 50 19. 56 20. 11 20. 25 20. 41 21. 21 21. 28 21. 38  22. 10 22. 26 22. 40 22. 45  23. 20 23. 28 23. 39 23. 43 23. 59	20. 26. 45 24. 20 27. 50 26. 45 26. 45 26. 45 26. 50 26. 55 26. 55 26. 55 26. 55 26. 55 24. 20 25. 20 25. 40 25. 30 25. 40 23. 10 24. 15 23. *** 26. 30 27. 50 29. 30 28. 10 27. 50 28. 0 27. 5	Nov. 2 h 23. 48 23. 59	·1402 ·1397	h m		h m	0	•
9.50 9.56 10. 8 10. 13 10. 21 10. 33 11. 16 11. 25 11. 30 11. 41 11. 56 11. 59 12. 13 12. 35 13. 28 13. 56 14. 9 14. 19 14. 34 14. 44	20. 0 22. 10 20. 55 21. 50 21. 10 21. 30 19. 45 21. 40 20. 30 21. 25 18. 20 20. 55 23. 15 23. 5 26. 0 25. 50 24. 40 24. 20	13. 32 13. 50 14. 43 15. 11 15. 52 16. 7 16. 56 17. 14 17. 55 18. 26 18. 53 19. 36	1411 1408 1410 1399 1406 1405 1417 1415 1423 1418 1417 1408 1414 1408 1410 1390 1401 1399 1405 1407 ****						Nov. 3 o. o o. 9 o. 26  1. o 1. 26 1. 36 1. 48 1. 55 2. o 2. 13 2. 29 2. 41 2. 56 2. 58 3. 12 3. 18 3. 24 3. 43 3. 55	20. 27. 5 26. 50 29. 0 (†) 27. 11* 24. 0 26. 50 25. 15 27. 20 26. 0 28. 10 27. 10 27. 40 26. 50 27. 40 25. 15 26. 0 24. 5 25. 0 23. 55	Nov. 3 o. o o. 23 o. 29 1. o 1. 56 2. 24 2. 33 4. 26 4. 43 5. 3 5. 21 5. 41 6. 12 6. 59 7. 22 7. 35 7. 53 8. 3 8. 16	1402	1. 0	*02623 *02032 (†) *02652* *02673* *02512* *02585 *02545 *02545 *025476 *02517	2. o 3. o	60 ·3 60 ·4 60 ·8 58 ·9	61 ·7 61 ·9 62 ·1 60 ·4

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers.	-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Nov. 3 h 4. 10 4. 26: 4. 42: 5. 3 5. 21 5. 35 5. 41 6. 11 6. 24 6. 29 6. 56 7. 1 7. 21 7. 33	20. 24. 20 23. 10 24. 55 22. 0 23. 40 20. 30 19. 55 20. 0 17. 30 18. 20 18. 0 20. 10 20. 0 22. 0	Nov. 3  8. 33  8. 43  8. 57  9. 18  9. 34  9. 56  10. 35  11. 14  11. 29  11. 48  11. 54  12. 8  12. 23	1413 1424 1413 1412 1404 1404 1426 1421 1428 1419 1409 1417 1413 1418	h m		h m	0 0		Nov. 3 h m 20. 16 20. 28 20. 59 21. 29 21. 51 21. 58 22. 4 22. 18 22. 33 22. 39 22. 44 22. 51 23. 59	20. 25. 30 24. 45 25. 20 24. 45 24. 20 26. 0 26. 30 27. 50 26. 0 26. 20 25. 35 26. 5	h m		h m		h m		0
7. 43 7. 43 7. 58 8. 23 8. 23 8. 33 8. 53 9. 26 9. 56 10. 41 11. 29 11. 53 12. 11 12. 20 12. 29 12. 57 13. 28 13. 54 14. 40 14. 45 15. 21 15. 43 16. 33 16. 55 17. 59 18. 28 18. 43 19. 6	19. 45 19. 45 16. 40 16. 45 20. 0 16. 5 21. 55 20. 50 19. 15 16. 40 18. 5 27. 0 23. 10	13. 18 13. 56 14. 17 14. 36 16. 11 16. 50 17. 10 17. 28 18. 6 19. 53 20. 53 21. 26 21. 53 22. 53 23. 59	1414 1404 1411 1406 1413 1410 1421 1418 1403 1418 1410 1411 1402 1399 1406						Nov. 4 0. 0 1. 1 1. 18 1. 41: 1. 59 2. 14 2. 36 2. 48 2. 53 3. 30 3. 33 3. 41 4. 20: 4. 33 4. 42 5. 28 6. 12 6. 23 7. 51 8. 11 8. 26 9. 34 9. 56 10. 8 10. 23 10. 48 11. 57 11. 57 11. 57 11. 49 14. 33 14. 51	19. 50 21. 10 21. 10 22. 30 22. 35 23. 5 22. 10 22. 30 18. 25 20. 30 21. 45 18. 25 23. 25 24. 40 24. 35 24. 55	15. 56 17. 44 18. 23 18. 43 19. 9 19. 56 20. 26 20. 53 21. 3 21. 29 22. 41 22. 51 22. 58	1404	Nov. 4 o. o 1. 7 1. 41 3. 54 4. 57 7. 13 8. 39 10. 25 11. 25 12. 4 23. 59	*02517 *02546 *02543 *02632 *02584 *02535 *02586 *02586 *02606 *02642 *02666	Nov. 4 o. 30 5. o 8. o 21. o 22. o 23. o	58 · 5 · 6 · 6 · 6 · 6 · 6 · 6 · 6 · 6 · 6	59 ·6 57 ·9 62 ·6

6. 55	Nov. 5 o. o o. 23 o. 56 1. 59 2. 18 2. 26 2. 36 2. 56 3. 21 3. 55 4. 12 4. 32 5. 25 5. 37 6. 13 6. 26: 6. 36 6. 41	Nov. 4 h 14. 56 15. 7 15. 27 15. 36 16. 23 16. 55 17. 39 17. 55 18. 49 18. 49 19. 26 19. 38 19. 56 20. 29 20. 34 20. 53 21. 14 21. 21 21. 38 21. 43 21. 43 21. 50 22. 23 22. 24 23. 39 23. 39 23. 39 23. 43 23. 59	Greenwich Mean Solar Time.
23. 10	20. 27. 50 26. 55 28. 45 27. 10 25. 30 25. 40 24. 45 25. 50 23. 30 23. 55 24. 0 24. 5 22. 45 21. 0 22. 55	27. 25 25. 10 26. 0 24. 5 22. 55 25. 0 25. 0 24. 45 23. 20 23. 15 24. 10 23. 55 24. 40 25. 25 24. 40 25. 25 24. 40 25. 25 24. 40 25. 25 24. 40 25. 25 24. 40 25. 25 24. 40 25. 25 26. 0 27. 25 28. 25 29.	Western Declination.
	Nov. 5  2. 41  1. 42  2. 9  2. 41  3. 26  5. 32  6. 11  6. 27  8. 4  9. 27  9. 54  10. 33  12. 14  12. 56	h m	Greenwich Mean Solar Time.
1407	(†) '1409 '1405 '1391 '1398 '1411 '1408 '1412 '1412 '1420 '1407 '1408 '1410 '1406 '1410 '1401 '1402 '1407		Horizontal Force in parts of the whole H. F. uncorrected for Temperature.
	Nov. 5 o. o o. 43 2. 33 6. 41 12. 50 17. 56 23. 40	h m	Greenwich Mean Solar Time.
	·02666 ·02667 ·02716 ·02745 ·02740 ·02723 ·02706 (†)		Vertical Force in parts of the whole V. F. uncorrected for Temperature.
	2. 0 3. 0 9. 0 21. 0	h m	Greenwich Mean Solar Time.
	62 · 6 62 · 6 61 · 9 60 · 8 60 · 8	0	The met
	62 ·9 63 ·5 63 ·7 62 ·6 62 ·0	0	ermo- ters.
2. 25	22. 8 22. 14 22. 38 22. 44 22. 59 23. 16 23. 33 23. 59 Nov. 6	7. 25 7. 36 7. 43 7. 58 8. 19 9. 37 9. 47 9. 54 10. 32 11. 28 11. 42 11. 56 12. 45 12. 59 13. 21 13. 39 13. 51 14. 27 15. 12 15. 37 16. 14 16. 56 17. 21 17. 36 18. 23 18. 33 18. 56	Greenwich Mean Solar Time.
27. 30	27. 30 26. 20 26. 55 25. 20 26. 30 25. 50 25. 10 25. 20 28. 30 29. 40 29. 15 30. 5 29. 55 31. 5 31. 15 28. 30 30. 5	20. 55 22. 0 18. 25 18. 25 18. 55 17. 40 17. 45 17. 45 17. 5 21. 20 23. 0 22. 55 22. 15 22. 30 21. 40 22. 35 24. 45 23. 40 24. 35 24. 45 26. 5	Western Declina- tion.
2. 13	Nov. 6 o. o o. 32 1. 15 1. 27 1. 50	Nov. 5 16. 21 16. 44 17. 43 18. 29 19. 33 19. 56 20. 15 20. 59 21. 39 22. 43 23. 4 23. 59	Greenwich Mean Solar Time.
1393	·1379 ·1385 ·1393 ·1399 ·1396	*1412 *1405 *1416 *1400 *1409 *1404 *1400 *1402 *1400 *1404 *1379	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.
5. 13	Nov. 6 0. 55 3. 18 3. 50 4. 11	h m	Greenwich Mean Solar Time.
.02793	(†) '02756 '02771 '02806 '02797		Vertical Force in parts of the whole V. F. uncorrected for Temperature.
	1. 0 2. 0 3. 0	h m	Greenwich Mean Solar Time.
60 .1	61 ·1 61 ·3 61 ·3 61 ·1	•	Magnet.
	62 · 1 62 · 1	0	mo-

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readings of Thermometers. Ot A. F. Golder G. G	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Nov. 6	23. 30 24. 45 23. 0 24. 15 23. 10 23. 10 25. 30 25. 30 24. 55 25. 10 24. 30 25. 0 24. 10 25. 0	Nov. 6  2. 43  3. 19  3. 19  3. 49  3. 49  3. 49  4. 14  4. 20  4. 33  4. 45  5. 39  6. 14  7. 56  8. 36  6. 44  7. 56  8. 36  9. 25  10. 57  11. 35  11. 44  15. 38  17. 33  19. 27  20. 35  21. 50  22. 41  23. 14	*1400 *1379 *1385 *1397 *1393 *1395 *1391 *1392 *1383	Nov. 6 h 6. 58 7. 27 8. 10 11. 8 11. 23 11. 41 14. 25 21. 24 23. 12 23. 59	·02744 ·02738 ·02712 ·02677 ·02686	Nov. 6  8. 0  9. 0  11. 0  12. 0  12. 30  21. 0  22. 0		Nov. 6  22. 42 22. 56 23. 8 23. 59  Nov. 7	23. o 22. 25	Nov. 7 o. 0 1. 16 1. 34 1. 44 2. 54 3. 20 3. 29 4. 3 5. 14 5. 56 6. 35 7. 23 8. 38 9. 56 10. 34 10. 50 11. 14 11. 37 13. 56 16. 56 16. 56 16. 56 16. 56 16. 56 16. 56 18. 59 20. 14 21. 3	*1403 *1407 *1396 *1399 *1404 *1403 *1415 *1416 *1415 *1416 *1411 *1412 *1433 *1421 *1415 *1410 *1414 *1414 *1414 *1414 *1414 *1414 *1414 *1414 *1416 *1417 *1405 *1406 (†)	Nov. 7 o. 40 2. 5 5. 51 9. 44 10. 14 14. 12 19. 0 21. 36	·02665 ·02663 ·02663 ·02675 ·02650 ·02614 ·02620 (†)	Nov. 7 O. 0 1. 0 2. 0 3. 0 9. 0 21. 0 22. 0	8eW 0 90 76 7 7 7 8eW 8eW 8eW 8eW 8eW 8eW 8eW 8eW 8eW 8eW	61 ·2 61 ·1 61 ·1 61 ·7 61 ·0 60 ·3 60 ·1

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.
Nov. 7 16. 43 17. 27 17. 53 18. 11 19. 23	20. 24. 30 24. 55 23. 40 23. 10 24. 5	h tu		h m		h m	o	۰ .	Nov. 8 23. 47 23. 49 23. 59 Nov. 9	20. 24. 0 25. 20 25. 20	h m Nov. 9		h m		h m	0	0
19. 30 19. 55 20. 10 20. 41 21. 7 21. 38	23. 45 25. 0 24. 20 24. 25 23. 40 23. 55 (†)									20. 25. 20 25. 20 26. 5 25. 0 25. 0 24. 15 24. 50 23. 50	0. 0 0. 30 1. 17 1. 35 2. 9 3. 12 3. 33 4. 32	1413 1417 1416 1419 1414 1418 1413	1. 0 2. 26 6. 19 6. 41 6. 52 7. 8 7. 43	(†) •02476* •02488 •02497 •02516 •02503 •02540 •02519	0. 0 1. 0 2. 0 3. 0 9. 0 21. 0	57 ·3 57 ·3 57 ·5 57 ·8 56 ·8 53 ·9 54 ·4 54 ·9	57 ·2 57 ·6 58 ·0 57 ·2 54 ·8 55 ·c
Nov. 8  1. 0 3. 0 4. 38 5. 59 6. 8 6. 20 6. 29 6. 43: 7. 7 7. 14 7. 38 7. 46 7. 56 8. 15 8. 27 8. 56 9. 26 9. 44 11. 12 11. 58 12. 13 13. 10	21. 10 23. 30 23. 0 23. 55 23. 10	4. 26 6. 24 6. 56 7. 33 7. 53 8. 13 8. 28 8. 36 9. 33 IO. 7 II. 46 I2. IO I7. 56 I8. 24 I8. 41 I9. 3 I9. 58 20. 15	(†) '1409* '1410* '1418 '1419 '1408 '1411 '1419 '1409 '1406 '1402 '1410 '1406 '1412 '1409 '1416 '1414 '1417 '1413 '1413 '1413 '1413	Nov. 8  1. 0 3. 0 5. 57 10. 44 15. 18 21. 56 22. 55	(†) '02599* '02592* '02665 '02624 '02603 '02476 '02468 (†)	Nov. 8 o. o 1. o 2. o 3. o 5. o 9. o 21. o 22. o 23. o	59 ·2 59 ·9 61 ·5 59 ·3 56 ·2 56 ·8	.59 ·5 .59 ·6 .59 ·1 .60 ·1 .62 ·2 .66 ·9 .57 ·1 .57 ·3	4. 57 5. 42 5. 53 5. 58 6. 13 6. 33 6. 39	23. 40 24. 20 25. 5 24. 50 25. 20 22. 50 19. 57. 0 19. 51. 45 20. 13. 30 16. 10 22. 55 22. 20 21. 30 21. 30 18. 5 19. 50 18. 0 19. 5 17. 30 20. 0 16. 0	4.50 5.26 5.38 5.50 5.58 6.23 6.33 6.44 7.12 7.18 7.28 7.41 7.53 8.31 9.32 9.51 10.15 10.33 11.9	·1424 ·1421 ·1417 ·1423 ·1413 ·1414 ·1397 ·1400	8. 9 10. 20 10. 33 11. 12 13. 30 17. 4 21. 42 23. 6 23. 26 23. 59	• • • • • • • • • • • • • • • • • • •		04 9	
13. 26 15. 53 16. 3 17. 2 17. 59 18. 44 19. 44 20. 6 20. 26 20. 59 21. 37 21. 44 21. 56 21. 59 22. 11 22. 13 22. 23 22. 25	23. 20 24. 5 23. 50 24. 30 22. 55 23. 45 23. 0 22. 10 22. 30 22. 10 22. 50 21. 55 22. 20 23. 40 23. 55 22. 55	23. 59	1413						11. 26 11. 44 12. 7 12. 14 13. 6 13. 44 13. 56 14. 17 15. 41 16. 11 16. 27 16. 41 17. 4 17. 4 17. 4 17. 5 18. 32 18. 40	17. 10 16. 0 16. 55 18. 50 18. 20 23. 50 22. 10 23. 0 24. 10 23. 10 23. 20 22. 15 22. 15 23. 5 22. 0 21. 55	11. 34 11. 53 12. 21 12. 50 13. 18 13. 39 13. 55 14. 19 14. 38 15. 50 16. 11 18. 44 20. 26 21. 8 21. 35 21. 44	1406 1408 1402 1405 1399 1408 1406 1409 1406 1411 1415 1417 1409 1400 1401 1396 1398					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f rmo- ers.
Nov. 9 19. 39 19. 53 20. 36 21. 26 21. 33 21. 44 22. 13 22. 53 22. 57 23. 10 23. 27 23. 53 23. 59	20. 21. 20 22. 0 21. 35 23. 10 24. 30 24. 0 25. 30 29. 5 28. 50 31. 15 31. 15 29. 0 29. 25	Nov. 9 h m 23. 34 23. 59	•1395 •1400	h m		h m	0	0	Nov.10 h m 18. 17 18. 26 19. 10 19. 26 19. 58 20. 15: 20. 38 21. 7 21. 25 21. 33 21. 55 22. 8 22. 24	20. 22. 50 23. 30 22. 50 23. 40 23. 40 24. 30 23. 25 22. 40 23. 25 24. 40 24. 0 24. 5 26. 0 25. 45	h m		h m		h m	, 0	0
0. 33 1. 21 1. 33 2. 2 2. 14	20. 29. 25 30. 10 26. 15 26. 55 26. 0 27. 5 25. 15	Nov.10 0. 0 1. 58 2. 9 2. 18 2. 27 3. 6	1400 1412 1406 1410 1405	Nov.10 0. 0 2.50 6.52 7.20 10.59 11.44	°02358 °02415 °02437 °02463 °02440 °02416	1. 0 2. 0 3. 0 9. 0	55 ·3 55 ·9 56 ·4 56 ·8 57 ·1	58 ·o	22. 48 23. 3 23. 13 23. 56 23. 59 Nov.11	27. 30 25. 20 27. 35 25. 50 26. 0	 Nov.11		 Nov.11	(†)	 Nov.11	58 •6	
2. 43 3. 41 5. 46 6. 10 6. 29 6. 38 6. 59 7. 12 7. 29 8. 0 8. 54 9. 57 10. 8 10. 24 10. 53 11. 12 11. 26 11. 32 11. 44 12. 10 12. 26 12. 59 13. 14 13. 34	25. 55 23. 0 24. 5 23. 10 23. 10 17. 10 18. 0 21. 40 22. 55 21. 50 21. 30 20. 50 21. 15 21. 30 26. 0 24. 10 22. 10 22. 20 23. 20 21. 0	14. 13 14. 35 15. 2 15. 26 16. 9 17. 4 17. 56 19. 6 20. 26	1413 1410 1386 1390	13. 57 15. 11 16. 59 20. 12 22. 38 23. 12	·02421 ·02403 ·02417 ·02474 ·02480 ·02493 (†)				0. 0 0. 20 0. 26 0. 42 1. 12 1. 39 1. 58 2. 12 2. 26 2. 40 2. 53 3. 23 3. 23 3. 47 3. 56 4. 13 4. 26 4. 39 4. 48 4. 56 5. 18	20. 26. 0 26. 55 25. 45 26. 50 26. 0 27. 0 28. 20 27. 55 26. 20 27. 55 25. 55 23. 20 19. 0 16. 40 15. 5 12. 10 19. 30 21. 0 18. 25 21. 20	0. 15 1. 7 1. 53 2. 36 2. 50 3. 13 3. 38 3. 56 4. 21 4. 43 5. 43 5. 48 5. 48 5. 6 6. 16 6. 36	1394 1407 1409	1. 0 2. 35 6. 41 8. 41 9. 16 9. 56 10. 34 12. 10 12. 19 12. 57 19. 25 21. 29 23. 59	*02518* *02528 *02520 *02497	2. 0 8.30 21. 0 22. 0	58 ·4 57 ·2 56 ·6 57 ·1 57 ·2	60 °0 58 °6 58 °0 58 °8
13. 59 14. 2 14. 17 14. 51 15. 7 15. 18 15. 55 16. 10 16. 43 16. 54 17. 14 17. 41 17. 50	25. 50 28. 0 29. 40 25. 30	21. 9 22. 0 22. 23 22. 28 22. 51 22. 55 23. 15	1407 1400 1392 1383 1394 1390 1404 1406 (†)						5. 26 5. 41 5. 45 5. 56 6. 9 6. 26 6. 33 6. 41 6. 57 7. 11 7. 27 7. 38 7. 44	20. 20 23. 30 23. 25 25. 5 23. 0 16. 40 15. 10 10. 55 21. 0 22. 50 19. 30 19. 10	6. 56 7. 23 7. 38 7. 50 8. 3 8. 13 8. 25 8. 43 9. 26 9. 53 10. 3 10. 40	1432 1402 1403 1412 1408 1409 1406 1414 1397 1409 1403 1412					•

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther mete	mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo- ers.
Nov.11  8. 10  8. 20  8. 27  8. 47  8. 54  9. 39  9. 54  9. 59  10. 21  10. 39  11. 23  11. 28  11. 37  11. 56  12. 13  13. 13. 36  13. 59  14. 13  14. 17  14. 26  14. 39  14. 44  14. 53  14. 53  14. 17  18. 28  19. 21  19. 36  17. 59  18. 17  18. 28  19. 21  19. 36  19. 55  21. 57  21. 57  21. 57  22. 11  22. 24  23. 3  23. 13  23. 39  23. 59  ———————————————————————————————————	17. 35 19. 0 17. 40 24. 0 23. 20 23. 55 23. 50 27. 20 28. 45 22. 45 22. 45 23. 20 24. 20 24. 0 24. 15 25. 30	Nov.11 h h 11. 26 12. 12 12. 26 12. 40 13. 43 14. 56 15. 23 15. 38 17. 6 18. 11 18. 48 19. 11 19. 27 20. 3 21. 23 21. 43 22. 26 22. 34 22. 25 23. 13 23. 18 23. 55 23. 59	1	h m		h m	0	0	Nov. 12 h 0. 26 0. 49 1. 3 1. 42 1. 54 2. 55 3. 20 3. 37 3. 56 4. 11 5. 39 6. 56 7. 23 7. 41 7. 57 8. 12 8. 26 8. 37 8. 33 11. 57 12. 21 12. 39 13. 53 14. 58 15. 36 16. 46 16. 41 17. 57 12. 21 12. 39 13. 53 14. 58 15. 36 16. 46 16. 41 17. 59 21. 11 19. 44 19. 55 20. 59 21. 11 21. 29 22. 29 22. 35	20. 26. 25 25. 10 25. 15 28. 5 25. 40 26. 30 26. 5 27. 10 26. 5 22. 50 23. 10 22. 45 25. 0 24. 40 25. 5 22. 45 22. 45 23. 20 20. 0 21. 40 21. 5 19. 25 21. 10 21. 10	Nov.12 b 0. 0 0. 21 1. 0 3. 0 4. 0 5. 10 7. 56 8. 55 9. 43 11. 13 12. 20 13. 32 16. 53 17. 10 18. 41 18. 55 19. 2 19. 37 19. 51 21. 6 23. 11 23. 23 23. 59	*1403 *1405 (†) *1405* *1395* *1412 *1416 *1423 *1416 *1423 *1416 *1421 *1416 *1422 *1417 *1419 *1423 *1419 *1423 *1419 *1423 *1414 *** *1409 *1402 *1406	Nov.12 h 0. 0 0. 4 1. 0 3. 0 8. 54 10. 26 13. 0 20. 29 21. 41 23. 59	***co2463 (†) ***co2545 ***co2545 ***co2585 ***co2586 ***co2576 ****co2576	Nov. 12 h m O. O. O. O. O. O. O. O. O. O. O. O. O.	56.8 56.9 57.4 57.9	59 •4 59 •8 59 •8 51 •0 62 •0 61 •5 61 •3 61 •1 60 ·9 61 •0

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. Magnet.	ers.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Ther meter.	mo-
Nov. 12 23. 4 23. 13 23. 21 23. 26 23. 38 23. 42 23. 56 23. 59	20. 24. 25 25. 30 25. 30 27. 10 26. 25 26. 40 25. 30 25. 40	h m		h m		h m	o	0	Nov. 13. 28 14. 8 14. 19 14. 39 14. 49 14. 58 15. 28 15. 42 16. 17	20. 20. 20 23. 5 22. 50 24. 5 23. 55 24. 30 23. 50 24. 20	Nov.13 h 17.53 18.21 18.41 19.9 19.26 19.53 20.11 20.29 20.51	*1416 *1413 *1417 *1410 *1415 *1410 *1403 *1404	h m		h m	0	•
0. 20 0. 24 0. 41 0. 48 1. 8 1. 26 1. 41 2. 41 3. 3 3. 21 3. 29 3. 53	20. 25. 40 25. 5 26. 20 26. 30 27. 0 26. 10 27. 0 26. 50 27. 40 26. 50 26. 50 25. 30 24. 0	Nov.13 o. o. o. 25 1. 4 1. 28 2. 33 3. 22 3. 44 3. 55 4. 7 4. 14 4. 18 4. 34 4. 40	*1406 *1410 *1406 *1410 *1409 *1399 *1407 *1402 *1402 *1406 *1402	Nov.13 o. o o. 21 4. 23 5. 1 5. 22 6. 21 8. 50 10. 15 13. 6 13. 36 17. 22 21. 13 22. 42	**c2576 **c2603 **c2632 **c2614 **c2603 **c2572 **c2543 **c2540 **c2525 **c2517 **c2520 **c2492	7. 0 8. 0 9. 0 10. 0 11. 0 15. 0 17. 0 18. 0	60 · 1 60 · 6 60 · 1 60 · 0 58 · 6 58 · 5 58 · 5 58 · 4 57 · 8 57 · 6 57 · 8	61 · 1 60 · 9 60 · 0 59 · 8 59 · 8 58 · 7 58 · 6 59 · 0 59 · 0 59 · 0 59 · 0	16. 24 16. 47 17. 3 17. 6 17. 17 17. 25 17. 36 17. 42 17. 51 18. 19 18. 24 18. 53 19. 10 19. 21	23. 25 23. 35 25. 10 24. 0 22. 45 23. 25 23. 5 24. 15 23. 40 25. 5 24. 0 26. 5 25. 50	21. 28 22. 8 22. 29 22. 56 23. 32 23. 59	1412 1407 1409 1405 1403 1401					
3. 59 4. 10 4. 20 4. 27 4. 36 4. 43 4. 57 5. 12 5. 25 5. 39 5. 54 6. 5	24. 55 24. 35 25. 10 25. 10 26. 30 25. 0 30. 0 27. 20 24. 45 23. 45 25. 0 22. 50 22. 50	4. 5 7 5. 28 5. 46 6. 13 6. 26 7. 26 8. 13 9. 18 9. 39	1410 1397 1395 1400 1392 1404 1394 1409 1407 1412 1409 1409	23. 59	°02497			58 °1 58 °5	19. 33 19. 56 20. 29 20. 38 20. 57 21. 54 22. 15 22. 29 22. 56 23. 11 23. 29 23. 59	26. 45 25. 40 26. 25 27. 30 28. 0 26. 20 26. 30 27. 45 27. 20 27. 35 26. 20 25. 30							
6. 9 6. 20 6. 41 7. 2 7. 14 7. 29 7. 43 8. 24 8. 40 9. 8 9. 16 9. 41 9. 53 10. 11	27.50 23.50 23.0 24.10 22.40 22.10 22.30 21.10 21.15 17.15	10. 4 10. 26 10. 38 10. 57 11. 10 11. 29 11. 44 12. 8 12. 56 13. 25 13. 46 14. 10	1403 1417 1418 1418 1414 1406 1403 1403 1403 1403 1413 1411 1406						Nov.14 0. 0 0. 28: 0. 44 1. 17 1. 28 1. 41 1. 56 2. 11 2. 14 2. 43 3. 8 3. 26	20. 25. 30 26. 25 25. 55 28. 30 27. 15 27. 55 26. 0 26. 10 24. 20 23. 40 22. 10	Nov.14 o. o 1. 21 1. 43 2. 17 2. 29 2. 38 3. 14 3. 58 5. 28 5. 59 6. 26 6. 38	1401 1411 1401 1402 1406 1402 1413 1411 1416 1412 1414 1411	Nov.14 o. o o. 52 1. 53 3. 14 7. 12 8. 55 12. 23 12. 40 13. 19 14. 41 21. 25 23. 59	.02497 .02510 .02518 .02543 .02524	3. o 9. o	58 · 0 58 · 3 58 · 3 58 · 2 57 · 3 55 · 4 55 · 8	59 °0 60 °0 59 °1 58 °1 56 °6
10. 27 10. 42 10. 59: 11. 19 12. 3 12. 9 12. 51 12. 57 13. 11	12. 30 13. 25 12. 20 16. 0 19. 15 19. 5 21. 10	14. 56 16. 26 16. 36 16. 49	1409 1410 1414 1412 1416 1412 1419						3. 54 4. 5 5. 14 5. 26 5. 44 6. 23 6. 37 6. 50 7. 10	24. 5 23. 40 24. 15 23. 45 24. 15 23. 55 24. 30 24. 5 20. 40	6. 53 7. 24 7. 40 7. 55 8. 9 8. 28 8. 45 9. 10 9. 32	1412 1401 1402 1412 1414 1405 1406 1421					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	(	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	rmo-
Nov.14 7. 23 7. 34 7. 43	20. 21. 0 21. 0 19. 40	Nov.14 h m 9.49 10.13 10.33	1407 1421 1417	h m		h m	o	0	Nov.14 23. 28 23. 55 23. 59	20. 25. 50 25. 20 25. 30	h m		h m		h m	0	0
7. 56 8. 17 8. 23 8. 56 8. 17 8. 23 8. 56 9. 14 9. 57 10. 28 11. 14 12. 56 13. 32 13. 32 13. 34 14. 12 11. 43 14. 51 15. 17 15. 34 16. 41 17. 12 17. 43 18. 14 18. 29 17. 43 18. 14 18. 29 17. 43 18. 14 18. 29 19. 36 19. 41 19. 36 19. 41 19. 36 19. 41 20. 23 20. 56 21. 24 21. 38 21. 52 22. 41	23. 10 23. 30 23. 0 23. 30 21. 50 22. 0 22. 55 24. 0 23. 30	10. 48 11. 16 12. 41 13. 9 13. 54 14. 6 14. 24 15. 23 16. 28 16. 56 17. 8 17. 14 18. 17 18. 28 16. 50 17. 14 20. 21 20. 33 20. 53 21. 12 21. 44 22. 28 23. 59	1419 1412 1413 1425 1408 1412 1410 1412 1407 1412 1408 1411 1417 1416 1420 1416 *** 1411 1417 1418 1418 1412 1407 1403 1403 1408 1410						Nov. 15 0. 0 0. 38 1. 41 1. 21 1. 29 1. 41 1. 51 2. 24 2. 30 2. 44 2. 57 3. 13 3. 58 4. 12 4. 32 4. 53 4. 53 4. 55 7. 54 5. 38 5. 46 5. 57 6. 13 6. 55 7. 54 8. 8 8. 21 11. 56 12. 39 13. 41 11. 56 14. 3 11. 56 14. 3 11. 56 14. 3 14. 42 15. 9 15. 14	20. 25. 30 27. 15 28. 30 27. 25 26. 30 26. 35 26. 55 26. 55 25. 50 25. 50 25. 30 24. 5 24. 35 24. 45 24. 45 24. 45 24. 45 24. 50 24. 10 26. 55 27. 20 27. 40 27. 40	16. 37 16. 44 17. 28 18. 21 19. 13 19. 28 19. 41 19. 53 19. 57 20. 11 20. 49 21. 28 21. 48 22. 56 22. 29	·1410 ·1416 ·1409 ·1396 ·1397 ·1390 ·1405 ·1400 ·1414 ·1418 ·1415 ·1419	Nov. 15 o. o. 43 1. 56 2. 30 6. 8 9. 14 10. 12 10. 41 11. 12 16. 55 18. 26 19. 59 22. 57 23. 59	·02380 ·02411 ·02460 ·02444 ·02453 ·02440 ·02433 ·02460 ·02476 ·02500 ·02520	1. 0 2. 0 3. 0 9. 0 21. 0 22. 0	56 · 2 56 · 8 56 · 9 57 · 2 57 · 4 58 · 6 59 · 3	57 ·7 58 ·0 58 ·6 58 ·7

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read Ther meter me	f mo-
Nov. 15 h 15. 37 15. 51 15. 57 16. 10 16. 26 16. 33 16. 39 17. 6 17. 39 18. 21 18. 36 19. 46 19. 38 19. 46 19. 51 19. 58 20. 17 20. 24 20. 27 20. 32 20. 41 20. 47 20. 54 21. 41 22. 23 22. 39 22. 39 22. 39 23. 39	20. 22. 30 22. 30 23. 10 22. 30 24. 0 25. 15 26. 0 25. 25 25. 25 25. 25 25. 20 26. 5 25. 25 21. 45 22. 5 23. 45 23. 55 23. 45 26. 50 27. 40 27. 5 27. 6 29. 10 28. 20 29. 5	h m		h m		h m		0	Nov.16  8. 8  8. 41  9. 11  9. 38  9. 55  10. 21  10. 29  10. 43  10. 56  11. 21  11. 27  11. 41  12. 26  12. 38  12. 51  13. 9  16. 12  16. 21  16. 28  16. 38  18. 55  19. 3  19. 40  19. 51  19. 59  20. 30  21. 6  21. 58  22. 7  22. 12  22. 41  22. 55  23. 18  23. 59	20. 20. 50 21. 10 20. 20 20. 55 22. 10 17. 20 18. 20 17. 0 17. 0	Nov·16 h 10. 6 10. 31 10. 49 11. 14 11. 57 16. 16 17. 28 17. 47 18. 28 19. 53 21. 32 22. 34 23. 13 23. 59	11429 11432 11421 11417 11420 11425 11424 11430 11425 11426 *** 11423 11413 11415	h m		h m	0	•
23. 52 23. 59 Nov.16	30. 40 30. 10	Nov-16 0. 0 0. 9 0. 30 1. 0 3. 38 4. 24 5. 6 5. 39 6. 13 7. 3 7. 29 7. 53 8. 29 9. 43	·1411 ·1412 ·1409 (†) ·1413* ·1420* ·1411 ·1420 ·1396 ·1412 ·1413	Nov·16 0. 0 1.53 4.30 5.14 5.44 6.43 9. 0 12.10 16.19 19. 4 23. 2 23.59	*02520 *02544 *02560 *02548 *02568 *02547 (†) *02497 *02465 *02440 *02388 *02311 *02314	3. 0 9. 0 21. 0 22. 0	59 ·2 59 ·5 59 ·5 59 ·6 57 ·8 53 ·9	60 °0 60 °0 58 °0 53 °8 54 °3	0. 34 1. 1 1. 26 1. 38 2. 3 2. 13 2. 41 2. 59	20. 26. 25 26. 10 27. 25 26. 50 26. 55 25. 25 25. 55 25. 0 24. 50 23. 40 24. 0 23. 5 21. 50 20. 5	Nov·17 o. o 1. 19 2. 51 6. 41 10. 40 11. 17 11. 46 16. 36 17. 9 17. 25 17. 51 19. 12 19. 56 21. 39	1415 1419 1420 1426 1422	Nov.17 o. 0 3. 12 8. 0 12. 28 18. 54 22. 40	.02314 .02343 .02332 .02294 .02278	2. o 3. o	55 ·4 · 55 ·6 · 55 ·7 · 54 ·8	56 ·8 56 ·0 56 ·1 56 ·0

Greenwich Mean Solar Time. Tori	reen.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The	Of V.F. Magnet.	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-
13. 8 22 13. 18 22 13. 18 22 13. 56 22 14. 38 22 15. 51 22 16. 6 22 16. 26 23 17. 23 23 17. 51 17. 56 22 18. 12 21 18. 26 22 18. 30 22 19. 20 23 19. 55 22 20. 36 23 20. 51 22 21. 26 22. 43  Nov. 18  0. 59 20. 25 21. 48 22. 15 22. 26 22. 43  Nov. 18  0. 59 20. 25 25. 25 25. 25 27. 43 3. 11 3. 26 4. 33 5. 15 5. 26 6. 29 7. 25 7. 43 8. 14 9. 44 10. 10 10. 26 11. 11 11. 23 11. 39 13. 36 10. 56 11. 11 11. 23 11. 39 13. 3 13. 56 12. 21 15. 41 16. 42 17. 36 22 17. 36	. 50 . 15 . 5 . 50 . 40 . 40 . 40 . 45 . 50 . 40 . 45 . 50 . 40 . 45 . 55 . 0 . 30 . 45 . 15 . 0 . 30 . 10 . 50 . 20 . 30 . 30 . 55 . 10 . 30 . 3	8 (†) 1429* 1430 1431 1422 1433 1432 1433 1429 1431 1424 1422 1433 1437 1433 1437 1433 1437 1435 1437	Nov.18 o. o 9. o 21. o	·02280* ·02293* ·02201*	9. 0 21. 0 22. 0	55 °0 55 °0 52 °9	53 °0 52 °8	18. 56 19. 6 21. 0 23. 2 23. 14 23. 23 23. 37 23. 41 23. 51 23. 59 Nov.19	25. 55 25. 25 28. 0 25. 20 26. 15 25. 5 23. 50 24. 15 23. 10 23. 20 22. 20 9. 10 9. 30 8. 15	Nov.19 0. 0 0. 37 1. 34 1. 53 2. 24 3. 45 9 5. 11 5. 32 5. 45 6. 33 4. 28 4. 43 4. 59 5. 11 5. 32 5. 45 6. 33 6. 26 6. 33 6. 30 7. 14 7. 32 7. 53 8. 32 9. 17 9. 36 9. 48 9. 58 10. 13 11. 2 11. 38 11. 59 12. 29 11. 38 11. 59 12. 29 11. 38 11. 59 12. 14 14. 56	1430 1430 1434 1431 1435 1429 1435 1445 1445 1445 1442 1441 1426 1421 1424 1424 1424 1424 1424 1427 1382 1413 1421 1421 1415 1415 1421 1411 1418 1421 1421	Nov.19 1. 0 3. 0 9. 0 11. 30 12. 42 13. 0 15. 42 21. 0 22. 26 23. 59	(†)	1. 0 3. 0 9. 0 21. 0	53 · 3 54 · 5 51 · 3 50 · 7	54 ·4 55 ·0 54 ·0 52 ·3 52 ·3

For the Horizontal and Vertical Forces, increasing readings denote increasing forces.

November 18, 21, 22, and 23. The photographic traces for Vertical Force on these days were too faint for use.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-
Nov.19 9. 28 9. 32 9. 39 9. 57 10. 10. 27 10. 39 10. 51 11. 23 11. 23 11. 27 11. 33 12. 51 12. 58 13. 36 14. 17 14. 36 14. 17 14. 36 15. 21 15. 37 15. 51 16. 10 17. 28 17. 36 17. 58 17. 36 17. 58 17. 58 18. 28 17. 58 18. 28 19. 27 19. 36 19. 24 19. 37 19. 36 20. 28 20. 44 20. 47	20. 18. 5 18. 10 19. 20 19. 25 22. 0 23. 5 21. 0 18. 15 18. 15 19. 0 18. 20 19. 55 19. 35 20. 15 18. 0 19. 35 20. 15 19. 30 20. 55 20. 55 21. 20 21. 20	Nov.19 15. 23 15. 56 16. 4 16. 18 16. 56 17. 20 17. 48 18. 44 19. 12 19. 23 19. 26 19. 34 20. 01 21. 9 21. 41 22. 40 23. 56 23. 59	*1425 *1420 *1421 *1433 *1424 *1422 *1432 *1426 *1421 *1428 *1422 *1426 *1421 **** *1421 (†) *1416 *1417	b m		h m	0	0	Nov.19 h 20. 55 21. 24 21. 27 21. 33 21. 43 21. 53 22. 7 22. 11 22. 15 22. 24 22. 27 22. 36 23. 51 23. 59  Nov.20 0. 7 0. 11 0. 17 0. 27 0. 31 0. 49 1. 21 1. 53 2. 10 2. 38 2. 59: 3. 53 4. 6 4. 25 4. 28 4. 46 5. 11 5. 53 6. 20 6. 33 7. 53 8. 12 8. 28 8. 53 9. 36 9. 59 10. 33 11. 5 11. 41	20. 27. 45 26. 55 27. 0 23. 50 24. 55 22. 25 *** 23. 50 27. 50 27. 55 21. 25 22. 0 25. 5 27. 10 24. 55 24. 55 24. 55 24. 55 24. 55 24. 55 24. 55 24. 55 24. 55 25. 10 26. 55 19. 40 11. 55 10. 10 17. 55 10. 55 14. 30 16. 20	Nov.20 o. 5 o. 14 o. 20 o. 36 i. 37 i. 59 2. 23 2. 36 2. 53 3. 42 3. 55 4. 37 5. 54 6. 26 6. 36 6. 55 7. 13 7. 58 7. 56 8. 59 9. 43 11. 40 12. 21 12. 32 12. 46	1417 1419 1402 1418 1412 1425 (†) 1429 1432 1432 1430 1428 1428 1428	Nov.20 0. 0 1. 14 3. 44 4. 26 7. 54 8. 10 8. 28 9. 26 10. 15 11. 11 13. 0 13. 36 19. 45 22. 44 23. 50 23. 56	·02090 ·02104 ·02122 ·02132 ·02132 ·02076 ·02092 ·02065 ·02040 ·02013 ·02035 ·02022 (†)	Nov.2c o. o 1. o 2. o 3. o 9. o 21. o 22. o 23. o	50 ·6 51 ·5 51 ·7 51 ·8 51 ·4	52 ·6 52 ·8 53 ·0 52 ·5 50 ·5 50 ·9

Solar De	estern clina- cion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	Of V. F. Magnet.
12. 14 12. 23 12. 29 12. 41 12. 53 13. 4 13. 23 13. 40 13. 56 14. 8 14. 20 14. 28 14. 41 15. 24 15. 52 16. 3 16. 10 16. 16 16. 38 16. 10 16. 16 16. 38 17. 32 17. 44 17. 56 18. 26 18. 41 18. 44 18. 56 19. 3 19. 14 19. 43 20. 21 20. 56 21. 0 21. 56 22. 8 22. 56 23. 4 23. 9 23. 12 23. 20 23. 27 23. 41 23. 47 23. 59  Nov. 21 0. 0 0. 12 20. 56	18. 50 16. 50 16. 40 16. 50 17. 55 15. 0 14. 30 21. 50 23. 0 22. 50 23. 20 24. 5 23. 20 24. 0 23. 55 23. 40 23. 55 26. 0 23. 55 26. 0 27. 50 28. 50 29. 50 29. 50 20. 20 20.	Nov.20  13. 13. 13. 32  13. 13. 32  15. 11  15. 32  15. 58  16. 28  16. 46  18. 12  18. 50  19. 6  19. 17  19. 36  20. 6  21. 56  22. 43  23. 28  23. 51  23. 59	'1421 '1413 (†)	Nov.21 1. 0 3. 0 9. 0 21. 0	·02033* ·02052* ·02066* ·02007*	1. 0 3. 0 9. 0 21. 0 22. 0	50 '7 51 '1 51 '5 52 '0 51 '7 51 '7	51 ·9 51 ·9 52 ·4 52 ·9 52 ·9	2. 39 3. 36 3. 14 4. 25 5. 59 6. 43 6. 57 7. 33 7. 8. 18 9. 10 10 11 11 11 11 13 13 13 14 13 13 14 15 16 16 17 18 18 18 18 18 18 18 18 18 18	22. 45	Nov.21 h 3. 49 4. 18 4. 56 5. 53 6. 14 6. 41 7. 2 7. 33 8. 41 9. 18 10. 16 10. 36 11. 43 12. 0 12. 13 12. 26 12. 43 13. 13 16. 23 20. 48 21. 43 22. 58 23. 59	*1438 *1431 *1432 *1437 *1433 *1420 *1434 *1434 *1436 *1436 *1437 *1436 *1437 *1436 *1436 *1433 *1429 *1431	h m		h m		0

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f rmo-	Greenwich Mean Solar Time.	Western Declina- tion,	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Sclar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. damped and Magnet.
22. 59 23. 15 23. 28 23. 41 23. 53 23. 59 Nov.22	20. 26. 30 25. 0 25. 30 25. 30 27. 0 26. 25 20. 26. 25 25. 35 26. 5 25. 50 23. 40 23. 50 23. 20	Nov.22 o. o o. 41 1. 41 2. 46 5. 8 5. 54 6. 56	1431 1436 1432 1440 1435 1435 1437	Nov.22 1. 0 3. 0 9. 0 21. 0	*02037* *02067* *02062* *02024*	1. 0 2. 0 3. 0 9. 0 21. 0 22. 0	52 °0 52 °4 52 °5 52 °6 52 °1 52 °2	53 ·6 53 ·5	Nov.22 h 19. 32 20. 5 20. 9 20. 17 20. 33 21. 8 21. 33 21. 42 21. 55 22. 2 22. 9  22. 17 22. 26 22. 43 22. 58 23. 24 23. 33	20. 20. 55 21. 50 21. 50 21. 10 21. 30 22. 25 23. 30 23. 0 24. 0 23. 35 24. 20 25. 25 25. 25 25. 55 25. 25	h m		h m		h m	٥	
4.54; 5.10 5.24 5.34 6.23 6.34 6.41 6.56 7.54 7.59 8.54 9.17 10.16 11.55 12.44 13.55; 14.7	23. 10 19. 50 18. 50 19. 10 19. 0 23. 5 22. 20 22. 35 22. 30 20. 45 19. 0 20. 15 20. 45 19. 55 22. 20 26. 0	7. 12 7. 38 7. 53 8. 3 8. 28 9. 26 10. 6 11. 45 12. 41 13. 35 14. 21 14. 50 18. 23 18. 50 19. 22 19. 40 19. 58 20. 12 20. 12 20. 18 21. 57	1433 1439 1435 1436 1436 1432 1435 1440 1433 1440 1433 1436 1432 1436 1432 1436 1432 1436 1436 1437 1438 1438 1438 1438 1438 1438 1438 1439 1449 1449 1449 1449						23. 53 23. 57 23. 59 Nov.23 0. 0 0. 12 0. 27 1. 13 1. 54 7. 23 8. 6 8. 32 9. 44 12. 30 13. 43 14. 6 14. 19 14. 51 15. 8 15. 21 15. 38 15. 50 15. 59 16. 18	25. 40 24. 55 25. 15 20. 25. 15 24. 30 25. 40 25. 40 22. 55 22. 30 22. 50 22. 50 23. 50 23. 50 23. 25 23. 40 25. 5 24. 10 25. 40	Nov.23 o. o o. 3o 1. o 2. 8 3. o 5. 41 9. 3 12. 56 15. 59 16. 26 17. 36 17. 36 18. 26 21. 11	'1422 '1419 (†) '1429* '1436 '1435 '1426 '1428 '1425 '1430 '1429 '1430 '1426 (†)	Nov.23 I. 0 3. 0 9. 0 21. 0	**************************************	1. 0 2. 0 3. 0 9. 0 21. 0 22. 0	54 *4 55 *9 56 *1 55 *8 55 *2 54 *4	57 ·5 57 ·0 58 ·0 56 ·6 55 ·5
14. 28 14. 41 14. 57 15. 11 15. 58 16. 20 16. 41 17. 13 17. 23 17. 43 18. 16 18. 26 18. 54 19. 7		<b>23.</b> 59	.1422						16. 38 16. 55 17. 24 18. 0 18. 11 20. 8 21. 11 Nov.24	25. 50 23. 45 22. 50 23. 0 22. 30 22. 30 (†) (†) 20. 25. 48* 24. 30 24. 10 24. 30 22. 30	Nov.24  1. 0 3. 0 6. 14 9. 8 9. 24	(†) -1431* -1429* -1432 -1430 -1435		(†) .02210* .02205* .02214 .02257 .02298		54 °0 54 °0 53 °5 53 °4 54 °1	53 ·9 53 ·6 53 ·6 55 ·0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	(	 Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole II. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	rmo- ers.
Nov.24  8. 41 9. 6 9. 21 10. 4 10. 32 10. 56 11. 9 11. 29 12. 4 12. 41 13. 29 13. 51 14. 45 14. 45 14. 58 15. 17 15. 43 16. 3 17. 42 17. 53 21. 12 22. 44 22. 53 23. 59  Nov.25	20. 25. 10 25. 0 23. 20 23. 35 25. 30 23. 20 23. 55 23. 20 23. 40 19. 40 17. 30 17. 0 17. 25 19. 30 20. 40 21. 0 22. 25 22. 0 23. 30	19. 53 20. 39 21. 56 22. 11	*1429 *1430 *1427 *1434 *1425 *1425 *1430 *1429 *1431	Nov. 24 h 21. 51 23. 59  Nov. 25 o. 0 1. 14 4. 12 8. 57 10. 23 15. 11 20. 12 23. 53	·02300 ·02277 ·02277 ·02296 ·02318 ·02312	Nov.24 h m 21.40	56·5 56·5 55·0 55·0	Nov. 25 h 18. 22 18. 33 19. 3 19. 11 19. 41 20. 0 20. 11 20. 42 20. 54 21. 13 22. 6 22. 39 22. 43 22. 49 22. 55 22. 58 23. 11 23. 24 23. 27 23. 29 23. 48 23. 59  Nov. 26 0. 0 0. 12 0. 21 0. 26 0. 30 0. 38 0. 44 0. 30 1. 53 2. 3 2. 8 2. 11 2. 14 2. 26 2. 39 2. 43 2. 11 2. 14 2. 26 2. 39 2. 43 2. 11 2. 14 2. 26 2. 39 2. 43 2. 11 2. 14 2. 26 2. 39 2. 43 3. 36 3. 36 3. 36	20. 22. 45 23. 0 22. 35 23. 0 22. 20 22. 50 22. 30 24. 5 23. 10 23. 45 23. 15 24. 20 23. 40 25. 10 25. 10 25. 15 24. 20 27. 30 27. 30 29. 45 28. 20	Nov.26 o. 0 0. 33 o. 39 o. 45 o. 58 l. 23 l. 39 l. 58 2. 25 2. 38 2. 50 3. 23 3. 26 3. 23 3. 26 3. 43 3. 57 4. 35 4. 43 4. 57 5. 25 5. 36 5. 43	1436 1423 1411 1408 1399 1396 1406 1406 1410 1401 1401 1401 1436 1436 1384 1401 1416 1388	Nov.26  1. 0 3. 0 4. 11 4. 26 4. 36 4. 54 5. 40 5. 55 6. 18 6. 41 6. 57 7. 12 7. 44 8. 52 10. 23 11. 35 11. 35 11. 30 12. 55 19. 18 21. 30 23. 59	(†) '02293* '02443* '02460 '02460 '02516 '02543	Nov.26 o. o 1. o 2. o 3. o 9. o 21. o 22. o 23. o	55 · 2 55 · 8 55 · 9 56 · 1 55 · 7 56 · 1	56 · · · · · · · · · · · · · · · · · · ·

Greenwich Mean Sclar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	rmo-
Nov.27 10. 4 10. 13 10. 38 10. 59 11. 12 12. 32 14. 56 15. 33 15. 51 16. 21 16. 38 16. 55 17. 8 17. 49 17. 49 17. 59 17. 59 18. 3 18. 42 19. 39 20. 6 21. 4 21. 17 21. 25 21. 33 22. 43 22. 23 22. 33 22. 43 23. 8 23. 18 23. 24 23. 59 Nov. 28 0. 0 0. 26 0. 51 1. 3 1. 41 1. 52 2. 18 2. 36 2. 58	20. 21. 45 21. 25 22. 5 21. 40 22. 40 22. 40 24. 5 24. 5 24. 45 23. 40 24. 45 23. 30 24. 45 23. 30 24. 45 23. 30 24. 45 23. 30 24. 45 23. 30 24. 45 22. 40 25. 5 23. 30 24. 25 23. 5 26. 5 27. 40 26. 5 27. 40 27. 40 28. 30 29. 40 29. 40 20. 40 20. 40 20. 40 20. 40 20. 40 20. 40 20. 40 20. 40 2	Nov.27 12. 23 13. 18 14. 24 15. 27 15. 41 16. 21 17. 54 18. 33 18. 51 19. 6 20. 23 20. 56 21. 9 21. 48 22. 3 22. 26 23. 0 23. 59  Nov.28 0. 18 0. 53 1. 7 2. 9 2. 17 2. 26	*1413 *1420 *1418 *1424 *** *1426 *1422 *1427	Nov.28 o. o 1.57 4.41 6.18 7.24 8. 0 11.19 12.13 13.14	.02284	2. 0 3. 0 9. 0 21. 0	55 °0 55 °4 55 °4 55 °0 52 °2 52 °6	56 · 2 56 · 3 56 · 2 55 · 6 52 · 9	3. 14 3. 26 3. 51 3. 4. 15 3. 4. 15 3. 4. 15 5. 12 6. 23 6. 25 6. 23 6. 25 7. 7. 39 8. 12 8. 12 8. 12 9. 14 10. 12 11. 12 11. 12 12. 28 13. 12 13. 12 13. 12 14. 13. 13. 14. 15 15. 16. 17 16. 17 17. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18	18. 20 22. 10 19. 45 20. 30 18. 55 21. 10 21. 10	16. 34 17. 32 17. 54 19. 14 19. 58 20. 56 21. 36 21. 49 22. 53	1424 1418 1416 1423	Nov.28 13. 28 14. 8 16. 22 20. 53 23. 59	'02184 '02160 '02168 '02137 '02116 '02122	h m	0	•

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	of Ther	rmo ters.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	f mo-
17. 28 17. 35 17. 41 17. 56 18. 13 18. 38 18. 59 19. 17 19. 41 20. 33 20. 50 20. 57 21. 21 21. 36 21. 43 22. 10 22. 26 22. 43 23. 24 23. 59 Nov. 29	20. 24. 55 23. 35 23. 35 23. 25 23. 25 25. 30 24. 55 25. 20 24. 45 25. 25 25. 20 26. 25 25. 30 26. 25 25. 30 26. 25 26. 20 31. 15 26. 10 27. 30 28. 15 26. 10 29. 10 29. 10 21. 20 24. 30 25. 30 25. 55 25. 40 26. 10 27. 26. 10 28. 15 29. 10 21. 20 24. 30 25. 30 25. 30 26. 25 27. 30 27. 40 27. 45 27. 45	6. 53 7. 26 7. 41 7. 44 8. 3 8. 22 8. 44 9. 16 10. 49 11. 55 15. 48 16. 56 17. 39 18. 23 18. 53 20. 57 21. 26 21. 56 22. 43	1413 1431 1431 1431 1425 1417 1418 1418 1416 1429 1428 1426 1410 1432 1442 1442 1396 1443 1442 1396 1443 1421 1421 1417 1422 1418 1421 1418 1425 1425 1420 1425 1415 1410	23. 59	•02122 •02147 •02198 •02224 •02257 •02275 •02184 •02220 •02210 •02244 •02192 •02212	Nov. 20 0. 0 1. 0 2. 0 3. 0 9. 0 21. 0 22. 0 23. 0	53 · 2 54 · 2 54 · 4 54 · 5 54 · 5 54 · 5	54·1 555·2 55·5 55·1 55·6	9.55 10.12 10.38 11.1 11.33 11.55 12.32 12.51 13.7 13.18 13.51 14.29 14.54 15.11 15.44 15.55 16.9 16.26 16.39 16.55 17.7 17.14 17.54 18.13 18.24 19.40 19.41 19.21 19.40 20.39 21.21 21.28 22.10 22.30 22.42 23.33 23.42 23.48 23.59  Nov.30 0.58 1.40 2.26 2.36 3.07 3.31 3.53 4.13 4.42	20. 16. 50 17. 15 20. 16. 50 22. 50 23. 30 22. 30 22. 40 23. 40 23. 40 23. 40 23. 40 23. 40 23. 40 23. 40 23. 40 23. 40 24. 45 25. 10 26. 50 26. 50 27. 20 26. 25 27. 25 26. 25	Nov. 29 23. 38 23. 59  Nov. 30 0. 0 0. 4 1. 0 1. 27 2. 28 2. 43 2. 59 3. 14 3. 35 4. 32  erisk is	*1415 *1411 *1411 (†) *1413 *1412 *1409 *1406 *1409 *1404 *1408 *1400	13. 12 22. 30 23. 59	*02212 *02304 *02300 *02263 *02160 *02041 *02048	3. 0 4. 20 9. 0 21. 0 22. 0 23. 0	54 ·8 55 ·6 55 ·6 55 ·7 54 ·1 50 ·8 51 ·2 52 ·0	56 ·8 56 ·8 57 ·0 57 ·0 55 ·0 51 ·8 52 ·2 53 ·0

Solar	estern eclina- tion	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. Magnet. Magnet.
4. 58 5. 13 5. 13 5. 13 5. 13 5. 13 5. 13 6. 14 6. 24 6. 13 7. 13 7. 13 8. 14 8. 29 9. 45 9. 10 11. 26 11. 34 12. 13 14. 15 15. 57 16. 12 17. 13 18. 14 17. 16. 51 17. 17. 18 18. 18. 19 19. 33 11. 10 11. 26 11. 17. 18 11. 18. 19 11. 19. 19. 19. 19. 19. 19. 19. 19. 19.	22. 40 19. 45 21. 0 17. 40 17. 50 12. 15 20. 10 19. 55 18. 20 20. 50 19. 15 21. 10 21. 15 22. 0 21. 50 22. 20 21. 5 22. 20 21. 5 22. 40 21. 20 21. 20 21. 20 21. 20	Nov.30 4. 41 4. 57 5. 14 5. 14 5. 21 5. 33 6. 40 7. 21 8. 18 8. 48 8. 48 10. 43 11. 25 12. 34 11. 37 20. 54 20. 54 22. 55	*1410 *1409 *1417 *1414 *1419 *1414 *1418 *1416 *1422 *1423 *1422 *1423 *1429 *1425 *1424 *1431 *1429 *1431 *1426 *1430 *1425	h m		h m	0	O	Dec. 1 h o. 0 o. 9 o. 23 o. 36 o. 42 o. 53 1. 30 2. 38 2. 53 4. 42 4. 53 5. 11 5. 23 5. 40 6. 83 7. 12 7. 34 7. 58 8. 42 9. 28 10. 25 10. 36 10. 56 11. 35 12. 41 13. 13 13. 24 13. 13 13. 24 14. 56 15. 14 15. 32 16. 10 16. 21 17. 25 17. 47 18. 23 18. 27 17. 17 18. 23 19. 13 19. 23 20. 34 20. 51 21. 38 22. 24	20. 24. 10 25. 10 24. 25 24. 20 25. 0 24. 15 24. 25 24. 15 23. 20 22. 25 21. 55 22. 0 21. 20 21. 30 20. 20 18. 40 20. 0 18. 55 21. 15 21. 40 21. 15 21. 40 21. 55 21. 50 21. 20 21. 20 21. 30 21. 55 21. 40 21. 55 21. 55 21. 50 21. 25 21. 30 22. 45 21. 50 21. 50 21. 25 21. 30 22. 5 21. 50 21. 0 25. 30	Dec. 1 h	11425 11428 11434 11434 11436 11430 11426 11430 11426 11430 11426 11430 11426 11432 11432 11432 11432 11434 11425 11418 11421 (†)	Dec. 1 h m 0. 0 2. 55 7. 12 12. 42 18. 7 23. 59	**O2048 **O2095 **O2117 **O2116 **O2112	I. 0	52°2 53°3 52°6 53°3 52°6 54°3 52°8 54°3 53°2 55°3

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.		Greenwich Mean Solar Time.	Western Declina- tion,	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	of rmo- ers.
Dec. 1 23. 41 23. 59	20. 28. 20 28. 0	h m		h m		h m	0	0	Dec. 2  h m  16. 13  16. 28  16. 56	20. 24. 30 24. 0	h m		h m		h m	0	0
Dec. 2 0. 0 0. 34 0. 54 1. 21 1. 53 2. 18 2. 39 2. 56 3. 8 3. 32 3. 56 4. 12 4. 57 5. 12 5. 28 5. 43: 6. 2 6. 33 6. 44 6. 53 7. 18 7. 39 7. 54 9. 28 9. 41	20. 45 20. 20 20. 55 20. 50 21. 0	Dec. 2 o. 0 o. 17 1. 16 2. 47 3. 28 3. 52 4. 39 5. 25 6. 10 6. 55 7. 18 7. 39 8. 7 8. 39 9. 10 9. 50 10. 20 11. 43 12. 22 12. 40 13. 26 14. 31 15. 7 16. 3 16. 36 17. 30	*1420 *1419 *1428 *1423 *1413 *1427 *1425 *1425 *1426 *1429 *1427 *1426 *1429 *1423 *1425 *1423 *1425 *1423 *1425 *1423 *1425 *1423 *1425 *1423 *1425 *1423 *1425 *1423 *1425 *1423	Dec. 2 o. o o. 56 3. 7 4. 41 7. 10 17. 33 20. 12 22. 59 23. 59	02112 02123 02155 02172 02168 02236 02236 02257 02297	Dec. 2 1. 0 8. 0 21. 0 22. 0 23. 0	55 .8	55 ·6 57 ·3 57 ·9	17. 41 17. 50 18. 26 18. 30 18. 39 18. 51 19. 5 19. 29 19. 39 19. 56 20. 24 20. 39 21. 29 21. 42 21. 46 21. 58 22. 11 22. 36 23. 21 23. 26 23. 29 23. 38 23. 43	22. 10 21. 50 22. 30 22. 20 21. 55 22. 25 21. 30 23. 30 23. 20 25. 0 24. 0 25. 25 27. 30 26. 15 27. 20 ***  26. 10 27. 35 ***  27. 0 25. 25 28. 20 30. 10 28. 10 27. 15 29. 10 (†)					Dog 2		
9. 57 10. 5 10. 15 10. 19 10. 30 10. 51 10. 59 11. 21 11. 42 11. 59 12. 3 12. 11 12. 22 12. 34 13. 3 13. 16 13. 28 14. 46 15. 8 15. 23 15. 33 15. 51	20. 0 19. 45 20. 30 19. 50 21. 20 19. 25 19. 30 18. 0 18. 0 19. 45	18. 18 18. 44 20. 58 21. 22 21. 35 21. 51 22. 20 22. 38 23. 11 23. 46 23. 52	·1436 ·1439 ·1426 ·1432 ·1426 ·1433 ·1426 ·1412 ·1413 ·1421						Dec. 3  0. 43 0. 56 0. 59 1. 8 1. 13 1. 23 1. 49 1. 55 1. 59 2. 18 2. 30 2. 42 2. 46 3. 8 3. 25 3. 39 3. 51 3. 56 4. 14 4. 26 4. 41 4. 47	(†) 20. 30. 25 30. 5 31. 15 30. 30 31. 15 30. 40 33. 20 33. 30 32. 10 32. 5 27. 25 27. 30 31. 0 30. 50 34. 30 32. 10 26. 15 26. 55 29. 40 27. 50 27. 50 26. 55	Dec. 3 o. o 1. 23 1. 38 1. 50 1. 57 2. 11 2. 26 2. 39 2. 48 3. 11 3. 31 4. 6 4. 50 5. 8 5. 19 5. 33 6. 40 6. 51 7. 16 7. 41 8. 23	1392	14. 8 19. 39	.02404 .02416 .02423 .02457 .02503 .02535 .02522	1. 0 2. 0 3. 0 9. 0 21. 0 22. 0	58 · 2 59 · 9 59 · 8 59 · 8	59 · 6 59 · 6 59 · 6 59 · 6 60 · 4 61 · 3

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.		Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readi of Ther meter.	mo-
Dec. 5 7. 8 7. 12 7. 36 8. 3 8. 20 8. 35 8. 55 9. 32 11. 43 12. 16 12. 37 13. 26 13. 32 14. 20 14. 37 14. 43 15. 26 15. 58 16. 12 16. 56 17. 6 19. 9 19. 21 16. 56 17. 6 19. 9 19. 21 19. 34 19. 41 20. 28 20. 38 20. 44 20. 57 21. 40 23. 24 23. 59	20. 21. 10 21. 40 20. 25 21. 5 20. 30 20. 30 21. 0 20. 55 22. 10 21. 55 22. 30 22. 55 22. 45 23. 20 22. 55 24. 40 21. 55 21. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 5 21. 40 22. 40 22. 5 21. 10 25. 25 26. 50 25. 25 26. 50 25. 25 26. 50 25. 30	Dec. 5 h m 10. 28 10. 28 118. 15 119. 27 20. 20 20. 44 21. 43 22. 11 22. 29 23. 25 23. 59	*1429 *1425 *1441 *1434 *1431 *1426 *1419 *1420 *1408 *1421 *1425	h m		h m	0	0	Dec. 6 5. 14 5. 39 5. 14 5. 39 6. 34 6. 57 7. 13 7. 16 7. 30 7. 48 8. 31 9. 39 9. 44 10. 12 10. 36 10. 57 11. 15 11. 27 11. 39 11. 42 11. 52 12. 45 13. 14 13. 53 14. 11 14. 32 14. 50 15. 14	18. 10 19. 20 19. 10 20. 10 13. 30 17. 20 17. 0 18. 50 18. 40 19. 55 19. 10 20. 45 20. 25 22. 10 23. 0 22. 20 21. 45 22. 0 21. 55 22. 20 21. 45 23. 55 23. 15 23. 45 23. 25 23. 40 23. 0	Dec. 6 h 7. 29 7. 47 8. 3 8. 13 8. 37 8. 52 9. 50 9. 58 10. 16 10. 50 11. 25 11. 25 11. 51 12. 6 12. 33 13. 6 14. 14 17. 4 17. 32 18. 53 20. 20 20. 48 20. 59 21. 28 22. 26 22. 53 23. 59	*1423 *1436 *1432 *1434 *1432 *1438 *1431 *1446 *1439 *1440 *1432 *1434 *1431 *1436 *1436 *1431 *1436 *1431 *1436 *1431 *1436 *1429 *1431 *1434 *1431 *1432 *1427 *1427	h m		h m	0	0
Dec. 6 o. 0 o. 53 i. 4 2. 6 2. 26 2. 29 2. 42 2. 56 3. 14 3. 37 3. 43 4. 6 4. 13 4. 26 4. 53	20. 25. 30 26. 0 26. 0 24. 30 24. 25 23. 30 23. 35 24. 55 25. 20 24. 55 25. 25 25. 25 25. 25 23. 40	Dec. 6 o. 0 2. 2 2. 42 3. 22 3. 53 5. 10 5. 20 5. 29 5. 44 5. 57 6. 36 6. 54 7. 3 7. 13 7. 23	*1425 *1428 *1418 *1420 *1416 *1416 *1420 *1418 *1421 *1422 *1430 *1427 *1428 *1423 *1425	Dec. 6 o. 0 o. 33 3. 6 5. 14 7. 52 8. 56 11. 12 11. 23 11. 40 15. 11 19. 54 23. 59	*02418 *02427 *02482 *02502 *02495 *02475 *02463 *02466 *02463 *02428 *02384	1. 0 2. 0 3. 0 9. 0 21. 0	58 · 8 58 · 9 59 · 2 59 · 5 57 · 9 58 · 0	59 ·6 60 ·0 60 ·3 58 ·7 58 ·8	15. 38 15. 53 15. 56 16. 41 17. 20 17. 48 17. 56 18. 12	24. 5 23. 30 23. 45 23. 5 24. 10 23. 25 24. 10 23. 55 24. 10 23. 55 24. 20 25. 10 24. 20 24. 55 23. 25 26. 0				umber in	mhách i		

Greenwich Mean Solar Time.	Western Declination.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	0		Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	mo-
Dec. 6  22. 37  23. 43  23. 43  23. 59  Dec. 7	24. 30 24. 0 25. 10 24. 55 25. 10 24. 30	Dec. 7 o. o o 1. 13 2. 11 2. 23 2. 38 2. 56 3. 52 5. 20 7. 6 8. 59 9. 13 9. 36 10. 27 10. 56 12. 55 17. 18 20. 8 20. 56 21. 13 21. 37 22. 13 23. 59	1427 1431 1419 1415 1418 1427 1428 1422 1426 1427 1432 1423 1423 1423 1423 1425 1425 1425 1425	Dec. 7 o. 0 2. 25 3. 26 4. 20 9. 41 12. 21 15. 0 19. 25 23. 49	·02384 ·02440 ·02456 ·02464 ·02417 (†) ·02407 ·02411 ·02380 ·02336 (†)	h m	58 ·1 58 ·4 58 ·4 58 ·4 56 ·6 56 ·7	59 ·6 ·6 ·59 ·3 ·4	Dec. 7	22. 10 21. 35 17. 30 19. 5 17. 40 19. 30 21. 5 20. 25 21. 25 21. 40 22. 35 24. 25 21. 45 22. 55 23. 5 22. 30 23. 10 22. 30 22. 35	Dec. 8 0. 0. 0. 2. 17 2. 55 3. 56 4. 13 6. 2 6. 36 6. 53 7. 24 7. 36 7. 42 8. 13 8. 38 91. 29 11. 42 11. 53 12. 14 13. 44 13. 59 14. 40 16. 41 19. 22 19. 41 21. 11 22. 14	*1425 *1422 *1418 *1424 *1422 *1428 *1423 *1414 *1415	Dec. 8 0. 34 2. 22 3. 11 6. 26 7. 38 7. 52 10. 10 13. 44 14. 20 23. 9	(†) ·02363 ·02376 ·02383 ·02395 ·02340 ·02304 ·02288 ·02168 (†)	Dec. 8 o. o 1. o 3. o 9. o 21. 3o	57 °4	58 · 5 58 · 3 59 · 1 57 · 0

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	f mo-
Dec. 8 h m 17. 2 17. 11 17. 23 17. 41 18. 11 18. 23 18. 56 19. 8	20. 22. 5 21. 35 22. 5 21. 40 21. 50 22. 40 21. 45 21. 40	h m		h m		h m	o	O	Dec. 9 h mi 22. 44 23. 11 23. 25 23. 41 23. 55 23. 59	20. 23. 25 22. 30 *** 23. 30 23. 15 24. 0 23. 50	h no		h m		h m	o	o
19. 20 19. 44 19. 56 20. 6 20. 14 20. 59 21. 8 21. 49 22. 11 23. 22 23. 59	22. 30 21. 20 22. 0 22. 10 21. 30 22. 0 21. 30 22. 0 22. 45 23. 15 23. 0	,							1. 17 1. 41 1. 53 2. 49 3. 11 3. 18 3. 28 3. 56	20. 23. 50 25. 20 25. 10 24. 55 26. 0 25. 45 26. 0 25. 35	Dec. 10 0. 0 2. 29 2. 51 3. 8 3. 39 4. 2 4. 25 4. 40 5. 2 7. 56		Dec. 10 o. 0 o. 39 2. 41 3. 40 3. 57 5. 35 8. 57 10. 0 13. 41 15. 14	*02246 *02276 *02322 *02325 *02337	1. 0 2. 0 3. 0 9. 0 21. 0	57 °4 57 °8	59 ·0 59 ·0 59 ·2 57 ·5 53 ·3
0.56 1.23 2.11 3.49 4.14 4.53 5.14 5.38 5.42 5.57 6.11 6.26 6.32 7.26 9.0 9.34 9.47 10.2 10.26 10.44 11.21 11.38 11.56 12.11	20. 23. 0 23. 15 22. 55 23. 15 23. 0 23. 20 23. 30 21. 10 21. 15 20. 20 21. 55 21. 55 21. 55 21. 55 21. 55 21. 55 20. 55 21. 40 20. 50 20. 50 20. 50 20. 50 20. 50 20. 20 21. 40 22. 0 22. 40	Dec. 9 o. 0 5. 23 6. 13 7. 2 9. 21 12. 56 16. 38 18. 36 22. 26 23. 28 23. 59	·1432 ·1435 ·1436 ·1437 ·1433 ·1434 ·1441 ·1442 ·1435 ·1427 ·1427	Dec. 9  1. 0 7. 55 10. 20 13. 42 17. 15 19. 54 21. 9 23. 11 23. 59	(†) ·02164* ·02198 ·02204 ·02238 ·02257 ·02255 ·02221 ·02246	9. 0 21. 0 22. 0	56 .8	56 ·7	5. 32 6. 0 6. 18 6. 32 7. 23 7. 46 8. 13 8. 26 8. 56 9. 26 9. 26 9. 43 9. 49 9. 56 10. 17 10. 27 10. 32 10. 43 11. 14 12. 4	15. 20 16. 45 16. 25 17. 5 16. 15 17. 55 17. 40 18. 0 16. 55 17. 55 17. 55 19. 10	9. 21 9. 40 10. 4 10. 13 11. 57 12. 23 12. 41 12. 56 13. 8 13. 36 14. 3 14. 24 15. 6 15. 41 17. 29 19. 55 20. 36 20. 57 20. 28	·1436	16. 22 21. 26 23. 59	*02222 *02124 *02088			
12. 36 13. 56 18. 2 21. 4 21. 51 22. 13 22. 36	21. 55 23. 0 *** 22. 35 21. 45 21. 55 23. 0 23. 0								12. 13 12. 26 12. 41 12. 53 13. 13 13. 23 13. 35 13. 43	22. 15 21. 5 20. 25 20. 50 20. 0 21. 20 21. 55 24. 40							

Greenwich Mean Solar Time. Tion.	F #	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	met	f rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-
Dec. 10  13. 59 14. 25 14. 29 14. 42 14. 58 15. 9 15. 32 15. 50 16. 4 16. 8 16. 21 16. 27 16. 44 16. 56 17. 9 17. 19 17. 27 17. 58 18. 9 17. 19 17. 27 17. 58 18. 9 18. 14 18. 29 22. 2 **** 19. 9 19. 13 19. 27 20. 6 20. 13 20. 59 21. 18 21. 4 21. 4 21. 4 21. 48 21. 41 21. 48 21. 41 21. 48 21. 41 21. 48 21. 41 21. 48 22. 6 22. 28 22. 39 23. 6 23. 12 23. 42 24. 43 25. 2 27. 4  Dec. 11 0. 0 20. 27. 4 0. 20 0. 37 0. 50 0. 37 0. 50 0. 37 0. 50 0. 37 0. 50 0. 37 0. 50 0. 37 0. 50 0. 37 0. 50 0. 37 0. 50 0. 37 0. 50 0. 37 0. 50 26. 4 27. 20 27. 20 0. 37 0. 50 27. 4 28. 3 29. 40 20. 27. 2 20. 27. 2 20. 27. 2 20. 28 21. 24. 25 22. 27. 2 25. 28 27. 2 27. 20 27. 20 27. 20 27. 20 27. 20 27. 20 27. 20 27. 27. 20 27. 27. 20 27. 27. 20 27. 27. 27. 27. 27. 27. 27. 27. 27. 27.	Dec. 11 0.005.555505000555555050005555550500055555050000	1425 1425 1416 1425 1418 1419 1413 1423 1423 1423 1429 1429	Dec. 11 o. o 1. 45 2. 41 5. 32 7. 37 8. 41 10. 56 11. 36 11. 56 14. 29 15. 14	·02088 ·02125 ·02144 ·02209 ·02205 ·02191 ·02209 ·02178 ·02183 ·02172 ·02180 ·02167	1. 0 2. 0 3. 0 9. 0 10. 40 21. 0	52 ·6 54 ·2	53.7.3.7.9.3.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5	3. 54 4. 7 4. 23 4. 34 4. 59 5. 14 5. 53 6. 55 7. 16 3. 6. 55 7. 36 7. 36 7. 55 8. 12 8. 42 8. 56 9. 13 11. 36 11. 58 12. 20 12. 32 13. 43 14. 15 14. 15 15. 36 17. 15 16. 56 17. 11 17. 53 18. 53 19. 55 19. 56 19. 5	20. 26. 40 24. 20 25. 20 25. 15 24. 0 20. 10 18. 50 19. 50 22. 10 23. 55 23. 15 13. 10 9. 5 21. 50 20. 45 21. 10 20. 30 19. 40 19. 55 21. 10 20. 30 21. 10 21. 40 20. 30 21. 10 21. 40 22. 20 22. 45 22. 15 22. 45 22. 45 22. 10 23. 55 23. 30 23. 40 23. 55 23. 30 23. 40 23. 55 23. 30 23. 40 23. 55 23. 30 23. 40 23. 55 23. 30 23. 55 23. 30 23. 40 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 30 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55 23. 55	Dec. II  7. 34  7. 50  8. 11  8. 53  9. 38  II. 25  II. 4I  II. 57  I4. 30  I4. 55  I6. 43  20. 33  20. 56  21. 44  22. 56  23. 10  23. 59	*1453 *1443 *1421 *1427 *1422 *1429 *1424 *1431 *1431 *1432 *** *1431 *1433 *1437 *1431 *1429	Dec. 11 h m 21. 12 22. 23	·02182 ·02180 (†)	h m	0	0

Greenwich Mestern Solar Time. tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-	Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. Magnet.	f mo- ers.
Dec.11  22. 32 20. 22. 40 22. 53 23. 10 22. 25 23. 14 22. 55 23. 51 22. 30 23. 59 22. 45	h m		h m		h m	0	0	15. 13 15. 24 15. 32 15. 40 15. 59	20. 20. 25 21. 55 21. 50 22. 30 20. 30 21. 50	h m		h m		h m	0	O
Dec. 12 0. 0 20. 22. 45 0. 16 0. 25 23. 55 1. 9 24. 15 1. 44 1. 51 23. 20 1. 57 2. 14 23. 40 2. 23 23. 20 2. 40 23. 20 2. 40 23. 20 2. 59 24. 10 3. 8 24. 0 3. 36 24. 15 3. 44 25. 20 3. 58 25. 30 4. 9 24. 25 4. 33 24. 5 4. 33 24. 5 4. 33 24. 5 4. 44 24. 5 4. 59 24. 35 5. 9 24. 35 5. 9 24. 35 5. 9 24. 35 6. 24 25. 30 6. 7 22. 45 6. 50 21. 50 6. 56 7. 22. 45 6. 50 21. 50 6. 56 7. 22. 45 6. 50 21. 50 6. 56 7. 22. 45 6. 50 21. 50 6. 56 7. 22. 45 6. 50 21. 50 6. 56 7. 22. 45 6. 50 21. 55 6. 50 21. 55 6. 50 21. 55 6. 50 21. 55 6. 50 21. 55 6. 50 21. 55 6. 50 21. 55 6. 50 21. 55 6. 50 21. 55 6. 50 21. 55 6. 50 21. 55 6. 50 22. 20 7. 23 21. 25 7. 39 21. 55 8. 55 20. 40 9. 36 19. 30 9. 50 19. 10 10. 10 17. 55 10. 32 19. 50 11. 43 19. 40 10. 59 19. 45 11. 6 20. 30 11. 43 19. 40 11. 53 17. 40 12. 51 20. 5 13. 53 17. 40 12. 51 20. 5 13. 53 17. 40 12. 51 20. 5 13. 53 17. 40 12. 51 20. 5 13. 53 17. 40 14. 33 19. 45 14. 48 20. 50	Dec. 12 o. o o. 26 3. 26 4. 6 6. 25 6. 57 8. 14 8. 27 8. 49 9. 22 10. 11 10. 42 11. 13 11. 34 12. 27 14. 54 15. 38 16. 21 17. 26 17. 57 18. 33 19. 23 21. 28 23. 59	1429 1436 1431 1419 1435 1438 1428 1422 1422 1426 1433 1428 1425 1433 1428 1433 1423 1427 1433 1433	Dec.12  1. 0 1. 26 2. 57 5. 53 10. 54 15. 52 23. 59	(†) '02247* '02250 '02293 '02317 '02297 '02276 '02300	1. 0 2. 0 3. 0 9. 0 21. 0	58 ·3 57 ·9 57 ·0	59 · 0 59 · 0 59 · 0 58 · 5 58 · 0	20. 23 20. 32 20. 43 21. 53 22. 23 23. 42 23. 59 Dec.13	21. 30 22. 50 22. 30 22. 30 22. 30 22. 30 23. 35 23. 35 23. 35 24. 20 22. 45 23. 55 24. 30 23. 40 23. 10 23. 30 21. 15 22. 55 22. 15 22. 20 21. 20 21. 45 21. 30 22. 10 22. 10 23. 0 22. 55 22. 30 22. 55 22. 30 22. 55 22. 10 23. 0 23. 10	Dec.13 o. o 2. 9 3. 36 3. 57 4. 51 4. 57 5. 13 6. 33 6. 57 11. 26 20. 32 22. 32 22. 32 23. 12 23. 59	1420 1423	Dec.13 o. o 1. 22 2. 43 5. o 10. 20 13. 15 18. 43 23. 11 23. 59	°02300 °02318 °02346 °02327 °02288 °02207 °02195	Dec. 13 o. o 1. o 2. o 3. o 9. o 11. o 22. o 23. o	58 ·4 58 ·9 58 ·6 58 ·8 57 ·5	59 ·6 59 ·5 59 ·5 57 ·2 56 ·4 54 ·4

Greenwich Mean Solar Time,	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. Magnet. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Of H. F. Magnet.	mo-
Dec. 14 h m o. 0 o. 28 o. 59 1. 17 1. 36 2. 26 2. 40 2. 51 4. 6 4. 23 4. 41 5. 26 5. 47 6. 7 6. 26	20. 23. 10 23. 45 23. 0 23. 20 22. 55 22. 30 23. 0 22. 45 23. 0 22. 45 21. 55 22. 25 22. 25 22. 25	Dec. 14 b. 0 c. 32 c. 59 1. 21 5. 27 6. 11 6. 26 6. 56 7. 28 7. 56 8. 55 9. 36 13. 32 14. 8	1431 1430 1425 1427 1429 1426 1422 1418	Dec. 14 h o. 0 1. 14 3. 27 5. 41 7. 41 9. 44 14. 11 18. 7 22. 25 23. 42	*02195 *02203 *02221 *02255 *02263 *02196 *02153 *02088 *02093 (†)	Dec. 14 h o. o. 1. o. 2. o. 3. o. 9. o. 21. o. 22. o. 23. o.	1 1	Dec. 14 h m 22. 6 22. 10 22. 26 22. 32 22. 59 23. 5 23. 12 23. 23 23. 32 23. 34 23. 44 23. 55 23. 59	20. 23. 0 22. 45 23. 10 24. 5 23. 40 25. 0 25. 10 23. 55 25. 50 26. 0 27. 10 26. 5 26. 0 27. 45	h m		h m		h m	0	•
6. 39 6. 51 6. 58 7. 11 7. 39 7. 56 8. 15 8. 43 8. 53 9. 26 9. 38 10. 23 10. 28 10. 39 10. 47 12. 21 12. 33 12. 41 13. 20 13. 36 13. 47 14. 32 15. 5 16. 22 16. 22 16. 23 16. 22 16. 31 16. 54 19. 42 20. 33 20. 55 20. 59 21. 53 21. 59	20.55	15. 12 16. 9 17. 28 21. 0 21. 8 21. 27 21. 38 22. 38 22. 59 23. 59	·1425 ·1426 ·1433 ·1437 ·1445 ·1439 ·1442 ·1428 ·1428 ·1433					Dec. 15 o. 0 o. 12 o. 15 o. 21 o. 36 i. 38 i. 57 2. 11 2. 26 2. 41 2. 56 3. 13 3. 18 3. 21 3. 26 3. 33 3. 53 3. 53 4. 59 5. 50 6. 37 6. 37 6. 37 6. 37 7. 38 7. 38 7. 46 7. 59 8. 37	22. 0 22. 15 22. 5 22. 35	Dec. 15 o. 0 o. 18 o. 35 o. 54 i. 14 i. 54 i. 54 i. 14 i. 54 i. 32 i. 32 i. 33 i. 14 i. 54 i. 14 i. 54 i. 54 i. 64	1425 1419 1424 1430 1428 1433 1429 1431 1428 *** 1431 1424 1429 1421 1423	Dec. 15 o. 55 5. 32 10. 25 19. 15 23. 59	(†) '02157 '02203 '02180 '02125 '02083	1. 0 2.30 3. 0 9. 0	54.5 55.0 55.0 55.0 54.9 53.6	55 ·5 55 ·5 55 ·8 55 ·7

Greenwich Mean Solar Time. Tion.	1 2 2	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Thei met	of rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Reading Ther meter Therm Magnet.	f mo-
Dec. 15 h. m. m. 20. 21. 5 g. 58 10. 26 10. 34 10. 34 10. 55 11. 12 12. 22 11. 44 13. 26 14. 1 14. 9 14. 15 14. 33 14. 44 15. 12 15. 21 16. 26 16. 21 16. 26 16. 21 16. 26 17. 10 17. 23 17. 29 17. 41 17. 52 17. 41 17. 52 17. 56 18. 3 17. 29 17. 41 17. 52 17. 56 18. 3 17. 29 17. 41 17. 52 17. 56 18. 3 17. 29 17. 41 17. 52 17. 56 18. 3 17. 29 17. 41 17. 52 17. 56 21. 44 19. 28 21. 24 21. 25 22. 16 18. 3 21. 44 19. 28 21. 36 21. 44 19. 28 21. 36 21. 44 19. 28 21. 36 21. 44 22. 16 21. 42 22. 16 22. 16 22. 16 22. 16 22. 16 23. 36 24. 16 25. 26 26. 38 27. 49 28. 16 29. 49 29. 54 29. 54 29. 54 29. 54 29. 55 29.	Dec. 15 15. 26 15. 41 17. 16 17. 26 17. 54 17. 59 18. 30 17. 59 18. 30 20. 48 21. 46 21. 46 23. 59 05 06 07 08 08 08 08 08 08 08 08 08 08 08 08 08	11425 11428 11429 11424 11431 11427 11431 11435 11431 *** 11440 11437 11432	Dec. 16 o. o o. 47 2. 11	*02083 *02080	8.30	53 · 9 53 · 2	54·1 54·0	Dec. 16 h 0. 14 0. 25 0. 53 1. 13 1. 49 1. 58 2. 11 2. 23 2. 48 2. 53 3. 34 4. 11 4. 27 4. 45 4. 55 5. 26 6. 9 6. 14 6. 26 6. 39 6. 48 7. 56 6. 9 7. 13 7. 56 8. 26 8. 33 8. 42 9. 14 10. 48 11. 28 11. 28 11. 21 12. 9	23. 35 21. 40 22. 40 22. 10 18. 0 17. 10 18. 15 21. 10 21. 40 19. 15 19. 10 14. 50 15. 20 16. 50 18. 35 17. 20 18. 10 20. 0 20. 40 16. 5	13. 25 14. 8 14. 27 14. 39 15. 26 15. 29 15. 41 16. 29 16. 35 16. 44 16. 56 17. 53 18. 8 18. 18 18. 41 18. 56 19. 32 19. 43 19. 58	1431 1439 1427 1437 1426 1426 1426 1426 1427 1432 14427 1432 14427 1423 14424 14431 1430 1426 1427 1415 1417 1418 1432 1403 1405 1421 1424 1421 1424 1421 1426 1421	Dec. 16  2. 54  3. 13  3. 53  4. 39  6. 29  8. 6  9. 33  12. 24  12. 45  14. 21  18. 26  23. 59				5°2 4
		<u> </u>	<u> </u>	C .1 TO	l			ļi.	!	l	***			<u> </u>		

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V. F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet, Magnet,	f rmo- ers.
Dec. 16 h 12. 21 12. 42 12. 54 12. 59 13. 7 13. 14 13. 36 13. 41 14. 8 14. 16 14. 32 14. 39 14. 43 14. 53	20. 18. 25 21. 25 20. 0 20. 0 18. 45 18. 25 22. 10 22. 0 21. 5 20. 40	Dec. 16 h m 20. 41 20. 53 20. 58 21. 7 21. 13 21. 55 22. 2 22. 20 22. 29 22. 51 23. 2 23. 59	*1427 *1425 *1425 *1431 *** *1419 *1426 *1429 *1424 *1425 *1432	h m		h m	0	O	21. 56 22. 25 22. 28 22. 42 23. 21 23. 39 23. 59 Dec. 17	20. 25. 20 ***  22. 25  25. 0  23. 55  25. 0  23. 55  23. 45  20. 23. 45  25. 0  24. 10	Dec. 17 o. o o. 53 1. 59	·1432 ·1436 ·1432	Dec. 17 o. o 3. 6 4. 28	.°02000 °02157 °02205	Dec. 17 o. o 1. o 2. o	52 ·1	52 ·8 53 ·4 53 ·9
14. 58 15. 6 15. 19 15. 33 15. 34 15. 56 16. 4 16. 29 16. 36 16. 43 16. 51 16. 54 16. 58 17. 6	20. 20 20. 30 19. 40 20. 40 20. 15 21. 20 19. 0 19. 20 21. 5 22. 15 20. 25 20. 35 21. 55 20. 20 20. 5								0.53 0.57 1.18 1.26 1.39 1.50 2.23 2.29 2.38 2.50 3.17 3.26 3.34 3.47 3.58	25. 20 24. 55 26. 55 26. 0 26. 10 25. 50 24. 40 24. 55 23. 40 21. 30 21. 30 19. 45 18. 20 15. 30	2. 53 3. 24 3. 44 3. 57 4. 18 4. 33 4. 48 5. 56 6. 18 6. 39 7. 35 7. 49 7. 56 8. 14	1425 1428 1420 1428 1424 1432 1432 1434 1431 1431 1455 1453 1453 1438	6. 41 7. 10 7. 58 9. 56 10. 26 11. 24 12. 4 12. 41 13. 26 18. 15 23. 59	·02227 ·02247 ·02236 ·02264 ·02296 ·02257 ·02263 ·02258 ·02262 ·02282 ·02262 ·02283	3. 0 9. 0 21. 0 22. 0 23. 0	53 · 2 54 · 7 55 · 2 55 · 4	54 ·7 56 ·6 56 ·4 57 ·0
17. 16 17. 38 17. 41 17. 53 17. 58 18. 14 18. 31 18. 51 18. 56 19. 0	20. 30 21. 15 20. 55 21. 0 21. 55 *** 21. 0 22. 40 24. 0 23. 20 21. 55 23. 0 22. 20 23. 40								4. 8 4. 12 4. 15 4. 19 4. 26 4. 56 4. 56 4. 59 5. 18 5. 26 5. 58 6. 28 6. 44	19. 20 19. 5 21. 20 21. 20 22. 40 23. 0 21. 40 13. 0	9.59 10.10 10.18 10.32 10.39 10.49 11.10 11.26	1430 1426 1433 1428 1415 1419 1439 1428 1424 1430 1427 1443 1433 1433 1432					
19. 25 19. 34 19. 49 20. 14 20. 23 20. 25 20. 26 20. 30 20. 35 20. 43 20. 51	25. 40 23. 50 27. 0 24. 50 23. 5 24. 15 22. 0 25. 5 23. 15 25. 10 25. 30 24. 30								6.56 7.8 7.21 7.41 7.52 7.56 8.11 8.27 8.37 8.43 9.8 9.20	6. 45 9. 50 11. 50 19. 10 17. 20 18. 15 18. 25 20. 20 20. 0	12. 9 12. 27 12. 51 13. 11 13. 57 14. 21 14. 56	1416 1414 1425 1426 1433 1428 1426 1430 1427					

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet. F. Magnet.	f rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Thei met	f mo-
Dec. 17  9. 32  9. 58 10. 9	20. 15. 40 17. 30 29. 5	Dec. 17 h m 17. 34 18. 13 18. 29	°1424 °1430 °1425	h m		h m	o	0	Dec. 17 h m 23. 40 23. 52 23. 59	20. 24. 0 23. 40 24. 5	h m		h m		h m	0	0
10. 30 10. 38 10. 55 10. 59 11. 6 11. 28 11. 56 12. 51 12. 36 12. 51 13. 26 13. 21 13. 26 13. 41 13. 56 14. 24 14. 37 14. 50 15. 11 15. 42 15. 50 16. 29 16. 33 16. 33 17. 26 18. 37 19. 28 19. 58 20. 13 20. 22 20. 37 20. 46 20. 59 21. 33 21. 56 22. 20 22. 30 22. 30 22. 47 23. 19 23. 27	20. 40 20. 10 14. 20 15. 25	18. 37 18. 49 19. 2 19. 31 20. 18 20. 43 21. 42 23. 19 23. 59	1431 1425 1430 1430 1433 1429 1430 1426 1426						Dec. 18 0. 0 0. 13 0. 1. 50 1. 52 1. 58 2. 29 2. 39 2. 43 2. 58 3. 33 3. 58 4. 20 4. 39 2. 16 6. 32 6. 40 6. 50 7. 26 7. 58 8. 17 8. 26 8. 43 8. 55 9. 14 9. 39 9. 10 10. 15 10. 35 11. 45 12. 13 12. 13 12. 13 12. 58 13. 17 13. 47	19.55 23. 0 22.10 23.10 25. 0 14.30 15. 5 14. 0 17.50 16.30 15.45 20.30 21.10 21. 5 15.30	17. 32 17. 41 17. 56 18. 14 19. 3 19. 53 20. 56 21. 3	1426 1432 1429 1433 1416 1430 1424 1425 1445 1445 1445 1445 1445 1441 1426 1418 1418 1418 1418 1418 1418 1418 141	Dec. 18 o. o 4. 19 7. 52 8. 52 9. 9 9. 28 10. 54 12. 40 23. 59	·02322 ·02386 ·02400 ·02362 ·02377 ·02358 ·02377 ·02398 ·02437	1. 0 2. 0 3. 0 9. 0 21. 0 22. 0	56 · 8 · 8 · 5 · 5 · 5 · 7 · 7 · 5 · 5 · 5 · 5 · 5	58 55 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature,	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Readin of Therm meter Y. H. E.	no-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Read of Ther meter the meter of	mo-
Dec. 18 h m 13. 56 14. 3 14. 41 14. 57 15. 29 15. 44 16. 23 16. 29 16. 39 16. 44 16. 56 17. 12 17. 26 18. 57 19. 23 20. 2 20. 8 20. 26 20. 41 21. 34 21. 34 22. 18 22. 32 22. 42 22. 59 23. 8 23. 11 23. 59 Dec. 19	20. 22. 45 22. 10 22. 50 21. 35 *** 22. 20 20. 45 *** 22. 0 21. 45 21. 20 21. 30 19. 40 21. 25 21. 25 22. 0 21. 40 22. 25 22. 0 23. 0 23. 55 25. 25 24. 20 24. 20 24. 40 25. 15 24. 40 26. 24. 40 27. 25 28. 55 29. 15 29. 15 21. 20 21. 20 21. 20 21. 20 21. 20 21. 20 21. 20 21. 20 21. 20 21. 45	Dec.19 0. 0 1. 4 2. 34 2. 41 3. 12 5. 9 5. 27 5. 59 6. 26 6. 43 7. 36 8. 41 9. 49 10. 36 11. 16 11. 38	*1419 *1422 *1412 *** *1425 *1423 *1425 *1417	Dec.19 o. o 5. 58 8. 58 10. 34 11. 55 13. 23	*02437 *02434 *02398 *02354 *02336 *02256	Dec.19 o. o 1. o 2. o 3. o 9. o 21. o	57 ·3 55 ·9	58 *4 58 *1 57 *8 57 *8 56 *7 64 *3	Dec. 19 5. 39 5. 44 5. 53 5. 56 6. 4 6. 23 6. 36 6. 41 7. 25 7. 56 8. 56 9. 26 9. 53 10. 43 11. 14 11. 30 11. 59 12. 43 13. 14. 11 14. 23 14. 43 15. 11 15. 45 15. 56 16. 14 16. 27 16. 51 17. 13 18. 30	13. 10 13. 20 17. 30 19. 20 19. 20 20. 55 20. 30 22. 5	Dec. 19 h 12. 13 12. 32 13. 27 15. 18 15. 41 16. 16 16. 56 17. 12 19. 19 20. 29 21. 6 22. 20 23. 59	OH 34 1419 1416 1420 1421 1424 1418 1423 1420 1425 1428 1428 1428 1428	W. m		M m	JO 0	o Mi

Greenwich Mean Solar Tirne.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	Magnet. F. H. F. Magnet.	f mυ-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Read of Therm meter week.	mo-
0. 13 0. 26 0. 56 1. 17 2. 12 2. 55 3. 29 3. 43 3. 57 4. 21 5. 23 6. 26 6. 36 6. 55 7. 29 7. 43 8. 18 8. 26 6. 36 6. 55 7. 29 7. 43 8. 18 8. 20 10. 17 11. 6 11. 59 12. 18 12. 59 10. 17 11. 6 11. 59 12. 18 12. 59 13. 50 14. 44 14. 56 15. 43 16. 49 17. 46 18. 40 17. 9 17. 46 18. 10 18. 44 20. 57 21. 14 21. 23 21. 48 21. 28 22. 30 23. 59 23. 59	20. 23. 45 23. 35 25. 0 23. 45 24. 0 23. 55 23. 50 19. 25 21. 50 22. 40 23. 25 23. 5 21. 0 20. 10 19. 15 21. 15 20. 45 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 55 21. 15 21. 50 21. 50 21. 50 21. 50 21. 50 21. 50 21. 50 21. 50 21. 55 22. 20 22. 25 23. 0 23. 55	Dec. 20  h	1	Dec. 20  h m o. 0 3. 42 4. 11 4. 45 6. 30 9. 19 16. 27 23. 59	·02205 ·02266 ·02260 ·02274 ·02265 ·02255 ·02260	Dec. 20 h m o. o 1. o 2. o 3. o 9. o 21. o 22. o 23. o	53° · 9 54 · 2 55 · · 1 54 · 0 54 · 4 54 · 8	55 · 5 55 · 8 56 · 1 56 · 0 55 · 1 55 · 5	3. 2 3. 13 3. 43 4. 20 5. 26 5. 41 5. 5. 48 5. 5. 48 5. 5. 47 7. 39 8. 23 8. 38 9. 10 9. 39 9. 50 10. 12 10. 26 11. 8 11. 20 12. 26 13. 39 14. 25 14. 41 14. 50 15. 36 15. 44 16. 33 16. 55 17. 27 18. 59 19. 13 20. 11 21. 30 21. 36 21. 42 22. 41 23. 59 Dec. 22	20. 22. 55 22. 35 21. 50 22. 20 22. 30 22. 30 22. 45 22. 10 23. 10 22. 20 21. 45 21. 10 20. 50 16. 10 21. 10 20. 50 16. 10 21. 10 20. 50 19. 55 21. 10 23. 0 21. 45 ***  22. 50 22. 20 21. 30 21. 45 ***  22. 50 22. 30 23. 10 22. 15 22. 0 21. 30 22. 15 22. 0 21. 30 22. 15 22. 0 21. 30 22. 15 22. 0 21. 30 22. 15 22. 0 21. 30 22. 15 22. 0 21. 30 22. 15 22. 0 21. 30 22. 55 23. 15 22. 0 22. 55 23. 15 23. 30	Dec. 21 h m 9. 24 9. 42 10. 2 10. 31 11. 6 11. 21 12. 32 14. 23 14. 37 14. 54 18. 23 18. 57 20. 40 22. 56 23. 59	*1422 *1431 *1424 *1425 *1418 *1425 *1428 *1426 *1428 *1430 *1432 *1428 *1432 *1428	Dec. 21. 40 23. 59  Dec. 22 o. o 3. 55	*02207	Dec. 21 h m g. 0 21. 0 22. 30 23. 0	54 · 5 53 · 8	55 · o 555 · 2
Dec.21 o. o o. 16 o. 39	20. 23. 55 23. 0 23. 50	Dec. 21 o. o 3. 40 8. 52	.1431 .1431 .1428	Dec. 21 o. 0 5. 42 9. 10	·02260 ·02300 ·02286	1. 0	54 ·9. 53 ·9. 53 ·5	56 •3	0.17	23. 10 24. 10 23. 45	0. 27 1. 11 3. 0 3. 26	1432 1429 1434 1429	9. 57 14. 55 20. 38	*02277 *02295 *02320 *02317	2. o 3. o	55 ·2 54 ·2 55 ·1 55 ·3	56 ·o 57 ·o

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time,	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	rmo-
Dec. 22 h m o. 53 1. 8 1. 40 1. 44 1. 53 2. 54 2. 58 3. 23 3. 29 4. 10 4. 16	23. 0 23. 30	Dec.22  h m 4. 48 5. 44 7. 26 8. 11 8. 39 11. 29 11. 51 12. 17 16. 26 23. 59	1430 1428 1430 1427 1430 1423 1428 1424 1429	Dec.22 h m 23. 59	.02325	Dec.22 h m 10. 0 21. 0	55°•5	57 ° 0 57 ° 2	Dec. 23  9. 55  12. 59  13. 38  13. 55  16. 32  16. 41  16. 53  18. 15  20. 56  22. 26  23. 59	20. 20. 25 21. 50 21. 30 22. 5 22. 10 22. 50 22. 0 22. 30 21. 25 22. 20 23. 20	h m		h m		h va	O	0
5. 33 5. 42 5. 53 6. 26 7. 13 8. 13 8. 40 9. 12 9. 46 11. 53 11. 53 12. 43 13. 30 15. 40 15. 53 16. 9 16. 14 17. 12 18. 20 20. 25 22. 25 23. 59	23. 10 23. 20 22. 55 22. 50 21. 10 21. 45 21. 10 21. 40 21. 10 22. 5 21. 30 22. 0 21. 55 21. 20 21. 55 21. 30 22. 0 21. 55 21. 30 22. 10 21. 50 21. 40 22. 5 21. 30 22. 5								1. 13 2. 39 3. 14 3. 26 3. 43 3. 56 5. 3 7. 13 7. 51 8. 8 8. 14 8. 28 8. 56 9. 10: 10. 11 10. 25: 10. 44 11. 12 18. 17 18. 42	20. 23. 20 23. 45 23. 15 22. 50 23. 0 22. 55 22. 0 21. 55 21. 15 21. 40 18. 55 19. 0 20. 5 19. 50 20. 5 19. 50 20. 10 19. 50 20. 10 19. 50 21. 40	Dec. 24 o. o 3. 56 6. 59 7. 59 8. 43 9. 3 10. 39 10. 55 11. 11 11. 37 19. 32 20. 25 21. 11 21. 23 23. 21 23. 59	1424 1432 1433 1427 1430 1428 1426 1423 1426 1431 1435 1435 1435	Dec.24 o. o 1. 38 5. 35 10.,27 17. 4 20. 41 22. 53	·02320 ·02347 ·02353 ·02317 ·02307 ·02277 ·02234 (†)	1. 0 2. 0 3. 0	55 · 0 56 · 1 56 · 2 55 · 5 54 · 9 54 · 0	57 · 7 57 · 3 57 · 1 56 • 1
Dec.23 o. o 1. 3 1. 58 3. 2 3. 14 3. 46	20. 22. 30 23. 30 22. 55 23. 15 22. 30 22. 20	Dec.23 0. 0 2. 26 2. 45 4. 13 4. 51 5. 43	1428 1427 1424 1425 1430	Dec.23 o. o 4.45 8.22 17.56 23.59	·02337	8.30 21.0	55 ·5 55 ·8 55 ·5 55 ·5	57 °4 57 °0 57 °1	19.38 21.0 21.21 21.32 22.26 22.36 23.59	21. 30 20. 30 20. 50 22. 0 22. 55 22. 30 23. 55							
3. 55 4. 39 5. 25 5. 49 6. 25 6. 34 7. 18 7. 26 7. 36 8. 0 8. 25 8. 39 9. 12 9. 33	23. 0 22. 5 22. 40 21. 0 21. 20 21. 45 20. 30 21. 10 21. 0 21. 20 20. 5	6. 36 7. 20 9. 26 9. 48 10. 6 10. 23 10. 47 11. 6 16. 29 16. 48 20. 32 22. 23 23. 59	·1432 ·1429 ·1427 ·1431 ·1428 ·1429 ·1425 ·1427 ·1431 ·1429 ·1428 ·1422 ·1424		·				Dec. 25 o. o o. 9 o. 21 o. 33 o. 55 1. 32 1. 41 2. 23 2. 52 3. 10 3. 23 3. 28 3. 43	20. 23. 55 23. 50 24. 40 24. 5 25. 10 24. 55 25. 10 24. 5 24. 5 24. 5 24. 5 24. 0 23. 50 25. 0	Dec. 25 o. o 2. 26 3. 25 3. 37 3. 51 4. 10 4. 41 4. 57 5. 8 5. 18 5. 27 5. 54 6. 3	·1435 ·1439 ·1428 ·1435 ·1432 ·1441 ·1443 ·1434 ·1439 ·1432 ·1438 ·1413	Dec.25  0. 42 2. 15 4. 20 5. 0 5. 52 7. 40 8. 12 8. 30 9. 55 12. 34 18. 55 23. 18		21. O 22. O	55 ·7 56 ·6 56 ·4	55 ·5 57 ·0 57 ·8 57 ·8 57 ·8 58 ·2

For the Horizontal and Vertical Forces, increasing readings denote increasing forces.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V.F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.	f mo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time,	The	
Dec. 25  h m 3. 58 4. 22 4. 30	20. 24. 10 24. 45 26. 15	Dec. 25  h m 6. 20 6. 36 6. 51	1406 1408 1385	h m		h m	0	0	Dec. 25  1 23. 6  23. 47  23. 59	20. 25. 10 24. 45 26. 5	h m		h m		h m	0	O
4. 38 4. 53 4. 57 5. 11 5. 23 5. 36 5. 44 5. 57 6. 38 6. 55 7. 13 7. 38 7. 43 7. 56 8. 29 8. 29 8. 46: 9. 19 9. 59 10. 26 11. 33 11. 55 12. 21 12. 56: 13. 18 13. 56 14. 14. 36 14. 46 14. 36 14. 46 17. 23 19. 26 20. 10 20. 29 21. 18 22. 12 22. 28 22. 44 22. 55	25. 10 27. 45 26. 55 28. 20 28. 45 32. 25 31. 5 26. 10 24. 0 26. 50 19. 5 19. 0 20. 10 15. 10 17. 40 16. 55 11. 10 18. 30 21. 45 20. 55 22. 30 21. 15 22. 30 21. 45 22. 20 22. 15 23. 0 22. 25 21. 55 22. 20 22. 25 21. 55 22. 30 22. 20 22. 25 24. 55 24. 0 24. 15	7. 18 7. 28 7. 43 8. 9 8. 28 8. 42 9. 7 10. 13 11. 33 12. 9 12. 43 12. 58 14. 56 17. 38 20. 20 20. 56 21. 26 21. 58 22. 27 22. 48 22. 26 23. 16 23. 59	1393 1380 1398 1403 1376 1395 1405 1414 1416 1414 1416 1420 1422 1418 1420 1421 1420 1421 1421 1420 1421 1421 1421 1421 1421 1421						Dec. 26 0. 0 0. 21 0. 26 0. 29 0. 44 0. 58 1. 35 2. 43 3. 11 3. 31 3. 32 4. 56 5. 31 6. 26 6. 34 6. 43 7. 26 7. 53 7. 56 8. 12 8. 32 8. 42 9. 24 9. 38 9. 43 10. 11 10. 29 11. 25 11. 44 13. 32 14. 11 14. 17 15. 42 15. 51 16. 25 16. 34 17. 19 19. 52 20. 56 21. 59 22. 13 23. 59 23. 59	20. 26. 5 26. 15 25. 40 26. 55 25. 30 25. 30 25. 20 24. 55 23. 20 22. 55 23. 20 23. 10 23. 0 16. 5 19. 40 21. 40 21. 40 21. 45 22. 40 21. 45 22. 30 22. 15 22. 30 22. 15 22. 30 22. 15 22. 30 22. 40 21. 45 22. 50 22. 40 21. 45 22. 50 22. 40 21. 45 22. 30 22. 40 21. 45 22. 30 22. 40 21. 45 22. 30 22. 40 21. 45 22. 30 22. 40 21. 45 22. 30 22. 40 21. 45 22. 30 22. 40 22. 40 21. 45 22. 30 22. 40 22. 40 21. 45 22. 30 22. 40 22. 40 22. 40 22. 40 22. 40 21. 45 22. 30 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 30 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 40 22. 30 22. 40 22. 40 22. 40 22. 40 22. 40	Dec. 26 o. o 1. 32 2. 26 3. 38 6. 19 6. 55 7. 9 7. 36 8. 3 10. 24 10. 52 11. 45 11. 58 12. 17 17. 26 20. 19 20. 51 21. 56 23. 59	1420 1424 1417 1421 1418 1428 1415 1416 1428 1421 1420 1420 1422 1420 1421 1420 1421 1421	Dec. 26 0, 53 5, 12 7, 41 11, 13 16, 26 21, 19	(†)	1. 0 2. 0 3. 0 9. 0 21. 0	56 ·9 57 ·9 57 ·9 57 ·9 57 ·9 57 ·9 57 ·9 57 ·9 57 ·9 57 ·9	58 ·7 58 ·7 58 ·6 58 ·9 58 ·1
l	1	l					1		]]	<u> </u>	<u> </u>		<u> </u>	<u> </u>	rybich i	<u> </u>	

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Magnet.  Magnet.  Magnet.  Marnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther	f mo-
Dec. 27 h m 0. 0 0. 55 1. 13 1. 29 1. 58 2. 10 2. 56 3. 24 3. 38 3. 53	20. 24. 30 25. 35 25. 10 25. 45 24. 30 24. 40 22. 20 25. 10 24. 5 24. 40	Dec. 27 h m o. o  2. 36 3. 8 5. 41 6. 35 7. 38 7. 49 8. 8 9. 11	*1419 (†) *1416 *1411 *1426 *1423 *1421 *1424 *1416 *1426	Dec. 27 h 1. 0 3. 0 4. 30 9. 36 10. 55 13. 26 13. 58 15. 4 15. 54	(†) •02339* •02347* •02383 •02416 •02397 •02403 •02387	J. 0 3. 0 9. 0 2I. 0	55° 9 56° 155° 9 56° 155° 9 57° 158° 155° 155° 155° 155° 155° 155° 155	23. 0 23. 6 23. 12 23. 23 23. 30	20. 23. 45 25. 20 26. 5 24. 15 26. 0 26. 20 25. 40 25. 10	h m		h m		h m	0	
4. 32 4. 41 4. 58 5. 11 5. 44 7. 21 7. 53 8. 12 8. 19 8. 27 8. 55 9. 37 11. 35 12. 11 12. 21 12. 33 12. 44 12. 56 13. 33 13. 55 14. 28 14. 38 15. 53 16. 42 17. 26 17. 26 17. 33 17. 51 18. 16 18. 36 17. 53 17. 51 18. 16 18. 36 19. 37 19. 36 19.  24. 0 23. 10 22. 55 23. 5 22. 15 22. 10 20. 45 16. 10 16. 5 16. 40 20. 20 19. 50 21. 40 20. 15 20. 15 20. 55 20. 30 22. 10 18. 0 19. 55 20. 35 21. 10 20. 35 21. 10 20. 35 21. 10 22. 50	10. 56 11. 23 11. 43 11. 56 12. 20 12. 32 12. 45 13. 17 13. 39 14. 20 15. 11 15. 51 17. 56 18. 28 18. 56 19. 13 19. 43 20. 11 20. 25 21. 23 22. 45	11421 11423 11419 11424 11419 11424 11420 11428 11417 11430 11423 11418 11423 11428 11423 11428 11423 11429 11423 11423 11429 11423 11421 11425 11413 11407 11416 11411 11414	23. 33 23. 44	•02366 •02368 (†)			Dec. 28 0. 0 13 0. 23 0. 33 0. 59 1. 37 2. 26 2. 42 3. 0 3. 13 3. 17 3. 26 3. 39 3. 57 4. 15 4. 44 5. 27 6. 13 6. 56 7. 56 8. 11 8. 28 8. 41 8. 52 9. 36 9. 55 10. 26 10. 34 10. 40 10. 57 11. 13 11. 23 11. 14 11. 59 12. 38	20. 25. 10 25. 45 25. 0 24. 50 27. 0 25. 5 26. 0 25. 20 24. 45 25. 20 24. 45 20. 15 19. 20 22. 40 22. 55 22. 10 21. 40 22. 0 21. 45 22. 0 21. 45 22. 0 21. 20 21. 25 20. 35 21. 20 18. 35	Dec. 28 o. 43 1. 7 1. 28 2. 57 3. 35 6 4. 18 4. 58 5. 59 10. 10 10. 28 11. 23 11. 28 11. 21 12. 53 15. 56 16. 28 18. 6 19. 55 21. 25 23. 23 23. 59	*1414 *1416 *1417 *1411 ****  *1419 *1418 *1408 *1408 *1408 *1419 *1424 *1421 *1423 *1416 *1423 *1416 *1423 *1416 *1423 *1416 *1423 *1419 *1426 *1417 *1413 *1419 *1426 *1427 *1421 **** *1426 *1423 *1423 *1426 *1421 ****	Dec. 28  o. 26  3. 56  4. 25  10. 29  11. 20  12. 58  16. 20  21. 42  23. 59	(†) *02356 *02405 *02424 *02402 *02378 *02360 *02337 *02278	Dec. 28 o. o 1. o 2. o 3. o 9. o 21. o 22. o 23. o	55 · 7 56 · 7 56 · 7 56 · 2 56 · 8	58 ·3 58 ·3 58 ·0 58 ·4 56 ·9 55 ·8	
22. 25 22. 39 22. 42	25. 30 24. 10 25. 5							12. 55	20. 10 20. 50							

For the Horizontal and Vertical Forces, increasing readings denote increasing forces.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The met	rmo-	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Ther met	f mo-
13. 58 14. 13 14. 24 14. 51 15. 21 16. 6 16. 21 16. 58 17. 12 17. 42 17. 53 17. 59 18. 35	20. 20. 25 21. 15 20. 50 21. 30 21. 40 25. 20 21. 20 22. 20 22. 30 23. 0 22. 25 22. 25 22. 25 22. 25	h m		h m		h m	0	۰	Dec. 29 13. 53 13. 57 14. 15 14. 35 15. 26 15. 44 16. 33 17. 41 18. 6 20. 3 20. 49 21. 26 22. 0 23. 38 23. 59	20. 20. 30 21. 10 21. 5 20. 25 20. 25 21. 15 21. 5 23. 10 23. 10 21. 5 21. 5 22. 5 22. 5 24. 5	h m		h m		h m	0	
19. 9 19. 19 19. 52 20. 38 20. 53 21. 25 21. 43 21. 58 22. 39 23. 59 Dec. 29 2. 35 0. 18 0. 35 0. 56 1. 26 2. 3 2. 12 2. 56 3. 29 4. 16 4. 36 4. 48 5. 7 5. 29 5. 43 5. 56 6. 14 9. 58 10. 24 10. 39 11. 44 12. 2 12. 53 13. 6 13. 20 13. 43	23. 0 23. 50 23. 20 23. 40 23. 0 23. 50 23. 0	13. 8 14. 14 15. 21 18. 28	1423 1424 1419 1426 1423 1428	Dec. 29 o. o 1. 39 3. 14 6. 26 10. 20 21. 18 23. 59	·02278 ·02340 ·02343 ·02395 ·02420 ·02297 ·02245	1. 0 2. 0 3. 0 9. 0	56 ·8 56 ·4 56 ·1 57 ·8 54 ·9	57 °2 57 °0 57 °2 59 °0	Dec. 3c o. 0 o. 15 o. 35 1. 20 1. 43 3. 36 3. 51 3. 58 4. 17 4. 38 4. 56 5. 26 6. 17 6. 39 10. 59 11. 12 11. 41 11. 57; 12. 26 13. 56 14. 35 15. 55 16. 18 13. 21 13. 56 14. 35 15. 55 16. 18 18. 37 19. 16 19. 36 20. 32 20. 41 21. 53	20. 24. 0 24. 35 ***  24. 25 23. 30 22. 50 21. 20 19. 45 20. 20 21. 55 21. 55 22. 15 22. 5 22. 30 20. 55 20. 15 21. 0	21.33 21.59 22.15	1427 1428 1421 1420 1427 1424	Dec. 30 o. 0 2. 44 5. 11 9. 0 11. 58 19. 41 22. 32 23. 59	*02245 *02228 *02197 *02182 *02097 *02076 *02076	8.30 21.0	54 °0 54 °0 51 °2 52 °3 52 °3	54 ·6 52 ·1 53 ·4

The indications are taken from the sheets of the Photographic Record, except where an asterisk is attached to the number, in which instances they are inferred from observations made with the telescope in the ancient manner. The Symbol \*\*\* denotes that the magnet has been generally in a state of agitation. The Symbol (†) denotes that the register has failed between the preceding and following readings. The Symbol: attached to a time denotes that the reading will apply equally well to a considerable range of time near that which is recorded. A brace denotes that at this time the curve of the Vertical Force was dislocated, and the difference of the numbers included by the brace shows the amount of the displacement.

Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	The	Of V.F. Magnet.	Greenwich Mean Solar Time.	Western Declina- tion.	Greenwich Mean Solar Time.	Horizontal Force in parts of the whole H. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	Vertical Force in parts of the whole V. F. uncorrected for Temperature.	Greenwich Mean Solar Time.	0	rmo-
Dec. 3c  22. 0  22. 16  23. 23  23. 59  Dec. 3c  0. 15  0. 40  0. 55  1. 19  1. 28  1. 52  2. 2  2. 2  2. 29  3. 18  3. 59  4. 39  5. 39  6. 6  6. 38	20. 20. 25 23. 25 22. 0 22. 55 23. 35 23. 35 25. 0 24. 0 24. 5 24. 40 24. 5 24. 10 26. 10 27. 10	Dec. 31 0. 0 2. 5 2. 33 3. 39 3. 56 5. 12 5. 49 6. 28 6. 43 7. 17 7. 29 7. 43 8. 6 8. 22 9. 14 12. 56 13. 32 14. 18 18. 36	11430 11430 11427 11429 11426 11428 11425 11428 11414 11429 11421 11429 11424 11425 11429 11436 11430	h m		Dec. 31 o. o 1. o 2. o 3. o 4. o 9. o 21. o 22. o 23. o	52 ·6 53 ·2 53 ·0 53 ·0 53 ·0 52 ·1 51 ·8	53 · 6 54 · 0 54 · 2 54 · 0 53 · 2 52 · 8 52 · 8	8. 39 9. 10 11. 11 12. 59 13. 21 13. 44	20. 16. 55	Dec. 31 20. 38 22. 26 22. 43 23. 59	*1429 *1427 *1429 *1430	h m		h m	0	0

For the Horizontal and Vertical Forces, increasing readings denote increasing forces.

December 31. The Vertical Force Magnet was removed from the agate planes, and its time of vibration in the horizontal plane was redetermined.

Table showing the Approximate Mean Monthly Declination, at the Royal Observatory, Greenwich, in the Year 1866.

Month.	1866.	
January	20.33. 7	
February	32.56	<i>:</i>
March	31.44	
April	32.13	
May	30.35	
June	28.47	
July	26. 16	
August	25. 13	·
September	<b>23.</b> 39	
October	23.38	
November	22.56	
December	22. 22	
		•
Mean	20. 27. 47	

## ROYAL OBSERVATORY, GREENWICH.

## RESULTS

OF

## OBSERVATIONS

OF THE

## MAGNETIC DIP.

1866.

MAGNETIC DIP, observed at the ROYAL OBSERVATORY, GREENWICH, in the Year 1866. Length of Day and Length of Day and Approximate Hour, Magnetic Dip. Observer. Magnetic Dip. Needle. Approximate Hour, Needle. Observer. Needle. 1866. Needle. 1866. d h , ,, d h  ${f C}$  2 3 inches 68. o. 45 N Dі 68. 1.48 15. 2 January 2 6 inches N June 4. N 2 D<sub>2</sub> 3 68. 5. 6 N 22. 2 Ві 9 67. 59. 17 ,, 4. Ві 68. 0.20 19. 0 9 N ,, 67. 58. 23 N Ві B 2 68. o. 51 N July 2.18 19. I 9 9 3 ,, " 68. 5.34 ı C 68. o. 42 N Dі N 25. 2 2. 19 ,, ,, а н C 2 6 68. 1.20 Сі 29. 0 6 68. 2.18 N 9.22 ,, ,, N C 2 68. 5.55  $\mathbf{B}$  1 68. o. 18 29. 1 6 N 11.22 9 ,, ,, B 2 67.57.50 N 11. 23 Dг 9 6 3 68. 3.46 29. 2 ,, N "  $\mathbf{C}$  1 68. 2.22 N 12. 0 ,, 68. 3.44 C 2 6 67. 59. 38 N February 8. 1 Сі 6 20. 2 N ,, ,, 3 68. o. 4 N C 2 6 D<sub>2</sub> 8. 2 68. 4.24 N 25. 2 ,, ,, 68. o. 21 Dι 3 N  $D_{I}$ 68. 2.39 N 28. O 19. I 3 " ,, D<sub>2</sub> 3 68. N 24. 2 7· I ,, Сі 6 68. **2.** 3 N 27. 22 Ві 68. 1.20 N August 7. 0 9 ,, ,, 68. 4.40 68. 3.36  $\mathbf{B}$  2 68. 2. 3 N 7. 2 C 2 6 N 27.23 9 ,, ,, Dі N 3  $D_2$ 28. 2 68. 1.21 N 14. 2 ,, ,, 68. 1.48 3 N Dі 15. I ,,  $\mathbf{D}$  2 3 68. 3.11 N March Ст 6 68. 3. 3 15. 2 N 7. 0 ,, ,, 67. 59. 46 Сі 6 N 7. 1 15. 2  $B_{I}$ 9 3 68. 5.36 N 23. 2 ,, ,, 68. 2.14 27. 23 Ві 67. 59. 27 N Dі N 9 ,, " B 2 67. 59. 46 N 9 28. 2 22. 0  $D_2$ 3 68. 5.24 N ,, " N  $\mathbf{D}$  2 67. 59. 25 Сі 6 68. 1.58 N 31. 1 22. 2 ,, ,, Dі C 2 6 68. o. 13 N 22.23 3 68. 3.17 N 31. 2 ,, ,, 23. o  $D_2$ 3 68. o. 26 N ,, 68. 1.24 N Dг 3 23. I D33 68. 7. 14 N September 6. 3 ,, " 68. I. 53 N  ${f C}$  2 D 2 3 6 N 11. 2 28. 23 68. **2.** 55 ,, ,, 68. 1.49 3 N Вı N 14. I ı G 29. 2 9 **3** 68. 0.41 ,, ,, 14. 2 D 2 3 68. I. 39 N D<sub>2</sub> 68. 5. 5o 29. 2 N " ,, 67. 58. 29 Сі 6 N 19. 2 ,, 67. 59. **24** 68. 3. 6 N  $\mathbf{B}$  1 67. 59. 53 9 April  $\mathbf{B}$  1 N 27. 2 IO. I 9 3 ,, ,, B 2 68. 1.23 N Dг 28. I IO. 2 N 9 6 ,, " 68. 1.48 N  $\mathbf{D}_{2}$ 3 67.55.50 N 28. 2  $C_2$ 14. 2 18. 2 2 ,, ,, В 2 68. 1.32 N 9 3 ,, 3 68. 1.18 N 8. 2 Dі October Dі 68. o.56 N ,, 19. 2 " 67. 59. 58 N  $\mathbf{B}$  1 9 6 D<sub>2</sub> 3 68. I. 8 N 13. 3 24. 2 ,, ,, 13. 4 24. 3 Сі 68. o. 28 N Сı 68. o. 51 N 24. 23 6 " ,, D<sub>2</sub> 3 67.58.58 N 25. o C<sub>2</sub> 6 67.57. I N ,, " 30. 22 B 2 9 68. 2.35 N N Ві 68. 1.32 25. I 9 ,, " Вı 68. 2.15 N *3*0. *2*3 9 ,, C<sub>2</sub> N 68. 2.24 68. 2.43 31. 3 May Dт 3 N ,, 9. I " N 9. 2  $\mathbf{D}$  2 3 67. 56. 19 ,, 1Ğ. 2 6 68. 3.32 N C 2 6 68. 2.27 N November 6. 2  $C_{\mathbf{I}}$ ,, 67. 59. 43 Сі N 6 16. 23 ,, 6 68. 1.52 N C 2 9. 0 ,, C 2 6 67. 59. 53 N 17. 0 " 9. I Ðп 3 68. I. 25 N ,, Ві N 67. 58. 25 17. 1 9 D 2 ,, 3 68. 1.16 N **24.** 3 ,, 67. 58. 42 N 17. 2 B 2 9 67. 56. 25 ,, 26. 22 Ві 9 6 N ,, Dı 68. 2.46 N 19. 1 67. 58. 34 N ,, Сі 26. 23 ,, D 2 19. 2 3 68. 2.12 N 68. 4.53  $\mathbf{C}$  2 6 N " 29. 2 ,, 21. 2  $\mathbf{C}$  1 6 68. 4.36 N C 2 6 68. 5. 13 N ,, 29. 22 ,, Dі 3 67. 59. 14 N 29. 23 68. 1.19 N ,, B 2 29. 23 9 ,, 3o. 3 Вι 9 68. o. 48 N ,, June 3 68. 2.49 N 7. 23 D 2 ,, 14. 2 Dі 3 68. 2.34 N ,, 68. 3.52 N 3 67.58.47 Dі 6 December 7. 2 14. 22 Cı N ,, ,, 68. o. 59 14. 23 15. 0 C 2 Dі 3 N 6 13. 22 N 68. 0.17 ,, " 67. 59. 52 D 2 3 N C 3 6 N 13. 23 ,, 68. 2. 2 ,, N 67.53. o 6 67.58.22 15. o  $D_3$ Сı 3 N 19. 0 " ,, 6 68. 3. 15 N 15. I D<sub>2</sub> C<sub>2</sub> 3 19. 1 67. 57. 32 N ,,

The initials N and A H are those of Mr. W. C. Nash and Mr. A. Harding respectively.

MONTHLY MEANS of MAGNETIC DIPS at the ROYAL OBSERVATORY, GREENWICH, in the Year 1866.

Month, 1866.	B 1, 9-inch Needle.	Number of Observations.	B 2, 9-inch Needle.	Number of Observations.	C 1, 6-inch Needle.	Number of Observations.	C 2, 6-inch Needle.	Number of Observations
	0 / //		0 / //		0 / //		0 / //	
January	68. o. 20	1	68. 0.51	1	68. 2.18	I	68. 3.52	2
February	68. 1.20	ı	68. 2. 3	1	68. 3.44	ı	68. 4. 24	I
March	68. 5.36	1	68. 0.41	1	68. 2.30	2	68. 2.55	1
April	68. 0.28	2	68. 1.32	1	68. 0.51	1	67. 57. ı	I
May	67. 58. 25	1	67. 58. 42	1	68. 2.10	2	68. 1.43	2
June	67. 59. 17	I	••••		67. 58. 47	ı	68. 0. 17	I
July	67. 59. 20	2	67. 57. 50	I	68. 2.22	1	68. 0.29	2
August	67. 59. 27	ı	67. 59. 46	1	68. o. 55	2	68. 2.26	2
September	67. 59. 53	ı	68. 1.23	I	67. 58. 29	1	68. 1.48	1
October	68. 1. 6	2	68. 2.35	I	68. 0.28	ı	68. 2.43	1
November	67. 58. 37	2	68. 1.19	ı	68. 0.30	2	68. 3.59	3
December	• • • •		••••		67.58.22	I	68. 3. 15	1
Means	(68. 0.10)	Sum 15	(68. o.3o)	Sum 10	68. 1. 6	Sum 16	68. 2.18	Sum 18
Month, 1866.	C 3, 6-inch Needle, loaded.	Number of Observations.	D 1, 3-inch Needle.	Number of Observations.	D 2, 3-inch Needle.	Number of Observations.	D 3, 3-inch Needle, loaded.	Number of Observations.
	0 , ,,		0 / //		0 / //		0 , ,,	
January			68. 4.40	2	68. 5. 6	ı	• • • •	••
February	• • • •		68 <b>. 2.3</b> 9	I	68. 4.11	2	••••	
March	• • • •		68. 2.46	2	68. 3.53	3	68. 7. 14	1
April	• • • •	••	68. 2. I	2	67. 58. 29	2	••••	••
May	• • • •		68. 1.28	3	67. 59. 16	2	••••	
June	68. 2. 2	1	68. 1.40	2	68. 0.10	2	67.53. o	1
	(		68. o.32	2	68. 0. 4	1	••••	••
July	••••	1 1	1					1
August	••••		68. 2.42	2	68. 1.18	2		
*	••••		68. 2.42 68. 1.36	2 2	68. 1.18 68. 1.46	2 2	• • • •	••
August September	••••		1		}		••••	••
August	••••	••	68. 1.36	2	68. 1.46	2		
August			68. 1.36 68. 1.18	2 I	68. 1.46 67.58.58	2 I		

For this table the monthly means have been formed without reference to the hour at which the observation was made on each day, as in preceding years no certain difference was found between observations taken at 21<sup>h</sup> and at 3<sup>h</sup>.

In combining the monthly results, to form the annual means, weights have been given proportional to the number of observations.

The means in brackets have been found by applying to the mean of the observed results a correction deduced by taking the difference between the mean result for the same months and that of the whole year, as given by the Needles which were observed throughout the year.

YEARLY MEANS of Magnetic Dips for each of the Needles, and General Mean for the Year 1866.

Lengths of the several Sets of Needles.	Needles.	Number of Observations with each Needle.	Mean Yearly Dip from Observations with each Needle.	Mean Yearly Dip from each Set of Needles.	Mean Yearly Dip from all the Sets of Needles.
		_	.0 1 11	0 <i>l</i> II	0 , 11
g-inch Needles	Вı	15	68. 0.10	68. o. 20	
1	B 2	10	68. o.3o		
6-inch Needles	Cı	16	68. 1. 6	60	(2)
o-inch ineedles	C 2	18	68. 2.18	68. 1.42	68. 1.16
	D 1	22	68. 2. 7		
3-inch Needles	D 2	20	68. 1.22	68. 1.45	IJ

## ROYAL OBSERVATORY, GREENWICH.

## OBSERVATIONS

OF

## DEFLEXION OF A MAGNET

FOR

## ABSOLUTE MEASURE

OF

HORIZONTAL FORCE.

1866.

Abstract of the Observations of Deflexion of a Magnet for Absolute Measure of Horizontal Force, made with the Kew Unifilar Instrument.

			<del></del>					
Month and 1866.	-	Distances of Centers of Magnets.	Temperature.	Observed Deflexion.	Mean of the Times of Vibration of Deflecting Magnet.	Number of Vibrations.	Temperature.	Observer.
January	26	ft. I '0 I '3	° 46 °°	12. 42. 26 5. 45. 7	5 ·295 5 ·305	100 100	5i°·6 49°4	N
February	9	I .0 I .3	50.7	12. 43. 25 5. 45. 16	5 ·315 5 ·314	100	51 ·4 53 ·9	N
February	28	1 .3 1 .0	38 .0	12. 44. 29 5. 46. 0	5 ·312 5 ·285	100	39 ·5 40 ·5	N
March	13	1.0	42 .3	12. 42. 50 5. 45. 24	5 · 288 5 · 285	100	43 ·8 45 ·8	N
March	29	1 '0 1 '0	58 • 3	12. 39. 54 5. 44. 12	5 ·320 5 ·318	100	64 · 0 62 · 6	N
April	19	I .3	62 •5	12. 39. 25 5. 43. 59	5·321 5·316	100	64 ·8 66 ·6	N
May	18	1 .0	67 .6	12. 37. 26 5. 43. 14	5 · 31 2 5 · 32 2	100	71 ·8 72 ·5	N
May	29	I .0	64.5	12. 37. 41 5. 43. 0	5·319 5·315	100	67 ·8 65 ·8	N
June	8	1 .3 1 .0	74 '9	12. 34. 52 5. 41. 42	5 ·3o2 5 ·3o6	100	78 7 79 4	N
July	13	1 .0	81.5	12. 35. 36 5. 42. 14	5·319 5·317	100	85 ·7 87 ·2	N
July	25	1 .0	63 • 5	12. 35. 33 5. 42. 10	5 · 300 5 · 299	100	66 ·2 68 ·2	N
August	17	1 .0	60.0	12. 37. 49 5. 43. 18	5 ·318 5 ·314	100	62 ·6 62 ·8	N
August	31	1 .3	66 ·7	12. 34. 21 5. 41. 29	5 · 315 5 · 319	100	68 ·7 69 ·3	N
September	2 I	I .0	62 .4	12. 32. 16 5. 40. 52	5 ·330 5 ·326	100	63 °o	N
October	31	1 .0	51 .6	12.33. 3 5.40.54	5 ·327 5 ·333	100	54 <b>*</b> 9 58 <b>·</b> 3	N
November	30	1 ·3	47 .2	12. 34. <b>55</b> 5. 41. 45	5 ·328 5 ·323	100	52 °0 51 °9	N
December	18	1 .0	51 .4	12. 31. 58 5. 40. 44	5 ·326 5 ·325	100	52 ·6 51 ·8	N

The position of the Deflecting Magnet with regard to the suspended Magnet is always that which was formerly termed "Lateral." The Deflecting Magnet is placed on the East side of the suspended Magnet, with its marked pole alternately E. and W., and it is placed on the West side with its pole alternately E. and W.; and the deflexion in the table above is the mean of the four deflexions observed in those positions of the magnets.

The lengths of 1 foot and 1.3 foot answer to 304.8 and 396.2 millimètres respectively.

The initial N is that of Mr. W. C. Nash.

In the following calculations, every observation is reduced to the temperature  $35^{\circ}$ .

# Computation of the Values of Absolute Measure of Horizontal Force, from Observations with the Kew Unifilar Instrument.

					In En	glish Measure.					Value
Month and D 1866.	ay,	Apparent Value of A <sup>1</sup> .	Apparent Value of A <sup>2</sup> .	Apparent Value of P.	Mean Value of P.	Log. A corrected by the Application of Mean Value of P. $=$ $=$ $=$ $=$ $=$ $=$ $=$ $=$	Adopted Time of Vibration of Deflecting Magnet.	Log. m X.	Value of X.	Value of m.	of X in Fren Measur
January	26	+0.11012	0.11052	-0.00223	<u>ا</u>	9.04327	s 5•3000	0.31192	3.840	0.4242	1.771
February	9	+0.11040	0.11041	-0.00022		9.04399	5.3145	0.50024	3.827	0.4235	1.765
	28	+0.11035	0.11041	-0.00200		9.04383	5.2985	0*21154	3.836	0.4243	1.76
March	13	+0.11019	0.11058	-0.00289		9.04330	5.2865	0.31380	3.848	0.4252	1.77
*	<b>2</b> 9	+0.11004	0.11051	-0.00379		9.04289	5•3190	0.50969	3.832	0.4230	1.76
f April	19	+0,11006	0'11022	-o·oo357		9.04295	5.3185	0.30993	3.833	0.4231	1.76
May	18	+0.10984	0.11008	- 0.00469		9.04230	5.3170	0.51063	3.839	0.4231	1.77
	29	+0.10984	0.10992	-0.00246		9.04198	5.3170	0.51052	3.838	0.4228	1.77
June	8	+0.10962	0.10943	-0.00149	\rightarrow-0.00291	9.04117	5.3040	0.31336	3.855	0.4239	1.77
July	13	+0.10088	0.11003	-o·oo335		9.04222	5.3180	0.51124	3.843	0.4235	1.77
	25	+0.10925	0.10966	-0.00314		9.04078	5.2995	0.51310	3.857	0.4236	1.77
August	17	+0.10948	0.10996	-0.00403		9*04188	5.3160	0.51012	3.838	0.4227	1.77
	31	+0.10941	0.10920	-0.00202		9.04025	5.3170	0.31040	3.846	0.4220	1.77
September	2 I	+0.10003	0.10923	-0°00450		9.03892	5.3280	0.30832	3.843	0.4204	1.77
October	31	+0*10894	0.10003	-0.00203		9.03838	5:3300	0.3043	3.842	0.4192	1.77
November	30	+0.10013	0'10923	-0.00225		9.03915	5.3255	0.30286	3.840	0.4203	1.22
December	18	+0.10848	0.10888	-0°00451	j	9*03795	5.3255	0.30806	3.846	0.4198	1.22

, .

## ROYAL OBSERVATORY, GREENWICH.

## RESULTS

OF

## METEOROLOGICAL OBSERVATIONS.

1866.

		the re-		I	-		THER	момете	RS.			ifferen		Tem- Mean 1y on	WIND AS	DEDUCED FROM ANE	MOME	TERS.			a Gauge 5 inches
		g of d and theit)					by a r with sed on	hown Mini-	In the	Water Thames,	1	betwee the	n	Mean d the me Da		Osler's.	,			Robin- son's	in a G is 5 in
MONTH and DAY, 1866.	Phases of the Moon.	aily Reading of the ter (corrected and reo 32° Fahrenheit).		Dry.		Dew Point.	ne Sun, as shown ing Thermometer ilb in vacuo, plac	on the Grass, as shown Self-Registering Mini- Thermometer.	at Gre by Self tering momet	rnames, enwich, f-Regis- g Ther- ers, read	Te	ew Po mpera and emper	ture	Difference between the Mean Temperature of the Day and the Mean Temperature of the same Day on an Average of 50 Years.	General	Direction.		ressurin lbs on the uare f	re • oot.	f Horizontal nt of the Air Day.	Rain in Inches, collected in a whose receiving surface is 5i above the Ground.
		Mean Daily Barometer ( duced to 32	Highest.	Lowest.	Mean Daily Value.	Mean Daily Value.	Highest in the Self-Registeric blackened but the Grass.	Lowest on the by a Self mum Then	Highest.	Lowest.	Mean Daily Value	ates	Least.	Difference perature Tempera an Avera	A.M.	P.M.	Greatest.	Least.	Mean of 24 Obs.	Amount o Movemen	Rain in Inc whose rec above the
Jan. 1 2 3	Full 	in. 29.587 29.742 29.812	48.3	35.5	43.7	40.2	59.8	31.4 31.1 0	44.5 43.5 45.0	42.7 42.0 41.7	5·0 3·5 6·9	6.4 8.1 8.1	0.0 0.0 3.0	+ 2.3 + 6.4 + 7.5	SW:NW:WSW SW: SSW SW: W by S	SW SSW WSW: SW	21.5	0.0	1bs. 0°3 2°3	miles. 329	in. 0.13
4 5 <b>6</b>	••	29·683 29·728 29·934	49.7	39.4	44.7	42.7	55.7	40.5 33.2 28.0	41.9	41.3 40.4 40.4	4.7 2.0 3.9		0.0	+ 10.0 + 8.2 + 0.4	SW: SSW SW Calm	SSW NW: N by E Calm: SW	0.0	0.0 0.0 0.0	0.0	140	0°00 0°04 0°00
7 8 9	In Equator. Last Qr. Apogee	29 <b>·3</b> 96 29·090 28·893	49.6	37.2	41.0	35.1	72.4	26·9 34·0 28·4	42.0	41.0		5·3 11·3	0.0	+ 6.2	SW: WNW W	SW: W W W: WSW	33.0	0.0 0.0 0.0	5.5	575	0.52
10 11 12	••	29·048 28·888 29·607	36.8	29.9	32.1	30.1	36.8	27.1		36.7	4·3 2·0 2·6	4.8	0.0 0.0 0.0	1	W NE SW: WNW	W:SW NNE:N:NW NW:W	18.0	0.0 0.0 0.0	1.2	372	1.61
13 14 15	Greatest Declination S.	29·440 29·679 29·851	53.2	46.0	50.2	46.1	65.6	44.5		34.7	0.3 4.1 2.4		0.0	+ 2.9 + 13.9 + 9.3		SW: WSW SW W: SW	12.2	0.0 0.0 0.0	2.I	588	1 1
16 17 18	New	29·657 30·022 29·884	51.8	39.1	45.7	43.2	55.0	35·7 35·2 42·3	43.0		4°1 2°5 4°0	1 4	0.0	+ 10.4 + 6.1 + 6.8	SW W: WSW WSW: SW	W: NW W SW	5.0	0.0 0.0 0.0	0.5	453	o·25 o·03 o·00
19 20 21	• • • • In Equator.	29·582 29·678	51'9	41'2	46.6	42.3	67.5	39.8 38.0 40.6		43.7	6·4 4·3 4·2	10.0	0.3	+ 11.3 + 6.9 + 10.0	SW SW SW	WSW:SW WSW:SW SW	12.0		2'0		0.13
22 23 24	First Quarter. Perigee.	29.660 30.099 30.448	48.8	39.2	44.5	38.0	63.8	41.5 34.5 57.1	46.0 47.0 46.0	44.7 45.7 44.7	2·3 6·5 2·8		0.0	+ 6·8 + 6·8	SW W:NW NW:WSW	$egin{array}{l} \mathbf{SW}: \mathbf{W} \\ \mathbf{N}: \mathbf{NNW} \\ \mathbf{NW}: \mathbf{WSW} \end{array}$	1.2	0.0	0.1	345 225 161	
25 26 27	Greatest Declination N.	30:484 30:417 30:181	46.6	33.3	40.7	38.3	62.6	28.7 29.8 31.8	44.0	43.7	3·6 2·4 3·9	5.3	0.0	+ 2.0 + 2.4 + 1.9	SW W W	WSW Calm: WSW Variable	0.0	0.0	0.0	87	0,00 0,00 0,00
28 29 30	 Full	29.779 29.693 29.894	48.2	38.5	42.0	33.3	88.2	36·0 34·1 32·2	42.0 43.0	41.7 42.2	9.6	4°4 13°2 11°0	3.7	+ 6·1 + 4·6 + 3·3	SW: SSW WSW: W W: SW	SW W SSE	7.5	0.0	0.5	301	0.00 0.00 0.01
31		29.400	50.0	43.6	47.2	44° I	62.1	42.0	••	40.2	3.1	4.8	0.0	+ 9.3	S	SW	2.3	0.0	0.4	355	0.11
Means	••	29.702	47.8	36.7	42.6	38.4	62.6	33.4	43.0	41.3	4.5	7.4	0'4	+ 5.6		•••		•••		8um I I 201	3.68

```
BAROMETER READINGS FROM EYE-OBSERVATIONS.
                The first maximum in the month was 29^{1n} \cdot 877 on the 2nd; the first minimum in the month was 29^{1n} \cdot 669 on the 2nd. The second maximum , was 29^{1n} \cdot 854 on the 3rd; the second minimum , was 29^{1n} \cdot 669 on the 4th. The third maximum , was 29^{1n} \cdot 945 on the 6th; the third minimum , was 29^{1n} \cdot 969 on the 8th; the fourth minimum , was 29^{1n} \cdot 969 on the 10th; the absolute minimum , was 28^{1n} \cdot 661 on the 1th. The sixth maximum , was 29^{1n} \cdot 827 on the 12th; the sixth minimum , was 29^{1n} \cdot 360 on the 13th. The seventh maximum , was 29^{1n} \cdot 620 on the 13th.
                                                                                                                                                                                                                                                                                                                                                       was 28<sup>in</sup> 661 on the 11th.
was 29<sup>in</sup> 629 on the 13th.
was 29<sup>in</sup> 629 on the 14th.
was 29<sup>in</sup> 533 on the 16th.
was 29<sup>in</sup> 538 on the 19th.
was 29<sup>in</sup> 430 on the 20th.
was 29<sup>in</sup> 625 on the 22nd.
was 29<sup>in</sup> 633 on the 29th.
                                                                                                                                    was 29<sup>in</sup>·731 on the 14th; the seventh minimum was 29<sup>in</sup>·955 on the 15th; the eighth minimum was 30<sup>in</sup>·093 on the 17th; the ninth minimum
                  The seventh maximum
The eighth maximum
The ninth maximum
                                                                                                                                    was 29<sup>in</sup>·903 on the 17th; the inth minimum was 29<sup>in</sup>·901 on the 19th; the tenth minimum was 30<sup>in</sup>·500 on the 21st; the eleventh minimum was 30<sup>in</sup>·500 on the 25th; the twelfth minimum was 29<sup>in</sup>·937 on the 30th.
                   The tenth maximum
                   The eleventh maximum
                   The absolute maximum
                   The thirteenth maximum ,, was 29<sup>in 9</sup>37 on the 30th.

The range in the month was t<sup>in 8</sup>39.

The mean for the month was 29<sup>in 7</sup>702, being 0<sup>in 0</sup>55 lower than the average of the preceding 25 years.
```

### TEMPERATURE OF THE AIR.

The highest in the month was 54°·3 on the 22nd; the lowest was 23°·7 on the 13th. The range ,, was 30°·6.

The range ,, was 30°10.

The mean ,, of all the highest daily readings was 47°8, being 4°7 higher than the average of the preceding 25 years.

The mean daily range was 11°1, being 1°4 greater than the average of the preceding 25 years.

The mean for the month was 42°6, being 4°5 higher than the average of the preceding 25 years.

MONTH and	ELEC'	TRICITY.		CLOUDS AN	D WEATHER.
DAY, 1866.	A.M.	Р.М.	1	Л.М.	P.M.
Jan. 1	,		o 4, ci, cicu, cis 10, r, w	: 0	O : O : 1, ci 10, cicu, sc : 10, thcl, cis, sc : 10, cis, sc, hr,stv 1, ci, cis : 8, licl, ci : 10, thcl
4 5 6	o	0: W	10 10, slr 9, thel	: 10, thr, v : 10, ocshs	8, ci, cis : v, ci, cicu, cis: 4, ci, cicu 10 : 10 : 10, licl, h g, cicu, cis, h : 0, hfr, ms
7 8 9	w N o	o ss P, ss N, sp, gcur: o	10, cis, se, r 10, hr hfr	: 1, ci, stw, sq : 5, licl	10, cus, cicu: 0 : 0 v, ci, cis, cus, r, stw: v, l, ocshs, w: v, l, ms 2, licl, ci : 0, l, hfr, ms
10 I 12			hfr 10, hr : 10, sn 10, sn	: 5, ci, cicu, slr : 10, sc, sn : 10, sc, glm	10, sc : v, ci, cis, cus, sc : 10, thr 10, sc, sn, stw : 0, ms 4, ci, cicu, cis: 0, h : 0, slf
13 14 15			10, hr, sc, w 10, sc 10, h-r	: 0	10, chr : 10 : 10 10, cis, sc, vv : 10, sc : 10, stw, sc, r 3, ci, cicu, v : vv, thcl, slr, ms
16 17 18			10, r, sc 10, slr 10, sc, thr		v, r, se : 6, licl, v : v, thcl, ms 10, se : vv, slr : 0 10, se, thr : 10
19 20 21			v, ci, cis, sc, ocr 7, ci, cicu, cis, sc, v 10, sc, thr	, r	6, cicu, cu, cus, cis, slr: vv, thcl, m 10, cis, cus, ci, sc, v: v 10, cis, cus, sc: 1, cis
22 23 24	·	0 : W	10, slr 10, cicu, licl, v hfr	: 3, hfr, h	10, se : 10, hr : 10 8, ci, cicu, cis, v : vv : vv, cicu, cus 6, ci, h : 7, ci, cicu, h, glm, v : 10, li-cl, f
25 26 27	o w w	w w w	10, liel, h 9, thel, slf 10		10 : 10, cis 9, thel, h, slf : 10 10 : v : 10
28 29 30	w o m	w o w	10, thr, v vv 10, cicu, cis	:vv, ci, cis, cus, cicu	6, cicu, ci, vv : vv, ci, cicu, cus : vv, thcl, lucc 8, cicu, ci, slr : 10, ocr : 10
31	o	s N, sp, gcur : w	7, ci, cis, thr		10, thr, se : 10, cr : 0 : 10, cis

```
HUMIDITY OF THE AIR.
```

Temperature of the Dew Point.

The highest in the month was 49° · 2 on the 22nd; and the lowest was 22° · 4 on the 12th.

was 38° 4, being 3° 4 higher than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was o'n 234, being o'n 032 greater than the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 2825.7, being 052.3 greater than the average of the preceding 25 years.

Degree of Humidity -The mean for the month was 86 (that of Saturation being represented by 100), being 2 less than the average of the preceding 25 years. Weight of a Cubic Foot of Air.—The mean for the month was 548 grains, being 6 grains less than the average of the preceding 25 years.

CLOUDS.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 7.5.

The mean amount for the month, on a seale ranging from o to 10, was 1 o.

WIND.

The proportions were of N. 2, S. 9, W. 18, E. 1, and Calm 1. The greatest pressure in the month was 33lbs.0 on the square foot, on the 8th.

RAIN.

Fell on 17 days in the month, amounting to 3<sup>in</sup> 68, as measured in the simple cylinder gauge partly sunk below the ground; being 1<sup>in</sup> 92 greater than the average fall of the preceding 51 years.

ELECTRICITY.—The electrical apparatus was not in action from January 1 to 5, and January 9 to 23.

		the l re-			Readi	ngs o	г Тнев	MOMET	ERS.		1	iffere	ace	lean v on		Wind As	s deduced from Ane	моме	TERS.			auge ches
		g of ed and	Ì				r by a	hown Mini-	In the	ne Water		betwe the	en	fean T the M			Osler's.				Robin son's	ina Ga is 5 in
MONTH and DAY, 1866.	I Phases of the Moon.	can Daily Reading of t Barometer (corrected and duced to 32° Pahrenheit).		Dry.		Dew Point	1 4 2 2	on the Grass, as shown Self-Registering Mini- Thermometer.	at Gi by Se terin mome at	reenwich elf-Regis ng Ther- eters, rea-	T	Pew Pempera and Fempe	ıture	Difference between the Mean Temperature of the Day and the Mean Tennorature of the same Day on	ge of 50 Years	General	Direction.		Pressurin lb on thuare	s. ie	f Horizontal t of the Air bay.	Rain in Inches, collected in a Gauge whose receiving surface is 5 inches above the Ground
1000.		Mean D Barom duced	Highest.	Lowest.		Mear Daily Value	F-Reg	Lowest on by a Self mum The	Highest.	Lowest.	Mear Daily Value	eate	Least.	Difference perature Tempera	an Avera	A.M.	P.M.	Greatest.	Least.	Mean of 24 Obs.	Amount of Movement	Rain in Inc whose rec above the
Feb. 1	In Equator	in. 29.194 29.341 29.566	53.6	6 41.	5 46.3	3 42.7	62.1	36.0		41.7 41.2 40.7	2.9 3.6 4.3	5·9 7·0 6·5	0.0	+ 8	·6	SW W: WSW W: SW	SW: WSW NW: WNW SW: W: W by N	7.0	0.0	o'7	340	in. 0.07 0.33 0.17
4 5 6	Apogee	29.743 29.784 29.643	50.7	38.2	2 44.1	i 38°5	89.0	33.2		40.7 41.4 40.4	4.0 5.6 7.5	5·9 11·3	0.0	+ 6° + 5° + 12°	.8	W: WSW W WSW	WSW W: SW W: WSW	5.5	0.0	2·4 0·6 3·8	495	o·34 o·00 o·00
7 8 9	Last Qr.	29°484 29°792 29°542	49.5	5 37.5	5 42.4	34.0	100.2	33.0		41.7 39.7 42.3	5.0 8.4 0.8	8·8 12·0 4·6	1.0	+ 8° + 3° + 7°	•5	$egin{array}{c} \mathbf{W}  \mathbf{S} \mathbf{W} \ \mathbf{W}  \mathbf{b} \mathbf{y}  \mathbf{S} \ \mathbf{S} \mathbf{W} :  \mathbf{S} \end{array}$	W: WSW SW	6.3	0.0	1'4	352	0°09 0°09 0°26
10 11 12	Greatest Declination S.	29·377 28·715 29·258	48.1	40.2	4.2.8	39.6	58.8	37.0		39·7 43·7 42·7	7.0 3.2 6.3	5.0	1.5	1 .	·2	$egin{array}{c} \mathbf{SW} \\ \mathbf{SW} &: \mathbf{S} \\ \mathbf{W} \end{array}$	SW SW: W WNW: NW	30.0	0.0	0.3 2.5 0.4	432 675	0°21 0°72 0°10
13 14 15	New	29.552 29.427 29.322	45.2	28.0	38.1	34.0	73.6	23.7 22.9 28.8		38·9 38·3	7.4 3.2 4.1	13·8 7·4 8·6	0.0	. [	Ĭ	$egin{array}{c} \mathbf{W}: \mathbf{NW} \ \mathbf{WSW}: \mathbf{SSW} \ \mathbf{SW} \end{array}$	WNW: WSW SSW W: SW: S	7.5	0.0	0.1 0.4 0.0		o·oo o·34 o·o2
16 17 18	In Equator Perigee	29·363 29·754 29·830	43.1	33.6	36.3	31.3	46.5	37.0 27.0 17.3		37·7 35·7 38·7	0.8 5.0 5.2	2.0 6.9	0.4 3.8 0.0	- i	9	$egin{array}{c} \mathbf{S} \mathbf{W} \\ \mathbf{N} \mathbf{W} : \mathbf{N} \\ \mathbf{Calm} : \mathbf{W} \mathbf{S} \mathbf{W} \end{array}$	Calm N NNW: Calm	0.2	0.0	0.0		o.oc o.oo o.e1
19 20 21	••	30.131 30.131	43.3	25.7	34.6	30.7	91.5	20°9 20°0 25°8	•••	37·2 35·7 36·7	2.0 3.9 5.5	5·8 10·6 8·8	1.3 0.0	- 5·3	1	Calm: WSW Calm N by E	Calm NE: N NE: Calm	0.0		0.0		0,00 0,00 0,00
22 23 24	First Qr. Greatest Declination N.	29.928 29.625 29.767	51.7	34.9	42.8	38.9	73.9	22.4 30.0 28.4	••	36·7 36·9 37·4	3.9 8.1	7·1 7·4 13·0	0·5 1·8 4·2	- 2°2 + 3°0	6	SW WSW WNW	$egin{array}{c} \mathbf{W}\mathbf{S}\mathbf{W}: \ \mathbf{W} \\ \mathbf{W}\mathbf{S}\mathbf{W}: \ \mathbf{W} \\ \mathbf{W}\mathbf{N}\mathbf{W}: \ \mathbf{W}: \mathbf{S}\mathbf{W} \end{array}$	9.0	0.0	0.1 0.9 0.1	]	0.03
25 26 27	  	29·303 29·275 29·275	46.4	35.0	39.6	34.6	93.2	33·8 30·6 27·9	••		5.0	0.0	1.7	+ 2·1 - 0·2 - 5·6	2	SW SW NE: N	SW SW:E NE	0.0	0.0	0.0	219 111 330	0°27 0°10 0°35
28	• •	29.101	36.8	29.1	31.2	25.1	49.8	23.1	••	39.7	6.4	13.3	2.6	— 8·6	5	NNE	NNE: N	7.5	0.0	0.9	<b>24</b> 9	0:01
Means		29.529	47.1	34.7	40.2	35•9	71.1	30.1	••	39.5	4.6	8.5	1.3	+ 1.8	3	• • •	•••	••	•-	••	8762	

### BAROMETER READINGS FROM EYE-()BSERVATIONS.

```
The first minimum in the month was 29^{\ln} \cdot 153 on the 2nd. the second minimum ,, was 29^{\ln} \cdot 428 on the 3rd. the third minimum ,, was 29^{\ln} \cdot 554 on the 4th. the fourth minimum ,, was 29^{\ln} \cdot 418 on the 7th. the sixth minimum ,, was 29^{\ln} \cdot 261 on the 11th. the sixth minimum ,, was 29^{\ln} \cdot 261 on the 11th.
The first maximum in the month was 29^{\ln \cdot 671} on the 3rd; the second minimum The second maximum

The second maximum

The third maximum

The fourth maximum

The fifth maximum

The sixth maximum

The absolute maximum

The eighth maximum

The ninth maximum

The ninth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

The minth maximum

                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      was 29<sup>th</sup> 824 on the 14th.

was 29<sup>th</sup> 824 on the 18th.

was 29<sup>th</sup> 189 on the 23rd.

was 29<sup>th</sup> 189 on the 26th.

was 29<sup>th</sup> 130 on the 28th.
     The ninth maximum
   The ninth maximum ,, was 29^{in} \cdot 302 on the 27th; the tenth minimum ,, was 29^{in} \cdot 100. The range in the month was 1^{in} \cdot 613.

The mean for the month was 29^{in} \cdot 529, being 0^{in} \cdot 269 lower than the average of the preceding 25 years.
                                                                                                                                                                                                                                                                                           was 29in 302 on the 27th; the tenth minimum
```

### TEMPERATURE OF THE AIR.

The highest in the month was 57° o on the 1st; the lowest was 24° 2 on the 18th.

The range ,, was 32° 8.

The mean ,, of all the highest daily readings was 47° 1, being 2° 3 higher than the average of the preceding 25 years.

The mean daily range was 12° 4, being 1° 1 yreater than the average of the preceding 25 years.

The mean for the month was 40° 5, being 1° 9 higher than the average of the preceding 25 years.

MONTH and	ELE	CTRICITY.	CLOUDS A	ND WEATHER.
DAY, 1866.	<b>A.</b> M.	P.M.	A.M.	P.M.
Feb. 1 2 3 3 4 5 6 6 7 8 9 9 10 11 12 13 14 15 15 16 17 18 19 20 21 22 23 24 25 26 27	w o w o w w	w w ssP,ssN,sp,gcur: w o ssN,ssP,sp,gcur:mN w: o: w o: m: w o w w: o	10, cis, r : g, r, ci, cicu 10, cis, sc, hr 5, ci, cicu, v  10, cis, sc, ocr 6, ci 4, ci, cis, w  10, w, cis, sc, ocshs 0 r : hr 10, r v, a, m : 10, r 10, r : g, ci, cicu, cis  0, hfr : 4, ci, h, slsn hfr : 8, licl 10 : 10, cis, cicu, cus, h.  10, cr, gtglm 10, cis, cus, s, glm hfr : hfr : 1, hfr, h  hfr : 5, hfr, h, licl 10, ci, cicu, cis  10, thcl, cis, slr hfr : 5, hfr, h, licl 10, ci, cicu, cis  10, thcl, cis, slr hfr : 10, sc 6, ci, h  10, sc, r 10, r hr : slsn : 10, gtglm, h, ci	10, cr : 10, thr : 10, r  10, cis, cicu, glm: 10, cis : 0, slf, hfr  1, h, f, ci : f : 0, f  v, ci, cicu, cis, h : 0, thf, hfr  5, ci, cis, licl, slf: 8, licl : 10  10, cis, thr, se : 8, licl, f, h, luco, luha  6, ci, cis, cus, v, slr : v, shsr, hl : v, ci, luco  4, ci, cis, cus, h : 0, h, luha  10, se, hr, hl : 10, thcl : 10, cis, cus  5, ci, cu, cus : v, ocr : 10, glm, luco, r

### HUMIDITY OF THE AIR.

Temperature of the Dew Point.

The highest in the month was 51°·8 on the 2nd; and the lowest was 16°·4 on the 28th.

The mean , was 35°·9, being 1°·3 higher than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was oin·211, being oin·009 greater than the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 2grs·4, being the same as the average of the preceding 25 years.

Degree of Humidity.—The mean for the month was 85 (that of Saturation being represented by 100), being the same as the average of the preceding 25 years.

Weight of a Cubic Foot of Air.—The mean for the month was 547 grains, being 7 grains less than the average of the preceding 25 years.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 7.2.

The mean amount for the month, on a scale ranging from o to 10, was o 7.

The proportions were of N. 5, S. 6, W. 14, E. 0, and Calm 3. The greatest pressure in the month was 301650 on the square foot on the 11th.

Fell on 18 days in the month, amounting to 4in 03, as measured in the simple cylinder gauge partly sunk below the ground; being 2in 50 greater than the average fall of the preceding 51 years.

ELECTRICITY.—February 5 to 13 and 20 to 28, the electrical apparatus was not in action.

		the re-		R	EADIN	GS OF	THERM	OMETE	RS.			fferen	ce	Tem- Mean	WIND AS	DEDUCED FROM ANEM	OMET	ERS.			ange nches
1. C. 3. T. T. T. T. T. T. T. T. T. T. T. T. T.	Dhe	g of dand				Ì	n by a er, with ced on	hown Mini-	In the of the T	Water hames	t	etween	n.	Mean d the I me Da		Osler's.				ROBIN- SON'S	lina G e is bio
MONTH and DAY, 1866.	Phases of the Moon.	Daily Reading of to cometer (corrected and reed to 32° Fahrenheit).		Dry.	e.	Dew Point.	the Sun, as shown by a tering. Thermometer, with bulb in vacuo, placed on	t on the Grass, as shown Self-Registering Mini- Thermometer.	at Gree by Self- tering momete at 9h	nwich, Regis-	Ten	ew Poinperate and emper	nt ure ature.	Difference between the Mean Temperature of the Day and the Mean Temperature of the same Day on an Average of 50 Years.	General D	irection.	j	ressuring lbs	re oot.	f Horizontal nt of the Air Day.	Rain in Inches, collected in a Gauge whose receiving surface is 5 inches above the Ground.
		Mean Da Barome duced t	Highest.	Lowest.	Mean Daily Value.	Mean Daily Value.	Highest in the Self-Register blackened but the Grass.	Lowest on by a Self mum The	Highest.	Lowest.	Mean Daily Value.	Greatest.	Least.	Difference perature Tempera an Avera	A.M.	P.M.	Greatest.	Least.	Mean of 24 Obs.	Amount o Movemen	Rain in In whose re above the
Mar. 1 2 3	Full In Equator	in, 29:379 29:534 29:503	42.0	27.7	33.6	25.3	103.7	21.1	•	36·7 35·7 35·7		° 9°9 13·8	° 3·7 4·8	-11.9 - 6.6 - 8.3	NE NE Calm: SW	ENE N Calm: NW	0°7 0°0 0°0	1	lbs.	miles, 244 138	in.
4 5 6	 Apogee	29·553 29·600 29·125	42.5	30.0	36·c	27.6	92.7	28.0	36·8	35·7 36·2 36·7	1.0 8.4 5.3	5·8 14·7 11·7	3.3 0.0	- 6·3 - 4·1 - 3·1	SW NE S	$egin{array}{c} \mathbf{N} \\ \mathbf{NE} \colon \mathbf{SSE} \\ \mathbf{S} \colon \mathbf{SW} \\ \end{array}$	0.0	o.o o.o o.o	0.0	181	o.00 o.00
7 8 9	Last Qr.	29·034 29·397 29·875	47.4	30.3	37.7	34.4	99.1		38.8	37.4	3.3	10.8 8.8 10.6		- 4.2 - 2.6 - 0.8	SW: WSW NNE NNE	SW: Calm NE: N by E NNE	2.3	0.0 0.0 0.0	0.0	426	0°00 0°02 0°00
10 11 12	Greatest Declination S.	30·181 30·127 29·664	45.2	34.0	40'1	36.1	62.5	30.0		39.3	4.0	13.0 6.8 12.5	3·8 3·3	l	N by E N: WSW WSW	NNE WSW: W WNW: W	0.0	0.0	0.0	216	0,00 0,00 0.01
13 14 15		29·409 29·364 29·130	40.7	25.7	7 32∵	1 23.7	62.0	18.5		40°7 38°8	8.4	13·4 14·0 14·3	3.1		WSW: N N S by E	$\begin{array}{c} \mathbf{N} \\ \mathbf{Calm} \\ \mathbf{S} \end{array}$		0.0	0.0	170	0,00 0,00 0,00
16 17 18	New: In Equator.  Perigee	29.054 29.023 29.144	52°c	38.7	44	3 40°0	88.3	35.1	41.8	39.7 40.4 43.4	4.3	17.5 10.6 10.5	0.2	+ 3.0 + 2.3 + 1.6	S Calm: S: SW SE: E	SE SSW: S SE: Calm	0.3	0.0	1	223	0°00 0°17 0°01
19 20 21	 	29·082 29·254 29·434	43.6	37.0	40'1	36.6	53.4	37.0	44.8 45.8 44.8	44.7	3·4 3·5 2·2	7°2 4°8 3°9	2.8	+ 0.4 - 2.1 - 7.7	Calm: ENE NE: ENE NE	E: NE E: ENE NE	1.3	0.0	F	313	0°03 0°03 0°03
22 23 24	Greatest Declination N. First Quarter.	29.678 29.497 28.941	48·7	35·2	40.2 44.2	32·8 38·8	101.8	29.4 35.0	45.0 43.6 42.8	41.7	7.9	13.0 16.8 13.0	1.9 1.4 1.5		Calm: S SW	$egin{array}{c} \mathbf{N}: \mathbf{Calm} \\ \mathbf{S} \\ \mathbf{S} \mathbf{W}: \mathbf{W} \end{array}$	6·3	0.0	0.0 2.2 0.4	495 424	0°12 0°49
25 26 27	 	29.699 30.029 29.957	56.2	33.1	45.2	41.7	87.0	28.3	43.8	43·7 42·9 40·9	3.5	11.4 11.0 18.9	1.5	+ 4.9 + 2.7 + 9.1		$egin{array}{c} \mathbf{N}\mathbf{W} \\ \mathbf{S}\mathbf{W} \\ \mathbf{W} \end{array}$	0.0	0.0	0.0	262	0.00 0.00 0.14
28 29 30	  In Equator	29.994 30.002 30.012	62.8	45.9	52.9	49.8	96.7	45°1	45.0	43.7	3·1	15·1 10·1 9·7	2.4	+ 6·8 + 9·3 + 10·4		WSW: SW WSW NW: W:	0.0	0.0	0.0	210	0,00 0,01 0,00
31	Full	<b>2</b> 9·663	51.5	44.2	46.7	43.5	73.3	44.0	49.8	46.4	3.3	5.3	2.0	+ 2.3	W: NE: Calm	Calm: N	0.0	0.0	0.0	170	0.30
Means		29.527	48.4	34.5	40.2	34.8	83.3	30.3	42.7	40.8	5.7	11.4	2.0	- 1.1		•••				sum 7401	1.63

```
BAROMETER READINGS FROM EYE-OBSERVATIONS.

The first maximum in the month was 29<sup>in</sup>·570 on the 2nd; the first minimum in the month was 29<sup>in</sup>·491 on the 3rd.

The second maximum

, was 29<sup>in</sup>·659 on the 5th; the second minimum

The absolute maximum

, was 29<sup>in</sup>·179 on the 10th; the third minimum

The fourth maximum

, was 29<sup>in</sup>·179 on the 18th; the fourth minimum

The fifth maximum

, was 29<sup>in</sup>·774 on the 22nd; the absolute minimum

The sixth maximum

, was 29<sup>in</sup>·774 on the 22nd; the absolute minimum

The sixth maximum

, was 30<sup>in</sup>·053 on the 26th; the sixth minimum

The eighth maximum

, was 30<sup>in</sup>·042 on the 28th; the seventh minimum

The range in the month was 1<sup>in</sup>·321.

The mean for the month was 29<sup>in</sup>·527, being 0<sup>in</sup>·229 lower than the average of the preceding 25 years.

TEMPERATURE OF THE AIR.
```

TEMPERATURE OF THE AIR.

The highest in the month was 64°°0 on the 30th; the lowest was 22°.5 on the 1st.

The range , was 41°.5.

The mean , of all the highest daily readings was 48°.4, being 1°.6 lower than the average of the preceding 25 years.

The mean daily range was 13°.9, being 0°.8 loss than the average of the preceding 25 years.

The mean for the month was 40°.5, being 1°.2 lower than the average of the preceding 25 years.

MONTH	ELECT	TRICITY.		CLOUDS AN	ND WEATHER.
DAY, 1866.	A.M.	P.M.		A.M.	P.M.
Mar. 1			o, hfr 10, cicu o, hfr	: 10, cis, cus : 3, ci : 2, licl, hfr, h, slf	10, sn : 10, sn, thcl : 8, thcl, m 3, ci, cicu, cu : 0, h : 0, luco, f, h 10, glm, slf : 10, cis, thcl, f : 10, thcl, f
4 5 6	0 0 0	o o: m ssN,ssP,sp,g,-cur: m: w	10, licl, h, gtglm 8, cicu, ci 9, ci, cicu		10, licl, ci, cis, v : v 5, ci, cicu, cus : 10, sl 10, r : 0, hfr, m
7 8 9	o w:ss N,ss P,gcur,sp	w: m ssN,ssP,sp,gcur:w:w	6, ci, cis, v 10, cis, hl, r vv	; 9, cicu, cis	6,ci,cis,cicu,cus: v : o v, ci, cicu, cu, cis, hl, r: vv, m 8, cicu, ci, cu, cis, slr: v
10 11 12			10, cicu, cis, sc, sl 10, cis, h, slf	r, slsn	9, ci, cicu, cus, v : v, thcl 10,h,li,-cl,cis,gtglm : v : v, thcl 8, ci, cicu, cis: 8, slr : 0, ms
13 14 15			10, cis, slr 0, hfr 10, licl	: 7, ci, h, hfr	10, ocsn, ocr : o, hfr, m 8, licl, h, ci, cicu: 9, cis, cus, h: o, fr, h, ms 10, cis, cicu, ci : 10, ocr
16 17 18	·		8, ci, licl o 6, ci, cis	: 10, hr	10, v, ci, licl : 10 : 0, ms v,ci, cis, cu, cus : v, ci, thcl : v, thcl, m 10, licl : 10, licl, thr : 10, r
19 20 21	. o . m	0 : 0 : W	10, slr 10, cis, sc, slr 10, slr, slsn		9, licl, ci, cicu: v : 10 10, ocr : 10, ocr : 10, hr 10, thr, sl : v, ocr : 10
22 23 24	w w	ssP,ssN,sp,gcur: w w: o	10 10 10, CT	: 6, licl, h : v, r	8, cu, cicu, cis, slsn, v: v, hfr 9, licl, ci, cicu, cis, w: 10, hsqs, hr, stw v, ochshs : 10, ocshs
25 26 27	w	m : o : m w : o	10, sl-r 10, cicu, cis 10, r, sc	: 10, v	v : v, licl 10, thcl, ci, cicu, cis : 10, cicu, cis 4, ci, cicu, cis : 0
28 29 30	m o m	w: o o: w: o w: o	8, ci, cicu, cis 10, thcl, glm 10		10, cus, cis, sc : 10, cis, cus, sc, sl. 10, licl, h : v, slr : 10 8, licl : 10, thcl, h, sl-r: 10, thcl, sl
31	. w <b>N</b>	w : o : w	10, hr : 10, c	chr : 10, se, thr	10, gtglm, thr: 10, ocr, glm: 10, cis, cu.

```
HUMIDITY OF THE AIR.
```

Temperature of the Dew Point.

The highest in the month was 52°·2 on the 29th; and the lowest was 20°·6 on the 14th.

The mean , was 34°·8, being 1°·7 lower than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was 0<sup>th</sup>·20·2, being 0<sup>th</sup>·015 less than the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 2<sup>grs</sup>·3, being 0<sup>fr</sup>·2 less than the average of the preceding 25 years.

Degree of Humidity.—The mean for the month was 81 (that of Saturation being represented by 100), being 1 less than the average of the preceding 25 years.

Weight of a Cubic Foot of Air.—The mean for the month was 547 grains, being 3 grains less than the average of the preceding 25 years.

CLOUDS.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 8.1.

The mean amount for the month, on a scale ranging from o to 10, was o 6. WIND.

The proportions were of N. 8, S. 7, W. 7, E. 5, and Calm 4. The greatest pressure in the month was 151bs o on the square foot on the 23rd.

Fell on 15 days in the month, amounting to 1in 63, as measured in the simple cylinder gauge partly sunk below the ground; being o'n 04 greater than the average fall of the preceding 51 years.

ELECTRICITY.—The insulating lamp was not burning from March 1 to 3, 10 to 18, and 24 to 26.

		the re-		1	READI	GS OF	THER	MOMETE	RS.		T	Differer	ıce	em- lean y on	Wind	AS DEDUCED FROM A	NEMO	METE	RS.		ange
		g of sid and heit).					n by a	shown Mini-	In the	Water Thames		betwee the	n	Mean T d the M me Day		Osler's.	1			ROBIN SON'S	in a Gs
AONTH and DAY, 1866.	Phases of the Moon.	ean Daily Reading of the Barometer (corrected and reduced to 32° Fahrenheit).		Dry.		Dew Point	the Sun, as shown by a tering Thermometer, with bulb in vacuo, placed on	on the Grass, as shown Self-Registering Mini- Thermometer.	at Gre by Sel tering momet at 9	enwich, f-Regis- g Ther- ers,reach A.M.	T	Dew Po empera and Tempe	ture	Difference between the Mean Temperature of the Day and the Mean Temperature of the same Day on an Average of 50 Years.	General .	Direction.		ressurin lbs on the are fo	re e oot.	Amount of Horizontal so we Movement of the Air single on each Day.	hes, collected
1800.	Moon.	Mean Da Barome duced t	Highest.	Lowest.	Daily	Mean Daily Value	est in f-Regis skened Grass.	Lowest on the man The	Highest.	Lowest.	Mean Daily Value	ates	Least.	Difference perature Tempera an Avera	A.M.	P.M.	Greatest.	Least.	Mean of 24 Obs.	Amount of Movemen	Rain in Inc
April 1 2 3	Apogee	in. 29.329 29.281 29.482	50.5	5 35.4	40.8	38.1	92.5	30.0 20.0 38.5		•	2.7	0 16·4 7·8 10·8	1.0	- 4.0	Calm: N	SW: Calm N N: NE: Calm	0°0 0°0	0.0	1bs. O*O O*O	miles 138	C
4 5 6		29.532 29.751 29.869	50.8	34.2	42.3	39.6	107.0	30·0 28·3 36·7			2·4 2·7 4·5	9.9		- 3.1	Calm: SE	S: SE ESE: E E: ENE	1.0	0.0	0.8	332	c
7 <b>8</b> 9	-	29.764 29.925 29.746	54.1	41.4	45.2	43.5	99.1	39.7 41.0 41.0			1.3	5.6		- 0.3	E : Calm	NE : Calm E : NE NNE	0.3	0.0	0°0 0°0	304	c
10 11 12		29.689 29.396 29.625	57.4	41.8	3 48.2	42.6	120.8	39.8 38.0 44.3		47°4 46°7		9·6	2.6	+ 3.1	SE	SW SE: S SW	0.0 3.5 5.7	1	0.2	•	c
13 14 15	In Equator. New: Perigee.	29.722 29.870 30.089	62.0	41.3	3 49.0	43.6	138.8	37.2	50.0	48·9 48·9	6.3	13·7 15·6 13·7		+ 4.9	$\mathbf{SW}: \mathbf{WSW}$	SW WSW SW	5.5	0.0	0.3	321 394 492	c
16 17 18	••	29.785 29.801 29.831	61.3	45.1	151.1	39.0	116.7	45.8 40.1 32.2	51.8	50·9 50·9	12.1	7.6 18.0 20.9	4.6	+ 3·3 + 5·4 + 5·4	SW WSW WSW	SW W W:SW	4.0	0.0	0.0	582 369 299	0
19 20 21	Greatest Declination N.  • •  First Quarter.	29.666 29.745 29.993	61.6	43·1	49.4	42.8	141.1		52·5 52·1 50·8	51·7 51·2 50·7	6.6	18.0 18.5	4.5 0.3 0.4		$egin{array}{c} \mathbf{S}\mathbf{W}:\mathbf{S} \ \mathbf{W} \ \mathrm{by} \ \mathbf{S} \ \mathbf{W} \end{array}$	SW: WSW WSW NW: Calm		0.0	0.0	175 272 129	0
22 23 24	••	30·254 30·198 30·020	53.1	39.7	46.0	35·o	123.0	32·4 34·6 38·0	53·8 51·8 53·8		11.0		0.0 2.8 3.5		Calm: SE E by S ESE	ESE : E E ESE : E	o·o 5·5 6·7	0.0	1.0	327 424 310	0
25 26 27	• • In Equator. • •	29°927 29°598 29°598	70.3	39.3	55.0	48.2	140'1	••	53.8	52.7	6.8	19.4	1.8	+ 5·2 + 7·1	E E Calm	E E SSW: Calm	0.3	0.0	0.0	239 163 138	l٥
28 29 30	Full Apogee.	29 <sup>.</sup> 340 29 <sup>.</sup> 661 29 <sup>.</sup> 586	47.7	39.2	41.1	36.4	73.5	39°2 30°0	55·8 	53·7 	4.7	18·2 9·2 14·1	1·1 3·2 2·7	+ 6·8 - 7·7 - 8·5	Calm: WSW NE NE: E	W:WNW: NE NE ENE	2.0	o.o o.o o.o	0.1	289 335 463	0
Means		29.743	58.3	40.8	47'9	41.2	114.7	37.4	52.0	50.7	6.4	13.8	1.8	+ 1.7	• • •	•••				8 <sub>1</sub> 50	8 2

## BAROMETER READINGS FROM EYE-OBSERVATIONS.

```
The first maximum in the month was 2911.886 on the 6th; the absolute minimum in the month was 2911.264 on the 2nd.
The second maximum
                       ,, was 29in 946 on the 8th; the second minimum
                                                                                          was 29in . 750 on the 7th.
The third maximum
                                                                                           was 29in · 266 on the 11th.
                                 was 30<sup>in</sup>·134 on the 15th; the third minimum
                          ,,
                                                                                    , ,
The fourth maximum
                                 was 29in.852 on the 18th; the fourth minimum
                                                                                           was 29in. 741 on the 16th.
                          ,,
                                                                                    ,,
The absolute maximum
                                                                                           was 29in 617 on the 19th.
                                 was 30<sup>in</sup> · 286 on the 22nd; the fifth minimum
                         ,,
The sixth maximum
                                                                                            was 29in 291 on the 28th.
                                 was 29th. 705 on the 29th; the sixth minimum
The range in the month was i'm o22.
```

The mean for the month was 29in 743, being oin o26 lower than the average of the preceding 25 years.

### TEMPERATURE OF THE AIR.

```
The highest in the month was 79° o on the 27th; the lowest was 34° 2 on the 5th and 30th.
```

The range ,, was 44° · 8.

The mean ,, of all the highest daily readings was 58°·2, being 0°·8 higher than the average of the preceding 25 years.

The mean ,, of all the lowest daily readings was 40°·8, being 1°·9 higher than the average of the preceding 25 years.

The mean daily range was 17° 4, being 1° 1 less than the average of the preceding 25 years.

The mean for the month was 47° 9, being 1° 1 higher than the average of the preceding 25 years.

MONTH and	ELECI	TRICITY.	CLOUDS A	AND WEATHER.
DAY, 1866.	A.M.	P.M.	A.M.	P.M.
-				
April 1 2 3	w w w	w : o sN,sP,gcur,sp:w:mN ssN,ssP,gcur,sp: w	10 : 4, ci, cicu, h 10, thr 9, ci, cicu, cus, cis, r, hl, v	7, ci, cicu, h, cis: 6, ci, cicu, cis, h, slr: 4, ci, cicu, ci. 9, cis, frshs, r, hl v, cicu, cu, cus, ci, ocr: v, hr : 6, ci, thcl
4 5 6	ssP w w	ssN,ssP,gcur,sp:m: w w:m w:0	h, v o : 10, slr 10, hr : 10 : 10	10, shsr, cis, cus, licl: v, r 7, ci, cicu, cis: v, thcl : 10, r v, ci, cicu, cu : 6, licl
7 8 9	o sP, gcur, sp w	w : m w o	10 10, f 10, thr	10, thr : thcl : 10, licl, cic 10, cis, cus, ci, v : v, ci, cis 10, hr : 10, r
10 11 12	w w o	wP,sN : w	10 10, cis, thcl 10, ci-s, cicu, v	10 : v, thcl, m 10, cis, ci, hr : v, ci, cis, sc, r, m 8, cicu, ci, cis : 10, cis
13 14 15			10 : 9,ci, cicu, cis, th1 0 : 9, ci, cicu, cis, cu 5, ci, cicu, cis, cus	
16 17 18		: w	10, r : 10, cis, sc o : 8, cicu, ci, cis, cu o, h	10, sc, thr, sqs, licl : 0, ms v, ci, cicu, cis, cus,h : 0, ms 7, ci, cicu, cu, cis, cus : v : 0, m
19 20 21	m w o	w N : 0	7, ci, cicu, h 6, ci, cicu, cu, cis 2, ci, cicu, h	8, cicu, cus, slr : 10, licl 8, cus, cu, cicu, ci, hr : 10, ocshs, hl, r : 1, ci, cic 8, licl, cicu, cu : v, licl : 0, slf, ms
22 23 24	m W W	w 0 w:0	o : 1, ci ci ci	6, ci, cicu : v : o o : o o : o
25 26 27	0 0 m	0 0 0	o : o : 1, ci licl : 2, ci, h	o : o 4, cicu, cu, cis, v : o 3, ci : v, ci, thcl, cis: v, cis
28 29 30	w		10, cis : 10, cis, ocshs, v : 10, cr : 10, cr : 10, cr	10, ocr, cis : 10, hr : 10, chr 10,cr,cis,cus,v: 10, cis, cus : 10, cis, cus v, cicu, cis, cus : 10, cis

```
HUMIDITY OF THE AIR.
```

Temperature of the Dew Point.

The highest in the month was 57°·2 on the 28th; and the lowest was 30°·6 on the 30th.

was 41° 5, being 1° 2 higher than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was o'n 262, being o'n 011 greater than the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 3<sup>ers</sup> 0, being o's 1 greater than the average of the preceding 25 years.

Degree of Humidity.—The mean for the month was 79 (that of Saturation being represented by 100), being the same as the average of the preceding 25 years. Weight of a Cubic Foot of Air.—The mean for the month was 543 grains, being the same as the average of the preceding 25 years.

CLOUDS.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 6.3.

OZONE.

The mean amount for the month, on a scale ranging from o to 10, was 1.2.

The proportions were of N. 3, S. 5, W. 8, E. 10, and Calm 4. The greatest pressure in the month was 6162. 7 on the square foot on the 24th.

Fell on 13 days in the month, amounting to 2in 44, as measured in the simple cylinder gauge partly sunk below the ground; being oin 73 greater than the average fall of the preceding 51 years.

ELECTRICITY.—The insulating lamp was not burning from April 13 to 18, and 28 to 30.

		the re-	<u> </u>	F	EADIN	GS OF	THERM	MOMETE	RS.		D	ifferen	ce	rem- fean y on	Wind as	DEDUCED FROM ANE	иоме	rers.			sado
		of t land heit).					by a with ed on	nown Mini-	In the	Water	1	etween the	n	fean 7 I the M ne Da		Osler's.				Robin- son's.	n a Ga is 5 inc
MONTH and DAY, 1866.	Phases of the Moon.	uly Reading of the ter (corrected and re- o 32° Fahrenheit).		Dry.		Dew Point.	the Sun, as shown by a ering Thermometer with bulb in vacuo, placed on	Lowest on the Grass, as shown by a Self-Registering Mini- mum Thermometer.	at Gree by Self tering momete at 9h	nwich, -Regis- Ther-	Te	ew Poi mperat and 'emper	ure	Difference between the Mean Temperature of the Day and the Mean Temperature of the same Day on an Average of 50 Years.	General	Direction.		ressuin lbs on the	re s. e oot.	f Horizontal to of the Air ay.	Bain in Inches, collected in a Gauge whose receiving surface is 5 inches above the Ground.
		Mean Daily Barometer ( duced to 32°	Highest.	Lowest.	Mean Daily Value.	Mean Daily Value	est in f-Regist kened Grass.	Lowest on by a Self mum The	Highest.	Lowest.	Mean Daily Value.	i an	Least.	Difference perature Tempera	A.M.	P.M.	Greatest.	Least.	Mean of 24 Obs.	Amount o Movemen	Rain in Inc whose rec above the
May 1 2 3	Greatest Declination S.	in. 29°320 29°424 29°471	51.2	36·1	40.6	35.3	110.0	37·5 36·1 35·2	51·1 49·8 48·8	49°7 49°2 48°7		5·1 12·6 13·1	3.0	- 7.8 - 3.4 - 3.4	NE: ENE N by W : NW Calm : SE : SW	NE: N W: SW SW: WNW: Calm	0.0		O'I	miles. 315 162	in. 0'10
4 5 6		29.710 29.953 30.091	61.2	34.1	47.2	397	132.0	30.0	49·8 49·8 49·8	48.7	7.5	21.0 12.4 12.5	2.8	- 6·3 - 4·3	Calm S <b>W</b> WSW	Variable SW N: Calm	0.4	,	0.0		0.00 0.08 0.00
7 8 9	Last Qr.	30·071 29·858 29·629	66.6	41.2	53.6	43.0	138.0		50·8 51·5 51·8	50.3	10.6	18·6 18·4 17·9	2.3	+ 1.8 + 1.4		sw sw w	0,0	1	0.0	323	o•o3 o•oo
10 11 12	In Equator	29.478 29.493	63.9	46.7	7 52.2	46.7	134.1	41.0	52·8 53·8 54·0	51.7	5.5	20.9 14.6	0.0	- 0.4 + 1.0 - 5.2	wsw	W WSW W: N by W: NW	10.0	0.0	0.8	515	0°00 0°42 0°05
13 14 15	Perigee : New.	29·895 30·014 30·197	54.8	39.7	45·3	35.7	97.2	34.1	52·5 51·8 53·8	51.2	9.6	16·2 18·4	4.1	- 6.6 - 6.4 - 8.3	Calm	NNW: N NE NE: Calm	0.0	t .	0.0	160	0,00 0,00 0,00
16 17 18	Greatest Declination N.	30°218 30°118 30°028	65.4	36.0	49.3	40.8	146.4	28.3	52·8 53·2 52·8	52.7	8.5	14·1 23·4 19·8	0.0	- 6·2 - 3·3	$\begin{array}{c} \text{Calm} \\ \text{Calm} : \text{SE} : \text{S} \\ \text{Calm} \end{array}$	SE SE NE: E by S	0.0	0.0 0.0 0.0	0.0	106	0.00 0.00 0.00
19 20 21	First Qr.	30°021 30°120 30°217	66.2	10.2	d 54.0	41.4	150.7	40.3	53·8 54·8 54·2	53.2	12.6	22.6	1.1	+ 2.4 + 0.5 - 1.5	Calm: SE Calm: E E	E by S E E: ENE		0.0	0.0	355	0.00 0.00 0.00
22 23 24	In Equator	30·124 29·921 29·745	68.1	37.8	53.4	440	151.0	29.0	53·8  53·8		9.4 9.5	22.6 21.4 13.9	o·5 5·3	- 3·1 - 0·9 - 7·5	NE	E by N NE: Calm ENE	5.0	0.0	o•o o•5	187 412	0.00 0.00 0.00
25 26 27	 Apogee	29·604 29·473 29·544	68°a	45.6	56.2	45.0	154.5	38.6	52·8 53·3 56·3	l	10.3	21.1	4.4	- 1.0 + 1.0 - 2.0	ENE NE Calm	ENE: NE E SW	2.0	0.0	0.0	178	o.80 o.00 o.00
28 29 30	Full	29·673 29·669 29·744	l 68·3	42.4	55.4	43.5	134'9	32.5	56·8 57·3 57·8	56.2	11.0	21.4	1.8	+ 2·8 - 0·6 - 4·7	Calm	SW N: NNE E	0.0	0.0	0.0	202	0.00 0.00 0.00
31	Greatest Declination S.	29.551	64.0	49.3	55.4	50.6	103.3	47.1	58.0	56.7	4.8	11.5	0.4	- I.3	E: SE	Е	2.5	0.0	0.1	186	0.33
Means		29.813	61•4	40.8	50.1	40.8	124.4	35.2	53.1	52.0	9.3	18.1	1.9	<b>– 2.8</b>	•••	•••		••		8um 7433	8um I'94

```
BAROMETER READINGS FROM EYE-OBSERVATIONS.
```

```
The first maximum in the month was 30<sup>in</sup>·114 on the 7th; the absolute minimum in the month was 29<sup>in</sup>·299 on the 1st.
The second maximum ,, was 29<sup>th</sup> · 836 on the 10th; the second minimum
                                                                                                     was 29<sup>tn</sup>·608 on the 9th.
                                                                                                     was 29<sup>in</sup> 434 on the 12th.
                                  was 30in. 252 on the 16th; the third minimum
The absolute maximum ,,
                                                                                                     was 30in o 15 on the 18th.
```

The mean for the month was 29in 813, being oin 039 higher than the average of the preceding 25 years.

## TEMPERATURE OF THE AIR.

The highest in the month was 73° 1 on the 28th; the lowest was 32° 6 on the 4th.

The range

of all the highest daily readings was  $61^{\circ}$ . 4, being  $3^{\circ}$ . 2 lower than the average of the preceding 25 years. of all the lowest daily readings was  $40^{\circ}$ . 8, being  $3^{\circ}$ . 5 lower than the average of the preceding 25 years. The mean The mean

The mean daily range was 20°·6, being 0°·3 greater than the average of the preceding 25 years. The mean for the month was 50°1, being 2°9 lower than the average of the preceding 25 years.

was 30in · 230 on the 21st; the fourth minimum The fourth maximum ,, ,, was 29in. 459 on the 26th. was 29in 694 on the 28th; the fifth minimum The fifth maximum ,, ,, was 29in 630 on the 29th. was 29in · 812 on the 30th; the sixth minimum The sixth maximum

The sixth maximum ,, was The range in the month was o'n 953.

MONTH and	ELECI	FRICITY.	CLOUDS AT	ND WEATHER.
DAY, 1866.	A.M.	Р.М.	A.M.	P.M.
May 1 2 3	o: ssN,ssP,gcur,sp	ssP, gcur, sp : o	10, ocr 10, slr 10 : 10, cus, cis, h-shs, t	10, cis, cus, sc, ocr : 10 7, glm,ci,cicu: 4, cicu, ci : 4, cicu, cis 8, hl,v,cus,cu: v : 4, thcl, h
4 5 6		·	5, ci, cicu, h, v o : 4,ci,cicu,ci v : 8, ci, cicu, cis, h, glm	
7 8 9			8, ci, cicu, h, glm 1, ci, h 10, r	8, cis, ci, h : o, ms 6, licl, h : v, thcl, h : 10, thcl 8,cis,cus,cu,cicu: licl : o
10 11 12			6, ci, cicu, cis, cus 10, r : 10, cr : 10, cr, v 10, r	9, ci, cicu, cis, cus: 3, ci, cis 7, ci,cis,cus,v. v,cicu,cis,cus,ocshs: 6,cicu,cis,cu. 10, r: v, cis, r: v
13 14 15			o : 9, ci, cicu, cis, cus 10 10, cicu, cis, cus, glm	10 : 10 10, cis, cus, cicu : 10, cis, cus 10, cicu, cis, cus : 10, glm
16 17 18	o o	o o o : w	7, ci, cicu, cis licl, hd : 3, ci o, hd : o	10 : 7, ei, eieu, ms 4, ei, eieu, eis: 3, ei, eieu, eis: 0, ms 3, liel, eieu: 0 : 0, d, ms
19 20 21	o w w	o: w: w o wN: o: w	o, ms, hd : 1, ci o` o	3, licl, ei : o : o : o o : o
22 23 24	o w w	0 0: w:0 0	o o 10, cis, cus, glm	o : o 2,liel,ei,eieu: o : o, d 9, eis, eieu : o, d
25 26 27	0	o: o: w	8, cicu, cus 10, ci, cicu, cu 10, hr : 10, glm	5, ci,cicu,licl: v, ci, cicu : 8, ci,cicu,ci. 4, ci,cicu,cus, cis, v: 10, slr v,ci,cicu,cis, slr: v : 6, ci, cicu, ci.
28 29 30	o o o	0 0 0	o, h, licl o 5, ci, cicu, h	7, ci, cicu, cu, cus : 0, d 6,ci,cicu,cus,h,v: v : 10 8,ci,cicu,cis,cus,h: 10, cis, cus : 10, cis, cus, sl
31	w	0	10, cis, cus	10 : 10 : 10, hr

```
HUMIDITY OF THE AIR.
```

### CLOUDS.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 6.1.

### Ozone.

The mean amount for the month, on a scale ranging from o to 10, was 1.0.

The proportions were of N. 6, S. 4, W. 6, E. 9, and Calm 6. The greatest pressure in the month was 10lbs on the square foot on the 11th.

Fell on 8 days in the month, amounting to 1in 94, as measured in the simple cylinder gauge partly sunk below the ground; being cin 22 less than the average fall of the

ELECTRICITY. - The electrical apparatus was not in action on May 1 and 2, from May 4 to 15, and on May 27.

Temperature of the Dew Point.

The highest in the month was 53° to on the 31st; and the lowest was 33° to on the 15th.

The mean , was 40° 8, being 4° 9 lower than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was o'n 255, being o'n 049 less than the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 25° to being og to be less than the average of the preceding 25 years.

Degree of Humidity.—The mean for the month was 71 (that of Saturation being represented by 100), being 5 less than the average of the preceding 25 years.

Weight of a Cubic Foot of Air.—The mean for the month was 542 grains, being the same as the average of the preceding 25 years.

		the re-		R	EADIN	GS OF	THERM	OMETE:	RS.		D	ifferen	ce	lean v on		WIND AS D	EDUCED FROM ANE	MOME	rers.			uge
		of and ieit).					with	own lini-		Water		the		ean T the M			OSLER'S.				ROBIN- BON'S.	a Gar
MONTH and DAY,	of the	lly Reading of the (corrected and rose) 32° Fahrenheit).		Dry.	,	Dew Point.	the Sun, as shown by a tering Thermometer with bulb in vacuo, placed on	Lowest on the Grass, as shown by a Self-Registering Mini- mum Thermometer.	tering momet	Thames, enwich, Regis- Ther- ers,read	Te	ew Poi mperat and Temper	ure	Difference between the Mean Temperature of the Day and the Mean Temperature of the same Day on	ge of 50 Years.	General L	Direction.	j	ressui in lbs. on the	re oot.	Amount of Horizontal government of the Air way on each Day.	ies, collected in
1866.	Moon.	Mean Daily Barometer ( duced to 32	Highest.	Lowest.	Mean Daily Value.	Mean Daily Value,	Highest in the Self-Register blackened but the Grass.	Lowest on the by a Self- mum Ther	Highest.	Lowest.	Mean Daily Value.	Greatest.	Least.	Difference perature Tempera	an Avera	A.M.	Р.М.	Greatest.	Least.	Mean of 24 Obs.	Amount o Movement on each D	Rain in Inch whose rece
June 1 2 3		in. 29·529 29·722 29·673	75.0	6 49.4 52.2	56·4 62·5	51.7 49.9	144.0	48.0 48.0 48.1	58·8 58·8 60·8	57.7	12.6	14.5 18.0		+ 5	6	E: SE SE: SW E by N	E by S SE: E by N E: Var.	0.0	1bs. O'O O'O	lbs.	miles. 164 183	in. 0.67 0.00
4 5 6	Last Qr.	29.689 29.750 29.812	64.4	51.4	55.3	49.4	114.5	49.7	61.8 61.8	61.8	3·8 5·9 5·7	7.7 12.6 13.1	1.6	+ 3 - 1 - 1	.9	Variable SW: SSW SSW: SW	$egin{array}{c} \mathbf{W}: \mathbf{SW} \\ \mathbf{S}: \mathbf{S} \ \mathrm{by} \ \mathbf{W} \\ \mathbf{SW} \end{array}$	1.2	0.0 0.0 0.0	0.0		0.1
7 8 9	In Equator	29 <b>.</b> 991 30.083 30.048	77.8	52.8	64.8	55.5	150.2	49°5 47°4 48°0	62·8 63·3	61.7	9.3	13·5 21·3 26·0	2.6	+ 3 + 7 + 10	•5	SW S:SW SW	SW SW SW:S	0.0	0.0 0.0 0.0	0.0	147	0.00
10 11 12	Perigee New	29.892 29.866 29.475	72'1	48.2	59.0	49.6	143.1	42.4	64·8 65·8 65·8	63.7	9.4	20.6 17.7 6.7	1.0	+ 10 + 0	°7	S: SW WSW SSW: SW	SW: W SW SW	0.0	0.0 0.0 0.0	0.0	304 276 361	0.0
13 . 14 15	Greatest Declination N.	29·631 29·826 29·768	63·2 70·8 66·1	49.8 48.0 47.6	53·4 57·7 56·3	50°C	100'9 140'5	43.0 38.9 40.0	64.8 63.2 62.5	62.2	6.3	10°1 15°7 8°1	0.6	- 5 - 1 - 2	.3	SW: WSW WSW WSW	$egin{array}{l} W:SW \ W:WSW \ SW:W \ by \ S \end{array}$	0.0	o.o o.o o.o	0.0	1	0.0
16 17 18	••	29.511 29.545 29.418	64.6	42.2	50.7	40.9	128.5	40.0	62.6 62.0 60.8	61.0	1.0 6.8 13.1	20.0	5.0 3.3 0.0	- 1 - 8 - 8	.3	NW: W by S W: NW SW	WSW: SW NW: WSW SW	7.5	0.0 0.0 0.0	0.2	518 334 459	0.1
19 20 21	In Equator; First Quarter.	29·564 29·896 29·729	69.8	45.2	56.4	52.4	121.9	37.1	60.6 58.8 61.3	58.7	4.0	14.8 13.7 19.7		- 2 - 3 + 6	· 1	SW SW S:SW	$egin{array}{c} \mathbf{W}\mathbf{S}\mathbf{W}: \mathbf{W} \\ \mathbf{S}\mathbf{W}: \mathbf{S} \\ \mathbf{S}\mathbf{W} \end{array}$	1.3	o.o o.o o.o	0.1		0.0
22 23 24	Apogee	29·795 29·990 30·036	75.8	49.3	61.5	55.1	145.5	48:0	62.0 63.8 64.4	62.7	6.1	18.3	0.5	+ 0	•5	NW:Calm:WSW WSW: NE E: NE	W ESE E: ESE	0.0	0.0	0.0	193 167 203	0.0
25 26 27	Greatest Declination S.	29·942 29·766	80.1	54.5	67.7	56.1	126.0	51.1	64·8 65·8 66·8	63.7	11.6	22.0 23.6 13.6	0.0	+ 6	.0	NE NNE: NE NNE: NE	NE: Calm E by N: NE ESE: Calm	2.5	0.0 0.0 0.0	0.3	177 220 146	0.00
28 29 30	Full 	29·808 29·822 29·648	77:3	59.5	65.1	59.3	116.9		67·9 68·0 68·3	66.7	5.8	22·3 13·9 17·3	1.2	+ 8 + 3 + 7	7	Calm Calm : N Calm : WSW	Variable NNE SW: WSW	0.0		0.0	174 110 300	0.0
Means		<b>2</b> 9 <b>.</b> 774	73.3	52.0	60.0	<b>53·</b> 5	131.2	47.5	63.3	62.0	7.3	16.4	1.6	+ 1	.7	•••	• • •		••		8um 7267	sum 3.6∠

```
was 29in.884 on the 10th.
The third maximum
                                       was 29th 935 on the 11th; the third minimum
                                                                                                              was 29<sup>in</sup> 431 on the 12th.
was 29<sup>in</sup> 350 on the 16th.
was 29<sup>in</sup> 370 on the 18th.
The fourth maximum
                                       was 29in · 849 on the 14th; the fourth minimum
The fifth maximum
                                       was 29<sup>th</sup> 629 on the 17th; the absolute minimum
The sixth maximum
                                       was 29in 921 on the 20th; the sixth minimum
                                                                                                     ,,
                               ,,
                                                                                                              was 29in. 701 on the 21st.
                                       was 30in 054 on the 24th; the seventh minimum
The seventh maximum
                                                                                                              was 29in. 735 on the 27th.
The eighth maximum
                                       was 29in 842 on the 29th; the eighth minimum
The eighth maximum ,, was The range in the month was oin 757.
```

The mean for the month was 29in 774, being oin 023 lower than the average of the preceding 25 years.

TEMPERATURE OF THE AIR.

```
The highest in the month was 86° 5 on the 27th; the lowest was 42° 2 on the 17th.
```

was 44°.3. The range

of all the highest daily readings was 73°·2, being 2°·2 higher than the average of the preceding 25 years. of all the lowest daily readings was 52°·0, being 1°·9 higher than the average of the preceding 25 years. The mean

The mean daily range was 21°·2, being 0°·4 greater than the average of the preceding 25 years.

The mean for the month was 60° 9, being 1° 9 higher than the average of the preceding 25 years.

MONTH and	EL	ECTRICITY.	CLOUDS AN	ND WEATHER.
DAY, 1866.	,			
	A.M.	P.M.	<b>A.M.</b>	P.M
June 1 2 3	0 W W	o: wN: m w: o w: m	10, chr : 10 : 10, cu-s, cicu 1, ci 10, cis, s, glm	10, cus, cis, r: v, d : 10, cis, eus 6, ci, cicu, cu, eus : 0 10, cis, s, glm : 5, ci, cicu, cis, l
4 5 6	0	o: w: o	hr : 5, ci, cicu, ocshs cr : 10 : 10 thr : 10, thr	10, slr : 10, cus, cis, sc, r 9, cus, cicu, cu, ocr : 10, thr 9,cicu,cis,cus,ocshs: v, licl : 7, licl, cis
7 8 9	w w w	w o o	10 2, ci, cis, v 0 3, ci	8, ci, cis, cicu : 4, ci 7, ci, cicu, cu : v, ci, cis 5, ci, cicu, cu : 10, thcl, cis
10 11 12	w o o	o : w o : w	6, ci, cis 8, cicu, ci, h 10, sc	1, ci, cicu       : v, ci, cicu, cus, ci         7,ci,cicu,cus:       v         10, slr, sc       : v    : v, ci, cicu, cus, ci : 8, thcl,cis, cu. : 10
13 14 15	o : o : ssN,sp,g o o	ssN, sp, gcur: o o: w o	10, sc, ocshs 7, cieu, h 10	10, r : 10, cus, cicu, ci : 4, ci, cicu, cis, sl10, cis : 10, thr
16 17 18	o	0	10 : 6, cicu, ci r : 10, cus, cis 10, r	7, ci, cicu : v : l, m vv, ocshs : vv, ocshs 10, sc, slr : 10, slr
19 20 21			7, ci, cis, sc, ocshs, v o : 10 8, ci, cicu	v, ocr, w : v 10, cis, cus, cicu, glm: 10, cis 5, ci, cis : v : 9, cus, cis, ts, hr,
22 23 24	o : w	o : o : w	chr : ocr : 7, ci, cicu, h o : 1, ci	5, ci, cicu, h: 4, ci, cicu : 0 3, ci, cicu : 0 : 0, h 0 : 0, m
25 26 27	0 W 0	w : o : o	10, licl, cis, glm 0, ci 7, ci, cicu	10, cicu, ci, cis : 0, d 1, cicu : 0 7, ci,cis,cicu : 6, ci, cicu : 7,ci,cicu,cus,l,sl.
28 29 30	• 0 0	w : 0 0 ssN,sp,gcur:0:0	ocr : 8, ci, cicu, h 10, cis, glm 2, ci, cicu, h, v	8,ci,cicu,h,cu,cus,t,l: v, t, l, ci, cicu, cus, cu: o g,cis,cus,cicu,licl,v: 10, cis, cus 6,cicu,cu,cus,t: v, hshs, t: 10, hr

HUMIDITY OF THE AIR.

Temperature of the Dew Point.

The highest in the month was 640.6 on the 28th and 30th; and the lowest was 390.8 on the 17th.

The mean ,, was 53° 5, being 2° 8 higher than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was oin 410, being oin 038 greater than the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 452.6, being 051.4 greater than the average of the preceding 25 years.

Degree of Humidity.—The mean for the month was 77 (that of Saturation being represented by 100), being 3 greater than the average of the preceding 25 years. Weight of a Cubic Foot of Air.—The mean for the month was 529 grains, being 2 grains less than the average of the preceding 25 years.

CLOUDS.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 6.9.

OZONE

The mean amount for the month, on a scale ranging from o to 10, was 1'1.

WIND.

The proportions were of N. 3, S. 9, W. 11, E. 5, and Calm 2. The greatest pressure in the month was 10<sup>lbs</sup> o on the square foot on the 19th. Rain.

Fell on 15 days in the month, amounting to 311.64, as measured in the simple cylinder gauge partly sunk below the ground; being 111.68 greater than the average fall of the preceding 51 years.

ELECTRICITY.—June 17 to 22. The electrical apparatus was not in action.

		the re-		R	EADIN	GS OF	THERM	MOMETE	RS.		D	ifferen	ce	em- lean y on	WIND AS	DEDUCED FROM ANEM	OMET	ERS.			ange
	Ì	of I and heit).					by a with	10wn Mini-	In the of the T	Water	1	betwee the	n	fean 1 the M ne Da		Osler's.				Robin- son's	in a G is 5 ir
and DAY,	Phases of the	ily Reading of the ter (corrected and re-		Dry.		Dew Point.	Highest in the Sun, as shown by a Self-Registering Thermometer with blackened bulb in vacuo, placed on the Grass.	on the Grass, as shown Self-Registering Mini- Thermometer.	at Gree by Self tering momete at 9h	nwich, -Regis- Ther- rs,read	Те	ew Poi mpera and Cemper	int ture rature.	Difference between the Mean Tem- perature of the Day and the Mean Temperature of the same Day on an Average of 50 Years.	General	Direction.	ii O	essuren lbs.  n the are fo	e ot.	f Horizontal nt of the Air Day.	Rain in Inches, collected in a Gauge whose receiving surface is 5 inches above the Ground
1866.	Moon.	Mean Daily Barometer ( duced to 32	Highest.	Lowest.	Daily	Mean Daily Value.	Highert in the Self-Registeri blackered but the Grass.	Lowest on the by a Self-mum Then	Highest.	Lowest.	Mean Daily Value	ate	Least.	Difference perature Tempera an Avera	A.M.	Р.М.	Greatest.	Least.	Mean of 24 Obs.	Amount o Moveme	Rain in Inc
July 1 2 3	••	in. 29°365 29°235 29°207	67.8	50.2	57.6	48.4	129.1	54.6 42.6 43.1	67·8 66·8 67·1	65.7	9.2	14.4 14.4	4.5	- 3·3 - 3·5 - 6·6	WSW SW: WSW WSW	WSW SW: WSW WSW: SW	1bs. 2·8 1·5 4·5	1bs. O'O O'O	0°3 0°1	367 362	in, 0°35 0°02 0°43
4 5 6	In Equator  Last Quarter.	29·337 29·369 29·495	69.0	50.4	57.1	49.5	147.2	50·8 49·7 47·8		64·7 64·2 63·7	2·8 7·6 5·9		1.0	- 6.6 - 4.6 - 5.2	WNW: W: WSW SW: WSW WSW: SW: NNW	WSW: SW WSW WSW: Var.	6.7	0.0	0.5	200	0°04 0°04
7 8 9	Perigee	29.862 29.998 30.041	66.8	48.7	57.6	54.4	84.7	38·9 39·1 56·0	64.1	64·2 63·7	3.2	18·2 8·8 13·8	0.0	- 6·2 - 4·1 + 4·4	WNW: W WSW WSW: W	W: WSW WSW W	0.6	0.0	0.0	373	0,00 0,00
10 11 12	Greatest Declination N.  New	30·141 30·143 30·029	82.0	56.9	69.4	60.0	152.0	51.3	65.8	64.7 65.2 63.7	9.4	22.4 19.0 50.5		+ 8·8 + 7·6 + 8·8	WSW Calm: NE Calm: SE	W: NW NE: SE SSE: ESE		0.0	0.0	88	0.00 0.00 0.00
13 14 15	••	29.992 29.985	82.2	58.8	69.7	62.4	139.4	58·5 58·0 54·6	68.8	66·7 68·2 68·7	7.3	21·3 17·9 16·7	0.0	+11'1 + 7'2 - 7'0	$egin{array}{ll} \mathbf{SE}: \mathbf{SW} \\ \mathbf{Calm}: \mathbf{NNE} \\ \mathbf{Calm}: \mathbf{NE} \end{array}$	WSW: W SW: NE NE: E	0.0	0.0	0.0	71	0.00 0.00
16 17 18	In Equator	29°945 29°884 29°8 <del>2</del> 9	71.9	59.0	63.3	53.4	118.4	51.0 57.0 44.3	68·8 68·3 67·8	67.5	9.9	16·7 14·6 22·8	4.6	- 1.4 + 1.1 + 1.9	ENE ENE NE	ENE: E ENE: ESE: E NE: E	0.4	0.0	0.0	202	0.00 0.00
19 20 21	Pirst Quarter. •• Apogee	29.764 29.910 29.934	67.6	48.0	56.2	48.0	120'0	47.8 45.0 39.1	68·3 66·3 66·8	65.4	8.3	14·1 16·0 21·3	3.8	- 2·1 - 5·2 + 0·7	Calm: N N by W Calm	NE: NNE N: Calm NW: ENE		0.0	0.1	125	0.00 0.00
22 23 24	Greatest Declination 5.	29·973 29·864 29·907	72.2	46.5	57.7	48.5	148.7	45·8 44·8 48·3	66·3  65·8	65·7 64·7	9.2	17·5 22·0 16·5	3·4 1·0 5·8		$\begin{matrix} \mathbf{NE} \\ \mathbf{NE} : \mathbf{NNE} \\ \mathbf{NNW} \end{matrix}$	$\begin{matrix} \mathbf{NE} \\ \mathbf{NNW} : \mathbf{N} \\ \mathbf{NNW} \end{matrix}$	1.2	0.0	0.1	<b>24</b> 3	0.00 0.00
25 26 27	Full	30·067 29·950 29·630	74.4	49.1	60.4	53.1	133.0	••	64·8 65·3 64·8	04.7	7.3	14·2 17·7 6·8	0.9	- 3·5 - 1·5 - 3·0	$egin{array}{ll} \mathbf{N} \ \mathbf{by} \ \mathbf{W} \ \mathbf{Calm} : \ \mathbf{SW} \ \mathbf{Calm} \end{array}$	NNW SW:SSW SSW:S	0.2	0.0	0.0	176	0.00 0.00
28 29 30	••	29·504 29·426 29·643	71.5	54.0	60.3	53.9	119.2	1	63.3	63·7 63·2 62·7	6.3		0.0	- 1.0 - 2.1 - 4.5	$\begin{array}{c} \operatorname{Calm}: \mathbf{NE} \\ \mathbf{SE}: \mathbf{SW}: \mathbf{W} \\ \mathbf{WNW}: \mathbf{NW} \end{array}$	ENE: E W: WNW W: WNW	5.0	0.0	1.0	439	0.00 0.00
31	In Equator.	29.526	58.8	46.0	51.3	50.4	77.2	42.0	63.8		0.0	5.3	0.5	-11.1	W: SW	WSW: NW: N by W	5.8	0.0	1.5	368	0.14
Means		29.770	72.6	52.5	61.0	53.9	128.3	49.1	66.1	65.3	7.1	15.8	1.2	— o∙8	• • •			•••			1.62

BAROMETER READINGS FROM EYE-OBSERVATIONS.

The absolute minimum in the month was 29in 123 on the 3rd.

```
,, was 29<sup>in</sup> · 338 on the 5th.
The first maximum in the month was 29th 393 on the 4th; the second minimum
The absolute maximum ,,
                                 was 30in 174 on the 11th; the third minimum
                                                                                                was 29in 916 on the 13th.
                                                                                                was 29<sup>in</sup>·745 on the 19th.
was 29<sup>in</sup>·844 on the 23rd.
The third maximum
                                   was 30in 006 on the 15th; the fourth minimum
The fourth maximum
                                  was 30in oo1 on the 22nd; the fifth minimum
                          ,,
                                                                                         ,,
                                                                                                was 29in 375 on the 29th.
The fifth maximum
                                  was 30in.088 on the 25th; the sixth minimum
                          ,,
                                                                                                 was 29in.476 on the 31st.
The sixth maximum
                                  was 29in 655 on the 30th; the seventh minimum
The range in the month was 1 in o51.
```

The mean for the month was 29in.770, being 0in.033 lower than the average of the preceding 25 years.

TEMPERATURE OF THE AIR.

```
The highest in the month was 87^{\circ} \cdot 2 on the 13th; the lowest was 46^{\circ} \cdot 0 on the 31st. The range ,, was 41^{\circ} \cdot 2.
```

of all the highest daily readings was 72°.6, being 1°.2 lower than the average of the preceding 25 years. The mean of all the lowest daily readings was 52° 5, being 0° 4 lower than the average of the preceding 25 years. The mean

The mean daily range was 20°1, being 0°8 less than the average of the preceding 25 years.

The mean for the month was 61°0, being 0°7 lower than the average of the preceding 25 years.

MONTH and	ELECT	RICITY.	CLOUDS AND WEATHER.									
DAY, 1866.	A.M.	P.M.	A.M.	Р.М.								
July 1 2 3	m N O o: ss N,ss P,gcur, sp	o : w	hr : 10, 0cr : 10, hr, licl 6, ci, cicu, cu, cus, slr 8, ci, cicu, cus, ocshs	g, cicu, cu, r : v : 2, cis, ci, l 10,r,cicu,cus : v,cicu,cu,cus : 4,ci,cicu,cis 10, ci, cicu, sc, hr : 10, r								
4 5 6	o : ssN, gcur, sp	ssN,gcur,sp.: o v : ssP,gcur,sp	10, ocshs hr 10, cu, cus, ocshs, t	v, ocshs : v, ocshs : 3, cicu, cis 9,cicu,cus,cu,ci,oc-shs : 10, glm 10,cicu,cu,ci,h,l,t : 10,cus,n,t,l : 10, t, slr								
7 8 9	0 0 0	0	g, cicu, h 10, thr, glm 10, thr : 10, cis, cus, v	6, cicu, cus, h : 3, ci, cis 10, glm, sc : 10, sc, glm 7, ci, cis, cicu : 0								
10 11 12			o, m 1, ci 0	4,liel,ei,eieu,eu,h: v, liel : 0 6, ci, cieu, h : v, ci, cieu, h : 8,ei,eieu,ei 5, cieu : o, m								
13 14 15	o o w	o w : o : w o	hd : 0 8, ci, h 3, ci, h	ı, ci, cicu : licl, ci 8,ci,cis,cicu,cus,h: v : o, d 8, cicu, cu, cis, h, thcl : thcl, h								
16 17 18	w	w	7, ci, cis, cicu 10, ci, cicu, cis 0, ms : 7, cicu, ci, h	6, ci, cicu, cu : v : 3, ci, d 10, cicu, cis : 10, cis, ms 6, cicu, ci : 0								
19 20 21	0 0 W	o w : o o	2, cicu, ci, h 10 0, hd, h, ms : 0, h	10,ci,cicu,cis,h: thcl : 0, hd, ms 9, ci, cicu, cis: 0 : 4,ci,cicu,cus,h,hd,m 0, h : 0, h : 2, cicu, cu								
22 23 24	o o w	o o o:w:o	9, cicu, cis 10, cis, glm, ci 10	6, ci, cicu : o 3, ci : thcl : 8, ci, cicu 10, cicu : 10								
25 26 27	w 0 0	o : w	10, slr 7, ci, cicu, cu, h 10, ocr	10, cis, cicu : 10 10 : 10, cis, cicu, slr 10, cicu, ocr : 10 : 10, cicu, s								
28 29 30	o : s N	o:w:w o	10, cicu, licl r : 10, sc, shsr o, ms : 8, ci, cicu, cis	10, cicu, cis : 10 v,cicu,cus,cis : v : 0, hd. ms 7, ci, cicu, cus, cis : 8, ci, cicu, cis, cus, n								
31	-		10, r	9,cr,ci,cìcu,cis: 10, 0cr : 10, 0cr								

Humidity of the Air.

Temperature of the Dew Point.

The highest in the month was 67°8 on the 13th; and the lowest was 46°4 on the 20th.

The mean , was 53°9, being 0°2 higher than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was 0<sup>in</sup> 416, being 0<sup>in</sup> 003 greater than the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 4<sup>grs</sup> 7, being 0<sup>gr</sup> 1 greater than the average of the preceding 25 years.

Degree of Humidity.—The mean for the month was 78 (that of Saturation being represented by 100), being 2 greater than the average of the preceding 25 years.

Weight of a Cubic Foot of Air.—The mean for the month was 528 grains, being the same as the average of the preceding 25 years.

CLOUDS.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 7.0.

The mean amount for the month, on a scale ranging from o to 10, was 0.9.

Wind.

The proportions were of N. 6, S. 4, W. 11, E. 6, and Calm 4. The greatest pressure in the month was 61bs 7 on the square foot on the 5th.

RAIN.

Fell on 9 days in the month, amounting to 1 in 62, as measured in the simple cylinder gauge partly sunk below the ground; being 0 in 97 less than the average fall of the preceding 51 years.

ELECTRICITY.—The insulating lamp was not burning from July 3 to 5, 10 to 12, 16 to 18, and on 30 and 31.

		the re-		R	EADIN	GS OF	THERM		RS.			ifferen	ce	Tem- Mean y on	Wind As	DEDUCED FROM ANEI	иоме	TERS.			ange
r o NIMII	701	g of dand					n by a	thown Mini-	In the of the T	Water	)	the	n	Mean d the I me Da		Osler's.				Robin son's	lin a G
IONTII and DAY, 1866.	Phases of the Moon.	aily Reading of the ster (corrected and reo 32° Fahrenheit).		Dry.		Dew Point.	the Sun, as shown by a tering Thermometer, with bulb in vacuo, placed on	st on the Grass, as shown a Self-Registering Mini- n Thermometer.	at Gree by Self tering momete at 9 <sup>th</sup>	enwich, -Regis- - Ther-	Ter	ew Pon peratand cemper	int ure ature.	Difference between the Mean Temperature of the Day and the Mean Temperature of the same Day on an Average of 50 Years.	General I	Direction.	:	ressuin lbs	re s. e coot.	Amount of Horizontal soo Movement of the Air and on each Day	ches, collected
		Mean Daily Barometer ( duced to 32'	Highest.	Lowest.	Daily	Mean Daily Value.	S - 30	Lowest on by a Seli mum The	Highest.	Lowest.	Mean Daily Value.	ate	Least.	Difference perature Tempera an Avera	A.M.	P.M.	Greatest.	Least.	Mean of 24 Obs.	Amount o Moveme	Rain in In
		in.	0	0	U	٥	0	0	0	0	0	0	0	۰			lbs.	lbs.	lbs.	miles,	
Aug. 1 2 3	Last Qr.	29.720 29.421 29.607	72.8	56.1	63.7	60.5	108.8	53.5	62·3 61·8	61.7	3.5	14.0 9.4 10.1	2·8 0·0 3·8	- 1.0 + 1.3 - 4.6	N by W W WNW	SW: W NW W: WNW	1.9	0.0	0.3	315	0.
4 5 6	Perigee	29·552 29·537	68.3	50.3	57.1	46.7	130.4	42.4	61.8 60.4 61.1	59.0	10.4	21.1 21.1		- 3·5 - 5·1 - 6·9	$egin{array}{c} \mathbf{W} \\ \mathbf{W}: \mathbf{W} \mathbf{N} \mathbf{W} \\ \mathbf{W}: \mathbf{W} \mathbf{S} \mathbf{W} \end{array}$	WNW: W NW: W SW: SSW	2.9	0.0	0.6	471 331 462	0.
7 8 9	Greatest Declination N.	29·322 29·509 29·430	68.2	50.4	59.6	50.3	123.8	43.6	60.5	59·3 58·2 60·2	9.3	17·3 16·6	3·4 1·8	- 1.4 - 2.4 - 3.5		SSW SSW WSW	6.0	0.5	1.4	505 414 283	0.
10 11 12	New ··	29·586 29·927 29·552	60.3	48.2	57.5	49.5	116.5	41.5	60.2	59.7 60.2 59.7	8.0	15.0 18.9	2.2 2.2	- 6.6 - 4.6 - 3.2	$egin{array}{lll} \mathbf{WSW:WNW:NNW} \\ \mathbf{NW:N} \\ \mathbf{SE:NE} \end{array}$	NW: W NW: W: WSW N: SSE: SW	1.2	0.0	0°0 0°1 0°2		0
13 14 15	In Equator	29·767 29·634 29·797	66.8	55.5	58.9	54.1	86.0	52.1	62.8	60.7 60.4	4.8	15.1 15.1		- 0.5 - 2.8 - 3.8		SE NW W	6.0	0.0		250 196 211	0.
16 17 18	First Quarter	29·566 29·642 29·800	66.7	49.4	56.2	46.3	111.0	47.8 42.4 41.1		61.0 59.7 59.6	9.9	18.0 18.0	2·9 5·9 o·6	- 6·2 - 4·9 - 3·3	WSW WSW WSW	WSW: W by N W SW: S	7.0 7.0	0.0	, ,	423 280 173	0,
19 20 21	Greatest Declination S.	29·662 29·561 29·690	72.5	54.8	61.6	58.3	109.5	54.8	60.8	58·9 59·4	7.6 3.3 3.1	20°1 11°6 9°9	1.5	- 0.8 - 0.8	$egin{array}{c} \operatorname{Calm}: \mathbf{SE} \\ \mathbf{N} \\ \mathbf{N}: \mathbf{NNW} \end{array}$	SE : ENE NE NNW	0.0	0.0	0.0	129 102 186	0
22 23 24	 	29·844 29·879 29·866	74.3	50.5	60.2	57.6	122.5	54·8 48·2 51·5	61·8 62·8	61.7	4·3 2·6 3·8	9.0 11.0 9.4	0.0	- 0.3 - 0.4 + 2.9		Calm E WSW: S	1.2	0.0	0.0 0.1 0.0	· ·	0.
25 26 27	Full	29.919 29.830 29.673	73·2 78·5 74·2	52·6 55·4 57·7	62·3 66·0 64·3	57 <b>·</b> 9 56·3 54·5	129.0 155.9 133.8	44.5 55.2 54.0	63.0 63.8 64.1	62·7 63·7 63·9	4.4 9.7 9.8	12·1 19·4 18·5	0°0 0°0 2°5	+ 1.8 + 2.4 + 1.8	SW SSE: SW SW	SW: S by E SSW SW	1.8	0.0	0.5	154 235 234	0.
28 29 30	In Equator  Perigee	29.169	59.0	53.8	55.0	53.8	74.2	48.8	64.8	64.7	1.5	2.5	0.5	- 4.2 - 4.3	Calm: SW	SE: Calm NW: WSW: W SW	8.0	0.0	0.4	121 361 213	lo.
31		29.724	70.8	46.9	58.2	50.3	129.5	41.4	62.8	62.3	7.9	16.4	1.2	- 1.0	sw	SW: S by W	0.3	0.0	0.0	227	0
Means		29.638	69.4	52.3	59.4	52.7	115.8	48.4	61.8	61.0	6.8	14.4	1.7	- 1.8					,.	5um 7860	

```
BAROMETER READINGS FROM EYE-OBSERVATIONS.
                  The first maximum in the month was 29^{\text{in}} \cdot 766 on the The second maximum as 29^{\text{in}} \cdot 686 on the The fourth maximum the fourth maximum as 29^{\text{in}} \cdot 686 on the The absolute maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth maximum the sixth minimum the month was 29^{\text{in}} \cdot 538 on the 2nd. The sixth minimum the month was 29^{\text{in}} \cdot 538 on the 2nd. The sixth minimum the sixth minimum the month was 29^{\text{in}} \cdot 538 on the 2nd. The fourth minimum the sixth minimum the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The fourth minimum the fourth minimum the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The first minimum in the month was 29^{\text{in}} \cdot 538 on the 2nd. The fir
                              The range in the month was oin 804.
```

The mean for the month was 29in 638, being 0in 153 lower than the average of the preceding 25 years.

TEMPERATURE OF THE AIR.

The highest in the month was  $78^{\circ}$ . 5 on the 26th; the lowest was  $45^{\circ}$ . 0 on the 19th.

The range ,, was  $33^{\circ}$ . 5.

The mean ,, of all the highest daily readings was  $69^{\circ}$ . 4, being  $3^{\circ}$ . 4 lower than the average of the preceding 25 years.

The mean daily range was  $17^{\circ}$ . 1, being  $2^{\circ}$ . 6 less than the average of the preceding 25 years.

The mean for the month was  $59^{\circ}$ . 4, being  $1^{\circ}$ . 8 lower than the average of the preceding 25 years.

MONTH and	ELECI	TRICITY.	CLOUDS AND WEATHER.									
DAY, 1866.	<b>A</b> .M.	P,M.	A.	м.	Р.М.							
August 1			10, sl, r 10, cis, ocr 10, cus, cis	: 10, gtglm	7, cu, cicu, ci : 10, cicu 10,cus,n,cis,licl,hr,v: 10, licl, ci 10,licl,cis,cu,s: v, slr :6,cis,cus,ci,							
4 5 6			o, ms : o 10, slr, glm 10, cis, cus	: 10, sc, licl, v	7.ci,cicu,cis: v : 0, ms 6, ci, cis, cicu, cus : 3, ci, cicu, cus, n 10, ocr, sc : 10, thr : 10, thr							
7 8 9			o, ms	: 8, ci, cicu, cus, sc : 8, licl, cicu, slr : 7, cicu, cu, h, v	8, cu, cicu, n, r : 2, cis, ms v, slr : slr : 10, hr, v 6,ci,cis,cus,cicu: vv : 1, ci, cis, ms							
10 11 12	o o	ssN,sP,gcur,sp: 0 0 W	v, I	: 7, ci, cicu, cis, h : 9, cicu, h : 10, cu, cus	6,ci,ci,-cu,ci,-s,ocshs: v :v,r,ci,ci,-cu,ci,-s,c g, ci,-cu, h : g, ci,-cu, ci,-s g,ci,ci,-cu,cu,-s,glm: glm : 10, sl,-r, glm							
13 14 15	o o w	0 : W 0 : 0 : W		: 7, cu, cicu, cis, : 10, thr	9,ci,cis,cus,cicu:10, cicu, cus, cis: 10 10,cis,cicu,h: vv, w : 0 10 : 10							
16 17 18	o w o	0 w:0	10 5, ci, cicu, cus, cis, 2, ci, cicu, cu, h	, w	9,0cshs,ci,cicu,cis, w:v, w : 0, l, w 9,ci,cis,cus,cicu,v,w:v,slr : 3, ci, cis 7,ci,cicu,cu,cus,h: cicu : 0							
19 20 21	0	0 0 0	10, f, glm, r	: 8, ci, cicu -cu, h : 10, cicu, h	8, ci, cicu : 8, ci, cis, cicu, ct 8,thcl,ci,cicu,cis,slf: 10, h : 10, cis, cus, 9, cicu, h : cicu : 0							
22 23 24	o o	o: w: o		: 10, h : 10, ci, cis, cicu, h, r	10, cicu, cus, cis : ci, h, d 5, ci, cicu, cus, cis : 10, ci, cis, licl 10, sc, thr : 10 : ci, d, luco							
25 26 27	w	w	d 2, ci, f, slr 9, cu, cicu, cus	: 10, ci, cis, h	10, ci, cicu, h, slr : 9, ci, cicu, d 7,ci,cis,cicu: 4, ci : 10, ci, l 6,cicu,ci,cis,sl-r: licl : 1, cis							
28 29 30	w w :sP,gcur,sp o	0 0 0	10, ci, cicu, cis 10, hr 10, r	: 6, licl, cus, cicu, ci	10,cis,cus,cicu,r,glm: 10, cis, cus : cicu, cus 10, r : 9, cus, cicu, s, sc 9,ci,cicu,cis: 10, slr : 10, thcl, cu							
31	w	o	d	: 1, ci, cis, h	7,ci,cis,cus,cicu: 4, ci, cicu, cis : o							

### CLOUDS.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 7.7.

The mean amount for the month, on a scale ranging from o to 10, was 1.1.

The proportions were of N. 5, S. 8, W. 13, E. 2, and Calm 3. The greatest pressure in the month was 10lbs. 8 on the square foot on the 7th.

Fell on 18 days in the month, amounting to 2 in 42, as measured in the simple cylinder gauge partly sunk below the ground; being oin 02 greater than the average fall of the preceding 51 years.

ELECTRICITY. - The insulating lamp was not burning from August 1 to 9, and 24 to 26.

Temperature of the Dew Point.

The highest in the month was 63°·2 on the 2nd; and the lowest was 43°·4 on the 16th.

The mean , was 52°·7, being 1°·1 lower than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was oin 399, being oin o19 less than the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 4grs · 5, being of · 1 less than the average of the preceding 25 years.

Degree of Humidity.—The mean for the month was 79 (that of Saturation being represented by 100), being 2 greater than the average of the preceding 25 years.

Weight of a Cubic Foot of Air.—The mean for the month was 528 grains, being 1 grain less than the average of the preceding 25 years.

1		the re-		R	EADIN	GS OF	THERM	OMETE	RS.		D	ifferen	ce	rem- fean y on		WIND AS I	DEDUCED FROM ANEI	OME	TERS.			uge
		of and neit).					by a with d on	own Iini-	In the	Water	1	the	n	ean J the N ne Da			Osler's.				Robin- son's.	na Ga s 5 in
MONTH and DAY,	Phases of the	lly Reading of the (corrected and roas 32° Fahrenheit).		Dry.		Dew Point.	the Sun, as shown by a tering Thermometer with bulb in vacuo, placed on	on the Grass, as shown Self-Registering Mini- Thermometer.	of the T at Gree by Self tering momet at 9h	nwich, -Regis-	Te	ew Poi	ture	Difference between the Mean Temperature of the Day and the Mean Temperature of the same Day on	Se or ou reads.	General I	Direction.	i	ressur n lbs. on the are fo	•	f Horizontal of the Air	Rain in Inches, collected in a Gauge whose receiving surface is 5 inches
1866.	Moon.	Mean Daily Barometer ( duced to 32	Highest.	Lowest.	Daily	Mean Daily Value,	est in Registivened Grass.	Lowest on the by a Self- mum Ther	Highest.	Lowest.	Mean Daily Value.	eat	Least.	Difference k perature Temperat an Averag	an avera	A.M.	P.M.	Greatest.	Least.	Mean of 24 Obs.	Amount of Movement on each Day	Rain in Inch whose rece
		in•	۰	0	0	0	0	0	0	0	0	0	0	٥	Ī			lbs.	lbs.	lbs.	miles.	1
Sept. 1 2 3	Last Qr. Greatest Declination N.	29.729 29.387 29.701	65.6	48.8	54.5	50.5	123.0	44.7 45.5 38.8	63·3 62·4 59·8	62.4	4.0	16·9 8·4 16·7		+ 0° - 4° - 2°	2	S by W: SW SSW: SW WSW: W	$\mathbf{SW}:\mathbf{SSW}$ $\mathbf{WSW}$ $\mathbf{W}:\mathbf{SW}$	4.6 8.4 8.2				0.0
4 5 6	••	29.476 29.432	69.3	58.8	61.7	56.5	122.2	47°0 54°6 48°3	60.8	60·2 61·6		7.0 11.3	0.0	+ 1:5 + 3:7 + 2:1	7	SW. SSE: SSW SW: SSW SW: SSW	SW SW S: SSW	20.0		3.0		0.1
7 8 9	·· New	29°457 29°550 29°582	60.0	55.7	57.4	53.8	788	54.9		60.6			0.6	+ 2.6 - 0.7 + 0.8	4	SW: WSW Calm: NE Variable	$egin{array}{c} \mathbf{SW} \\ \mathbf{NNE: N} \\ \mathbf{S: SSE} \end{array}$	0.3	0.0	0.0	178 88 221	0.4
10 11 12	In Equator	29:392 29:424 29:750	63.6	52.3	56.3	49*2	121.1	52·9 48·0 43·5	61.4 60.8 59.8	60.4	7.0	13.4	0.5	+ 2°2 - 1°2 - 4°2	4	S: SW SW: SSW W: WNW	SW WSW: W SW:SSE:SSW	22.0	0°0 0°2 0°0	2.6	410	0.1
13 14 15	 Apogee	29.642 29.405 29.568	64.6	52.0	56.1	48.0	112.0	52.0	59.8 59.0 59.3	58.7	8.1	1 1 · 2 1 4 · 4 1 4 · 4	3.5	— 1.0 — 1.1	1	SW: W S: SW SW	WSW: SSW SW SW	200		2.3		0.4
16 17 18	First Quarter. GreatestDec.S.	29.237 29.602 29.890	64.8	46.9	53.5	46.0	111.6		58·3 57·8 58·3	56.7	, ,	8·5 15·8 12·4	1.3 1.9	- 3.8 - 3.2 - 2.6	2	SW W: WNW SW	$egin{array}{c} \mathbf{S}:\mathbf{S}\mathbf{W} \ \mathbf{N}\mathbf{W}:\mathbf{W}\mathbf{S}\mathbf{W} \ \mathbf{S}\mathbf{S}\mathbf{W} \end{array}$	2.6		0.4	307 161 342	0.0
19 20 21	••	29.795 29.770 29.465	60.8	48.5	54.8	49.3	96.0	50°4 41°4 48°7	57·8 58·1 56·8	56.9	5.5	10.3	2.3	- 1.6 - 1.5 + 1.8	2	SW SW SW: WSW	$\mathbf{sw} \\ \mathbf{sw} \\ \mathbf{wsw} : \mathbf{sw}$	10.5	0.1 0.1 0.1	1.1	350	0.0
22 23 24	In Equator;	29.144 29.276 29.588	59.8	45.0	51.5	48.4	91.3	46·2  40·0	56·6 56·4 55·8		2·3 2·8 4·4	7.6	0.0	- 6.5 - 4.6 - 1.3		SW: SE: NE Calm SE	NW: SW: S ESE: SE SW	0.1	o.o o.o o.o	0.0	164 110 216	0.0
25 26 27	 Perigee	29.837 29.797 29.787	62.0	51.7	56.3	55.9	78.0	51.7	55·8 55·8 56·0	54.7	0.4		0.0	+ 1°7	7	SSE: S SE	S by W: SSE SW Calm	0.5		0.0	106	
28 29 30	Greatest Declination N.	29.654 29.749 29.878	67.8	55.9	61.5	58.0	95.2	48.0	54·8 54·5 55·8	53.7	3.3	7.4	0.3	+ 3·9 + 7·9 + 7·9	1	Calm: E S: Calm NE	$\mathbf{E}:\mathbf{Calm}$ $\mathbf{Calm}$ $\mathbf{N}:\mathbf{W}$ by $\mathbf{S}:\mathbf{N}$	0.3	0.0 0.0 0.0	0.0	1	0.0
Means		<b>29.57</b> 5	65.1	50.6	56.4	51.5	107.5	46.6	58.6	58.0	4.9	10.6	1.1	— o·:	2	• • •	• • •		••		8um 7517	

```
was 29<sup>in</sup> 757 on the 1st; the first minimum in was 29<sup>in</sup> 735 on the 3rd; the second minimum was 29<sup>in</sup> 661 on the 9th; the fourth minimum was 29<sup>in</sup> 483 on the 1oth; the fifth minimum was 29<sup>in</sup> 794 on the 12th; the sixth minimum was 29<sup>in</sup> 596 on the 15th; the seventh minimum was 29<sup>in</sup> 868 on the 2oth; the absolute minimum was 29<sup>in</sup> 868 on the 25th; the tenth minimum was 29<sup>in</sup> 868 on the 25th; the tenth minimum was 29<sup>in</sup> 953 on the 3oth.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          was 29<sup>in</sup>·361 on the 2nd. was 29<sup>in</sup>·215 on the 5th. was 29<sup>in</sup>·280 on the 6th. was 29<sup>in</sup>·370 on the 10th. was 29<sup>in</sup>·372 on the 11th. was 29<sup>in</sup>·332 on the 14th. was 29<sup>in</sup>·048 on the 16th. was 29<sup>in</sup>·034 on the 19th. was 29<sup>in</sup>·034 on the 22nd. was 29<sup>in</sup>·612 on the 28th.
 The second maximum
 The third maximum
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             ,,
 The fourth maximum
 The fifth maximum
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              ,,
The sixth maximum
The seventh maximum
 The eighth maximum
   The ninth maximum
   The tenth maximum
The absolute maximum , was 29 ooo on the 25th, the country of the maximum , was 29 ooo on the 25th, the country of the maximum , was 29 ooo on the 25th, the country of the maximum of the month was 29 oo on the 25th, the country of the maximum of the month was 29 oo on the 25th, the country of the maximum of the month was 29 oo on the 25th, the country of the maximum of the month was 29 oo on the 25th, the country of the maximum of the month was 29 oo on the 25th, the country of the maximum of the month was 29 oo on the 25th, the country of the maximum of the month was 29 oo on the 25th, the country of the maximum of the month was 29 oo on the 25th, the country of the month was 29 oo on the 25th, the country of the month was 29 of the month was 29 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30 of the 30
```

TEMPERATURE OF THE AIR.

The highest in the month was 71° on the 28th; the lowest was 41° 3 on the 25th.

The range ,, was 29° 7.

The mean ,, of all the highest daily readings was 65° 1, being 2° 6 lower than the average of the preceding 25 years.

The mean daily range was 14° 5, being 4° 2 less than the average of the preceding 25 years.

The mean for the month was 56° 4, being 0° 7 lower than the average of the preceding 25 years.

MONTH and	ELI	ECTRICITY.	CLOUDS AND WEATHER.									
DAY, 1866.	A.M.	Р.М.	A.M.	P.M.								
Sept. 1 2 3	0	o : w	6, cicu, cu, cus, slr o : 10, hr, w 1, ci, cicu	g, cicu, cu, cus, ci, slr: v, s v, cis, cus, ocr, t : vv, ocr, sq, l v, ci, cicu, cu : v, thcl, h								
4 5 6			v : 10, r : 10, cis, sc, slr 10, cis, sc, r, stw v, ocr	10, ocr,cis,sc: ocr : 10, slr 5,cicu,cu,cu. s,sc,stw,ci: o, w 10, cis,cus,cicu,sc,ocr,w: 10, ocr, stw, vv								
7 8 9	0	0	stw : 10, cicu, cus, sc 10, cis 10 : 7, ci, cicu, cu, h, v	9, licl, cicu, cus, cis: 10, glm, cis, cus 10, hr: 10, hr: 10, lishs 10, cicu, cis, cus: 10: 10, hr								
10 11 12	w	sP,sN,sp,gcur: o	10, ocr, v 10, sc, hr, w 10, thcl	v, ci,cicu,cu,cis,cus,ocr: v, licl, ci v,cis,cus,stw,ocr: v,cis,cus,stw: 10, slr 10, thcl, cis, cus, slr: 10, thr								
13 14 15		ssN,sp,gcur : o	10 hr : chr : 8, ci, cis, sc, w 2, ci, cicu, cu	9, cicu, cus : 10 7,cus,cicu,cu,sc,slr,w: v : 0 vv, ochshs : ocshs : 7, cis								
16 17 18		o : w : o	10, sc, slr hd, slr 2, ci, hd, v	10, 0cr : v, 0cr : 10 8,cieu,eu,eus: liel, eus : 0, hd 9,ci,cieu,eu,eis,h: 10, thel, slr : 10, thel, slr								
19 20 21	o o	0	slr, d : 10, liel, ci, h, d o : 10, thel, ci, eieu, eis 10, w, r : slr, liel : 8, ei, eieu, h	10, cicu, cu, cus, sc : 1, ci, cis 10,thcl,ci,cicu,cis: v, slr : 10, slr, w 8,cicu,cu,cus,ci : vv, lishs : v, luco, h								
22 23 24			thr : r : 10, thr hd : 10, licl, h 10, thr, cis, cus, licl	g, thcl., cus : 10, thcl g, licl : licl, slr : 10, cis, cus 7,cis,cicu,cus,ocshs: v, cicu : 0								
25 26 27	0	w : o o w	o, d : o, hd 10, slr 10, r : 10	o : 7, ci, cis 10, ocr, cis : 10, ocr 8, f, licl, h : v, slf, d, thcl, h								
28 29 30	o w o	w : 0	10 d : 10 10	5, cu, cus, cis, ci, h: 7, ci, thcl, s, f: 9, cicu, cis, f, d 8, ci, cicu, cis: 10 10: 10, slf								

```
HUMIDITY OF THE AIR.
```

Temperature of the Dew Point.

The highest in the month was  $62^{\circ}$  3 on the 30th; and the lowest was  $45^{\circ}$  0 on the 12th.

was 51°.5, being 0°.4 higher than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was oin 381, being the same as the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 4278.3, being ogr. 1 greater than the average of the preceding 25 years.

Degree of Humidity.—The mean for the month was 84 (that of Saturation being represented by 100), being 3 greater than the average of the preceding 25 years. Weight of a Cubic Foot of Air.—The mean for the month was 530 grains, being 4 grains less than the average of the preceding 25 years.

CLOUDS.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 7.8. Ozone.

The mean amount for the month, on a scale ranging from o to 10, was 1.8.

Wind.

The proportions were of N. 2, S. 13, W. 11, E. 2, and Calm 2. The greatest pressure in the month was 221b3.0 on the square foot on the 11th.

RAIN.

Fell on 19 days in the month, amounting to 3<sup>in\*</sup> 90, as measured in the simple cylinder gauge partly sunk below the ground; being 1<sup>in\*</sup> 50 greater than the average fall of the

ELECTRICITY.—The insulating lamp was not burning from September 3 to 7, 11 to 17, and 21 to 24.

		the re-		R	EADIN	GS OF	THERM	OMETE	RS.		П	ifferen	ce	ean y on	Wind	AS DEDUCED FROM A	NEMC	METI	ers.		auge
		of and and teit).					by a with don	shown Mini-	In the	Water	1 b	etween		ean I the M ie Da		Osler's.				ROBIN SON'S	ina G is 5 ii
MONTH and DAY,	Phases of the	ily Reading of the ter (corrected and rogs? Fahrenheit).		Dry.	•	Dew Point.	the Sun, as shown by a scring Thermometer, with bulb in vacuo, placed on	t on the Grass, as sh Self-Registering M Thermometer.	at Gree by Self tering momet	Thames, enwich, f-Regis- g Ther- ers,read a A.M.	Te	ew Po mperat and		Difference between the Mean Tem- perature of the Day and the Mean Temperature of the same Day on an Average of 50 Years.	General I	Direction.		Pressu in lbs on th nare f	re s. e oot.	of the Air Day.	Rain in Inches, collected in a Gauge whose receiving surface is 5 inches
1866.	Moon.	Mean Daily Barometer ( duced to 32	Highest.	Lowest.	Mean Daily Value.	Mean Daily Value.	Highest in the Self-Register blackened butthe Grass.	Lowest on the by a Self mum The	Highest.	Lowest.	Mean Daily Value.	ate	Least.	Difference perature Tempera an Avere	A.M.	P.M.	Greatest.	Least.	Mean of 24 Obs.	Amount of Moveme	Rain in In
		in.	0	0	0	o	0	0	0	0	0	0	٥	٥	)	<b>3</b> .7	lbs.	lbs.	lbs.	miles	in.
Oct. 1 2 3	Last Qr.	29 <sup>.</sup> 913 29 <sup>.</sup> 842 29 <sup>.</sup> 914	62.6	53.7	56.0	56.5	71.3	52.9	56·8 58·7 58·7	57.7	0.4 4.0	3.8 3.8	0.0	+ 8.1 + 3.1 + 5.5	N: NNE N Calm	NE: Calm NE: E	0.0	0.0	0.0	51	0.00
4 5 6	••	29·952 30·140 30·305	56.8	54.1	55.0	53.1	61.9	54.1	59·3 59·3 57·8	59.1	0.4 1.8	3·2 5·1	0.4	+ 4.0 + 1.1 + 3.8	NNE N NE	Calm N: NNE N: E	0.3	0.0 0.0 0.0	0.0	196	0.00
7 8 9	In Equator New	30·307 30·203 30·049	66.0	50.1	56.4	51.2	1 1 6.8	48.3	59.1 59.1	28.0	4.9	13.1	0.0	+ 2·5 + 4·3 + 2·0	Calm : NE NE NE	NE E : ENE NE	1.6	0.0 0.0 0.0	0.1	170	0.00
10 11 12	Apogee	29.894 29.886 29.838	56.4	46.7	51.7	47.0	74'1	39.3	57·8 56·4	55.7	4.7	8.6 8.6	2.7	+ 2.0 + 0.3 - 0.8	NE ENE 'Calm: ENE	NE ENE E	1.8	0.0 0.0 0.0	0.1	184	,
13 14 15	Greatest Declination S.	29.770 29.807 30.009	54.6	44.8	48.4	45.5	75.0	41.9	55·8 55·8 54·8	54·7 54·7 53·9	2.9			- 5.0 - 2.2 - 6.0	SW SW N	SW N:NE NNW	1.8	0.0	0.0	169	0,00
16 17 18	First Quarter.	30·052 29·884 29·730	56.3	40.8	48.2	40.9	110.4	32.1	54.8 53.8 52.8	52.2	7.3	12.8 16.4 1.0	3.5	- 0.9 - 1.9 - 6.1	SW : Calm ESE E	NE: ESE E SE	3.6		0.2	161 243 208	
19 20 21	• • • • In Equator,	29°910 30°030 29°859	62.2	52.3	56.0	55.8	73.2	45.1	51.8 52.8 53.8	51.7	0.3	3·4 2·3 8·4	0.0	+ 8·2 + 6·9 + 8·0	SE : S Calm SE	SSE: S E SSE	0.4	0.0	0.0	130 147 156	0.0
22 23 24	 Full	29.793 29.708 29.708	58.0	40.5	50.5	48.9	78.4	32.2	53·8 54·3 54·5	52.7	2.8 1.9 2.1	1.2 4.8	0.0	+ 2.0 + 2.0 + 4.2	SSE SW SSW	SW: WNW: WSW SW: SSW SSW: SSE	0.3	0.0	0.0	228 196 202	0.00
26	Perigee. Greatest Declination N.	29·518 29·773 29·854	54.0	40.7	45.9	41.4	96.0	32.2	53.4 52.8 51.8		4.5	2.3 9.8 12.3	2.I	- 3·3 - 1·7 - 4·7	SW:SE $NE$ $Calm:SW$	N N SW: S	0.6	0.0	0.0	208 140 166	0.00
28 29 30	• • • Last Quarter.	29.981 29.686	51.5	33.7	43.6	39.6	94.4	40°0 26°5 41°8	54.1	52.7	4.0	9°2 8°0	0.0	+ 1.6 - 3.2 + 4.4	SW: WSW: NNW WSW SW	NNW SW WSW: WNW	1.2	0.0	0.3	309 396 310	0.00
31		-					1			i		11.0	1.3	- 2.6	WNW: WSW	sw	0.6	0.0	0.0	250	0.00
Means		29.927												+ 1.1	•••	•••	•••				Sum 2.00

### BAROMETER READINGS FROM EYE-OBSERVATIONS.

```
The absolute maximum in the month was 30<sup>in</sup>·344 on the 7th; the first minimum in the month was 29<sup>in</sup>·834 on the 2nd. The second maximum , was 30<sup>in</sup>·078 on the 16th; the second minimum , was 29<sup>in</sup>·752 on the 13th. The third maximum , was 30<sup>in</sup>·078 on the 2oth; the third minimum , was 29<sup>in</sup>·723 on the 18th. The fourth maximum , was 30<sup>in</sup>·017 on the 23rd; the fourth minimum , was 29<sup>in</sup>·747 on the 22nd. The fifth maximum , was 30<sup>in</sup>·250 on the 29th; the absolute minimum , was 29<sup>in</sup>·510 on the 25th. The sixth maximum , was 29<sup>in</sup>·984 on the 31st; the sixth minimum , was 29<sup>in</sup>·624 on the 30th.
```

The mean for the month was 29in 927, being oin 241 higher than the average of the preceding 25 years.

## TEMPERATURE OF THE AIR.

```
The highest in the month was 68° 1 on the 3rd; the lowest was 31° 0 on the 27th.
```

The sixth maximum ,, The range in the month was oin 834.

The range ,, was 37° 1.

The mean ,, of all the highest daily readings was 58°·2, being 0°·5 lower than the average of the preceding 25 years.

The mean ,, of all the lowest daily readings was  $45^{\circ}$ , being  $1^{\circ}$  6 higher than the average of the preceding 25 years.

The mean daily range was  $12^{\circ}$ , being  $2^{\circ}$  1 less than the average of the preceding 25 years.

The mean for the month was 51° 3, being 0° 8 higher than the average of the preceding 25 years.

MONTH and	ELECT	PRICITY.	CLOUDS AND WEATHER.									
DAY, 1866.	A.M.	P.M.	A,M.	P.M.								
October 1	0	0	10, cis, cus,ci, cicu	10 : 10 : 10, mr								
3	0	0	10 : 10, mr, f 10 : 5, h	10, slf : 10 : 10, mr v, licl, ci, h : 10, licl								
4 5	0	0 : w : 0	10, cis, mr 10, mr	10, cis : 10 10, h : 10, mr								
6	0	0 : w : 0	10, mr	9,cis,cicu,cus: v : 10								
7 8 9	w w w	w : 0 0 w	6, ci, cicu, cus, h 10 9, ci, cicu, cis, cus	v : v, thcl, hd, slf, m o : o, m :10,thcl,ci,cicu,d g, cus, cicu: v : 10								
10	o v	w : 0	10	9, cicu, ci, cis : 8, cicu, thcl								
11	o W	w : 0	10, cicu, cus o, hd : 9, cicu, cus	10, cu3, ci8 : licl : 4, licl, cicu 4, cicu, cus : 0, m								
13	0	w : 0	o, slf, d : 8, ci, cicu, cus, f, h	5, thcl, cus, cis, cicu, h: 10, f, h								
14	о <b>w</b>	0 w:o:w	10, slr 0, d : 10, f 0, h	v, ci, cicu, cis, thcl: v, licl, ci 3, licl : licl : o, d, slf								
16 17	w	o : w	hd, hfr d : o, h, slf	o, h : o, h : 3, ci, cis 3, ci, cis : v, ci, cis : 9, ci, cis, cicu								
18	0	o : w	10 : 10, slr : 10, hr	10, chr : 10, r : 10, hr								
19	0	ssP,sp,gcur: 0 : 0 w : 0	10, mr : 10	10, cis, cus, cicu, ci, r: 9, ci, cicu, cus, cis 10 : 10, r, cis, glm								
2 I	0	0	10, s, cis	10, cis, s, cicu, ocr : v, ci, s, cis								
22 23	o :ssP,wN,gcur	• 0	10, hr 10, ci, cicu, cis	10, chr : 5, ocr : 0, hd, h 10, ci, cicu, cis : 10, ci, cicu, cis								
24	0	0:0:w	2, ci	7, cicu, cus, cis, ci : 7, cis, cicu, h								
25 26 27	wN	0 : w	10, hr : 10, chr :10,cis,ocr,gtglm 4, ci, h 0, ci, h, f	10, glm, slr : 10, glm, ocr 4,cicu,cu,cus,ci,h: ci, cicu, h :4,ci,h,d,luha,slf 6, ci, cicu, h: 10, slr : 10								
28 29			10, 0cr, w o, hfr : 6, ci, h	2, ci, cis : 0, m 10, cis, cus : 10								
30			10, cis, sc, ci, s, w, thr	10, sc, W : 10, sc : 0								
31			4, thcl, h, f, glm	4, slf, h, thcl : 0, d, ms								

HUMIDITY OF THE AIR.

Temperature of the Dew Point.

The highest in the month was 59°·7 on the 3rd; and the lowest was 37°·2 on the 15th.

The mean , was 48°·2, being 1°·8 higher than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was oin 338, being oin o22 greater than the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 38°°·8, being of the preceding 25 years.

Degree of Humidity.—The mean for the month was 90 (that of Saturation being represented by 100), being 3 greater than the average of the preceding 25 years.

Weight of a Cubic Foot of Air.—The mean for the month was 542 grains, being 4 grains greater than the average of the preceding 25 years.

CLOUDS. The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 7.3.

The mean amount for the month, on a scale ranging from o to 10, was o'7.

WIND.

The proportions were of N. 9, S. 6, W. 5, E. 8, and Calm 3. The greatest pressure in the month was 221 to 5 on the square foot on the 30th. RAIN.

Fell on 10 days in the month, amounting to 2in 09, as measured in the simple cylinder gauge partly sunk below the ground; being 0in 73 less than the average fall of the preceding 51 years.

ELECTRICITY.—From October 26 to 31 the electrical apparatus was not in action.

		the re-		1	READIN	IGS OF	THER	MOMETE	ers.		$\mathbf{D}$	iffereu	ce	lean y on	Wind	AS DEDUCED FROM AND	MOMI	ETERS		ROBIN	ange
IONTH	Phases	ily Reading of the ter (corrected and re-		Dry.		Dew	hown by a meter with placed on	as shown ng Mini-	of the	Water Thames, enwich,	D	the the ew Po mpera	n int	he Mean T and the M same Day		Osler's.	1	Pressi		ROBIN SON'S	ted in a G
and DAY, 1866.	of the Moon.	aily Reacter (corrected)		Diy	•	Point	ing Thermol	he Grass, Registerii	tering momet at 9	enwich, f-Regis- g Ther- ers, read A.M.	1	hae		between the Day ture of the	Gener	al Direction.	<b>s</b> q	in lb on th uare	ıe .	Horizont to f the A	hes, collec
		Mean Daily Barometer ( duced to 32	Highest.	Lowest.	Daily	Mean Daily Value.	F.Reg	Lowest on the Grass, as shown by a Self-Registering Minimum Thermometer.	Highest.	Lowest.	Mean Daily Value.	Greatest.	Least.	Difference between the Mean Temperature of the Day and the Mean femperature of the same Day on A vorse of M. Vense	A.M.	P.M.	Greatest.	Least.	Mean of	Amount of Horizontal	On each
		in,	0	0	0	0	0	0	0	0	•	0		0			lbs.	lbs.	1	miles.	•
Nov. 1 2 3	In Equator	29·799 29·649 29·598	59.2	49.8	54.4	51.7	70.6	36·2 46·9 37·6	51.8 53.8 52.8	45·7 45·9 46·7	3·5 2·7 1·6	7·8 6·5 4·7	0.4 0.0	+ 8.1	S	SW: S SSW SSW: WSW	3.3	0.0	0.0	187 254 274	. 0
4 5 6	••	29·833 29·767 29·935	59.6	47.8	53.9	50.6	79.0		51.8 50.8 50.7	46·7 47·7 48·7	3·6 3·3 5·7	8·5 8·8	0.0		$\mathbf{sw}$	sw sw wsw:sw	9.7	0.1	1.1	370 418 378	0
7 8 9	New.  Apogee	29.900 29.661 29.750	58:4	48.7	52.4	49.7	93.0		49'9	48.7	3·5 2·7 5·8	6·3 6·8	0.4 1.5		SW	SW SW: WSW W: SW	11.0	0.0	1.5	395 4 <sup>3</sup> 7 230	0
10 11 12	Greatest Declination S.	29.971 29.657 29.419	57.1	42.0	49.4	43.4	74.8	41.3	49.8	48°7	2·5 6·0 2·5	9°2 10°6 7°6	0.0 2.6 0.2	- 5·0 + 5·3 + 5·1	S:SW:W	S W: WSW SSW: S: SW	18.0	0.0			0
13 14 15	First Qr	29·462 29·837 29·855	48.	38.8	3 43.1	35°c	68.1	31.5	48.6	47°2 45°7 45°7	8.1	11.8	0·8 3·5 3·4		wsw	W: WSW WNW: W SSW: SW	18.0	0.0	2·6 1·5 0·3	361	0
16 17 18	In Equator	29·197 30·091 29·639	39.8	30.8	34.8	25.4	66.0	23.2	46.8	44°7 44°9 43°7	2.5 9.4 1.0	4·6 14·6 8·1	4.0	+ 6·5 - 7·5 + 1·4	N by W	WSW, W: N NNW: SW: SSW SW: NW	5.7	0.0	2.4 0.6	334	0
19 20 21		29·787 30·013 29·943	37.8	29.4	32.9	23.5	50.0	24.0 25.0 21.1	43·8 42·3 38·8	40.2		12·5 12·2 6·4	6.5	- 7·2 - 8·7 - 5·3	NNW	NNW NW WNW: WSW	2.5	1		256	0.
22 23 24	Full: Perigee Greatest Declination N.	30.042 29.640 29.759	48.8	41.2	45.1	41.7	55.0	37.2	40.8	38.2	1.9 3.4 4.3	7.0 5.1 7.3	1.3	+ 0°1 + 4°0 + 0°2		W: WSW WSW: W: NW SW: SSW	10.0	0.0	0.2	428	0.
25 26 27	 	29·355 29·794 29·807	47°I	35.2	41.7	35.0	54.5	33·5 30·2	41.8	39 <b>·2</b>	5.8	9.0	2.6	+ 0.8	WNW:NW	W NNW: W by S NNW	7.0	0.0	0.4	408 369 287	0.
28 29 30	 Last Qr. In Equator	30,100 30,100	40·5 48·3	30.8	34·5 39·4	32·8 35·8	44°0 53°6	25.8	42.8	39·8 39·7	1·7 3·6	3·2 9·7	0.0		NNW: WSW: SV	SW SE ESE: ENE	0°2	0.0	0.0	115 139 179	0.
Means		29.786										8.7	1.2	+ 1.1				•	···	Sum 9990	

```
BAROMETER READINGS FROM EYE-OBSERVATIONS.
```

```
The first maximum in the month was 29^{in} \cdot 855 on the 4th; the first minimum in the month was 29^{in} \cdot 549 on the 3rd. The second maximum

The third maximum

The third maximum

The fourth maximum

The fifth maximum

The absolute maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The absolute maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth maximum

The eighth minimum

    The ninth maximum , was 29<sup>in</sup>·797 on the 24th; the ninth minimum ,, was 29<sup>in</sup>·797 on the 24th; the ninth minimum ,, was 29<sup>in</sup>·784 eleventh maximum , was 29<sup>in</sup>·842 on the 26th; the tenth minimum ,, was 29<sup>in</sup>·786 eleventh minimum ,, was 29<sup>in</sup>·786, being 0<sup>in</sup>·038 higher than the average of the preceding 25 years.
```

#### TEMPERATURE OF THE AIR.

The highest in the month was 59°·6 on the 5th; the lowest was 26°·5 on the 21st.

The range , was 33°·1.

The mean ,, of all the highest daily readings was 50°·5, being 1°·3 higher than the average of the preceding 25 years.

The mean daily range was 12°·5, being 0°·8 greater than the average of the preceding 25 years.

The mean for the month was 44°·3, being 0°·3 higher than the average of the preceding 25 years.

MONTH and	ELE	CTRICITY.		CLOUDS A	ND WEATHER.	·
DAY, 1866.	A.M.	P.M.		<b>A</b> .M.	P	г.м.
Nov. 1	w	o : o : sP,gcur,sps	10, cis, cus 10, cis, cicu, cus. 10, cicu, cis, slr	thr	10, cis, cus : 10 10, cis, cicu v,ocr, ci,cis, cicu: v, oc.	: 5, cis, cus
4 5 6			hd slr 8, cicu, cus, d	: 6, ci, cicu, v : 10, cis	v, ci, cicu, h 10, cis 3, ci, cis, cus, cicu, n	: 10 : 10 n: 0, hd, ms
7 8 9			thcl 10, cis, slr 0, m	: 10, sc, cis, cus, w	v, licl, ci, cicu: v, slr v, sc, w 6, cicu, cus, h	: v, licl, d : 10, hr : 0, d, ms
10			o, hd, m 10, hr, w 10, cus, cis	: thf 3, licl, ci, cicu, v	3, ci, cis, v 10, ci, cicu, cis: v 9, cis, cus, cicu, ci, glm: 10	: 10, r : 0, d o, cis, ocr: 10, cis, w
13 14 15			10, sc, stw o, ms d	: 10, sc, frhsqs : 1, licl, h, w : 4, ci, v	v,ci,cicu,cis,cus,sc,n v, ci, cicu, cus, h 10, slr	
16 17 18			10, cis, cus, sc, th1 hfr 10, r : 10, 0cr	: 0	v, sc, ocshs, stw 1, licl, h, slf v, sc : v, sc	: 0, f, luha, luco, hfr,
19 20 21			hfr, slr hfr 9, ci, cicu, cis, cu	: 1, ci : 0 :s, slf	5, ci, h, cis 4, ci, cis, h : v 5, cicu, cis, h, f	: o : 10, ci, ci,-cu, : o, d, f
22 23 24			10, cis, s, thr	: 10, slf : 1, licl, h, slf, v	10, f 10, thr, sc 10, ci, cis	: 10, f : 2, cicu, cus : 10
25 26 27		* -	ı, cicu, cis, slf d 6, ci, cicu, cis	: 10	10, cis, cus, sq, r 6, cicu, cus, cis, ci, l 7, ci, cicu, cis : v	: V h: 10 : 0
28 29 30	w	o: o: w w	hfr hfr o, h	: o, h : 3, liel, h, f	1, licl, h 0, h : 10	: o, hfr, f : 10 : o, hfr

```
HUMIDITY OF THE AIR.
```

#### RAIN.

Temperature of the Dew Point.

The highest in the month was 54°.7 on the 13th; and the lowest was 20°.4 on the 19th.

The mean , was 39°.7, being 0°.2 lower than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was oin 244, being oin 008 less than the average of he preceding 25 years.

Weight of Vapour in a Cubic Foot of Air .- The mean for the month was 25 \*\* 8, being the same as the average of the preceding 25 years.

Degree of Humidity.—The mean for the month was 84 (that of Saturation being represented by 100), being 5 less than the average of the preceding 25 years. Weight of a Cubic Foot of Air .- The mean for the month was 548 grains, being 1 grain greater than the average of the preceding 25 years.

CLOUDS.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 6.1.

The mean amount for the month, on a scale ranging from o to 10, was o'6.

The proportions were of N. 3, S. 10, W. 15, E. 2, and Calm o. The greatest pressure in the month was 221600 on the square foot on the 16th.

Fell on 13 days in the month, amounting to 1in 48, as measured in the simple cylinder gauge partly sunk below the ground; being oin 95 less than the average fall of the preceding 51 years.

ELECTRICITY.

The electrical apparatus was not in action on November 1, and from November 3 to 28.

		the re-		R	EADIN	GS OF	THERM	OMETE	RS.		Di	fferenc	e	lem- fean y on	WIND AS	DEDUCED FROM ANEI	юмет	rers.			Gauge
		of l and heit)					by a with ed on	nown Mini-	In the	Water	Ъ	etweer the	1	Iean J the M ne Da		Osler's.				Robin- son's.	in a G is 5 i
MONTH and DAY,	Phases of the Moon.	ily Reading of the ter (corrected and re- o 32° Fahrenheit).		Dry.		Dew Point.	the Sun, as shown by a ering Thermometer, with bulb in vacuo, placed on	s, as cring er.	of the 1 at Gree by Self- tering momete at 9h	nwich, Regis- Ther- rs, read	Ten	w Point aperatu and empera	ıre	Difference between the Mean Temperature of the Day and the Mean Temperature of the same Day on an Average of 50 Years.	General	Direction.	j	ressuin lbs on the are fo	re oot.	f Horizontal nt of the Air Day.	Rain in Inches, collected in a Gawhose receiving surface is 5 in above the Ground.
1866.	Moon.	Mean Daily Barometer ( duced to 32	Highest.	Lowest.	Daily	Mean Daily Value.	est in f-Regist ckened Grass.	Lowest on the by a Self mum The	Highest.	Lowest.	Mean Daily Value.	Greatest.	Least.	Difference perature Tempera an Avera	A.M.	P.M.	Greatest.	Least.	Mean of 24 Obs.	Amount o Moveme on each	Rain in In whose rec above the
Dec. 1	••	in. 29·638 29·679 29·633	44.8	33.8	39.2	35.2	48.4	30.0	41.3	39.7 37.9 37.7	5·3 4·0 2·1	7·3 6·2 5·8	° 4.0	<b>−</b> 3·0	E : ESE E : N : NW: W SW	SW:S	•	0.0	1bs. O°O O°I	miles. 151 340	
4 5 <b>6</b>	Apogee	29·571 29·649 29·601	22.1	47.5	52.4	51.8	56.3	46.7	43·1 44·1 47·1	41.7	2.0 0.6 5.0	4.0 2.6 3.8	0.0	+ 10.5 + 11.5	$egin{array}{c} \mathbf{SW} \\ \mathbf{WSW} \\ \mathbf{SW}: \mathbf{S} \end{array}$	SW SW:W SW	7.0	0.0	1.1	324	0°10 0°21 0°34
7 8 9	New Greatest Declination S.	29:424 30:177 30:045	42.2	30.0	36.0	31.1	47.7	34·5 26·0 26·4	47.3	44'7 44'7 43'7	2.8	9'9 11'2 6'9	2.5 1.3 0.0		SW W S	WSW: W NW: WSW: SE SSW: SW		0.0	3·7 0·2 1·8	216	o·o3 o·o5
10 11 12	••	29·939 30·146 29·656	39.3	32.2	35.3	3 34.5	42.2	29.6	43.8	43·2 41·8 41·8	0.8		0.0	+ 2·2 - 5·4 + 7·6	$egin{array}{c} \mathbf{W}\mathbf{S}\mathbf{W}: \ \mathbf{W} \ \mathbf{W}\mathbf{S}\mathbf{W}: \ \mathbf{N} \ \mathbf{S}: \mathbf{S}\mathbf{W} \end{array}$	NNW : SW Calm WSW	0.0	0.0		182	0.00 0.00
13 14 15	First Quarter: In Equator.	29·308 29·306 29·308	47.1	39.	42"	37:5	57.1	-	41.8	41.2	5.2	7.6	0.4 2.2 0.4		SW WSW WSW:SW:SSW	WSW WSW SSW: WSW	2.3	0.0	0.3	311	0.12 0.09 0.12
16 17 18	••	30.104 30.023 30.023	50.6	34.0	44.7	43.8	53.3	30.0		40.7	0.0	7°9 3°8 8°4	0.0	+ 3·1 + 4·9 + 10·1	WSW WSW:S SW	WSW SW SW: SSW	0.8	0.0	0.1	301	0°00 0°00 0°02
19 20 21	Perigee; Full: Greatest Dec.N.	30.111 30.313	41.7	29.8	36.1	ı] 33·7	44.0	23.8	43.0	40.4 41.4 40.4	2.4	12.8 4.1	o.o o.d 3.8	+ 3·2 - 3·0 - 3·4	SW: WNW Calm SW	NW: SSW S SW	0.0	0.0	0°4 0°0	96	0.00 0.00 0.00
22 23 24	• •	30.148 30.553 30.565	44.9	39.4	41.0	41.0	50.5	37.0	42.5	40.7	0.0			- 1.3 + 3.8 + 1.3	SW SW SSW	Calm SW SSW	0.0	o.o o.o o.o	0.0	180	0.00 0.01 0.03
25 26 27	••	30.030 29.785 29.689	50.4	43.3	3 46.4	H 42:5	55.2	40.7	43.8 42.8 43.0	39.7	3.9	0.2	0.8	+ 3·3 + 9·0 + 7·5	$egin{array}{c} \mathbf{SW}:\mathbf{S} \\ \mathbf{SSW} \\ \mathbf{W} \end{array}$	SSW SW W: WSW	14.5	0.0	1.5	531	0.08 0.00
28 29 30	In Equator: Last Quarter.	29.811 29.493 29.152	40.7	43.1	46.7	41.4	55.1	36.3	43·1 42·8	41.0 40.2		8.0 8.0	1.3	+ 10·3 + 9·4 - 0·9	$egin{array}{c} \mathbf{W} \\ \mathbf{W} \colon \mathbf{W} \mathbf{S} \mathbf{W} \\ \mathbf{W} \mathbf{S} \mathbf{W} \end{array}$	WSW: W WSW	13.0	0.0	1.8	525	0°02 0°04 0°00
31	••	29.150	34.7	27.7	31.0	27.0	36.0	21.0	42.8	39.7	4.0	7.0	2·I	- 6.5	SW	SW: Calm	0.0	0.0	0,0	142	0.00
Means	••	29.784	47.6	37.4	42.9	39.3	50.8	33.3	43.3	41.3	3.5	6.3	1.2	+ 3.1	•••	•••				Sum 10527	sum 1.85

```
BAROMETER READINGS FROM EYE-OBSERVATIONS.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                         The first minimum in the month was 29<sup>in</sup>·626 on the the second minimum ,, was 29<sup>in</sup>·557 on the third minimum ,, was 29<sup>in</sup>·361 on the the fourth minimum ,, was 29<sup>in</sup>·806 on the 9th.
                              The first maximum in the month was 29^{\text{in}} \cdot 698 on the 2nd; the second minimum The second maximum

The third maximum

The fourth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

The fifth maximum

T
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           ,,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      was 29<sup>in</sup>·866 on the 9th.

was 29<sup>in</sup>·186 on the 13th.

was 29<sup>in</sup>·186 on the 15th.

was 30<sup>in</sup>·044 on the 18th.

was 30<sup>in</sup>·147 on the 21st.

was 29<sup>in</sup>·587 on the 26th.

was 29<sup>in</sup>·078 on the 3oth.
                                                                                                                                                                                                                                                                              was 30<sup>sin</sup>·409 on the 15th; the sixth minimum was 30<sup>sin</sup>·152 on the 18th; the seventh minimum was 30<sup>sin</sup>·355 on the 20th; the eighth minimum was 30<sup>sin</sup>·277 on the 22nd; the ninth minimum was 29<sup>sin</sup>·860 on the 28th; the absolute minimum
                                                                                                                                                                                                                         ,,
                                 The sixth maximum
                                 The absolute maximum
                                 The eighth maximum
                                 The ninth maximum
                               The ninth maximum , was 29^{in} \cdot 860 on the 28th; the absolute minimum ,, The range in the month was 1^{in} \cdot 277.

The mean for the month was 29^{in} \cdot 784, being 0^{in} \cdot 048 lower than the average of the preceding 25 years.
```

TEMPERATURE OF THE AIR.

The highest in the month was 56° 3 on the 6th; the lowest was 27° 7 on the 31st.

The range

,, was 28° 6.

The mean

,, of all the highest daily readings was 47° 6, being 2° 3 highest daily readings was 47° 6. The mean ,, was 25 ° 0.

The mean ,, of all the highest daily readings was 47° 6, being 2° 3 higher than the average of the preceding 25 years.

The mean daily range was 10° 2, being 0° 7 vireater than the average of the preceding 25 years.

The mean for the month was 42° 9, being 2° 5 higher than the average of the preceding 25 years.

MONTH and	ELEC	TRICITY.	CLOUDS .	AND WEATHER.
DAY, 1866.	A.M.	P.M.	A.M.	P.M.
Dec. 1 2 3	<b>w</b> o o	w 0 0	o, hfr : 10 10, cr : 10, eus, f, v 10 : 6, ci, cicu, cis, th	10 : 10 : 10, r v, cis, cus : v, cis : 10, r r 10, w : 10, sqs
4 5 6			sqs : 10, sc, slr, w 10, sc, r 10, cr, sc : slr : 10, hr	10, sc, ocr, stw: 10, ocr, sc, stw: 10, sc 10, ocr, sc : 10, ocr, sc : 10, r, sc 10, ocr, sc : 10, sc, stw : 10, slr, st.
7 8 9			10, w, slr : 10 : 10, glm hfr : 0, h, slf hfr : 10, thcl, cis, cus	8, cis, cicu, sqs, v: v, r : o : o, f : o, f : o, stw, ocr : 10, slr
10 11 12			2, h, ci 10, licl, f 10, sc, ocr	5, ci, cicu, v : 0, f g, licl, ci, slf : 10, licl 10, sc, cus, slr : v, slr
13 14 15			10, se, thr, w 0 : r : 3, ei, cici 9, cis, eicu, slr	10, hr, s, sc, w : v : o, ms v, ci, cicu, cis : o 10, ocr, sc, w : v, l, hr, sc, w
16 17 18			4, ci, cis, w 10, cis, cus slr : 8, cicu, cis	10 : v : licl 10, cis, glm, slr : licl, luco, luha 10, cis, s : o, d
19 20 21			5, ci, cis, cicu, h, slf, gtglm 9, ci, cicu, cus, hfr, f	1, ci, cis, h : f : 0 8, ci, cicu, cis, f : 10 8, cus, h : v, luha, hfr, f, h
22 23 24		0	10, f 10, f 10	10, thf : 10, thf, mr 10, slf : 2, ci, d 10 : 10, mr : 10, mr
25 26 27	w o	w	5, ci, cicu, cis, slf 10, slr, licl 10, hsqs : licl : 8,cicu,cus,cis,	10 : 10 5, licl : v : 10, hsqs slf 10,cis,cus,cicu,sc,slr: v, ocr
28 29 30			slr : 10 6, ci, cicu hfr : 0, h	9, ci, cicu, cis, cus: 0 9, ci,cicu,cus,w: 10, w : 1, cus 3, ci, cis, w : 0 : 0, hfr
31			hfr : 8, ci, cicu	6, ei,eieu,v,thel: v, f : v, f, slsn

```
HUMIDITY OF THE AIR.
```

Temperature of the Dew Point.

The highest in the month was 53°·3 on the 5th; and the lowest was 24°·9 on the 1st.

The mean , was 39°·3, being 2°·2 higher than the average of the preceding 25 years.

Elastic Force of Vapour.—The mean for the month was oln 240, being oln 017 greater than the average of the preceding 25 years.

Weight of Vapour in a Cubic Foot of Air.—The mean for the month was 2grs 8, being ogr 2 greater than the average of the preceding 25 years.

Degree of Humidity.—The mean for the month was 87 (that of Saturation being represented by 100), being 1 less than the average of the preceding 25 years.

Weight of a Cubic Foot of Air.—The mean for the month was 540 grains, being 3 grains less than the average of the preceding 25 years.

CLOUDS.

The mean amount for the month, a clear sky being represented by o and a cloudy sky by 10, was 7.4.

The mean amount for the month, on a scale ranging from 0 to 10, was 0.6.

WIND.

The proportions were of N. o, S. 12, W. 16, E. 1, and Calm 2. The greatest pressure in the month was 30'bs o on the square foot on the 6th and 13th.

RAIN.

Fell on 18 days in the month, amounting to 1<sup>th</sup> 85, as measured in the simple cylinder gauge partly sunk below the ground; being 0<sup>th</sup> 02 less than the average fall of the preceding 51 years.

ELECTRICITY.—The electrical apparatus was not in action from December 4 to 24, and 27 to 31.

### MAXIMA AND MINIMA READINGS OF THE BAROMETER.

The following table contains the highest and lowest readings of the Barometer, reduced to 32° Fahrenheit, extracted from the photographic records. The readings are accurate; but the times are liable to great uncertainty, as the barometer frequently remains at its highest or lowest point through several hours. The time given is the middle of the stationary period. Where the symbol: follows the time, it denotes that the quicksilver has been sensibly stationary through a period of more than one hour.

	MAXIMA.		į	MINIMA.			MAXIMA.	1		MINIMA.	
Appro Mean Sol		Reading.		ximate lar Time, 66.	Reading.	Mean So	oximate olar Time, 366.	Reading.	Mean So	ximate lar Time, 366.	Reading.
January	d h m 1.22.30 3. 6.20:	in· 29·880 29·854	January	d h m	in. 29 ·321 29 ·623	February  March	d h m 27. 6.55	in. 29 ·312 29 ·579	February March	d h m 27. 21. 12 3. 4. 30:	in. 29 *018 29 *473
	5. 22. 21: 7· 7· 4	29 ·95 I 29 ·450		4. 17. 6 6. 23. 49	29 ·366 29 ·036		4. 22. 3: 10. 11. 48:	29 ·664 30 ·240		7· 4· 19:	29 °015 · 28 °945
	8. 11. 30 10. 4. 46:	29°140		7. 18. 26 9. 0. 34	28 ·866 28 ·643		18. 10. 16: 22. 14. 23:	29 ·180 29 ·783		19. 2. 26 23. 15. 56;	29 ·046 28 ·896
	12. 12. 20:	29 ·853 29 ·736		13. 1. 20	29 ·312 29 ·565		25. 22. 25: 27. 19. 39:	30 °056 30 °044	ı	26. 17. o:	29 ·925 29 ·936
	15. 10. 57: 16. 21. 46:	29 •963 30 •098		14. 14. 4 16. 1. 43 17. 2. 53	29 ·512 29 ·954	April	29. 21. 55 5. 20. 59:	30 °053 29 °886	April	1. 19. 57 7. 2. 17	29 ·256 29 ·750
	17. 12. 30 19. 6. 11:	30 ·046 29 ·630		18. 19. 36 19. 18. 16	29 ·538 29 ·406		7. 23. 51: 14. 21. 55:	29 <b>.</b> 940 30 <b>.</b> 125		11. 12. 24: 16. 6. 6	29 ·178 29 ·725
	21. 6.41 24. 22. 30:	29 •728 30 •506		22. 5.41 28. 16. 16:	29 ·571 29 ·537		17. 21. 31:	29 ·846 30 ·294		19. 6.40 28. 2.58	29 ·589 29 ·280
February	29. 22. 45:	29 ·950 29 ·336	February	1. 3. 37	29·165 29·135	May	29. 11. 26: 6, 21. 5:	29 ·742 30 ·114	Мау	1. 5. o 9. 1.55	29 ·278 29 ·585
	2. 15. 39 3. 19. 27	<b>2</b> 9 <b>.</b> 765		3. 2. 10 4. 9. 40	29·376 29·523		10. 8.57 15.16.48:	29 ·845 30 ·252		11. 15. 40 18. 6. 16	29 ·400 29 ·995
	4. 11. 35 5. 0. 28	29 ·596 29 ·866		4. 13. 40 5. 13. 20	29 ·540 29 ·560		20. 23. 42	30 ·240 29 ·712		26. 1.32: 28.15.32	29 ·455 29 ·594
	5. 20. 13 8. 11. 15:	29 ·866		6. 21. 23:	29 ·418 28 ·450	June	29. 19. 31:	29 ·816 29 ·736	June	31. 14. 16 3. 1. 0	29·462 29·637
	13. 13. 51: 15. 7. 21:	29.640 29.406		14. 15. 21: 15. 15. 37:	29 ·232 29 ·275		3. 16. 12 8. 11. 55:	29 · 760 30 · 118		3. 18. 25 10. 3. 28	29 ·652 29 ·857
	17. 13. 51: 18. 23. 41	29·864 29·920		18. 5. 25 20. 3. 17:	29 ·793 29 ·843		10. 17. 59	29 ·946 29 ·868		12. 10. 22 16. 12. 16	29 ·425
	23. 22. 38:	30·197		23. 3. 21 25. 17. 15:	29 ·523 29 ·155		17. 10. 29: 19. 22. 25:	29 ·644 29 ·932		18. 4.48 21.15.36	29 ·348 29 ·662

MAXIMA AND MINIMA READINGS OF THE BAROMETER—concluded.

	MAXIMA.			MINIMA.			MAXIMA.			MINIMA.	
Mean S	roximate Solar Time, 1866.	Reading.	Mean S	roximate Solar Time, 1866.	Reading.	Mean So	ximate slar Time, 366.	Reading.	Mean So	ximate lar Time, 66.	Reading
	d h m	in.		đ h m	in.		d h m	in.		d h m	in•
June	23. 18. 59	30 •054	June	27. 4. 0	29 .210	October	0. 14. 36:	29 '953	October	2. 1.20	29 .830
	28. 11. 50	29.848	July	3. 11. 12:	•		6. 22. 4:	30 •344		13. 17. 22	29 727
July	4. 9.36	29 .413	July		29 .097		15. 21. 20	30 •078		18. 0.41	29.716
	10. 19. 15	30 • 174		4. 17. 17	29 *300		19. 21. 33	30 •084			
	14. 11. 52	30 .013		12. 19. 27	29 •896		22. 23. 20:	30 020		22. 0.58	29 .713
	21. 20. 56	30 *002		18. 23. 40	29 737		27. 6.35	29 •863		25. 0.40	29 488
	25. 8.57	30 .093		<b>23. 2.</b> 35	29 .834		28. 21. 20	30 •250		27. 15. 35	29.737
		_		28. 17. 43	29 •373		30. 21. 28			30. 1.53	29:590
	30. 9. 26:	29 .680		31. 2. 4	29 442		1	29 '994	November	<b>3.</b> 0.59	29.525
	31. 22. 49:	29.778	August	2. I. 4	29 •370	November	, 3.1	29 .855		5. 2.12	29 .72
August	2. 21. 30	29 •646	ĺ	4. 5.33	29:493		6. 9.38	30 •040		8. 7.25	29 •560
	5. 10. 27:	29.700		7. 0.57	29.260		9. 22. 36:	30 •054		10. 17. 25	29 .39
	7. 20. 10	29.595		8. 13. 28	29 .357		11. 14. 30	29 .838		12.21. 0	29 .39
	11. 1.14	29 •970					14. 17. 30:	30.010		16. 3. 0	29 .05
	13. 7.55	29 .824		12. 13. 0	29 •530		17. 9. 0	30 · 169			-
	15. 2. 6	29 .824		13. 23. 0	29.580		20. 8. 10:	30 <b>·</b> 038		18. 2. 1:	29 '54
	17. 22. 27:	29.820		16. 14. 18	29 .473		22. 0. 0	3o <b>·</b> 067		21. 1.24	<b>29 '</b> 90'
	22. 21. 50:	29 930		19. 16. 22	29.533		24. 0. 0	<b>2</b> 9 <b>.</b> 797		23. 6.28	29 • 50
		•		23. 16. 57	29 .804		26. 6. 27:	29.889		25. 3. 8	29.31
	24. 21. 11	29 •938		29. 5.40	29.120					26. 18. 50:	<b>29 ·6</b> 9
~ .	31. 11. 12:	<b>2</b> 9 <b>.</b> 763	Septembe	r 2. 3.11	29 ·331		28. 10. 41:	30 • 154	December	i. 3. o	29 .62
Septembe	er 3. 8.35	29 .746		4. 22. 6	29.200	December	2. 0.35	29 •698		4. 5.54:	29 •53
	5. 21. 15	29.539		6. 12. 38	29.216		5. 16. 15;	29.784		7. 2.17	29 •33
	8. 19. 42:	29.674		9. 17. 42	29.313		8. 13. 30:	30 •347		9. 14. 26	29.74
	10. 14. 40	29 • 556			_		10. 22. 43	30 • 189		13. 2.46	29.51
	11.21.35	29.815		10. 22. 45	29 ·332		13. 11. 44	29 .350			
	14. 21. 22	29.602		13. 18. 33	29.273		14. 17. 9	29 .443		13. 19. 35	29.19
	17. 21. 37:	29 '938		1 <b>6.</b> 9.56	29 .040		17. 22. 10:	30 ·167		15. 4. 7	29 '18
	19. 20. 45:	29 .868		18. 16. 3	29 .733		19. 14. 30:	30 ·355		18. 16. 27	29 '94
	20. 21. 49	29 502		20. 15. 49	29 •384		21. 23. 34:	30 <b>·2</b> 96		21. 3.30:	30 •14
				21. 22. 21	29 .025					26. 12. 56	29 .38
	24. 19. 53:	29 .875		28. 11. 44	29 •585		27. 22. 5	29 874		30. 7.13	29 .07

Absolute Maxima and Minima Readings of the Barometer for each Month in the Year 1866. [Extracted from the preceding Table.]

1866,	Readings of th	ne Barometer.	Range of Reading	
MONTH.	Maxima.	Minima.	in each Month.	
	in. •	in.	in.	
January	3o ·5o6	28 643	ı ·863	
February	30 • 197	28 •450	I '747	•
March	30 ·240	28 •896	1 ·344	
April	30 •294	29.178	1.116	
May	30 .252	29 .278	0.974	·
June	30.118	29 . 200	0.918	
July	30 · 174	29 •097	1 .077	
August	29 '970	29.130	o ·85o	
September	29 '938	29 .025	0.913	
October	30 •344	29 •488	o ·856 .	
November	30 •169	29 •053	1.116	
December	30 ·355	29 .078	1 .577	

The highest reading in the year was 30<sup>in</sup>·506 in the month of January. The lowest reading in the year was 28<sup>in</sup>·450 in the month of February. The range of reading in the year was 2<sup>in</sup>·056.

MONTHLY MEANS of RESULTS for METEOROLOGICAL ELEMENTS at the ROYAL OBSERVATORY, GREENWICH, in the Year 1866.

066	Mean	Reading			Тем	PERATURE O	F THE	Air.					Mea		Mear	1 1XX7.010	ean	Mean additional
1866, Month.	1	the meter.	Highest.	Lowest.	Range in the Month.	the	tl	n of all he west.	Mean Ran	•	Mea Tempo turo	in era-	Tempe ture Dew Po	of	Elasti Force of Vapou	e Vaj	pour a re Foot C	Weight equired to aturate a ubic Foot of Air.
	1	in.	0	0	0				۰	i	0		0		in.		rs.	grs.
January	-	702	54.3	23.7	30.6	47.8	.	7	11	1	42.		38.	.	o·23	•	7	0.2
February	ł	529	57.0	24.2	32.8	47.1	)	· 7	13	٠ )	40.	_ 1	35.		0.51		•4	0.2
March	1	527	64.0	22.5	41.5	48.4	1	5		٠ ا	40.	1	34.		0.50		•3	0.6
April	_	743	79°0	34.2	44.8	58.3	1	8	17		47	- 1	41.		0.26	\	.0	0.8
May	1	.813	86.5			61.4		s.o o.8	20		50.	- 1	40.		0.5		.9	1.5
June	i	774	87.2	46.0	44.3	73.2	- 1	· 5	20		61.	_	53·	1	0.41		.6	1.4
July	1	·77° ·638	78.5	45.0	33.5	1		2.3			l	- 1			0.4	1 -	7	1.3
August September.	1	i i	71.0	41.3	1	65.1		2.6	17		59		52·	. 1	0.30		. 5	1.5
October	-	.575	68.1	31.0	29.7	58.2	i i	5.7	1	·5 ·5	51	·	51.		0.3	1 ,	. 3	0.8
November		927		26.5	37.1	50.5	1	8.0 3.7	1	•5		1	48.	į.	0.3	i	9.8	0.4
December .	1	·786 ·784	59·6 56·3	20 3	28.6	47.6	1	7°4		. 2	44		39·		0.2	1	.8	o·5
						_						-					-	
Means	29	714	69•6	33.1	36.5	58.3	4	3.0	15	3	49	. 8	44 .	2	0.5	99 3	3.4	0.8
						RAIN.							Wind	٠.				
		Mean Degre	1	Mean Amount	Number	Amount col	lected				Fr	om O	sler's A	Inemo	meter.			From Robin-
1866,		of Humidi	of a ty. Cubic	of	of	on the Gro	und.	Num	her of	Dava	for Mea	n Dir	ection	of the	Wind	Number of		son's Anemo
Month.		(Sat.	Foot	Cloud.	-	1		111111			referr	ed to			w ma	Number of Calm Days and Days on which	Mean Dail Pressure	′
		= 100	of Air.	0-10	Rainy	i i	Gauge		d	ifferei	t Poin	ts of .	Azimu	h.		on which the Pressure of the Wind		Paily ent d in
•					Days.	read Daily. M	read onthly.	N.	N.E.	E.	S.E.	s.	s.w.	w.	N.W.	was less than	the Square Foot.	Mean Daily Horizontal Movement of Wind in
_			grs.		-		in.					-	-					-
January		86	548		17	3.68	3.48	1	I	0	0	2	15	9	2	I	0.80	361
February			547	1	18	,	3.90	3	I	0	0	I	11	7	2	3	0.96	337
March		81	547	1	15	1.63	1.26	5	5	1	1	4	5	4	2	4	0.55	239
April		i	543	1	13	2.44	2.44	2	3	7	2	I	7	4	0	4	0.52	292
May		1	542	1	8	1.94	1.95	3	5	5	2	0	6	3	I	6	0.13	240
June			529		15	3.64	3.57	I	3	3	2	2	12	4	I	. 2	0.13	242
July		1	528	1 '	9	1.62	1.28	3	4	3	I	I	5	7	3	4	0.12	233
August		T .	528		18		2.40	2	I	I	I	3	9	6	5	3	0.24	254
September.		1	530		19	3.90	3.90	I	I	I	2	5	14	3	1	2	0.48	251
October		1	542	1	10	· '	2.05	5	7	4	2	2	6	1	I	3	0.12	186
November.		1	548	1	13	1.48	1.48	2	0	I	I	3	13	7	3	0	0.41	333
December .	· · · · ·	87	549	7.4	18	1.82	1.48	0	0	I	0	4	16	7	I	2	1.00	340
		82	540	7.1	Sum 173		Sum So · 09	Sum 28	Sum 31	Sum 27	Sum 14	Sum 28	Sum 119	Sum 62	Sum 22	Sum 34		

### ROYAL OBSERVATORY, GREENWICH.

## **OBSERVATIONS**

WITH THE

## ACTINOMETER.

1866.

Day, 1866.	Mean Solar Time of the	Instrument exposed to the Sun's Rays, or in the Shade.	Readin Gradua Initial A.	gs of the ted Scale.  Terminal B.	Change in One Minute, B-A.	Apparent Effect of the Sun's Radiation in parts of the Scale.	LiveSuit of	Greenwich Mean Solar Time cor- responding to the Mean of each Group.	Altitude of the Sun.	Thermo- meter attached to the Acti- nometer.	Blackened Bulb Thermo- meter placed on Grass.	General Remarks.	Observer.
Jan. o	23. 45. 0 46. 30 48. 0 49. 30 51. 0 52. 30 54. 0 55. 30 23. 57. 0	Shade Sun Shade Sun Shade Sun Shade Sun Shade	9.9 40.0 5.8 35.2 13.7 41.6 5.5 33.5	37.0 43.3 32.9 37.5 40.0 43.3 31.9 34.6 60.7	27°1 3°3 27°1 2°3 26°3 1°7 26°4 1°1 25°9	23·8 24·3 24·4 24·3 24·6 25·0 25·1	div.	h m s	0	49.6 50.5  51.0  51.7 	45·2 49·6 49·0 49·4 49·4 49·0 50·0 49·2 49·6	Cloudless.  " " " " " " " " " " " " " " " " " "	Al 22 22 22 22 22 22 22 Al
Jan. 3	0. 24. 0 25. 30 27. 0 28. 30 30. 0 31. 30 0. 33. 0	Shade Sun Shade Sun Shade	9.6 42.0 46.2 63.7 67.0 78.8 80.6	39·2 45·0 62·0 66·0 78·0 80·0 97·4	29.6 3.0 15.8 2.3 11.0 1.2 16.8	19.7 13.1 11.1 9.2 19.7	] 13.2	0.29. 0	11	52·0 52·2 52·6 53·0 53·0 53·3 53·8	54.7 55.3 53.5 51.0 50.0 50.0 50.8	Very thin clouds here and there.  Thin clouds in front of Sun.  Cirro-stratus.  Somewhat brighter.	. N
Jan. 22	23. 3. 0 4. 30 6. 0 7. 30 9. 0 10. 30 23. 12. 0	Shade Sun Shade Sun Shade	37.5 52.0 14.7 28.7 34.0 47.7 51.0	49.2 56.7 26.3 32.2 46.2 50.0 64.5	11.7 4.7 11.6 3.5 12.2 2.3 13.5	 6·9 7·5 8·4 9·3 10·6	8.5	23. 8. 0	16	51·2  51·5  51·8 52·1	54.0 53.0 52.8 52.8 52.4 53.8 54.0	Sun partially obscured by clouds.  Thin cloud. Dense haze.  "" "" "Haze.	. Al
	22. 31. 0 32. 30 34. 0 35. 30 37. 0 38. 30 22. 40. 0	Shade Sun Shade Sun Shade	15·0 43·2 13·6 41·6 8·7 35·0	40.4 47.2 39.4 44.4 32.7 36.5 41.2	25.4 4.0 25.8 2.8 24.0 1.5 23.5	21.6	22.0	22.36. 0	15	51·6 51·8  52·5  53·0 53·4	65·2 65·3 65·2 65·2 65·0 65·2 65·4	Clear about Sun. Light cirrus about Sun.  """ Clear about Sun.  Cirrus about Sun.	A1  22  22  23  24  25  26  27  A1
Jan. 29	1. 41. 0 42. 30 44. 0 45. 30 1. 47. 0	Shade Sun Shade	20.0 46.8 6.7 17.2 18.0	44.2 49.5 16.3 18.0 29.6	24.2 2.4 9.6 0.8 11.6	7.8 9.8	} 10.6	1. 44. 30	15	54·5 54·5 54·8 54·8 55·0	51.7 52.2 52.0 53.5 54.2	Light clouds about Sun. Sun obscured with light cirrus.	AI ,, ,,
Feb. 5	36. o 37. 30 39. o	Shade Sun Shade Sun Shade Sun Shade	11.0 48.0 0.7 36.7 7.8 44.6 8.0 44.8 50.3	44.7 51.0 33.8 39.6 41.8 47.6 42.3 48.0 84.6	33·7 3·0 33·1 2·9 34·0 3·0 34·3 3·2 34·3	30.4 30.1 30.6 31.0 31.2 31.2 31.1	\right\} 30.8	23. 36. 30	18	53·7 53·9  54·7  55·7  56·5 57·2	81·5 81·3 81·2 80·7 79·7 79·6 79·5 78·8 78·6	Light cirrus.  " " " " " " " " " " " " " "	AF

In every observation, whether in the Sun's rays or in the shade, the terminal reading was taken exactly one minute after the initial reading. The "Apparent Effect of the Sun's Radiation" is found by comparing each change (whether in the Sun's rays or in the shade) with the mean of that which immediately precedes and that which immediately follows it.

The initials N. and A. H. are those of Mr. W. C. Nash and Mr. A. Harding.

	]				A. One			ACTINOME Greenwich	· · ·				
Day, 1866.	Greenwich Mean Solar Time of the Initial Reading.	Instrument exposed to the Sun's Rays, or in the Shade.		rgs of the ted Scale.  Terminal B.	Change in O. Minute, B-A.	Apparent Effect of the Sun's Radiation in parts of the Scale.		Mean Solar Time cor- responding to the		Thermo- meter attached to the Acti- nometer.	Blackened Bulb Thermo- meter placed on Grass.	General Remarks.	Observer.
Feb. 10	32. 0	Shade Sun Shade Sun Shade	div. 20.6 64.1 11.2 46.1 14.4 52.1 8.0	60°2 68°9 43°2 49°3 49°6 54°3 44°1	div. 39.6 4.8 32.0 3.2 35.2 2.2 36.1	31.0 28.0 30.4 32.5 33.4	div.	I. 31. O	0	54·2 55·0  56·0  56·6 57·3	76·3 78·2 79·0 78·0 78·9 77·0 78·5	Cloudless.  Light cirrus over Sun.  Cirrus over Sun about 20 secs.  Cirrus about Sun.  Clear about Sun.	AH "" "" "" AH
Mar. 2	2. 32. 0 33. 30 35. 0 36. 30 38. 0 39. 30 41. 0 42. 30 2. 44. 0	Shade Sun Shade Sun Shade Sun	31.4 81.0 8.5 62.8 6.8 62.2 4.6 50.2 2.0	75.0 88.6 57.7 68.8 57.9 67.0 46.8 54.0 41.9	43.6 7.6 49.2 6.0 51.1 4.8 42.2 3.8 39.9	38·8 42·4 44·2 45·7 41·8 37·9 37·3	41.2	2.38.30	20	49.0 50.0  50.9  51.7  52.5 53.1	48.6 55.4 60.6 63.2 -67.3 68.0 68.0 67.7 68.0	Light cirrus.  "" "" "" "" Light and high cirrus.	AH  ,, ,, ,, ,, AH
	22. 43. 0 44. 30 46. 0 47. 30 49. 0 50. 30 22. 52. 0	Shade Sun Shade Sun	10·2 53·8 0·0 45·6 4·4 52·6 10·0	49'9 59'0 41'8 51'3 48'8 58'1 53'7	39.7 5.2 41.8 5.7 44.4 5.5 43.7	35·6 36·4 37·4 38·8 38·5	37.3	22.48. o	25	30·4 31·4  33·0  34·0 34·7	85·3 83·2 83·7 83·8 84·0 84·0 84·2	Clear about Sun.  " " Light cirrus about Sun.  Clear about Sun.	AH ,, ,, ,, ,, AH
May 21	18. 0	Shade Sun Shade Sun Shade Sun Shade Sun Shade	3·2 40·7 39·8 79·5 5·5 47·8 47·5 1·0	39.8 40.5 78.2 78.5 46.7 47.5 87.0 1.4 43.3	36.6 -0.2 38.4 -1.0 40.2 -0.3 39.5 0.4 42.0	37.7 39.0 40.3 40.8 40.1 39.5 40.3	39.7	1. 21. 30	54	52°4  54°2  56°0 58°0	76·5 76·4 74·0 74·0 74·7 77·0 77·0 78·2 79·6	Cloudless.  "" "" "" "" "" "" "" "" "" "" ""	N "" "" "" "" N
May 21	35. 0	Shade Sun Shade Sun Shade Sun Shade Sun Shade Sun Shade	0.0 33.3 26.2 61.0 2.0 38.1 32.0 68.0 4.8 45.2 41.5	35·5 28·6 62·4 55·9 38·9 33·9 68·1 64·7 45·0 42·8 80·0	35·5 -4·7 36·2 -5·1 36·9 -4·2 36·1 -3·3 40·2 -2·4 38·5	40.6 41.1 41.6 41.5 40.7 39.9 41.4 43.0 -41.7	} 41:3	2.40. 0	45	56·0  56·5  58·2  58·6	72·7 75·2 77·2 76·1 77·8 76·2 76·0 74·6 74·5 75·3 76·4	Cloudless.  " " " " " " " " " " " " " " " " " "	AH  ''  ''  ''  ''  ''  ''  ''  AH

In every observation, whether in the Sun's rays or in the shade, the terminal reading was taken exactly one minute after the initial reading.

The "Apparent Effect of the Sun's Radiation" is found by comparing each change (whether in the Sun's rays or in the shade) with the mean of that which immediately precedes and that which immediately follows it.

The initials N. and A. H. are those of Mr. W. C. Nash and Mr. A. Harding.

From March 7 till May 21 the Actinometers were in the hands of Messrs. Negretti and Zambra for repair.

				Oı	BSERVA	ATIONS WI	тн тне Д	ACTINOME	rer—	-concluded	l.		
Day, 1866.	Mean Solar Time of the		Gradua Initial	Terminal	Change in One Minute, B-A.	Apparent Effect of the Sun's Radiation in parts of the Scale.	result of	Greenwich Mean Solar Time cor- responding to the Mean of each Group.	y.	Thermo- meter attached to the Actino- meter.	Blackened Bulb Thermometer placed on Grass.	General Remarks.	Observer.
			Λ.	В.	ව්	the Scale.		each Group.	4	meter.	on Grass.		ි
May 21	h m s 23. 11. 0	Sun	<sup>div.</sup>	div. 52.0	div. 42'4	div.	div.	h m s	•	49.0	72.0	Cloudless.	N
	12.30		55.5	59.8	4.3	37.9	)			1	78.4	<b>,,</b>	,,
	14. 0		46.0	88.0	42.0	37.0				51.7	83.7	2)	"
	15.30		6.8	12.6	5.8	37.0	> 37.7	23. 15. 15	56	••	85· <b>5</b>	**	,,
	17. 0 18.30		14.8	58.3	43.5	37.7				5	88·2 88·8	"	,,
	20. 0	. ~ .	62.0	6 <b>7.</b> 7	5.7	39°1 40°5	K			54.0	88.0	"	,,
	21.30		4·8 54·6	60.3	46·2 5·6		11			•••	90.1	**	"
	23. 0	~	5.3	51.0	45.7	40'4	741.5	23. 23. 30	56	56.2	90.7	,,	,,,
	24. 30		58.3	61.5	3.3	42.6			1	56.6	87.2	,,	"
	23. 26. 0		5.4	51.4	46.0				1		88.4	" "	,,
May 22	0.8.0	Sun	11.2	47.3	35.8	<b></b>				59.0	75.7	Cloudless.	N
	9.30		47.6	44.5	-3.4	40.5	h				79.7	"	,,
	11. 0	1 0	42.8	80.2	37.7	41.0	H				83.0	,,	"
	12.30	Shade	80.3	77.0	-3.3	42.1	> 41·6	o. 13. c	58		82.6	<b>)</b> ,	,,
	14. 0		5∙0	45.0	40.0	42.5				60.5	86'2	,,	,,
	15.30		45.3	43.5	-1.8		IJ		]		87.1	>>	,,
	0.17.	Sun	42.5	82.8	40.3					62.5	86.7	"	N

In every observation, whether in the Sun's rays or in the shade, the terminal reading was taken exactly one minute after the initial reading. The "Apparent Effect of the Sun's Radiation" is found by comparing each change (whether in the Sun's rays or in the shade) with the mean of that which immediately precedes and that which immediately follows it.

The initials N. and A. H. are those of Mr. W. C. Nash and Mr. A. Harding.

READINGS OF THERMOMETERS SUNK IN THE GROUND.

(L)—Reading of a Thermometer whose bulb is sunk to the depth of 25.6 feet (24 French feet) below the surface of the soil, at Noon on every Day, except Sundays, Good Friday, and Christmas Day.

Days of the Month, 1866.	January.	February.	March.	April.	May.	Juñe.	July.	August.	September.	October.	November.	December.
d	•	•	0	0	0	0	0	0	0	0	0	0
1 1	52 .58	52 .01	51 .55	S	49.91	49 '71	$\boldsymbol{s}$	50 • 45	51 .34	52 .05	5 <b>2</b> ·55	52 .67
2	52 .57	52 .00	51 .26	50.59	49 .89		49.84	50 49	S	52 '07	52 .57	S
3	52.57	51 '92	51 12	50.57	49 .88	49 '71 S	49 85	50 48	51 .32	52 10	52 .57	52.72
	52 .60	S	S	50 .55	49 .88	49 .72	49 .86	50.52	51 .32	52 11	S'	52 .74
4 5	52 . 58	51.92	51.20	50 .52	49.88	49 .68	49.89	S	51 .38	52 14	52.63	52.74
6	52 .48	51.61	51.17	50.52	*S	49 .68	49 .88	50·55	51.46	52 15	52 .63	52 .74
7	$S^{T}$	51 '90	51 . 15	50 .47	49 .86	49 70	49 93	50.61	51 .48	s	52 .63	52 .74
8	52.45	51 .78	51 12	$S^{+}$	49 84	49 70	49 S	50.63	51.21	52 ·20	52 .63	52 70
9	52 .44	51 .84	51 13	50 .40	49 .84	49 72	49 .97	50 .65	S	52 '21	52 .64	s'
10	52 .43	51 .80	51.00	50 .30	49.80	498	49 97	50.74	51.57	52 . 22	52.60	52.70
11	52 .37	s	S	50 .38	49.80	49 70	50.01	50.71	51.57	52 .26	S	52 .67
12	52 .36	51.73	51.07	50 .36	49.78	49 70	50.08	$S^{'}$	51.61	52 27	52.66	52 .73
13	52 .37	51 .68	51 .03	50.36	S	49 '70	50.08	50 .77	51 63	52 .26	52 .70	52 .72
14	s'	51 .67	50.08	50 .31	49 .75	49.69	50 • 16	50.78	51.66	$\boldsymbol{s}$	52.67	52.67
15	52 .36	51 .63	50.97	S	49.75	49.69	$\boldsymbol{s}$	50.82	51.68	52 .30	52.66	52.66
16	52 .34	51.62	51.00	50 .26	49.75	49 71	50.00	50 .85	S	52 .32	52.69	s
17	52 .33	51 .28	50.96	50 .24	49.76	**************************************	50 '13	50 .87	51.77	52 • 33	52.66	52 .66
18	52 .32	S	Š	50 .51	49.76	49.69	50 '14	50.93	51.75	52 .34	S	52 .67
19	52 .31	51 .20	50.01	50 .51	49:75	49 .73	50 14	$S^{J}$	51.80	52 .37	52.66	52.65
20	52 . 28	51 .49	50.88	50.17	S	49 '74	50.16	50.97	51.78	52 41	52 .65	52.60
21	$\boldsymbol{s}$	51 .46	50.84	50 . 1 . 2	49 .73	49.75	50.20	51 .02	51.83	S'	52.60	52 .61
22	52 .24	51 45	50.84	$\boldsymbol{S}$	49.72	49.75	$\boldsymbol{S}$	51.06	51.81	52 .44	52 .71	52 .57
23	52 '21	51 43	50.82	50 .00	49 '72	49 78	50 .24	51.07	S	52 43	52.70	S
24	52 17	51 .41	50.80	50 ∙08	49 71	S'	50 25	51 .20	51.89	52 42	52 .68	52.57
25	52 15	${\boldsymbol{\mathcal{S}}}^{'}$	$\boldsymbol{s}$	50.08	49 .68	49 .80	50 . 28	51 .30	51 .93	52 .44	S	ChristmasDay
26	52 13	51 .34	50.77	50.06	49 .72	49 .80	50 '32	S	51 ·86	52 47	52 .72	52·56
27	52 10	51 .32	50.76	50.06	S'	49 .83	50 .32	51 '20	51 .96	<b>52 ·4</b> 5	52.70	52.60
28	$\boldsymbol{s}$	51 .28	50.75	50.03	49 '72	49 82	5o ·35	51 .23	52.01	S	52 .68	52.60
29	52 '08		50.73	$\boldsymbol{s}$	49 .70	49:83	$\boldsymbol{s}$	51 .50	52 .02	52 . 52	52 .70	52·55
3ŏ	52 '04		GoodFriday.	49 *94	49.68	49.86	50 .39	51 .27	S	52 . 58	52.72	S
31	52 .08		50 •66	13 31	49 68		5o ·38	51 .29		52 .21		52 '43
Means.	52 ·33	51 .65	50 .97	50 . 28	49 •78	49 '74	50.11	5o •88	51 .68	52 •31	52 .66	52 .65

(II.)—Reading of a Thermometer whose bulb is sunk to the depth of 12.8 feet (12 French feet) below the surface of the soil, at the same times.

Days of the Month, 1866.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
d	0	0	•	0	0	0	0	0	0	0	0	0
1	51 .62	49 '72	48 • 57	S	47 .78	49 .26	S	54 .52	55.60	55 .84	55 .28	53 • 38
2	51 ·56	49 69	48 .55	47 *05	47 .81	49 .32	51 .80	54.67	S	55 ·83	55 .24	${oldsymbol S}$
3	51 •50	49 62	48 .47	47 '06	47 .88	S	51 .86	54 .69	55.60	55 •85	55 .20	53 ·30
4	51 45	S	$\boldsymbol{S}$	47.10	47 90	49 .45	51 .95	54 .75	55 .70	55 •82	S	53 • 25
5	51 '40	49 • 54	48 · 38	47 .06	48.07	49 48	52 10	$\boldsymbol{S}$	55 .68	55 ·80	55 15	53 15
6	51 .30	49 .52	48 .32	47 18	S	49 • 56	52 18	54 •84	55 71	55 ·77	55.07	53 '11
7	$\boldsymbol{S}$	49 49	48 27	47 15	48 15	49 .66	52 .31	54 •94	55 .74	$\boldsymbol{S}$	55 00	52 •93
8	51 18	49 '41	48 .50	$\boldsymbol{S}$	48 . 20	49 '76	S	54 •98	55 74	55 .78	54.96	52 <b>·</b> 80
9	21,10	49 '41	48 18	47 '09	48 .24	49 .83	52 57	55 .02	S	55 <b>·</b> 75	54.86	$\boldsymbol{S}$
10	51.02	49 .36	48.10	47 '13	48 28	S	52 .68	55 •03	55 .78	55 .74	54.74	52 .72
11	50 ·96	S	S	47 16	48 .33	49 98	52 .77	55 <u>·</u> 20	55.78	55 .72	S	52 . 52
12	50 ·88	49 •16	48 '00	47 '18	48 .35	50 02	52 '90	$\boldsymbol{S}$	55 .80	55.73	54 .74	52 •51

(II.)—Reading of a Thermometer whose bulb is sunk to the depth of 12 ·8 feet (12 French feet) below the surface of the soil at the same times.—concluded.

Days of the Month, 1866.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
d	0	0	0	0	0	0	0	0	0	<u></u> ,o	•	0
13 14 15 16 17 18 19 20 21 22 23	50 · 86 S 50 · 61 50 · 53 50 · 46 50 · 38 50 · 32 50 · 27 S 50 · 15 50 · 18	49 12 49 14 49 09 49 10 49 05 8 94 48 94 48 94 48 93 48 92	47 '92 47 '81 47 '79 47 '75 47 '67 87 47 '57 47 '51 47 '47 47 '49 47 '38	47 '23 47 '20 8 47 '27 47 '31 47 '30 47 '36 47 '36 47 '40 8 47 '46	8 48 · 42 48 · 46 48 · 52 48 · 57 48 · 62 48 · 66 8 48 · 75 48 · 75 48 · 81	50 · 10 50 · 20 50 · 30 50 · 40 S 50 · 51 50 · 66 50 · 77 50 · 89 50 · 96 51 · 10	53 · 04 53 · 05 8 53 · 18 53 · 25 53 · 33 53 · 40 53 · 60 8 53 · 77	55 · 20 55 · 18 55 · 21 55 · 22 55 · 24 55 · 35 8 55 · 34 55 · 39 55 · 41 55 · 42	55 · 86 55 · 85 55 · 86 55 · 86 55 · 88 55 · 88 55 · 92 55 · 84 8	55 · 70 S 55 · 71 55 · 68 55 · 70 55 · 65 55 · 68 55 · 71 S 55 · 64 55 · 57	54 · 71 54 · 61 54 · 54 54 · 55 54 · 41 8 54 · 29 54 · 21 54 · 20 54 · 17 54 · 11	52 '40 52 '28 52 '24 S 52 '08 52 '03 51 '95 51 '80 51 '70 S
24 25 26 27 28 29 30 31	50 ·02 49 ·96 49 ·90 49 ·87 <i>S</i> 49 ·82 49 ·76 49 ·74	48 ·87 S 48 ·78 48 ·73 48 ·63	47 '34 S 47 '26 47 '25 47 '24 47 '20 Good Friday. 47 '14	47 · 52 47 · 60 47 · 60 47 · 68 47 · 73 S 47 · 74	48 ·82 48 ·86 48 ·95 S 49 ·17 49 ·08 49 ·11 49 ·18	S 51 ·26 51 ·36 51 ·46 51 ·50 51 ·56 51 ·70	53 · 86 53 · 96 54 · 17 54 · 15 54 · 24 8 54 · 40 54 · 40	55 · 45 55 · 49 S 55 · 52 55 · 51 55 · 47 55 · 54 55 · 56	55 ·93 55 ·94 55 ·88 55 ·91 55 ·95 55 ·90 <i>S</i>	55 .60 55 .62 55 .50 55 .41 <i>S</i> 55 .40 55 .36 55 .27	54 · oo 8 53 · 90 53 · 82 53 · 67 53 · 64 53 · 53	51.58 ChristmasDay 51.51 51.44 51.37 51.31 S 51.08
Means.	50 •62	49 '17	47 '80	47 '32	48 .21	50 '42	53 ·17	55 •19	55 .82	55 •66	54 .48	52 . 25

(III.)—Reading of a Thermometer whose bulb is sunk to the depth of 6.4 feet (6 French feet) below the surface of the soil, at the same times.

Days of the Month, 1866.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December,
d	0	0	0	0	0	0	0	0	0	0	0	0
1	49 • 30	47 71	45.87	$\boldsymbol{S}$	49 35	51 .86	S	59 .60	59:21	57 • 57	55 .36	51 '04
2	49 .30	47 .72	45 .88	46 .02	49 48	52 01	56 ·81	59 ·61	S	57 ·61	55 20	S
3	49 24	47 .66	45 .79	46 .23	49.52	$\boldsymbol{S}$	57.16	59 49	59'11	57 •58	55 .07	50.72
4	49.16	s	S	46.40	49.51	52 .31	57 •36	59 45	59.12	57 .69	S	50.63
4 5	49.10	47 71	45 • 53	46 .48	49.53	52 .70	57 .50	S	59.10	57 •72	54 91	50 40
6	49 .00	47 .68	45 ·36	46 • 58	S	52 ·88	57 50	<b>5</b> 9 <b>·33</b>	59.05	57 .78	54.83	50.30
7 8	$\boldsymbol{S}$	47 . 72	45 .28	46 .64	49 45	53.10	57 59	59 .35	59.02	$\boldsymbol{S}$	54 76	50.09
8	48 • 94	47.67	45 11	$\boldsymbol{S}$	49 40	53 .27	S	59 •26	58.99	57 .86	54.68	50 .13
9	48 .82	47 77	45 .06	46 . 78	49.51	53 '44	57.70	59 21	S	57 .85	54 .35	S
10	48 .79	47 72	45 .00	46 • 86	49 .52	S	57.72	59 12	59.00	57 .87	54 50	50 . 26
11	48 .40	S	·S	46 .94	49 .64	53.76	57.74	59 '11	58.95	57 .82	S	50.26
12	48 '49	47 46	44 .89	47 °C2	49 70	53 . 98	57 .85	$\boldsymbol{S}$	58 93	57 .81	54 37	50 .31
13	48 .25	47.60	44 .88	47 '11	S	54 .51	58 .00	59 .03	58 .00	57 :74	54.26	50.13
14	S	47.60	44 77	47 14	49 '90	54.48	58.11	58 '93	58.91	S	54 10	50 .00
15	47 .00	47 *54	44 .68	$\boldsymbol{S}$	50.00	54.66	S	58 .92	58.86	57 .23	53 .94	49 93 <b>S</b>
16	47 '10	47 38	44 '90	47 '40	50.03	54.78	58 .48	58 .88	S	57 •39	53 91	S
17	47 '10	46 ·90 S	44 .86	47 .35	20.10	Š	58.70	28.89	58.72	57 .5	53.71	49 .87
18	47 .23	l	S	47 .65	20.11	54 '91	58 .00	58 • 96	58.62	57 '10	S	49 72
19	47 .36	47 '00	44 .60	47 .80	50.10	55.05	29.08	Š	58.60	56 .90	53 '40	49.68
20	47 .43	46.98	44 .73	47 .86	$S_{\perp}$	55.10	59 .50	58 .84	58 .42	56 .70	53 . 17	49 46
21	S	46.84	44 .89	48.02	50.52	55.19	59 40	58 .73	58 · 33	S	53 04	49 .55
22	47 .61	46.75	45 .00	S	50 .32	55 15	S	58 .80	28.18	56 .40	52 .81	49 *45 S
23	47 .68	46.58	44 '96	48 .24	50 .52	55 .25	59 .51	58 .84	S	56 .28	52 . 58	
24 25	47 '77	46 ·45 S	45 11	48 '41	50.63	S	59.60	58 .88	58.13	56 •30	52 .24	49 24
	47 .82		S	48 52	50 .80	55 .53	59 • 55	58 '91 S	58.04	56 .22	S	ChristmasDay
26	47 .77	46.19	44 '98	48 60	21 .01	55 .71	59 40	is	57.89	56 •11	51 .93	49.06

(III.)—Reading of a Thermometer whose bulb is sunk to the depth of 6.4 feet (6 French feet) below the surface of the soil at the same times—concluded.

Days of the Month, 1866.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
d 27 28 29 30	° 47 '90 S 47 '84 47 '75 47 '76	° 46 °03 45 °91	45 12 45 20 45 30 Good Friday. 45 63	48 · 78 48 · 88 5 49 · 16	\$ 51 .23 51 .40 51 .57 51 .69	55 ·95 56 ·11 56 ·30 56 ·63	59 ·60 59 ·45 S 59 ·63 59 ·62	58 '97 59 '01 59 '00 59 '12 59 '18	57 ·82 57 ·80 57 ·67 S	56 ·00 S 55 ·71 55 ·34 55 ·50	51 ·67 51 ·50 51 ·40 51 ·27	49 '00 48 '91 48 '90 S 48 '78
Means .	48 ·16	47 '19	45 .13	47 '47	50 · 16	54 .40	58 .21	59 •09	58 .61	57 .02	53 .58	49 .83

(IV.)—Reading of a Thermometer whose bulb is sunk to the depth of 3.2 feet (3 French feet) below the surface of the soil at the same times.

Days of the Month, 1866.	January.	February.	March.	Λpril.	May.	June.	July.	August.	September.	October.	November.	December.
d	۰	·	0	۰	0	0	0	0	0	0	۰	0
1	46 .00	44 '98	41 '90	S	49.96	53 .61	S	61 .38	60.45	57 .86	52.80	46 '19
2	45 • 59	45.30	41.50	45 .89	49 45	53 .96	61.68	61 - 14	60 ·45 S	58 .05	52 .62	S
3	45.74	45 .77	41 11	45.76	48.99	S	61.30	61.02	60 12	58 • 17	52 .74	45 .44
4	45 ·7 i	Ś	S	45.69	48.74	55 12	60.87	61.09	59 '90	58 .31	Ś	45.68
5	45.78	45.18	40.62	45.50	48.64	56 '01	60.61	S	59.75	38.50	52.80	46 .46
6	45 '01	45.15	40 .57	45 45	S	55 .87	60.26	60.70	59.99	58 ·50	52 80	47 18
7	Š	45.50	40.69	45.62	48 .76	55 .85	60.20	60.55	60.01	$\boldsymbol{S}$	52 '91	47 .71
8	45 .43	45 .85	40.66	S	49 00	56 .02	s	60 .48	50.05	58 -41	52 .85	
9	45.28	45.73	40.78	45.92	49 27	56 .44	60.01	60.31	59 <b>·</b> 95	58 •31	52 '90	47 '98 S
10	45.00	45 .58	40 '92	46 08	49.69	S	60 • 26	60.11	59.96	58 17	52.52	46.98
11	44 .50	S	S	46 11	49 99	57 .90	60 .86	60.05	59.90	57 °9 i	S	46.89
12	43.92	45.34	41 '16	46 .21	50 18	58 25	61.20	S	59.71	57.60	51.62	46 · 58
13	43 . 45	45 06	41 40	46 .52	S	58 .25	61.12	59 '99	59.41	57 • 19	51.20	46.62
14	S	44 .63	41 .46	46 • 96	50.06	58.09	62.70	60.10	59 25	S	51.61	46 .87
15	42 . 78	44 '00	41.16	Š	48 .99	57.80	S	60.23	59.20	56 · <b>2</b> 6	51 .34	46 .88
16	43 .62	43.52	41 '02	47 '37	49.68	57 .80	63 · 51	60.11	S	55 .73	50 '90	S
17	43 .97	43.59	41 '12	47 • 58	49.65	$\boldsymbol{s}$	63.70	60.01	58 .62	55 .51	50.70	46 •44
18	44 .22	S	S	47 .67	49 '75	57 45	63 .77	59 .81	58 .30	54 .66	Š	46 20
19	44 .62	43 . 28	41 '92	47 .86	50.06	57 15	63 .66	S	58 11	54 64	49 '71	46 .32
20	44 '92 S	42 81	42.39	48 .12	S	57 .00	63 - 41	59 •67	58 .00	54.61	49 • 16	46 .46
21		42 39	42.56	48 ·45 S	51.08	57 .05	63 · 21	59 93	57.97	S	48 .40	46 .07
22	45 .37	42 .54	42 .50		51 .47	57 .48	S	60.18	57 .73	55 21	47 •66	45 .72
23	45 .72	42 '04	42.55	48 .60	51 78	58 29	62 .81	60.29	S	55 · 31	47 '40	Š
24	45 .81	42 10	42 '09	48 .64	51.98	$\boldsymbol{s}$	62 78	60.39	57 .27	55 . 12	47 '40	45 .51
25	45 43	S	S	48 .40	52.23	59 33	62.79	60.60	57.21	54.48	S	Christmas Day
26	45.05	42 .34	42.67	48 .95	52 .38	59 69	62 .71	S	57 '00	54 45	47 .20	45 .27
27	44 .85	42 .30	43.02	49 '40	S	60.19	62.50	60.91	56 .99	54 .03	47 *30	45 41
28	S	42 .53	43.29	50.09	53.01	60 .68	62:39	61.12	57 .16	S	47 '21	45.52
29	44.78		44 15	S	53 .27	61 .50	S	61.10	57:28	53 .47	47 '00	45 68
30	44 .88		Good Friday.	50 .48	53 .30	61 .26	61 .62	61.00	S	53 '10	46 •54	S
31	44 .82		45.31		53 •36		61 .67	60 .65		52 .81		45 • 43
Means .	44 •93	44 '04	41 .86	47 .34	50 .55	57 .62	62 .00	60 • 48	58 •77	56 • 16	50 <b>·3</b> 0	46 •29

GREENWICH OBSERVATIONS, 1866.

(V.)—Reading of a Thermometer whose bulb is sunk to the depth of 1 inch below the surface of the soil, within the case which covers the tops of the deep-sunk Thermometers, at the same times.

Days of the Month, 1866.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
d	<u>-</u>	0	0	0	0	0	0	0	0	0	٥	0
1	43 •5	48 .4	35 · 1	$\boldsymbol{S}$	47 °I	59 .7	s	59 0	61.5	60 .6	51.5	34.4
2	44 •2	48.5	38 ·3	45.5	45 ·2	60 ·8	62 .8	64.3	S	59 ∙0	52 .9	34 °4 S
3	44 '7	46 · 1	35 •4	46 •6	47 .2	$\boldsymbol{S}$	61.5	62 .7	58 4	6ĭ ·4	55 ℃	45.0
	46.3	$\boldsymbol{S}$	S	45.5	47 .8	63 •4	6o ·5	61 •5	60.7	60 . 7	S	50 .2
5	47 .2	44 .2	37 ·2	46 •4	49 2	58 .7	61.8	$\boldsymbol{S}$	62.5	58 .9	53 <b>·</b> o	51.9
6	42 '7	48.6	40.0	48 • 2	$\mid S \mid$	57 .8	60.0	6o ·5	62 1	58 ·8	54 • 5	49.8
7	'S '	5o ·5	39.2	46 •8	52 .5	61 1	6o ·5	61 ·5	61.7	$\boldsymbol{s}$	52 1	48.5
8	45 .4	45 .2	39.5	$\boldsymbol{S}$	53 .4	63 • 7	s	6o <b>·</b> 5	61.1	60 •2	54 .3	43.0
9	41 '3	46.8	4ĭ ·3	46 • 5	53 .6	65 °o	64.4	60 • 2	8	58 °o	48.5	S
ıŏ	41 '1	47 0	40 '2	47 *2	53 .4	$\boldsymbol{S}$	67.7	59 •9	62.0	57 •7	44 .8	46 °o
11	38 <b>∙</b> o	47.°0 S	S	48 8	53 '9	64 •2	68 %	59 • 5	59.7	57 <b>·</b> 0	S	42.7
12	37 .3	43 .8	42 0	49 •5	52 · 1	62 .2	69 • 3	$\boldsymbol{S}$	58.0	55 ∙6	48 • 7	47 0
13	39 •5	40.4	41.3	5 <b>2 ·</b> 9	S	60 <b>·</b> 5	73.4	63 · 1	59 0	51.5	53 • 6	50 .3
14 15	$oldsymbol{S}$	40.6	37 1	50 •9	5o ·5	61.0	77 · 1 S	62 · 1	58.7	$\boldsymbol{S}$	48 •6	45 • 2
	46 •1	40.5	39.4	$\boldsymbol{S}$	48 9	61 •5		61 •3	59 ·8 S	48 •4	45.6	45 0
16	45 .9	45 0	43.2	50 •7	50 .7	61.5	68 .6	60 • 5		57 .6	51 .3	S
17	44 5	42.7	44 '4 S	51 1	51 .2	S	67.9	59 .4	56 · I	51 •5	44.0	44 '7
18	47 '3	S	S	51 <b>.</b> o	53 • 5	66.0	66 .5	60.0	56 •4	51 .3	Š	48 · I
19	47 • 5	37.0	45 1	52 1	55 .3	59 • 5	66 •4	S	59 .5	56 ·o	42 0	47.6
20	47.5	36 9	43.9	53 ⋅0	S	60.0	62 4	62 .0	57.4	56·5	40.6	36 .4
21	S	39.3	40 .5	5 <sub>2</sub> ·5	55 <b>·</b> 9	64 .5	64 ·5 S	62 .0	57.7	s	40.0	41.9
22	50 •2	38 •0	38 • 5	$\boldsymbol{S}$	55 .8	64 '1	8	62 .0	53.5	57 .3	43 .2	41.0
23	46 •0	44 .8	42 4	49 °7	56 .2	64 1	63.6	62 .2	S	53 •4	45 .5	S
24	<b>42 '</b> 9	40°1	44 '1 S	50 .8	54 '1	S	64.8	65 • 2	56 .8	54 .5	43.6	43.7
25	42 0	L	S	53 .5	53 .4	64.7	63 .8	64.5	56 .8	51 '2		Christmas Day
26	42 .5	41 '2	46.0	55 ·o	58.4	67 1	65.0	Š	58 .7	51 .2	44.0	45.7
27 28	43 '1	40.0	48.2	57 .8	S	69.5	63.9	65 · 8	57.0	48.3	46.0	45.0
	S	37 .3	49 0	59.4	56 1	69.4	65 o	64 '1	59.0	S	41 •3	45 9
<b>2</b> 9	45 <b>·</b> 4		49 7	$\boldsymbol{S}$	57 .3	65.8	S	61.5	61.0	48 .4	41 .5	45.7
30	42 .6	Ì	Good Friday.	47 *2	55 ·2	69 •3	61.5	59 . 7	S	52 '0	42.3	S
31	46 .9		20.1		<b>57 ·</b> 9		58 •0	60 .5		53 ·1		37 .6
Means.	44 °I	43.1	42 '0	50 .3	5 <b>2 ·</b> 8	63 •3	65 ∙o	51 .4	59 .0	55 •2	47 *2	44 '9

(VI.)—Reading of a Thermometer within the case covering the deep-sunk Thermometers, whose bulb is placed on a level with their scales, at the same times.

Days of the Month, 1866.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
d	0	٥	•	٥	0	0	0	0	0	•	0	0
,	43.5	52 .5	33 •2	$\boldsymbol{s}$	44 .8	68 • 3	s	61.0	67 '1	61 •1	55 •4	34 • 1
2	46 ·9	47 •6	41 .3	45.5	42.3	71 4	65 •2	70 .0	'S	59 •6	57 0	34 °1 S
3	47 '1	48.3	34 ·2 S	49 • 5	47 .2	S	61.5	65 ∙o	62 .3	66.6	57 0	50 .3
4 5	48 °0	S		<b>45 °</b> 7	55 0	71.0	61.4	65 • 7	65.4	59 •8	S	54 °1
	49 '4	47 °	43 • 5	51 .6	57:5	60.4	65.0	S	64.7	57 .2	57 .6	54 3
6	40.0	54.0	43 .9	55 .5	S	59.7	60 .5	61.2	66 · 1	60.0	57.5	52 <b>·</b> 8.
7 8	S	52 .4	43 .8	46.0	57.4	68 · 3	64.7	66.5	65 · 8	S	53 .7	47 .7
1	46 <b>·2</b> 40 <b>·</b> 6	47 *2	42 '4	S	63.7	74.0	S 73·3	64 .8	63·5 S	66 ·o 58 ·7	56 4	40 ·5 S
9	41.9	51.0	46 · 7 41 · 2	44 °0 50 °4	59 · 3 56 · 6	79 <b>`</b> 4 S	79.5	63 ·9 62 ·5	67.3	58 ·6	48 4	46.3
11	33.7	49. 4 S	41 Z	55 ·4	58.5	71.0	80 · I	63.3	61.7	55 ·7	40.6 S	37.3
12	35 .2	42.7	47 .4	56 • 8	56.4	64.0	82 0	S	59.5	59 ·9	51.3	52 0
13	41 '5	38 .4	40.5	61 •5	$S^{T}$	60.9	84 • 5	70.6	60.4	53.4	55 .2	54 0
14	S	43.2	36 •2	58 ℃	52 1	66.9	80.5	63 • 5	59 9	$oldsymbol{s}$ '	47 .2	44 .3
15	49 '2	40.8	42 '2	S	53 '1	65 °o	S	62 .7	66.4	53 •6	46.9	44 '7

(VI.)—Reading of a Thermometer within the case covering the deep-sunk Thermometers—concluded.

Days of the Month, 1866.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
à	0	0	0	0	۰	•	0	0	0	•	•	۰
16 17 18 19 20 21 22 23 24 25 26 27 28 29	48 · 1 46 · 6 48 · 8 50 · 4 50 · 9 S 53 · 6 46 · 5 39 · 4 41 · 7 42 · 7 41 · 2 S 46 · 8 45 · 9	46 · 3 38 · 3 8 36 · 4 39 · 8 40 · 4 39 · 8 48 · 0 43 · 4 8 43 · 3 38 · 4 35 · 2	50 '4 48 '2 S 48 '4 44 '0 38 '1 40 '7 47 '2 48 '8 S 53 '4 54 '5 55 '9 57 '8 GoodFriday.	51 · 8 56 · 5 60 · 6 60 · 7 58 · 5 59 · 6 S 55 · 1 57 · 5 64 · 6 68 · 7 73 · 4 70 · 5 8 49 · 1	56·3 60·8 65·5 68·7 S 61·9 62·1 67·0 53·7 58·8 68·8 S 68·2 67·0 61·1	67 · 4 \$ 54 · 6 65 · 9 65 · 9 74 · 1 70 · 6 73 · 0 77 · 5 83 · 9 75 · 8 67 · 7 79 · 6	73.9 72.3 71.7 71.6 63.0 72.1 8 68.7 68.0 65.9 71.4 65.0 69.3 8 64.1	61 ·9 62 ·4 67 ·3 8 ·2 65 ·8 64 ·7 70 ·9 72 ·1 72 ·2 69 ·3 67 ·9 59 ·5 63 ·3	S 59 .7 61 .5 65 .5 60 .3 58 .5 50 .9 S 62 .3 62 .5 60 .7 59 .2 66 .6 66 .2 S	55 · 2 56 · 8 51 · 4 61 · 0 59 · 5 58 · 9 56 · 1 57 · 6 46 · 8 53 · 4 50 · 2 S 51 · 5 53 · 4	54 '7 40 '7 8 38 '9 37 '9 41 '0 44 '9 46 '8 44 '9 47 '1 38 '6 43 '5 41 '7	S 46 '4 52 '0 47 '3 37 '8 39 '0 39 '3 S 42 '6 ChristmasDay 47 '7 45 '0 48 '9 48 '2 S
Means.	45 .0	44 · 3	45 .3	56 •2	64 ·6 58 ·8	69 .6	53 · 1 69 · 5	65 ·2 65 ·5	62 .6	45 ·2 56 ·5	48 · 1	32 ·6 45 ·6

(cclxviii) Weekly Means of Readings of Deep-sunk Thermometers, and Changes of the Direction of the Wind,

			Thermo	neters sunk in the g	round.			Thermometer inclosed in
	1866. Period.		Bulb 24 French Feet deep.	Bulb 12 French Feet deep.	Bulb 6 French Feet deep.	Bulb 3 French Feet deep.	Bulb r Inch deep.	the box which covers the scales of the deep-sunk Ther- mometers, and placed on a level with their scales.
	d	d	0	o .	0	3	0	0
January	i to January	7	52.56	51.47	49.18	45.79	44.8	45.8
o and any		14	52'40	51.01	48.67	44.60	40.4	39.9
		21	52.32	50.43	47.20	44.02	46.5	49.0
		28	52'17	20.01	47.76	45.37	44.4	44.5
	29 to February	4	52.02	49.72	47.74	45.09	46.3	48.3
T3 1		1	F .06			.5.50	45.1	50.2
February		11	51.86	49.46	47.71	45·50 44·36	47 · 1 42 · 2	41.6
		18	51.65	49.11	47.41		39.4	41.3
	19 to 26 to March	25	51°46 51°26	48.62 48.62	46·77 45·95	42.48 41.30	37.9	37.6
	20 to March	4	51 20	40 02	45 95	4. 90	o/ 9	","
March	5 to	11	51.14	48.24	45.22	40.41	39.6	43.6
	12 to	18	51.00	47.82	44 83	41.22	41.5	44.5
	19 to	25	50.82	47.45	44.88	42.28	42.4	44.5
	26 to April	1	50.43	47.22	45.25	43.75	48.6	54.8
	-					.5.45	=	40.5
<b>A</b> pril	2 to	8	50.54	47.10	46.39	45.65	46.5	48.9
	9 to	15	50:37	47:17	46.98	46.30	49.3	54°4 58°0
	16 to	22	50.21	47:33	47.68 48.57	47.84 49.06	51.4 21.4	65.0
	23 to 30 to May	29 6	50.07	47.60 47.86	49.43	49.38	47.3	49.3
	30 to May	0	49.90	4/ 80	49 40	49 00	<b>T</b> / 0	T5 -
May	7 to	13	49.82	48.26	49.55	49.48	53.1	58.6
		20	49.75	48.54	50.04	49.70	51.7	59.4
		27	49.41	48.82	50.59	51.82	55.6	62.1
	28 to June	3	49.40	49.19	51.63	53.42	57.8	66.8
<b>-</b>			_		T F	55.00	66	68.8
June	•	10	49.70	49.62	52.95	55·89 58·02	61.9	65.9
		17	49.70	50'17	54.31	1	63.0	67.5
	18 to 25 to July	24 I	49.74	50°82 51°47	55·11 56·04	57°40 60°44	67.6	76.3
	25 to 5 try	•	49.82	31 47	30 ,54	35 44	-, -	,
Jul <b>y</b>	2 to	8	49.88	52.03	57.32	60.82	61.3	63.0
	9 to	15	50°05	52.84	57.85	61.08	70'1	80.0
		22	50.14	53.37	58.96	63.54	66.0	60.8
	23 to	29 5	<b>50°2</b> 9	54.02	59.52	62.66	64.3	68.0
	30 to August	5	50°45	54.57	59.57	61.32	61.5	63.2
A	<i>C</i> 1		50.65	55.00	59.23	60.37	60.4	63.8
August		12	50.84	55.53	58.93	60.04	61.1	61.4
		19 26	51.10	55·42	58.83	60.18	63.0	68.6
	27 to September		51.56	55.23	59.08	60.88	62.1	65.4
	<b>2</b> / to soptomic	-	0. 20			1		
September	r 3 to	9	51'41	55.69	59.06	59.95	61.1	64.6
		16	51.62	55.81	58.93	59.57	$5^{\circ}.2$	62.5
		23	51.79	55.87	58.48	58.12	56.7	59.4
	24 to	30	51.92	55.92	57.89	57.15	58.2	62.9
October	ı to October	_	52.10	55.82	57.66	58.23	59.9	60.7
OCTOBEL.		7	52·10 52·24	55.4	57.83	57.93	56·7	58.6
		21	52 24	55.69	57.15	55.19	53.6	56.8
		28	52·44	55·56	56.52	54.82	52.7	53.8
	29 to November		52.55	55.29	55.36	52.92	52.2	53.3
<b>.</b> .						1	-	_
Novembe		11	52.63	54.56	54.67	52.80	51.2	52.4
		18	52.67	54.59	54.05	51.28	48.6	49.4
	19 to December	25	52.68	54·16	52.87	48.29	42°4	42.3
	20 to December	Z	52.40	53.66	51.47	46.96	41.5	41.4
December	r 3 to	a	52.73	53.09	50.38	46.4	48.0	49.9
	10 to	9 16	52.69	52.45	50.13	46.80	46.0	46.4
	17 to	23	52.63	51.90	49.62	46.30	43.3	43.6
	24 to	31	52.55	51.38	48.98	45.42	43.9	44.2

#### ABSTRACT OF THE CHANGES OF THE DIRECTION OF THE WIND, AS DERIVED FROM OSLER'S ANEMOMETER.

By direct motion, in the following statements, is meant that the change of the direction of the wind was in the order N., E., S., W., N., &c., by retrograde is meant in the order N., W., S., E., N., &c.

1865. Dec. 31.12. The direction of the wind was E.

1866. Jan. 31. 12. ,, S.W., which implies a direct motion of 135°.

On Jan. 10. 21. 10<sup>m</sup>, 12<sup>d</sup>. 2<sup>h</sup>. 30<sup>m</sup>, the trace was shifted to the next set of lines upwards; on Jan. 27<sup>d</sup>. 8<sup>h</sup>. 10<sup>m</sup>, the trace was shifted to the next set of lines downwards, implying retrograde motion of 720°, and direct motion of 360°.

Therefore the whole excess of retrograde motion in the month of January was 225°.

1866. Jan. 31. 12. The direction of the wind was S.W.

Feb. 28. 12. ,, N., which implies a direct motion of 135°.

On Feb. 11. 1. 30<sup>m</sup>, 16<sup>d</sup>. 9<sup>h</sup> 30<sup>m</sup>, 21<sup>d</sup>. 22<sup>h</sup>, the trace was shifted to the next set of lines downwards; on Feb. 20<sup>d</sup>. 2<sup>h</sup>. 40<sup>m</sup>, 27<sup>d</sup>. 22<sup>h</sup>, the trace was shifted to the next set of lines upwards, implying direct motion of 1080°, and retrograde motion of 720°.

Therefore the whole excess of direct motion in the month of February was 495°.

1866. Feb. 28.12. The direction of the wind was N.

March 31. 12. ,, N.W., which implies a retrograde motion of 45°.

On March 5. 20. 45<sup>m</sup>, 31<sup>d</sup>. 3<sup>h</sup>. 10<sup>m</sup>, the trace was shifted to the next set of lines downwards; on March 7<sup>d</sup>. 22<sup>h</sup>, 20<sup>d</sup>. 22<sup>h</sup>, the trace was shifted to the next set of lines upwards, implying direct motion of 720°, and retrograde motion of 720°.

Therefore the whole excess of retrograde motion in the month of March was 45°.

1866. March 31. 12. The direction of the wind was N.W.

April 30.12. ,, N.E., which implies a direct motion of 90°.

On April 1. 22, 7<sup>d</sup>. 3<sup>h</sup>. 10<sup>m</sup>, 24<sup>d</sup>. 22<sup>h</sup>, the trace was shifted to the next set of lines upwards; on April 3<sup>d</sup>. 22<sup>h</sup>, 6<sup>d</sup>. 9<sup>h</sup>. 30<sup>m</sup>, 21<sup>d</sup>. 22<sup>h</sup>, the trace was shifted to the next set of lines downwards, and on 26<sup>d</sup>. 22<sup>h</sup>, to the second set of lines downwards; implying retrograde motion of 1080°, and direct motion of 1800°.

Therefore the whole excess of direct motion in the month of April was 810°.

1866. April 30. 12. The direction of the wind was N.E.

May 31.12. ,, E., which implies a retrograde motion of 315°.

On May 4. 22, 7<sup>d</sup>. 9<sup>h</sup>. 10<sup>m</sup>, 16<sup>d</sup>. 22<sup>h</sup>, 29<sup>d</sup>. 22<sup>h</sup>, the trace was shifted to the next set of lines downwards, and on 30<sup>d</sup>. 2<sup>h</sup>. 40<sup>m</sup>, to the second set of lines downwards; on May 14<sup>d</sup>. 8<sup>h</sup>. 30<sup>m</sup>, 17<sup>d</sup>. 22<sup>h</sup>, 18<sup>d</sup>. 2<sup>h</sup>. 30<sup>m</sup>, 22<sup>d</sup>. 22<sup>h</sup>, the trace was shifted to the next set of lines upwards, implying direct motion of 2160°, and retrograde motion of 1440°.

Therefore the whole excess of direct motion in the month of May was 405°.

1866. May 31.12. The direction of the wind was E.

June 30. 12. ,, S.W., which implies a direct motion of 135°.

On June 2. 22, 21<sup>d</sup>. 22<sup>h</sup>, 24<sup>d</sup>. 8<sup>h</sup>, 27<sup>d</sup>. 2<sup>h</sup>. 40<sup>m</sup>, 27<sup>d</sup>. 10<sup>h</sup>, 28<sup>d</sup>. 3<sup>h</sup>. 20<sup>m</sup>, 28<sup>d</sup>. 22<sup>h</sup>, 29<sup>d</sup>. 22<sup>h</sup>, the trace was shifted to the next set of lines upwards, implying direct motion of 2880°, and retrograde motion of 360°.

Therefore the whole excess of direct motion in the month of June was 2655°.

1866. June 30. 12. The direction of the wind was S.W.

July 31. 12. ,, ,, N., which implies a direct motion of 135°.

On July 6. 22, 10<sup>d</sup>. 3<sup>h</sup>, 12<sup>d</sup>. 0<sup>h</sup>, 13<sup>d</sup>. 22<sup>h</sup>, 14<sup>d</sup>. 9<sup>h</sup>. 30<sup>m</sup>, the trace was shifted to the next set of lines downwards; on July 7<sup>d</sup>. 8<sup>h</sup>, 15<sup>d</sup>. 0<sup>h</sup>, 18<sup>d</sup>. 0<sup>h</sup>. 20<sup>m</sup>, 19<sup>d</sup>. 9<sup>h</sup>. 30<sup>m</sup>, the trace was shifted to the next set of lines upwards, implying direct motion of 1800°, and retrograde motion of 1440°.

Therefore the whole excess of direct motion in the month of July was 495°.

1866. July 31. 12. The direction of the wind was N.

Aug. 31. 12. ,, S.S.W., which implies a retrograde motion of 157\frac{1}{2}^{\circ}.

On Aug. 12. 5, 19d. 22h, 25d. 22h, 29d. 1h. 20m, the trace was shifted to the next set of lines upwards; on July 13d. 22h, 22d. 9h. 20m, the trace was shifted to the next set of lines downwards, implying retrograde motion of 1440°, and direct motion of 720°.

Therefore the whole excess of retrograde motion in the month of August was  $877\frac{10}{2}$ .

1866. Aug. 31.12. The direction of the wind was S.S.W.

Sept. 30. 12. , , , , , which implies a direct motion of  $157\frac{1}{2}$ .

On Sept. 9. 20<sup>m</sup>, the trace was shifted to the second set of lines downwards; and on Sept. 8<sup>d</sup>. 22<sup>h</sup>, 26<sup>d</sup>. 23<sup>h</sup>. 40<sup>m</sup>, 27<sup>d</sup>. 2<sup>h</sup>. 0<sup>m</sup>, 28<sup>d</sup>. 22<sup>h</sup>, the trace was shifted to the next set of lines downwards; on Sept. 5<sup>d</sup>. 21<sup>h</sup>, 21<sup>d</sup>. 22<sup>h</sup>, 26<sup>d</sup>. 22<sup>h</sup>, 28<sup>d</sup>. 2<sup>h</sup>. 30<sup>m</sup>, 29<sup>d</sup>. 9<sup>h</sup>. 15<sup>m</sup>, the trace was shifted to the next set of lines upwards, implying direct motion of 2160°, and retrograde motion of 1800°.

Therefore the whole excess of direct motion in the month of September was  $517\frac{1}{2}^{\circ}$ .

1866. Sept. 30.12. The direction of the wind was N.

Oct. 31.12. ,, S.W., which implies a retrograde motion of 135°.

On Oct. 2.22, 12<sup>d</sup>. 22<sup>h</sup>, the trace was shifted to the next set of lines downwards; implying direct motion of 720°. Therefore the whole excess of direct motion in the month of October was 585°.

1866. Oct. 31.12. The direction of the wind was S.W.

Nov. 30. 12. ,, E., which implies a direct motion of 225°.

Therefore the whole excess of direct motion in the month of November was 225°.

1866. Nov. 30. 12. The direction of the wind was E.

Dec. 31.12. ,, W.S.W., which implies a retrograde motion of 2021.

On Dec. 9. 1. 30<sup>m</sup>, 11<sup>d</sup>. 9<sup>h</sup>. 15<sup>m</sup>, 15<sup>d</sup>. 9<sup>h</sup>. 30<sup>m</sup>, 19<sup>d</sup>. 9<sup>h</sup>. 40<sup>m</sup>, the trace was shifted to the next set of lines downwards; on Dec. 31<sup>d</sup> 9<sup>h</sup>. 40<sup>m</sup>, the trace was shifted to the next set of lines upwards, implying direct motion of 1440°, and retrograde motion of 360°.

Therefore the whole excess of direct motion in the month of December was  $877\frac{1}{2}^{\circ}$ .

The whole excess of direct motion to the end of the year was  $5917\frac{1}{2}^{\circ}$ .

The revolution-counter which is attached to the vertical spindle of the vane, whose readings increase with change of direction of the wind in the order N., E., S., W., &c., or in *direct* motion, and decrease with change of direction in the order N., W., S., E., &c., or in *retrograde* motion, gave the following readings:—

Implying an excess of direct motion, during the year, of 16.45 revolutions, or 5922°.

Amount of Rain collected in each Month of the Year 1866.

			Monthly A	Amount of Rain	collected in each	Gauge.		
1866, MONTH.	Self- registering Gauge of Osler's Anemometer.	Second Gauge at Osler's Anemometer.	On the Roof of the Octagon Room.	On the Roof of the Library.	On the Roof of the Photographic Thermometer Shed.	Crosley's.	Cylinder partly sunk in the Ground read daily.	Cylinder partly sunk in the Ground read Monthly
	in.	in,	in.	in.	in.	in.	in.	in.
January	I '20	1 *42	(1.32)	2 .53	3 •43	3 .08	3.68	3.48
February	2 '01	2 '14	2 .67	2 .66	3 .77	3 •55	4.03	3.90
March	o .88	0.90	1.01	1 .08	ı <b>.</b> 45	1 .58	1 .63	1 .56
April	1 .43	1 '47	1 .62	2 14	2 '40	2 .19	2 '44	2 '44
May	1 .56	1 .37	1 .20	1 .41	1 .89	1 .46	1.94	1 .95
June	2 .80	2 .87	3 • 13	3 · 36	3 .62	3 •55	3.64	3.57
July			ı ·58	1 .39	1 .60	1 .68	1 .62	ı ·58
August		•••	2 .06	2 .01	2 · 36	2 -44	2 .42	2 .40
September	2 .76	2 .84	3.19	3.09	3 • 75	3 '91	3.90	3 '90
October	1 .24	1 .83	2 .05	2 .00	2 •06	1 .80	2.09	2 .05
November	0.77	0.74	1 .01	1 .04	1 '41	1 .30	1 '48	1 '48
December 7	0.80	0 .93	1 '43	1 .14	, <b>i ·6</b> i	1 .24	1 .82	1 .48
Sums		•••	22 .54	23 .85	29 .35	28 :08	30 .72	30 ·09

The heights of the receiving surfaces are as follows:

Above the I	Mean Level o Ft. In.	of the Sea.	Above the Ft.	Ground. In.
The Two Gauges at Osler's Anemometer	205 6	• • • • • • • • • • • • • • • • • • • •	50	8
Gauge on the Roof of the Octagon Room	193 $2\frac{1}{2}$	• • • • • • • • • • • • • • • • • • • •	38	$4\frac{1}{2}$
Gauge on the Roof of the Library	177 2		22	4
Gauge on the Roof of the Photographic Thermometer Shed	164 10		10	o
Crosley's Gauge	156 6		1	8
The Two Cylinder Gauges partly sunk in the Ground	155 3	• • • • • • • • •	0	5

At the end of the month of January it was found that the Gauge on the Roof of the Octagon Room was leaky, and it was therefore replaced by a new gauge.

The two Gauges at Osler's Anemometer were partly covered over during the months of July and August: the Anemometer then being in course of alteration.

## ROYAL OBSERVATORY, GREENWICH.

## **OBSERVATIONS**

OF

# LUMINOUS METEORS.

1866.

### OBSERVATIONS of LUMINOUS METEORS

Month and 1866.	Day,	Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Numb for Refer ence
		h m s					NT	0	
January	6	8.48. 0	H.	3	Blue Blue	Momentary	$\mathbf{None}$	10	I 2
	<b>,,</b>	8.54. o 9.59. o	H. W.	> Jupiter	Brilliant blue	5	Yellow, 3 s.	20	3
January	8	5.54. 0	N.	4	Bluish-white	< o 5	None	6	4
•	,,	9.22. 0	W.	2	Bluish	3	$f None \ None$	20	5 6
	<b>"</b>	9.46. 0 10. 5. 0	W.	3 2	White Bluish-white	2	None	5	7
January	9	9.14. 0	w.	2	Bluish-white	0.2	None	6	8
· unitality .	"	9.35. 0	$\mathbf{w}$ .	2	Bluish-white	2	None	10	9
	"	9.38. 0	w.	I	White	I	None		10
January	<b>1</b> I	8.30. o	<b>T</b> .	3	Blue	0.2	None Fine	3 35	11
•	97	9. 53. 30	J.	2, increasing till > Sirius.	Yellow	3			
January	15	9.19.0	W.	· I	Bluish-white	Momentary	None None	8	13 14
	,,	9• 47• 0	W.	2	White	I			15
January	16	9. 53. 30	J.	2	Yellow Yellow	Momentary Momentary	$egin{array}{c} \mathbf{Small} \\ \mathbf{Slight} \end{array}$	6	16
_	,,	10. 4. 0	J.	2		Inomentary	None	10	17
Janu <b>ary</b>	19	9. 24. 15	W.	3	Bluish-white			15	18
February	2	6.56. 0	N.	I	Bright blue	I	None	8	
February	7	8. 23. 0+	W.	2	Bluish-white	I	None		10
February	10	7.30. 0	T.	3	Bluish Brilliant blue	o·5 Very short	None None	5	20
	"	9. 16. 0 12. 52. 0	H. N.	> Sirius 2	Bluish-white	Momentary	None	8	2.2
February	13	9.18. 5	w.	2	Yellow	< 0.2	$egin{array}{c} \mathbf{None} \\ \mathbf{None} \end{array}$	12	23
•	,,	9. 25. 35	N.	4 3	Bluish-white Bluish-white	o·5	None None	6	24 25
	,,	9. 45. 55	N., J.				Fine	7	26
March	1	g. 16. o	N.	= Venus	Yellowish-white	0.4	None		27
March	6	11. 9.51	N.	3	White	0.4		30	28
March	8	8. 15. 43	N.	3	White	< 1	None		
March	12	11.23. 0	J.	3	Yellow Bluish	Momentary 2	None Fine	3	30
	,, ,,	11.33. 0 11.58.30	J. J.	I 2	Bluish	o·5	Slight	5	31
March	13	8. 26. o	N.	2	Bluish-white	0.4	Train	1.1	32
March	14	10. 3. o	H.	3	Blue	1.5	None	15	33
	,,	10. 7. 0	н.	2	Blue	I	None	12	34 35
	,,	10. 9. 0	H.	2	Bluish-white	Short	None	15	l
March	16	8. 16. o	N.	$= \stackrel{2}{\text{Rigel}}$	Bluish-white Yellow	o·5 3	None Fine, 1 s.	7 15	36
	,,	10.12. 0	W.						l
March	17	10.47. 0	N., W.	= Venus	Yellow	o·5	Fine None	15 8	38 30
	"	10.52. 0 11. 0. 0	W. N.	2 3	Bluish-white Bluish-white	0.2	None	10	40
April	10	9.29. 0	н.	2	Blue	I	None	10	41

Number for Refer- ence.	Path of Meteor through the Stars.
	l de la companya de la companya de la companya de la companya de la companya de la companya de la companya de
1 2	From direction of $\zeta$ Cassiopeiæ towards $\alpha$ Andromedæ. From direction of $\pi$ Cygni towards $\gamma$ Cygni.
3	From a point about 1° above and North of μ Cygni, disappeared a few degrees North of ε Pegasi.
4	From the direction of $\alpha$ Orionis, passed between $\zeta$ and $\kappa$ Orionis.
4 5	From a point about 3° or 4° North of κ Cassiopeiæ, fell towards δ Cephei.
6	From a point a little above ξ Ursæ Minoris, passed τ Ursæ Minoris, towards θ Draconis.
7	From about 1° above and West of $\eta$ Orionis, disappeared a few degrees below and East of $\beta$ Orionis.
8	From a point a little above Sirius, disappeared about 1° above and beyond β Canis Majoris.
9	From about 5° above and South of $\alpha$ Pegasi, disappeared about 5° below that star. Seen through trees.
10	From a little above $e$ Lacertæ, passed midway between $e$ and $g$ Lacertæ, and disappeared a little below $n$ Lacertæ.
11	From a point near $\epsilon$ Cygni towards $q$ Vulpeculæ. From a point a few degrees below the Pleiades to $\alpha$ Piscium; center of path opposite $\gamma$ Arietis.
12	
13	From a point 1° or 2° above $\beta$ Ursæ Minoris, passed $\gamma$ Ursæ Minoris towards $\eta$ Draconis. From about 3° above Aldebaran, passed on the East side of that star to a point 1° East of c Tauri.
15	From a point $\frac{1}{3}$ rd of the distance from $\theta$ Andromedæ, towards $\beta$ Andromedæ, passed midway between $\delta$ and $\alpha$ Andromedæ.
16	Passed horizontally from E. to W. between the Pleiades and $\zeta$ Persei.
17	From the direction of Pollux, midway between $\gamma$ and $\nu$ Geminorum, towards $\alpha$ Orionis.
18	Passed parallel to Orion's belt, across y Eridani; center of path near that star.
19	From a point a few degrees East of 12 Can. Venat., towards 7 Ursæ Maj., parallel to the line joining those stars.
20	Appeared about 2° below A Draconis and disappeared between ζ and θ Draconis.
21	From a point 2° or 3° West of α Cephei towards α Cygni.
22	From R Ursæ Majoris towards Castor. (Faint auroral light at this time).
23	From the direction of a Cassiopeiæ, passed rapidly across the zenith, midway between Capella and a Aurigæ, towards & Aurigæ
24	From the direction of λ Ursæ Majoris, passed across α Ursæ Majoris to a point 2° or 3° beyond that star.
25	From the direction of $\gamma$ Cephei, passed across $\kappa$ Cassiopeiæ, and disappeared at $\eta$ Cassiopeiæ.
26	Appeared about 10° North of α Ursæ Majoris, disappeared about 12° North of δ Ursæ Majoris.*
27	Directed from & Virginis, passed about 7° below & Hydræ; center of path nearly opposite that star.
28	Fell vertically from a point near $\delta$ Persei almost to $\beta$ Trianguli.
29	From a point a few degrees below & Cassiopeiæ, fell nearly vertically.
30	Directed from β Leonis, below δ Virginis, passed midway between ζ and γ Virginis.
31	Point of appearance midway between $\beta$ and $\delta$ Serpentis; path S. to N., nearly horizontal.
32	Passed across $\kappa$ Draconis and disappeared close to $\alpha$ Draconis; sparks at disappearance.
33	From a point just below & Draconis, perpendicularly downwards.
34	From a point about 3° West and above Polaris, fell towards γ Cephei.
35	From the direction of $\chi$ Ursæ Majoris to a point just below $\alpha$ Ursæ Majoris.
36	From a point near $\varepsilon$ Geminorum, fell towards $\beta$ Tauri. Fell from a point a little above $\chi$ Persei, and passed a little North of $\phi$ Andromedæ; path slightly curved.
37	
38	Directed from $\alpha$ Ursæ Majoris, passed across $\delta$ Cassiopeiæ and about 5° farther. Passed $\kappa$ Lyræ towards $\beta$ Lyræ.
39 40	From the direction of $\theta$ Geminorum, passed across $\xi$ Geminorum and $4^{\circ}$ beyond.
41	From the direction of $\beta$ Ursæ Minoris to a point between $\eta$ and $\zeta$ Draconis.

Month and	l Day,	Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Numbe for Refer- ence.
<b>A</b> pril	11	h m s 8.45. 0	w.	3	Bluish-white	I	None	ő	1
April	13	9.57. 0	w.	3	Bluish-white	0.2	None	5	2
April	14	9.21. o 9.36. o	H. H.	4 I	Bluish-white Bluish-white	Short 2	None None	20 25	3 4
<b>A</b> pril	16 ,,	10. 3. 0 10.16. 0	J. W.	2 3	Bluish Bluish-white	1	None None	10 5	5 6
April	17	8.42. o 9.13. o	н. н.	3 2	Blue Blue	1 2	None Faint	15 12	7 8
April	18	10.41. 0	N.	2	Bluish-white	1	Fine	9	9
April	21	10. 21. O 10. 23. O	w. w.	3 2	Bluish-white White	0°5	None None	5 3	10
Мау	7 "	9. 40. 0 9. 53. 0	T. W.	3 3	Blue White	0.2 1	None	3	13
May	16 "	9.57. o	W., F. N.	= Venus	Bluish-white Bluish-white	3 1	None	30	14
May	17 "	10. 38. 1 10. 41. 36 11. 8. 36	N. N. N.	= Venus 3 4	Blue Bluish-white White	2 0'4 0'5	None None None	25 5 6	16 17 18
Мау	18 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10. 46. 44 10. 51. 34 10. 53. 30 11. 5. 45 11. 11. 9 11. 11. 34 11. 29. 49 11. 40. 52 11. 41. 59 11. 42. 19 11. 45. 14 11. 47. 49 12. 0. 0 12. 26. 25 12. 30. 0 13. 1. 0	N., W. W. H. J., W. N., J. N., J. N., W. N., W. N., W. W. W. W. J.	3 3 3 2 < Venus 1 1 1 1 2 1 2 1	Bluish-white Bluish-white Bluish-white Yellowish-white Bluish-white Bluish-white Bluish-white Yellow Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white	0'4 0'3 1 1'5 1 1'5 0'5 1 0'5 1 0'5 1	None None None None Fine, 1s. Fine Fine Fine None None None None Fine	12 5 15 10 40 18 14 8  20 7 5 6 10 20	19 20 21 22 23 24 25 26 27 28 29 30 31 32 33
June	2	g. 33. o	H.,T.,J.,W.	2	Bluish-white		None	10	35
June	16	10. 5. 0	w.	= Saturn	Yellowish-white		Fine	15	36
June	21	10. 0. 0	T.	I	Bluish-white	0.2	None	8	37
June	24	11. 9.35	N.	= Jupiter	Yellowish-white	2	Fine	••	38
July	9	12.10. 0	w.	= Saturn	Bluish-white		None	10	39
Jul <b>y</b>	12	11.21. 0	H.	3	Blue	Short	None	8	40
July	17 ,,	11. 58. 21 11. 59. 49 12. 3. 0	N. N. F.	4 2 1	White Bluish-white Bluish-white	0.4 0.5 1.5	None None Train	9	41 42 43

for Refer- ence.	Path, of Meteor through the Stars.
1	Passed midway between δ and λ Persei; center of track between those stars.
2	From the direction of α Ursæ Majoris, disappeared near θ Ursæ Majoris.
3 4	Fell vertically from a point 2° East and above Polaris.  From γ Cancri, passed across ε and η Hydræ to a point a little above and South of α Hydræ.
5	Appeared midway between $\delta$ and $\eta$ Hydræ, and passed towards $q$ Monocerotis. From a point about midway between $\eta$ and $\gamma$ Virginis.
7 8	From near $h$ and $m$ Canum Venaticorum towards $\gamma$ Boötis. From a point about $4^{\circ}$ from $d$ Canum Venaticorum, passed across that star towards $\varepsilon$ Ursæ Majoris.
9	Passed across $\theta$ and $\beta$ Cancri.
10	From the direction of $\zeta$ Boötis, passed $\delta$ Boötis towards $\varepsilon$ Boötis. Moved on a path parallel to a line joining $\alpha$ and $\gamma$ Coronæ Borealis.
12	Fell vertically from a point midway between α and β Libræ.  From a point 1° or 2° East of β Libræ, fell past γ Libræ and disappeared near β Scorpii; wavering motion.
14 15	From a point a little below and West of $\pi$ Leonis passed, midway between $\epsilon$ and $\eta$ Hydræ towards Procyon. In the South; above Scorpio.
16 17 18	First seen 7° or 8° below $\beta$ Leonis; moved W., passing close to Regulus; the view of the end of path interrupted. Directed from Arcturus, disappeared close to $\beta$ Virginis. From the direction of $\epsilon$ Virginis; disappeared near $\iota$ Virginis.
19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34	Fell vertically from the direction of ξ Boötis, passed φ Boötis towards Saturn.  Moved past Polaris and ω Cephei; the track of the meteor parallel to the line joining these stars.  From the direction of ε Boötis, across π and ζ Boötis.  From a point 1° or 2° South of δ Crateris, vertically to a point about the same distance from β Hydræ.  Passed from near β Ursæ Minoris to a point near q Camelopardali.  From ε Lyræ to a point near ο Cygni.  From ο Cephei to a point 2° East of α Cassiopeiæ.  From γ Draconis towards θ Cephei.  From β to ζ Ophiuchi.  From α Coronæ Borealis, passed midway between ξ and ο Boötis.  Moved past γ and β Ophiuchi; the track of the meteor parallel to the line joining these stars.  Fell vertically past η and ν Boötis.  Moved past α and ε Ophiuchi.  From δ Coronæ Borealis, past π Herculis towards γ Herculis.  From the direction of β Ursæ Majoris, passed between μ and λ Ursæ Majoris to a point near d Leonis Minoris.  From a point 2° or 3° left of λ Ursæ Majoris fell vertically towards horizon.
35	Described a slightly curved path about 8° above β Libræ.
36	From a point about 5° above ζ Ophiuchi, passed about the same distance from η Ophiuchi.
37	Passed horizontally between $\alpha$ and $\beta$ Aquilæ, $\frac{1}{3}$ rd of distance from $\beta$ Aquilæ.
38	From a point a few degrees below β Ursæ Majoris to μ Ursæ Majoris.
39	From the direction of δ Aquilæ towards β Ophiuchi.
40	From a point midway between $\alpha$ and $\nu$ Cygni to a point $2^\circ$ left of $\varepsilon$ Cygni.
41 42 43	From θ Aquilæ to λ Aquilæ.  Moved from the direction of γ Cygni, disappeared near γ Aquilæ.  From 8° below η Ursæ Majoris, passed a few degrees above 12 Canum Venaticorum; the center of track opposite that star.

OBSERVATIONS	of	Luminous	METEORS
--------------	----	----------	---------

Month an		Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Numb for Refer ence
		•							1
		h m s	NT		Bluish-white	0.2		15	I
ful <b>y</b>	17	12. 8. 12	N.	2	Bluish-white	2	None		2
	"	12. 10. 52	F.	2	Bluish-white	0.7	Slight	20	3
	"	12.22. 7	N., F.	I	Bluish-white	2	None		
	"	12. 28. 42	F.	4 3	Bluish-white	0.4	None		5
	"	12. 38. 15	N.		Blue	I	Fine	10	6
	,,	12.43. I	N.	> 1	Bluish-white	1			7
	"	12. 48. 30	F.	2	Bluish-white	0.5	$\cdot$ None		8
	"	12.49. 2	N.	3	Bluish-white	0.5	None		9
	>>	12. 55. 49	N.	~` <b>3</b>		) [	Train	30	10
	"	13. 14. 0	N.	I	Bluish-white	2	riam		11
	**	13. 18. 26	N.	4	Bluish-white	1	• • •		**
Մul <b>y</b>	19	11. 15. 52	N.	2	Bluish-white	I	Train	15	12
	,,	11.38.47	, <b>N.</b>	2	Bluish-white	0.4	Train	15	13
Tul <b>y</b>	20	11. 26. 48	J.	2	Bluish	0.2	None	5	14
,		11.40. 0	N.	3	Bluish-white	0.2	$\mathbf{None}$	7	15
	"	11.48.41	F.	4	Bluish-white	0.5		1	16
	"	11.50.20	N., S.	2	Bluish-white	0.8	${f Train}$	15	17
	"	12. 11. 20	N.	<u> </u>	Bluish-white	1	${f Train}$	12	18
	"	12. 14. 15	S.	3	Bluish-white	0.5	${f None}$	10	19
	"	12. 21. 5	J.	3	Bluish	1	None	5	20
	"	12.21. 3	N., F.	3	Bluish-white	0.4	None	5	21
	"	12. 25. 1	W., S.	= Jupiter	Yellowish	i i l	$\mathbf{Y}$ ellow		22
	39	12. 40. 40	ř.	2	Bluish-white	0.2			23
	"	12. 41. 15	w., s.	3	Bluish-white	0.2	$\mathbf{None}$	3	24
	"		N., F.	< Jupiter	Blue	2	Fine 18.	20	25
	"	12. 44. 31	N., F., S.	-	Bluish-white	0.2	$\mathbf{None}$	12	26
	" "	12. 45. 17 12. 47. 55	W., J.	4 3	Bluish-white	0.2	$\mathbf{Slight}$	10	27
			T.	3	Blue	0.5		6	28
uly	29	10.15. 0	T.	3	Blue	0.2		4	29
	"	10.40.0	J.	1	Bluish	2	Fine	30	30
	"	10.49.30		_	Blue	2	Faint	20	31
	99	11. 2. 0	H.	2	Bluish	0.5	None	10	32
	,,,	11.11. 0	J.	2	Blue	2	Faint	20	33
	"	11.45. 0	H., J.	> 1	Blue	0.2	Fine	6	34
	"	11.55. 0	J.	2	Blue	j i	None	9	35
	"	12. 2. 0	J.	2	White	1	None	8	36
	"	12.17. 0	_J	I		I	None	30	3
	"	12. 26. 30	H., J.	> 1	Blue	2	None	8	38
	"	12. 27. 30	J.	2	Blue	0.2	Faint	12	30
	<b>&gt;&gt;</b>	12.33. 0	H.	I	Bluish-white	I	None	I	40
	"	12.38.30	H.	2	Blue	I I	None	7	
	<b>)</b>	12.52. 0	J.	_3	Blue	0.5	Fine	35	41
	"	12. 57. 15	н.	= Jupiter	Yellow	5	Faint	25	42
	"	13. g. 30	Н.	2	Bluish-white	2	None	6	
	"	13. 12. 0	H., J.	1	Brilliant blue	I	None	1	44
	"	13. 14. 0	H., J.	2	Blue	2		14	4
	"	13. 18. 0	J.	2	Blue	2	None	18	46
	"	13. 21. 30	H.	2	Blue	Short	None None	20	47
	"	13. 26. 45	H.	1	Brilliant blue	I	None	6	48
	"	13. 27. 30	H., J.	2	Blue	2	None	15	49
	"	13.39. 0	J.	2	Blue	1	Fine	12	50
	"	13.42. 0	J.	1	$\mathbf{Blue}$	2	Fine	7	51
	"	13.42. 0	H.	I	$\mathbf{B}$ lue	I	None	12	5
	"	13. 43. 0	H.	2	Blue	I	$\mathbf{N}$ one	10	53
	"	13.51. 0	H.	2	Bluish-white	1	$\mathbf{None}$	8	54
	"	14. 1. 0	H.	2	Bluish-white	1	Faint	10	55
	"	14. 2. 0	H.	1	Blue	ī	$\mathbf{None}$	25	56
		14. 8.30	J.	2	Blue	ı	None	10	57
	"	T - T	J.	12 mar.	Blue	0.5	Slight	6	58

umber for	Dath of Maton through the Story
Refer- ence.	Path of Meteor through the Stars.
1	
I 2	Directed from ε Aquilæ, from a point 10° below that star, passed within 2° or 3° of γ Ophiuchi. From a point near ζ Ursæ Majoris, disappeared close to 12 Canum Venaticorum.
3	Directed from a Aguilæ, passed almost midway between a Ophiuchi and a Herculis, then across a Ophiuchi.
4 5	Curved path from a point near $\eta$ Ursæ Majoris towards 12 Canum Venaticorum.
6	From the vicinity of $\beta$ Aquilæ to $\delta$ Aquilæ. Directed from $\beta$ Aquarii; center of path opposite Jupiter, 5° below that planet.
	From a point near a Ursæ Majoris, disappeared close to y Ursæ Minoris.
7	From a point near ζ Cygni, disappeared near λ Pegasi.
9	Directed from a Cygni, disappeared near \( \beta \) Aquilæ.
10	From a point not far distant from a Boötis to a point 10° or 12° below 12 Canum Venaticorum.
	From a point midway between $\alpha$ and $\beta$ Pegasi to a point midway between $\alpha$ Andromedæ and $\gamma$ Pegasi.
13	From a point midway between $\gamma$ and $\delta$ Cygni to $\theta$ Herculis. Directed from $\epsilon$ Cassiopeiæ, disappeared near $c$ Camelopardali.
14	Appeared between a and y Cygni passing towards & Cygni.
15	From near & Herculis towards a Coronæ Borealis.
16	From 10° West and above η Ursæ Majoris, passed midway between η and ζ Urs. Maj., and disappeared 2° or 3° below δ Urs. M
17	From a point near o Cephei, fell at inclination 15° from vertical.
19	From a point about 10° West of η Ursæ Majoris, fell vertically.  From a point immediately above ι Ursæ Majoris to a point as much below ι Ursæ Majoris.
20	From a point about 3° West and below δ Ursæ Majoris fell nearly vertically on the West side of γ Ursæ Majoris.
2 I	Directed from a Pegasi, disappeared near \( \lambda \) Pegasi.
22	Fell vertically from a point about 5° West of v Equilei to a point as much West of a Equilei.
23	Appeared close to 8 Herculis, passed midway between a Ophiuchi and a Herculis to a point 5° beyond.
24 25	Fell vertically about 1° East of $\zeta$ Aquilæ; center of path opposite that star.
26	Directed from $\alpha$ Pegasi, at inclination 45° to vertical. From a point near $\theta$ Pegasi, pursued a path parallel to a line joining $\alpha$ and $\beta$ Aquarii.
27	From a point a little above $\alpha$ Persei.
28	A few degrees left of a Ophiuchi; center of path opposite that star. Path at right angles to line joining a Ophiuchi and a Herce
30	Disappeared a few degrees below $\beta$ Aquilæ. Appeared below clouds, passing from North to South across zenith.* No stars visible.
31	From a point about 2° below 8 Ophiuchi, moved nearly horizontally towards Arcturus.
32	Appeared midway between $\alpha$ and $\beta$ Ursæ Majoris, and fell vertically.
33	From a point just above & Aurigæ, disappeared almost vertically below Polaris; path nearly horizontal.
34	Appeared about 10° above \(\theta\) Ursæ Majoris, and fell vertically towards horizon.
35	Appeared close to $\epsilon$ Ursæ Majoris; point of disappearance $\gamma$ Ursæ Majoris.
36	From a few degrees above a Ophiuchi, disappeared about 3° below a Herculis.  Passed about 2° above d Auriga at an inclination 45° to vertical; the center of path opposite d Auriga.
37 38	Passed about 2° above $\delta$ Aurige at an inclination 45° to vertical; the center of path opposite $\delta$ Aurige. Appeared near $\gamma$ Persei and disappeared near $\delta$ Persei; path nearly vertical.
39	From a point about 2° right of γ Persei to a point about 1° left of δ Persei; path nearly vertical.
40	Fell vertically from a point about 3° below and to the left of δ Persei.
41	Appeared midway between $\alpha$ and $\beta$ Ursæ Majoris, and fell vertically towards the horizon past the latter star.
42	Fell almost vertically from a point a little above (Cassiopeiæ to a point about 2° left of Capella.
	Fell vertically from a point midway between Polaris and f Custodis. Fell vertically from a point 4° left of η Ursæ Majoris.
44 45 46	Appeared about 3° West and below ε Ursæ Majoris, disappeared 3° East and above γ Ursæ Majoris.
6	Appeared a few degrees above $\beta$ Herculis, disappeared close to $\alpha$ Herculis; path vertical.
<del>1</del> 7	Fell from a point just below f Custodis; path nearly vertical.
48	Passed midway between $\eta$ and $\zeta$ Ursæ Majoris.
49	From about 5° below θ Draconis, disappeared about 5° above β Boötis; path vertical.  Appeared a few degrees East of γ Aquilæ, disappeared near θ Ophiuchi; path nearly horizontal.
	Appeared between α and γ Aquilæ, and fell past the former star towards horizon; path nearly vertical.
51 52	From a point about 3° left of Capella to a point about 1° beyond and left of β Aurigæ.
5.3	Passed about 1° above a and y Cassiopeiæ.
54	Fell vertically from a point 3° right of h Ursæ Majoris.
55	Fall vertically from a point midway between ζ and δ Herculis.
	From the neighbourhood of ι and κ Cygni to a point midway between α Lyræ and γ Draconis.
57	From near $\epsilon$ Lyræ to a point about $4^\circ$ below $\delta$ Lyræ.  Appeared near $\epsilon$ Lyræ, disappeared about $6^\circ$ to the right of that star.
58	Appeared near a Light and an action of the Light and action of the Light and action of the Light and action of the Light and action of the Light and action of the Light and action of the Light and action of the Light and Appeared near a Light and Appea

<sup>\*</sup> The observer believed that this Meteor was nearer than the clouds.

## OBSERVATIONS OF LUMINOUS METEORS

Month and 1866		Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Number for Reference.
****		· h m s						0	
July	29	14. 16. 0	H., J.	> 1	Brilliant blue	2	Train	30	1
•	"	14.29. 0	J.	2	Blue	I'	$\mathbf{N}$ one	12	2
	,,	14. 31. 45	H.	1	Blue	1	None	20	3
July	<b>3</b> 0	11. 33. 35	N.	> 1	· Bluish-white	1.2	Fine	15	4
August	3	9.21. 0	w.	1	Bluish-white	0.5		5	5
	"	11. 18. 40	N.	2	White	2	Faint		6
	,,	11. 26. 22	N.	3	Bluish-white	0.2	None	14	7
	"	11.34.41	N.	2	Bluish-white	0.2	${f Faint}$	7	8
	"	12. 5. 0	N.	1	Bluish-white	1	Train	12	9
	"	12. 13. 5	N.	2	Bluish-white	0.2	None	5	10
	"	13. 5. 0	N.	1	Bluish-white	1.2	Train	20	11
August	4	9.12. 0	F.	2	Yellowish-white	3	Train	40	12
	4	9.12. 0	F.		Bluish-white	0.7	Short	8	13
	"	9.30. 0	s.	4 3	Bluish-white	0.5	None	8	14
	)) ))	11. 13. 30	N.	ı	Bluish-white	0.8	Fine		15
August	5	0.17.0	w.		Yellowish		None		16
Lugust		9. 17. 0	w.	2 3	Bluish-white	I	None	7	1
	"	9. 49. 47	s.		Blue	I	None	25	17
	"	9. 50. 22	D.	1		I	None		1
	"	9.53. 0	F.	3	Bluish-white	I _		6	19
	"	9. 57. 48	S.	3	Bluish-white	0.2	None	6	20
	,,	10. 3.57	W., F., S.	1	Bluish	I	Fine, 1s.	••	2 1
	"	10. 6.57	W.	3	Bluish-white	0.2	None	7	22
	,,	10. 15. 7	S.	3	Bluish:	0.2	${f None}$	6	23
	,,	10. 17. 24	W.	3	Bluish-white	0.2	$\mathbf{None}$	6	24
	,,	10.21. 7	S.	2	Bluish-white	0.2		60	25
	,,	10.21.32	w.	1	Bluish	1	$\mathbf{Fine}$	15	26
	,,	10. 21. 34	w.	1	Bluish-white	1	None	1	27
	,,	10. 35. 12	W., S.	2 .	Bluish-white	0.2	None	5	28
	"	10. 38. 28	Ŵ.	1	Yellowish	1.	None	Short	29
	,,	10.41.57	W., S.	1	Yellowish	1	$\mathbf{N}$ one		30
	j	10. 47. 47	w.	3	Bluish-white	0.5	None	3	31
	"	10.48. 9	w.	3	Bluish-white	0.5	None	3	32
	"	10. 53. 34	w., s.	2	Yellowish	0.5	None	8	33
	"	10. 54. 17	w., s.	ı i	Yellowish	1.2	Fine	1	34
	"		w.	· ·	Bluish-white		None	•••	35
	"	11.24. 0	T.	= Jupiter.	Bluish-white	1	Fine		36
	"	11.30. 0 11.35. 0	T.	- Suprier.	Bluish-white	2 0.2	None	9	37
	"	11.55. 0	Í		Dialon-winte	0.3		1	"
ugust	7	9. 4. 14	w.	1	Bluish-white	1	None		38
	"	9. 6.33	S.	3	Bluish-white	0.2	None	30	39
	"	9. 13. 0	Н.	3	Blue	I	None	10	40
	,,	9. 13. 0	_T	1	Bluish-white	1	Train	7	41
	,,	9. 13. 30	H., J.	1	Flame	5	Fine	35	42
	,,	9. 15. 45	W.	1	Yellowish	1	Train	10	43
	,,	9. 18. 38	W.	4	Bluish-white	0.7	None	6	44
	,,	9. 21. 26	w.	4 3	Bluish-white	0.2	$\mathbf{N}$ one		45
	,,	9. 23. 0	Т.	2	Bluish-white	1	$\mathbf{Train}$	12	46
	,,	9. 24. 45	W., S.	1	Yellowish	I	$\mathbf{Train}$		47
	,,	9. 24. 47	W., S.	2	Bluish-white	0.5	None		48
	,,	9. 29. +	T.	2	Bluish-white	0.2	None	7	49
	,,	9. 47. 59	w.	3	Bluish-white	0.2	None	.:	50
	,,	9.49. 0	T.	2	Blue	0.5	None	28	51
	",	9. 51. 33	w.	i	Bluish-white		None	10	52
		9.58. 3	w.	- 1	Bluish-white	0.4	None	3	53
	"	10. 2. 54	w.	4	Yellowish		Fine	6	54
	"	10. 5. 52	w.	1		1		6	55
	"	3	T.	2 3	Bluish-white	1 0.2	None	j –	56
	"	10. 7. 0	1. 1		Blue	A • 5	$\mathbf{None}$	II	1 30

for	
Refer-	Path of Meteor through the Stars.
ence.	
1	From a point just below $f$ Custodis to a point 2° right of $o$ Ursæ Majoris; path curved. Appeared near $\delta$ Herculis, disappeared near $\beta$ Herculis.
3	Passed from direction of α Lyræ, from a point a few degrees below σ Herculis, midway between ζ Herculis and ζ Cor. Bor.
4	From a point a few degrees left of β Aurigæ, fell at inclination 7° to vertical, towards N. horizon.
5	Seen through a break in the clouds at about the altitude of 30°. Delphinus seen about 15° above and to the right.
6	Directed from a Andromedæ, passed across Honores to g Lacertæ.
7	From the direction of $\psi$ Draconis, disappeared midway between $\gamma$ Cephei and Polaris.
8	Directed from ρ Piscium, passed 8° below γ Pegasi, parallel to line joining α Andromedæ and α Pegasi.
.9	From near n Lyræ, nearly horizontal; point of disappearance o Herculis.
10	Fell perpendicularly and disappeared near π Cygni.
11	From a point near $\zeta$ Herculis.
12 13	Shot from a point about midway between $\gamma$ and $\epsilon$ Boötis to a point about 24° below $\zeta$ Ursæ Majoris. From $\epsilon$ Ursæ Majoris, fell towards Arcturus.
14	From a point 2° below η Ursæ Majoris to a point about 2° above ζ Ursæ Majoris.
15	From the direction of $\gamma$ Draconis to a point near $\alpha$ Herculis.
16	Fell vertically from the direction of & Ursæ Majoris, midway between & Ursæ Majoris and 12 Canum Venaticorum.
17	From the direction of ζ Cygni, passed between R and f Pegasi, at right angles to the line joining those stars.
18	From the direction of γ Ursæ Majoris, about 5° below 12 Canum Venaticorum.
19	Passed about 2° above η Ursæ Majoris, towards Arcturus; the center of path opposite η Ursæ Majoris.
20	From a point about 3° above ε Ursæ Majoris, passed midway between ε and ζ Ursæ Majoris.
2 I	From a point about midway between ζ and ε Ursæ Majoris, disappeared near η Boötis.
22 23	Passed vertically about 5° East of α Ophiuchi; the center of path opposite α Ophiuchi.  From a point near μ Aquilæ, passed midway between δ and 19 Aquilæ.
24	Passed about 6° above L and $p$ Camelopardali, from the direction of Cassiopeia.
25	From Polaris, passed between ζ and ε Ursæ Majoris to α Coronæ Borealis.
26	From a point about 3° below u Capricorni, passed v Capricorni, parallel to the line joining those stars.
27	Vertically from about 5° above and West of $\alpha$ Pegasi, passed $\theta$ Piscium, parallel to the line joining those stars.
28	From a point about 5° above $\beta$ Ophiuchi, passed at the same distance above $\sigma$ Ophiuchi.
29	Aquilæ opposite center of track; path vertical.
30	From a point about 3° above δ Sagittæ, passed about 2° above α Sagittæ.
31 32	Passed $\chi$ Pegasi vertically (about 3° East). Passed vertically about 5° East of $q$ Pegasi; the center of path opposite that star.
33	From the direction of $\delta$ Aquilæ, passed about 5° above $\lambda$ Aquilæ and $l$ Scuti, parallel to the line joining them.
34	From a point about 7° above β Aquarii, passed a Capricorni towards Jupiter.
35	Horizontally from a point about 3° above $\beta$ Arietis, passed $\alpha$ Arietis.
36	Appeared 2° below γ Aquilæ, and disappeared 3° left of δ Aquilæ.
37	Appeared midway between $\alpha$ and $\beta$ Aquilæ, disappeared 3° West of $\epsilon$ Delphini.
38	Fell vertically from a point about 10° West of β Lyræ past μ Herculis.
39	From a point 5° below δ Ophiuchi, passed 2° above ζ Ophiuchi towards μ Ophiuchi.
40	From the direction of β Cephei, passed about 2° below Cephei towards τ Cassiopeiæ.
41	Appeared 4° above $\beta$ Cassiopeiæ, and disappeared 3° beyond the same star. From the direction of $\epsilon$ Pegasi, passed between $\zeta$ and $\theta$ Pegasi (a pear-shaped meteor).
42	From the direction of $\eta$ Ursæ Majoris, passed $\eta$ Boötis.
43	From a point above α Cygni, disappeared 3° East of that star.
45	From the direction of n Boötis, passed about 10° above and West of 12 Canum Venaticorum.
46	Appeared 3° below g Draconis, and disappeared 5° from $\theta$ Draconis.
47	Passed λ Draconis towards α Ursæ Majoris; from the direction of δ Ursæ Minoris.
48	Path almost identical with that of the preceding meteor.
49	Appeared midway between $\alpha$ and $\theta$ Draconis, and disappeared 2° below $\delta$ Quadrantis.
50	Described a slight curve about 5° above n, m, and p Scuti.
51	Horizontally from $\alpha$ Draconis to a point 2° above i Draconis.' Passed on the West side of $\gamma$ Cor. Bor., midway between that star and $\alpha$ Cor. Bor.; the center of its path opposite $\gamma$ Corona
52	Passed on the West side of $\gamma$ Cor. Bor., indway between that star and $\alpha$ Cor. Bor.; the center of its path opposite $\gamma$ Corona Passed about 6° above and East of $\alpha$ Aquilæ.
53 54	Horizontally near S. horizon, immediately below Jupiter.
55	From a point immediately above $\alpha$ Ophiuchi, passed horizontally above $\alpha$ Herculis.
56	Appeared midway between α and γ Coronæ Borcalis, and disappeared 2° above β Serpentis.

August 7	h m s 10. 8. 13 10. 9. 13 10. 9. 17 10. 10. 0 10. 10. 38 10. 11. 49 10. 13. 55 10. 17. 37 10. 19. 0 10. 19. 55 10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7 11. 4. 13	W., S. S. W., S. T. W., F. S. W. N. N. T. S. H. N. F. N. H., S. H. N. H., F., S.	3 1 1 3 3 2 1 3 2 1 2 1 2 2 3 3 1 3 2 3 1	Bluish-white Yellow Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Blue Blue	0.5 1 0.5 	None Fine, 0 s 5 None None None None Train None Train Fine Fine None Fine None None None	0 6 6 8 6 10  7 7 7 18 17 8	1 2 3 4 5 6 6 7 8 9 10 11 12 13
13 13 13 13 13 13 13 13 13 13	10. 9. 13 10. 9. 17 10. 10. 0 10. 10. 38 10. 11. 49 10. 13. 55 10. 17. 37 10. 19. 0 10. 19. 55 10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 11 10. 54. 28 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	S. W., S. T. W., F. S. W. N. W. N. T. S. H. F. N. H. N., F., S. H. N. H., F., S. H. N. H., F., S. H. H., F., S. H.	1	Yellow Yellowish Blue Bluish-white	I I 0·5 	Fine, o s. 5 None None None None Train None Train None Faint Fine Fine None None None None	6 6 8 6 10  7 7 7 18 17 8	2 3 4 5 6 7 8 9 10
37 37 37 37 38 39 39 39 39 39 39 39 39 39 39 39 39 39	10. 9. 17 10. 10. 0 10. 10. 38 10. 11. 49 10. 13. 55 10. 17. 37 10. 19. 0 10. 19. 55 10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 11 10. 54. 28 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	W., S. T. W., F. S. W. W. N. T. S. H. F. N. H., S. H., S. H. H., S.	1 3 3 2 1 2 2 3 3 1 3 2 3 1 1 3 2 3 1 1	Yellowish Blue Bluish-white	I 0.5	None None None None Train None Train None Faint Fine None None None None	6 8 6 10  7 7 7 18 17 8 	3 4 5 6 7 8 9 10 11
)) )) )) )) )) )) )) )) )) )) )) )) ))	10. 10. 0 10. 10. 38 10. 11. 49 10. 13. 55 10. 17. 37 10. 19. 0 10. 19. 55 10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	T. W., F. S. W. W. N. T. S. H. F. N. H., S. H., S. H. H., F., S. H. H., F., S.	3 3 2 1 3 2 1 2 1 2 2 3 3 1 3 2 3 1	Blue Bluish-white	0.5	None None None Train None Train None Faint Fine None None None None None	8 6 10  7 7 7 7 18 17 8	4 5 6 7 8 9 10
)) )) )) )) )) )) )) )) )) )) )) )) ))	10. 10. 38 10. 11. 49 10. 13. 55 10. 17. 37 10. 19. 0 10. 19. 55 10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	W., F. S. W. W. N. T. S. H. F. N. H., S. H., S. H. H., F., S.	3 2 1 3 2 1 2 1 2 2 3 3 1 3 2	Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white		None None Train None Train None Faint Fine None None None None None	6 10  7 7 7 7 18 17 8	5 6 7 8 9 10 11
)) )) )) )) )) )) )) )) )) )) )) )) ))	10. 11. 49 10. 13. 55 10. 17. 37 10. 19. 0 10. 19. 55 10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 11 10. 54. 18 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	S. W. W. N. N. T. S. H. F. N. H., S. H., S. H., S. H., F., S.	2 1 3 2 1 2 1 1 2 2 3 3 1 3 1 3	Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white	I 0.5 0.5 I I I 0.5 0.6 I I I 0.5	None Train None Train None Faint Fine Fine None None None None None	10   7 7 7 18 17 8	6 7 8 9 10 11
27 27 27 28 29 29 29 29 29 29 29 29 29 29 29 29 29	10. 13. 55 10. 17. 37 10. 19. 0 10. 19. 55 10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 11 10. 54. 18 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	W. W. N. Y. S. H. F. N. H., F., S. H., S. H., F., S.	1 3 2 1 2 1 1 2 2 3 3 3 1 3 2 3 1 1	Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white	I 0.5 0.5 I I I 0.5 0.6 I I I 0.5	Train None Train None Faint Fine Fine None None None None None	7 7 7 7 18 17 8	7 8 9 10 11
33 33 33 33 33 34 35 37 37 38 39 30 30 31 32 33 34 35 36 37 38 39 30 30 30 30 30 30 30 30 30 30	10. 17. 37 10. 19. 0 10. 19. 55 10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 11 10. 54. 28 10. 54. 11 10. 54. 28 10. 55. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	W. N. N. T. S. H. F. N. H. N., F., S. H. H., S. H. H., F., S.	3 2 1 2 1 1 2 2 3 3 1 3 2 3	Bluish-white Bluish-white Bluish-white Bluish-white Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white	0.5 0.5 1 0.5 1 1 0.5 0.6 1 1	None Train None Faint Fine Fine None None None None None None	7 7 7 7 18 17 8	8 9 10 11 12
13 13 13 13 13 13 13 14 15 17 18 19 19 19 19 19 19 19 19 19 19	10. 19. 0 10. 19. 55 10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 11 10. 54. 28 10. 54. 11 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	N. W. N. T. S. H. F. N. H. N., F., S. H., S. H., S. H., F., S.	2 1 2 1 1 2 2 2 3 3 1 3 2 3	Bluish-white Bluish-white Bluish-white Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white	0.5 1 0.5 1 1 0.5 0.6 1 1 0.5	Train None Faint Fine Fine None None None None None None Fine None	7 7 7 18 17 8	9 10 11
17 19 19 19 19 19 19 19 19 19 19 19 19 19	10. 19. 55 10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	W. N. T. S. H. F. N. H. N., F., S. H. H., S. H. H., F., S.	1 2 1 1 2 2 2 3 3 3 1 3 2 2 3 1 1	Bluish-white Bluish-white Bluish-white Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Blue Blue	1 0·5 1 1 0·5 0·6 1 1 0·5	None Faint Fine Fine None None None Fine None	7 7 18 17 8	10 11 12
13 13 13 13 13 13 13 13 13 13	10. 22. 30 10. 24. 0 10. 27. 43 10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	N. T. S. H. F. N. H. N., F., S. H., S. H., S. H., F., S.	2 1 1 2 2 3 3 1 3 2 3	Bluish-white Bluish-white Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Blue Blue	0.5 I I 0.5 0.6 I I 0.5	Faint Fine Fine None None None Fine None	7 18 17 8	1 I 1 2
19 19 19 19 19 19 19 19 19 19 19 19 19 1	10. 24. 0 10. 27. 43 10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	T. S. H. F. N. H. N.,F.,S. H. S. H. H. H. H. H. H.	1 1 2 2 3 3 1 3 2 3	Bluish-white Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Blue Blue	I I O·5 O·6 I I O·5	Fine Fine None None None None None Fine None	18 17 8 	12
)) )) )) )) )) )) )) )) )) )) )) )) ))	10. 27. 43 10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	S. H. F. N. H. N., F., S. H., S. H., S. H., F., S. H., F., S.	1 2 2 3 3 1 3 2 3 1 I	Yellowish Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Blue Blue	1 0.5 0.6 1 1 0.5	Fine None None None None Fine None	17 8 	į
37 87 87 87 97 97 97 97 97 97 97 97 97 9	10. 36. 29 10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	H. F. N. H. N., F., S. N. H., S. H. N. H., F., S.	2 2 3 3 1 3 2 3	Blue Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Blue Blue	1 0.5 0.6 1 1 0.5	None None None None Fine None	8	
97 77 87 97 97 97 97 97 97 97 97 97 97 97 97 97	10. 36. 36 10. 50. 47 10. 53. 33 10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	F. N. H. N., F., S. N. H., S. H. N. H.,F.,S.	2 3 3 1 3 2 3	Bluish-white Bluish-white Bluish-white Bluish-white Bluish-white Blue Blue	0.5 0.6 1 1 0.5	None None None Fine None	•••	14
27 17 19 19 19 19 19 20 21 21 21 21 22 23 24 25 27 27 27	10. 50. 47 10. 53. 33 10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	N. H. N., F., S. N. H., S. H. N. H.,F., S.	3 3 1 3 2 3 1	Bluish-white Bluish-white Bluish-white Bluish-white Blue Blue	0.6 I I 0.5	None None Fine None	••	15
1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1) 1	10. 53. 33 10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	H., S., S., H., S., H., F., S., H.	3 1 3 2 3 1	Bluish-white Bluish-white Bluish-white Blue Blue	1 1 0.5	None Fine None	1	16
37 37 39 39 39 39 39 39 39 39 39 39 39 39 39	10. 54. 8 10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	N., F., S. N. H., S. H. N. H., F., S.	1 3 2 3 1	Bluish-white Bluish-white Blue Blue	o.2	Fine None	12	17
33 13 23 23 23 23 24 25 25 27 27 27 27	10. 54. 11 10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	N. H., S. H. N. H.,F.,S.	3 2 3 1	Bluish-white Blue Blue	0.5		30	18
1) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2)	10. 54. 28 10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	H., S. H. N. H.,F.,S.	2 3 1	Blue Blue	I		8	19
27 27 27 27 27 27 27 27 27	10. 54. 30 10. 57. 3 10. 58. 26 11. 2. 3 11. 3. 7	H. N. H.,F.,S. H.	3 1	Blue	1	$\mathbf{None}$	10	20
p)  2)  2)  2)  2)  2)  2)  2)  2)  2)	10.57. 3 10.58.26 11. 2. 3 11. 3. 7	N. H., F., S. H.	I	Blue	I	$\mathbf{None}$	10	21
27 27 29 29 29 29 29 29 29 29 29 29	10.58.26 11. 2. 3 11. 3. 7	H., F., S. H.	_	Dide	I	Fine	20	22
2) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2) 2	11. 3. 7	H.	I	${f Blue}$	I	$\mathbf{Train}$	12	23
27 29 29 29 29 29 29 29 29 29 29	11. 3. 7	3 T TT 1	2	${f Blue}$	I	None	12	24
27 27 27 27 27 27	11. 4.13	N., H.	<b>2</b> 3	Bluish-white	I	${f None}$	6	25
27 29 29 29 29 29 29 29		N., H.	3	$\mathbf{Blue}$	I	$\mathbf{N}$ one	8	26
27 27 27 27 27 27	11. 6.58	H.	3	$\mathbf{Blue}$	I	None	10	27
27 27 27 27 27	11. 8.18	H., W.	3	${f Blue}$	I	$\mathbf{None}$	12	28
29 22 27 27	11. 9. 15	Н.	4	Blue	I	None	8	29
;; ;;	11.11.27	N., W.	I	Bluish-white	1.2	Faint	15	30
>> >>	11. 11. 53	S.	2	Bluish-white	0.2	None	20	31
,,	11. 12. 27	H., S.	I	Bluish-white	2	Train	15	32
i i	11. 15. 11	H.	3	Blue	1	Faint	12	33
1	11. 16. 13	H.	2	Blue	1	Train, 1 s.	16	3 <sub>4</sub> 35
<b>"</b>	11. 17. 46	H.	3	Blue	0.2	None Streak	10	36
"	11, 18, 55	H., S.	1	Blue Blue	1	Train	12	37
"	11. 19. 47	N., W.	1 2	Bluish-white	° 7	Train	10	38
,,	11. 27. 33	N., W.	2	Bluish-white	I	Train	• •	39
"	11. 27. 34	S.	2 2	Bluish-white	0.2	None		40
"	11. 29. 42 11. 30. 25	s.	2	Yellow	ı	Faint	5	41
,,	11. 30. 25	H.	2	Yellow	ı	Train	8	42
"	11.30.50	N.		Bluish-white	0.6			43
"	11.31.39	N., W.	4 .	Bluish	0.2	None	8 ·	44
1	11. 34. 12	H., S.	3	Blue	1	Faint	10	45
"	11.35. 9	w.	3	Bluish-white	0.2	None		46
,,	11. 35. 53	w.	3	Bluish-white	1	$\mathbf{N}$ one		47
"	11. 36. 30	Н.	3	$\mathbf{Blue}$	Short	$\mathbf{None}$	15	48
,,	11.40.23	w.	3	Bluish-white	0.2	$\mathbf{None}$	6	49
,,	11.40.26	H.	4	$\mathbf{Blue}$	1	None	12	50
,,	11.43. 5	N., H.	4	$\mathbf{B}$ lue	I	None	10	51
"	11.44.11	N.	2		1	Fine	I 2	52
"	11.45. 6	II.	2 .	Blue	1	Train	20	53
,,	11.45.59	н.	3	Blue	1	None	20	54
,,	11.46.51	N.	4	Bluish-white	1	None	5	55
,,	11.48. 9	W.	4	Bluish-white	0.2	None	5	56
,,	11.53.38	N.	2	Bluish-white	0,8	Train	15	57
,,	11.55.22	N.	I	Blue	I	Fine	15	58
,,	11. 56. 21	H.	4	Blue	Short	None	15	59 60
» »	11.58.24	S. H.	3	Bluish-white Blue	I	Train None	25 10	61

for lefer- ence.	Path of Meteor through the Stars.	
I	From a point 5° West of l Scuti, passed about 3° West of m Scuti.	:
2	Passed horizontally 2° below m and o Canum Venaticorum.	
3	From a point about 4° East of γ Delphini, fell vertically past γ Equulei. Appeared near γ Serpentis, and disappeared 4° left of α Serpentis.	
5	Fell vertically about 3° West of $\phi$ Ursæ Minoris; center of track opposite that star.	
6	From κ Ophiuchi to α Ophiuchi.	
7	From the direction of $\alpha$ Lyr $\alpha$ , passed midway between $\gamma$ and $\xi$ Draconis, and disappeared close to $\beta$ Draconis.	
8 9	From ζ Cygni, passed about 4° above . Cygni. From a point 2° below η Pegasi, passed across β Pegasi.	
10	Near East horizon, immediately below y Pegasi. No stars visible near the meteor.	
11	From the direction of $\beta$ Andromedæ, about 5° below $\gamma$ Pegasi; the center of track opposite that star.	
12	Point of appearance $\iota$ Ursæ Majoris; disappeared midway between 12 and $g$ Canum Venaticorum. From $\gamma$ Boötis to $\alpha$ Coronæ Borealis.	i .
	Passed from the direction of $\alpha$ Cassiopei $\alpha$ between $\lambda$ and $\zeta$ Honorium.	
ı5	From a point 1° below a Ursæ Majoris, disappeared midway between k and Ursæ Majoris.	
16	Directed from Delphinus, disappeared near & Cygni.	
17	From a point about 3° above and to the left of λ Draconis towards β Ursæ Majoris.  Directed from α Draconis disappeared at α Boötis.	
18	Directed from $\alpha$ Draconis, disappeared at $\gamma$ Boötis.  Directed from $\gamma$ Cephei, passed across Polaris.	
20	From a point 3° left of Cassiopeiæ towards F Custodis.	*
2 I	From direction of Cassiopeia, passed just above B and C Camelopardali.	
22 23	Directed from ι Draconis, passed midway between α Coronæ Borealis and γ Boötis. From direction of δ Boötis, passed between ε and δ Coronæ Borealis.	
23	From a point 3° left of λ Ophiuchi, disappeared 1° left of ε Ophiuchi.	
25	From direction of Polaris, passed across $\beta$ Ursæ Minoris.	
26	From the direction of δ Draconis to a point 3° right of ζ Draconis.	
<sup>27</sup> <sub>28</sub>	From a point between $\gamma$ and $\delta$ Coronæ Borealis. Passed between $\xi$ and $\zeta$ Piscium towards $\theta$ Piscium.	
29	Vertically from a point about 2° right of r Custodis.	•
30	Passed across $\iota$ Draconis and between $\tau$ and $\phi$ Herculis.	
31	Passed almost horizontally about 1° above θ Boötis; the center of path opposite that star.	
32 33	From direction of $\alpha$ Cephei towards $f$ Custodis. From the direction of $o$ Custodis, disappeared at a point vertically below Polaris.	
34	From the direction of $\pi$ Herculis, passed across $\alpha$ Ophiuchi and 5° beyond that star.	
35	From the direction of \( \beta \) Ursæ Majoris, passed about 1° below 12 Can. Venat.; the center of path opposite that s	star.
36	From the direction of Polaris, disappeared about 3° below $\beta$ Ursæ Minoris. From a point 7° or 8° below $\gamma$ Pegasi, nearly vertical.	
37 38	From a point 1° or 2° above β Herculis to a point about 2° below α Coronæ Borealis.	
3a	From a point about 6° East of α Coronæ Borealis, fell towards ζ Boötis.	
40	Passed between η and θ Draconis, and disappeared 6° or 7° above ι Draconis; center of path opposite θ Draconis	.S.
'	Appeared near \( \alpha \) Ursæ Minoris, and disappeared near \( \oldsymbol{o} \) Camelopardali.  Passed horizontally \( <b>1</b> ^\circ \) below \( \oldsymbol{o} \) Custodis.	
43	From a point near $\theta$ Aquilæ towards $\epsilon$ Aquarii.	
44	Fell vertically from the direction of $\theta$ Serpentis, past $\eta$ Aquilæ, towards $\theta$ Aquilæ; center of path opposite $\eta$ Aquilæ.	uilæ.
45	From the direction of $\alpha$ Ursæ Majoris towards a point about 2° below $\alpha$ Ursæ Majoris.	
. ,	From a point about 3° above $\alpha$ Aquarii, passed 3° above $\beta$ Aquarii. From a point about 5° below $\alpha$ Pegasi, passed 5° below $\xi$ Pegasi.	
48	From the direction of ι Draconis across λ Boötis.	
49	From about 3° above ε Piscium, passed midway between that star and δ Piscium, at right angles to the line joini	ing them.
50	Passed from the direction of $\beta$ Andromedæ across $\eta$ Persei. From a point 2° above $\alpha$ Andromedæ towards $\tau$ Pegasi.	
51 52	Passed from South to North 5° East of d Cygni.	
53	From the direction of $\gamma$ Piscium, passed between $\lambda$ and $\delta$ Aquarii.	
54	From the direction of $\gamma$ Pegasi towards $\theta$ Piscium.	
55	From near σ Cygni, passed midway between γ and δ Cygni. Passed about 3° West of δ Urse Minoris , path vertical its center apposite the star	
	Passed about 3° West of 8 Ursæ Minoris; path vertical, its center opposite the star.  Directed from K Herculis, disappeared midway between a Ophiuchi and s Tauri Poniatowski.	
58	Directed from η Cygni, disappeared 5° East of Delphinus.	
59	From a point midway between $\gamma$ Draconis and $\alpha$ Lyræ, passed between $\xi$ and $\delta$ Herculis.	
	From $\alpha$ Ursæ Minoris to $\alpha$ Draconis. From the direction of $\beta$ Boötis, passed just above $\delta$ Boötis towards $\alpha$ Coronæ Borealis.	

Month and Day, 1866.		Greenwich Mean Solar Time.	Observer. of M	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Numb for Refer ence.
		h m s						0	
August	7	12. 1.13	w.	3	Bluish-white	I	None	12	I
_	,,	12. 3.23	N.	1	Bluish-white	1.5	Fine	7	2
	,,	12. 3.45	H.	2	Blue	I	None	10	3
	,,	12. 5.50	N., H.	I	White	1.2	Fine, 1s.	18	5
	,,	12. 6. 23	II.	3	Blue	I	None	20	
	"	12. 6.42	S.	I	Bluish-white	0.2	None	26	6
	,,	12. 7. 4	N.	4	Blue	0.2	None	7	7
	,,	12. 7. 4	W.	3	Bluish-white	0.2	None	4	8
	,,	12. 8.38	H.	3	Blue	I	None	12	9
	,,	12. 12. 43	W., S.	I	Yellowish	1	Fine, 1s.	12	10
	"	12. 13. 34	N.	2	Bluish-white	0.8	Small	3	II
	,,	12. 16. 30	W.	3	Bluish-white	. 0.2	None	6	I 2
	,,	12. 20. 42	N., H., W.	2	Bluish-white	0.2	Train	18	13
	"	12. 21. 10	H.	3	Blue	0.2	None	5	14
	,,	12.21.56	W.	3	Bluish-white	1	None	14	15
	,,	12. 23. 43	S.	I	Bluish-white	I	None	35	16
	,,	12.30.18	S.	1	$\mathbf{Y}$ ellow	I	Fine	• •	17
	,,	12.30.23	N.,H.,W.	1 <		1.2	Fine	25	18
	,,	12. 32. 25	Н.	3	${f Blue}$	I	None	15	19
	,,	12.34. 1	W., S.	r	Bluish-white	· 1	${f None}$	6	20
	,,	12.37. 2	N., W.	2	Bluish-white	I		12	21
	,,	12.37. 4	N.,H.,W.	3	$\mathbf{Blue}$	I	None	10	22
	,,	12.39.23	N.	3	Bluish-white	0.4	Train		23
	,,	12.41.16	H., W.	3	$\mathbf{Bluish}$	I	None	7	24
	,,	12.41.21	H.	4	$\mathbf{W}$ hite	o·5	$\mathbf{None}$	8	25
	,,	12. 42. 16	N., W.	4	Bluish-white	0.4			26
	,,	12.43. 7	N.	4		0.3		••	27
	,,	12. 43. 27	н.	4	Bluish-white	0.2	${f None}$	6	28
	,,	12. 45. 54	N., W.	· 2	Bluish-white	0.8	$\mathbf{Train}$		29
	,,	12.46. 6	H., W.	2	Blue	0.2	$\mathbf{None}$	8	30
	,,	12.50. 3	N., W.	3	Bluish-white		None	5	31
	"	12.51. 3	Ś.	> 1	$\mathbf{Y}$ ellow	1	Yellow, os·5	25	32
	",	12.51.6	H.	2	$\mathbf{Blue}$	I	Train	12	33
	,,	12.52.12	N.	2	Bluish-white	0.8	Train	10	34
	",	12. 55. 13	S.	1	Bright blue	I	${f Fine}$	10	35
	",	12.56.21	H., W.	2	Bluish-white	3	Train	20	36
	",	12.57. 4	H.	4	$\mathbf{Blue}$	0.2	None	10	37
	1	12.57.35	н.	3	Bluish-white	0.2	Train	5	38
	"	12.58. 3	S.	2	$\mathbf{Y}$ ellow	1	$\mathbf{Fine}$	7	39
	",	12.59. 4	N.	3			None	8	40
	"	13. 2. 1	S.	3	Bluish-white	0.2	None		41
	",	13. 2.21	N.	2	${f Blue}$	0.6	${f Train}$	10	42
	,,	13. 2.27	w.	3	Bluish-white	o·5	$\mathbf{None}$	6	43
	,,	13. 7. 15	w.	1	$\mathbf{Blue}$	1	$\mathbf{Fine}$	12	44
	,,	13. 8. 10	н.	2	${f Blue}$	1	None	15	45
	"	13. 10. 22	н.	4	Bluish-white	I	None	20	46
	,,	13. 11. 47	N.	2	Bluish-white		Train	12	47
	,,	13. 11. 48	w.	3	Bluish-white	0.4	None	6	48
	,,	13. 12. 45	н.	2	Blue	>1	Faint	12	49
	,,	13. 13. 40	Н.	3	Blue	I	None	6	50
	,,	13. 13. 53	Н.	2	Bluish-white	I	None	8	51
	,,	13. 14. 29	N.	4		I		7	52
	,,	13. 14. 54	w.	3	Bluish-white	0.2	None	6	53
	,,	13. 16. 5	N., W., S.	I	Bluish-white	1.2	$\mathbf{Fine}$	20	54
	,,	13. 17. 25	w.	3	Bluish-white	0.2	None	6	55
	"	13. 18. 11	N.	4	Bluish-white	0.2	None	7	56
	"	13. 20. 51	N.	2	Bluish-white	0.4	None	<b>5</b>	57
	"	13. 20. 53	Ñ.	3	Bluish-white	0.2	Train		58
	,,	13. 21. 25	H.	3	Bluish-white	ı	None	13	50
	"	13. 23. 23	H., S.	ı	Blue	i	Fine	8	60
	"	13. 24. 4	N. 11., 15.		Bluish-white	0.8	Train	1	61

From a point about 5° below and left of β Boötis, passed 5° below γ Boötis.  Fill vertically from a point a little below p Tauri Poniatowski.  From the direction of § Ursæ Majoris, disappeared perpendicularly below ζ Ursæ Majoris.  Directed from 1 Herection, passed ξ above β Hereculis towards ι Ophiuchi.  From a point near a Ursæ Minoris to a Ursæ Majoris.  From the direction of γ Ursæ Majoris, passed between η Ursæ Majoris and 12 Canum Venaticorum.  From a point near a Ursæ Minoris to a Ursæ Majoris.  Passed about γ West and above α Draconia; the center of its track opposite that star.  From the direction of γ Ursæ Majoris towards ι Ursæ Majoris.  Moved slowly from a point 2° from a Aquanti (measuring towards γ Aquarii), disappeared 1° 5 beyond that star towards 1° passed vertically about 3° to the left of β Andromedæ; center of track opposite that star.  From near γ Psiesium, disappeared near Fomalhaut.  From a point about 8° left of Fomalhaut.  From a point about 8° left of Fomalhaut.  From a point about 8° left of Fomalhaut.  From a point about 8° left of Fomalhaut.  From a point about 8° left of Fomalhaut.  From a point about 8° left of Fomalhaut.  From a point about 8° left of Fomalhaut.  From the direction of rusæ Majoris towards 1° Canum Venaticorum.  From the direction of rusæ Majoris towards 1° Canum Venaticorum.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s α Capricorni.  From the direction of α Pagasi errors s	Number for Refer- ence.	Path of Meteor through the Stars.
Foll vertically from a point a little below p Tauri Poniatowski.  From the direction of 2 Urss Majoris, disspeared perpendicularly below ζ Ursse Majoris.  Directed from τ Herculis, passed 4° above β Herculis towards ι Ophiuchi.  From a point near a Ursse Minoris to ε Ursse Majoris.  Directed from R Draconis, passed horizontally across a Draconis.  Prassed about ι' West and above a Draconis; the center of its track opposite that star.  From the direction of γ Pegasi, passed between 1 and γ Piscium.  From the direction of γ Pegasi passed between 1 and γ Piscium.  From the direction of γ Ursse Majoris towards ε Ursse Majoris.  Moved slowly from a point 2 from a Aquarii (measuring towards γ Aquarii), disappeared 1° 5 beyond that star towards 12 Passed vertically about 3° to the left of β Andromeda; center of track opposite that star.  From near γ Piscium, disappeared near Fomalhaut.  Vertically from a point about 8° left of Fomalhaut.  From a point about 8° left of Fomalhaut.  From α point about 8° left of Fomalhaut.  From α point about 8° left of Fomalhaut.  From α point about 8° left of Fomalhaut.  From α point about 8° left of Fomalhaut.  From α Linear Agreement of the Piscium of Pomalhaut.  From α Linear Agreement of Linear Agreement of Pomalhaut.  From the direction of μ Segati towards 12 Canum Venaticorum.  From the direction of α Linear Majoris towards 12 Canum Venaticorum.  From the direction of α Linear Majoris towards 12 Canum Venaticorum.  From the direction of α Linear Majoris towards 12 Canum Venaticorum.  From the direction of α Directed from γ Andromeda.  Fell vertically from a point about 2° to the right and above α Urse Majoris.  Passed γ East of Delphinus towards 18 Aquille.  Passed γ East of Delphinus towards 18 Aquille.  Passed γ East of Delphinus towards 18 Aquille.  Passed γ East of Delphinus towards 18 Aquille.  Passed γ East of Delphinus towards 18 Aquille.  Passed almost horizontally about 3° above α Aquarii; center of path opposite the star.  Horizontally from α point about 2° to the righ		T
From the direction of δ Ursen Majoris, disappeared perpendicularly below ζ Ursen Majoris,  Directed from τ Herculis, passed 4 shove β Herculis towards to phinchi.  From the direction of γ Ursen Majoris, passed between η Ursen Majoris and 12 Canum Venaticorum.  From the point near α Ursen Minoris to α Ursen Majoris.  Directed from R Draconis, passed horizontally across α Draconis.  Passed about 1° West and above α Draconis; the center of its track opposite that star.  From the direction of γ Pegasi, passed between 1 and γ Piscium.  From the direction of γ Ursen Majoris towards α Ursen Majoris.  Moved slowly from a point 2° from α Aquarii (measuring towards γ Aquarii), disappeared 1° 5 beyond that star towards Passed vertically about 3° to the left of β Andromedes; center of track opposite that star.  From near γ Piscium, disappeared near Fomalhaut.  Vertically from a point about 8° left of Fomalhaut.  From a point about 5° below γ Andromeda, disappeared just below γ Trianguli.  From a point about 5° below γ Andromeda, disappeared plast below γ Trianguli.  From 1 Aquarii, passed across κ and ε Capricorni to within 5° of Jupiter.  From 1 Aquarii, passed across κ and ε Capricorni.  From the direction of α Ursen Majoris towards 12 Canum Venaticorum.  From the direction of μ Cygni, passed β Pegasi; center of path opposite β Pegasi.  From direction of π Pegasi across μ Cygni.  γ below γ Pegasi, directed from γ Andromedea.  Fell vertically from a point about 2° to the right and above α Ursen Majoris.  Passed γ East of Delphinus towards α Aquilar.  Horizontally from a point about 2° to the right and above α Ursen Majoris.  Passed γ East of Delphinus towards α Aquilar.  Horizontally from a point about 3° above α Aguari; center of path opposite the star.  Horizontally from a point insis below a towards α Andromede.  Directed from γ Pegasi, passed to a Triecium.  Center of track between α and β Aquilar; path horizontal, South to West.  From the direction of β Arietis, passed across γ Piscium.  From the direction of β Pisc		
From the direction of γ Urse Majoris, passed between γ Urse Majoris and 12 Canum Venaticorum.  From the a point near α Urse Minoris to α Urse Majoris.  Passed about 1° West and above α Draconis, the center of its track opposite that star.  From the direction of γ Drasm Majoris towards α Urse Majoris.  Moved slowly from a point 2° from α Aquarii (measuring towards γ Aquarii), disappeared 1° 5 beyond that star towards Passed vertically about 3° to the left of β Andromedæ ; center of track opposite that star.  From near γ Piscium, disappeared near Fomalhaut.  From a point about 5° below γ Andromedæ, disappeared just below γ Trianguli.  From a point about 5° bolow γ Andromedæ, disappeared just below γ Trianguli.  From γ Urse Majoris, disappeared between γ and θ Draconis.  From 1 Aquarii, passed acress κ and ε Capricorni to within 5° of Jupiter.  From 1 Aquarii, passed acress κ and ε Capricorni to within 5° of Jupiter.  From 1 Aquarii, passed acress κ and ε Capricorni.  From the direction of κ Cygni, passed β Pegasi; center of path opposite β Pegasi.  From the direction of κ Cygni, passed β Pegasi; center of path opposite β Pegasi.  From the direction of κ Cygni, passed β Pegasi; center of path opposite β Pegasi.  From the direction of κ Cygni, passed β Pegasi; center of path opposite β Pegasi.  From the direction of κ Cygni, passed β Pegasi; center of path opposite β Pegasi.  From the direction of κ Pegasi across κ Cygni.  Yellow γ Pegasi, directed from γ Andromedæ.  From the direction of β Draconis towards κ Boötis.  Vertically from a point about a° to the right and above ε Ursæ Majoris.  Passed γ East of Delphinus towards ε Aquilæ.  Path horizontally from a point just below κ towards κ Andromedæ.  Directed from γ Pegasi, passed to ε Piscium.  From the direction of β Andromedæ at the horizontal, South to West.  Center of track between α and β Aquilæ; γ ahou γ Andromedæ.  From the direction of β Andromedæ in the direction of β Andromedæ.  From the direction of β Andromedæ in the direction of β Andromedæ.  From Pis		From the direction of \(\delta\) Ursæ Majoris, disappeared perpendicularly below \(\zeta\) Ursæ Majoris,
From a point near α Urse Minoris to α Urse Majoris.  Passed about 1º West and above α Draconis; the center of its track opposite that star.  From the direction of γ Pegasi, passed between 1 and γ Piscium.  From the direction of γ Pegasi, passed between 1 and γ Piscium.  From the direction of γ Pegasi, passed between 1 and γ Piscium.  From the direction of γ Pegasi, passed between 1 and γ Piscium.  From the direction of γ Pegasi, passed between 1 and γ Piscium.  Passed vertically about 3° to the left of β Andromeda, stenter of track opposite that star.  From a point about 8° left of Fomalhaut.  From a point about 8° left of Fomalhaut.  From γ Urse Majoris, disappeared near Fomalhaut.  From γ Urse Majoris, disappeared between η and θ Draconis.  From γ Urse Majoris, disappeared between η and θ Draconis.  Fell vertically from a Urse Majoris to the horizon.  Directed from γ Equuloi, passed close to β Capricorni to within 5° of Jupiter.  From the direction of α Urse Majoris towards 12 Canum Venaticorum.  From the direction of α Cygni, passed β Pegasi; center of path opposite β Pegasi.  From direction of α Pegasi across ρ Cygni.  7 below γ Pegasi, directed from γ Andromedæ.  Fell vertically from the direction of θ Draconis towards λ Boötis.  Vertically from a point about 2° to the right and above α Urse Majoris.  Passed γ East of Delphinus towards β Aquilie,  Path horizontal; disappeared near β Capricorni.  Horizontally from a point about 2° to the right and above α Urse Majoris.  Passed almost horizontally about 3° above α Aquarii; center of path opposite the star.  Horizontally from a point about 2° to the right and a Andromedæ.  From the direction of β Andromedæ, in the direction of β Andromedæ, passed g and γ Andromedæ.  From the direction of β Andromedæ, in the direction of β Andromedæ, γ Erom γ Pegasi to 5° West of α Andromedæ, γ Erom γ Pegasi to 5° West of α Andromedæ, γ Erom γ Persei lust above α Andromedæ, γ From γ Piscium to a point a few degrees above β Ceti.  Appeared near γ Praconis γ Or λ Praconis, pass	4	Directed from τ Herculis, passed 4° above β Herculis towards ι Ophiuchi.
Passed about 1 *West and above a Draconis; he center of its track opposite that star.  From the direction of γ Dragasi, passed between ι and γ Discium.  From the direction of γ Dragasi, passed between ι and γ Discium.  From the direction of γ Dragasi, passed between ι and γ Discium.  From the direction of γ Dragasi, passed between ι and γ Discium.  Moved slowly from a point 2° from α Aquarii (measuring towards γ Aquarii), disappeared 1° · 5 beyond that star towards γ Passed vertically about 3° to the left of β Andromedæ ; center of track opposite that star.  From near γ Discium, disappeared near Fomalhaut.  From a point about 5° below γ Andromedæ, disappeared just below γ Trianguli.  From a point about 5° below γ Andromedæ, disappeared just below γ Trianguli.  From a point about 5° below γ Andromedæ, disappeared just below γ Trianguli.  From a point about 5° below γ Andromedæ.  Fell vertically from a toward star of the passed serves γ and γ Capricorni.  From the direction of α Ursæ Majoris towards 12 Canum Venaticorum.  From the direction of α Ursæ Majoris towards 12 Canum Venaticorum.  From the direction of α Ursæ Majoris towards 12 Canum Venaticorum.  From the direction of α Lysæ Majoris towards 12 Canum Venaticorum.  From the direction of α Pagasi across γ Cygni.  γ below γ Pagas, directed from γ Andromedæ.  From the direction of α Cygni, passed β Pagasi; center of path opposite β Pagasi.  From the direction of α Pagasi across γ Cygni.  Horizontally from a point just below a towards α Andromedæ.  From the direction of α Pagasi passed to α Paicum.  Center of track between α and β Aquille; path horizontal, South to West.  Passed almost horizontally about 3° above α Aquarii; center of path opposite the star.  From the direction of β Andromedæ in the direction of β Andromedæ.  From the direction of β Andromedæ in the direction of β Andromedæ.  From the direction of β Andromedæ in the direction of β Andromedæ.  From the direction of β Andromedæ in the direction of β Andromedæ.  From the direction of α Pandromedæ		
Passed about 1° West and above α Draconis; the center of its track opposite that star.  From the direction of γ Pegasi, passed between ν and γ Piscium.  From the direction of γ Pegasi, passed between ν and γ Piscium.  Passed vertically about 3° to the left of β Andromeda; center of track opposite that star.  From near γ Piscium, disappeared near Fomalhaut.  Vertically from a point about 8° left of Fomalhaut.  From a point about 8° left of Fomalhaut.  From a point about 8° left of Fomalhaut.  From γ Ursa Majoris, disappeared between ν and θ Draconis.  From γ Ursa Majoris to the horizon.  Directed from γ Equulei, passed close to β Capricorni to within 5° of Jupiter.  From Aquarii, passed acress ν and ν Capricorni to within 5° of Jupiter.  From the direction of ν Ursa Majoris towards 12 Canum Venaticorum.  From the direction of ν Ursa Majoris towards 12 Canum Venaticorum.  From the direction of ν Lygni, passed β Pegasi; center of path opposite β Pegasi.  From vertically from a point about 2° to the right and above ν Ursa Majoris.  Vertically from a point about 2° to the right and above ν Ursa Majoris.  Passed γ East of Delphinus towards β Aquilæ.  Path horizontal; disappeared near δ Capricorni.  Horizontally from a point tabout 2° to the right and above ν Ursa Majoris.  Passed almost horizontally about 3° above ν Aquarii; center of path opposite the star.  Horizontally from γ Pegasi, passed to ν Piscium.  Center of track between α and β Aquilæ; path horizontal, South to West.  Passed almost horizontally about 3° above ν Aquarii; center of path opposite the star.  From γ Draconis to α Dyrae.  From the direction of β Andromedæ, passed 3 and γ Andromedæ.  From the direction of β Aprices, passed across γ Piscium.  From Passed just above ρ Andromedæ, passed y and γ Andromedæ.  From α Piscium to a point a fow the degrees above β Ceti.  Appeared near γ Draconis; point of disappearence α Ursa Majoris.  From a point about 3° momentally below α Delphin, disappeared bear ι Piscium.  From the direction of λ Andromedæ, passed	- 1	
From the direction of γ Ursæ Majoris towards τ Ursæ Majoris.   Moved slowly from a point z² form a Aquarii (measuring towards γ Aquarii), disappeared 1°·5 beyond that star towards   Passed vertically about 3° to the left of β Andromedæ; center of track opposite that star.   From near γ Piscium, disappeared near Fomalhaut.   Vertically from a point about 8° left of Fomalhaut.   From σ point about 8° left of Fomalhaut.   From σ point about 8° left of Fomalhaut.   From σ point about 8° left of Fomalhaut.   From γ Ursæ Majoris, disappeared between η and θ Draconis.   From the direction of μ Ursæ Majoris to the horizon.   Directed from γ Equulei, passed close to β Capricorni to within 5° of Jupiter.   From the direction of μ Ursæ Majoris towards 12 Canum Venaticorum.   From the direction of μ Ursæ Majoris towards 12 Canum Venaticorum.   From the direction of μ Ursæ Majoris towards 12 Canum Venaticorum.   From the direction of μ Ursæ Majoris towards 12 Canum Venaticorum.   From the direction of μ Ursæ Majoris towards 12 Canum Venaticorum.   From the direction of μ Ursæ Majoris towards 12 Canum Venaticorum.   From the direction of μ Ursæ Majoris towards 2 Desired (Prom γ Desired (Pro	8	Passed about 1° West and above a Draconis; the center of its track opposite that star.
Moved slowly from a point 2° from a Aquarii (measuring towards γ Aquarii), disappeared 1° 5 beyond that star towards  Prom near γ Piscium, disappeared near Fomalhaut.  Vertically from a point about 5° below γ Andromedæ, disappeared just below γ Trianguli.  From γ Dirace Majoris, disappeared between γ and θ Draconis.  Directed from γ Equalej, passed close to β Capricorni to within 5° of Jupiter.  From Λquarii, passed across κ and ε Capricorni.  From the direction of ε Ursæ Majoris towards 12 Canum Venaticorum.  From the direction of μ Cygni, passed slose γ β Capricorni.  From the direction of μ Cygni, passed slose γ β Capricorni.  From direction of ε Pegasi across κ γ γ γ γ γ γ γ γ γ γ γ γ γ γ γ γ γ γ	9	From the direction of $\gamma$ Pegasi, passed between $\iota$ and $\gamma$ Piscium.
Passed vertically about 3° to the left of β Andromedæ; center of track opposite that star.  From near γ Discium, disappeared near Fomalhaut.  Vertically from a point about 8° left of Fomalhaut.  From a point about 5° left of Fomalhaut.  From a point about 5° left of Fomalhaut.  From γ Ursæ Majoris, disappeared between η and θ Draconis.  Fell vertically from ε Ursæ Majoris to the horizon.  Directed from γ Equulci, passed close to β Capricorni to within 5° of Jupiter.  From ι Aquarii, passed across κ and ε Capricorni.  From the direction of ε Ursæ Majoris towards 1: 2 Canum Venaticorum.  From the direction of ε Ursæ Majoris towards 1: 2 Canum Venaticorum.  From the direction of ε Ursæ Majoris towards 1: 2 Canum Venaticorum.  From the direction of ε Ursæ Majoris towards 1: 2 Canum Venaticorum.  From the direction of ε Ursæ Majoris towards 3: 2 Canum Venaticorum.  From the direction of ε Ursæ Majoris towards 3: 2 Canum Venaticorum.  From the direction of σ Pagasi across μ Cygni.  7° below γ Pegasi, directed from η Andromedæ.  Fell vertically from a point about 2° to the right and above • Ursæ Majoris.  Vertically from a point about 2° to the right and above • Ursæ Majoris.  Passed γ² East of Delphinus towards θ Aquilæ.  Path horizontal; disappeared near δ Capricorni.  Horizontally from a point just below α towards π Andromedæ.  Directed from γ Pegasi, passed to « Piscium.  Center of track between α and β Aquilæ, path horizontal, South to West.  Passed almost horizontally about 3° above α Aquarni; center of path opposite the star.  Horizontally about 5° above α Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Andromedæ, passed ξ and η Andromedæ;  From γ Praconis to α Lyræ.  From ν Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed just above ρ Andromedæ in the direction of β Andromedæ.  From ν Piscium to a point a few degrees above β Ceti.  From a Piscium to a point a bout 3° wested in the direction of δ Lyræ, Pegasi.  From		From the direction of $\gamma$ Ursæ Majoris towards $\epsilon$ Ursæ Majoris.
From near γ Piscium, disappeared near Fomalhaut.  Vertically from a point about 5° below γ Andromedæ, disappeared just below γ Trianguli.  From γ Ursæ Majoris, disappeared between η and θ Draconis.  Fell vertically from ε Ursæ Majoris to the horizon.  Directed from γ Equulei, passed close to β Capricorni to within 5° of Jupiter.  From ε Aquarii, passed acress ε and ε Capricorni.  From the direction of ε Ursæ Majoris towards 12 Canum Venaticorum.  From the direction of ε Ursæ Majoris towards 12 Canum Venaticorum.  From the direction of ε Ursæ Majoris towards 12 Canum Venaticorum.  From the direction of ε Vergai passed β Pegasi; center of path opposite β Pegasi.  From direction of ε Vergai passed γ Pegasi; center of path opposite β Pegasi.  From direction of ε Degasi across μ Cygni.  γ below γ Pegasi, directed from γ Andromedæ.  Fell vertically from a point about 2° to the right and above ε Ursæ Majoris.  Passed γ East of Delphinus towards ε Andromedæ.  Path horizontal; disappeared near ε Capricorni.  Horizontally from γ pegasi, passed to ε Piscium.  Center of track between ε and β Aquilæ; path horizontal, South to West.  Passed almost horizontally about 3° above ε Aquari; center of path opposite the star.  Horizontally about 5° above ε Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Ardromedæ, passed ζ and η Andromedæ.  From the direction of γ Pegasi to 5° West of ε Andromedæ;  From γ Draconis to a Lyræ.  From the direction of δ Spriciim towards π Piscium.  Passed just above ρ Andromedæ in the direction of β Andromedæ.  From α Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearenance γ Ursæ Majoris.  From α Piscium to a point a few degrees above β Ceti.  Appeared near η Praconis; point of disappearenance γ Ursæ Majoris.  From the direction of δ A Draconis, passed just above ρ Andromedæ.  From the direction of δ Aprice is passed between π and θ Lyræ.  From the direction of δ Aprice is passed between π and θ Lyræ.  From the direction of δ Aprice is	1	Moved slowly from a point 2° from α Aquarii (measuring towards γ Aquarii), disappeared 1° 5 beyond that star towards α Aquarii (passed wortigelly about 2° to the left of α Andromeds a contact of track opposite that star
Vertically from a point about 8° left of Formalhaut.  From a point about 5° below γ Andromedae, disappeared just below γ Trianguli.  From γ Urse Majoris, disappeared between η and θ Draconis.  From γ Urse Majoris, disappeared between η and θ Draconis.  From ι Aquarii, passed acress κ and ι Capricorni to within 5° of Jupiter.  From ι Aquarii, passed acress κ and ι Capricorni.  From the direction of ι Urses Majoris to wards 12 Canum Venaticorum.  From the direction of ι Urses Majoris towards 12 Canum Venaticorum.  From the direction of ν Pegasi acress μ Cygni.  γ° below γ Pegasi, directed from η Andromedae.  From direction of π Pegasi acress μ Cygni.  γ° below γ Pegasi, directed from η Andromedae.  Fell vertically from a point about 2° to the right and above ε Urse Majoris.  Passed γ° East of Delphinus towards θ Aquilæ.  Path horizontal; disappeared near δ Capricorni.  Horizontally from a point just below α towards π Andromedæ.  Directed from γ Pegasi, passed to ω Piscium.  Center of track between α and β Aquilæ; path horizontal, South to West.  Passed almost horizontally about 5° above α Urses Majoris, disappeared near η Urse Majoris.  From the direction of β Andromede, passed ξ and η Andromedæ.  From γ Draconis to α Lyræ.  From the direction of β Africtis, passed across η Piscium.  Passed just above ρ Andromede in the direction of β Andromedæ.  From τρ Praconis to α Lyræ.  From the direction of β Pegasi is of β Andromedæ.  From α Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Urse Majoris.  From the direction of β Pegasi is above α Delphini, disappeared loss to ε Delphini.  From a point about 3° immediately below α Delphini, disappeared loss to ε Delphini.  From the direction of λ Draconis, passed just below δ Urse Majoris.  From the direction of λ Draconis, passed just above β Andromedæ.  From he direction of λ Draconis, passed just above β Andromedæ.  From the direction of λ Draconis, passed just above β Andromedæ.  From the direction of λ Draconis, passed	1	
From a point about 5° below γ Andromedæ, disappeared just below γ Trianguli. From γ Ursæ Majoris disappeared between γ and θ Draconis. Fell vertically from ε Ursæ Majoris to the horizon. Directed from γ Equulei, passed close to β Capricorni to within 5° of Jupiter. From ι Aquarii, passed across κ and ι Capricorni. From the direction of μ Cygni, passed β Pegasi; center of path opposite β Pegasi. From direction of π Pegasi across μ Cygni. 7° below γ Pegasi, directed from γ Andromedæ. Fell vertically from the direction of θ Draconis towards λ Boötis. Vertically from a point about 2° to the right and above • Ursæ Majoris. Passed γ East of Delphinus towards θ Aquilæ. Path horizontal; disappeared near δ Capricorni. Horizontally from a point just below α towards π Andromedæ. Directed from γ Pegasi, passed to ω Piscium. Center of track between α and β Aquilæ; path horizontal, South to West. Passed almost horizontally about 3° above ε Aquarii; center of path opposite the star. Horizontally π and β Aquilæ; disappeared near η Ursæ Majoris. From the direction of β Andromedæ, passed ζ and η Andromedæ. From the direction of γ Pegasi to 5° West of α Andromedæ; the center of path opposite the latter star. From γ Draconis to α Lyrα. From the direction of γ Pegasi to 5° West of α Andromedæ. From the direction of γ Pegasi to 5° West of α Andromedæ. From the direction of γ Pegasi to 5° West of α Andromedæ. From the direction of γ Pegasi to 5° West of α Andromedæ. From α Piscium to a point a few degrees above β Ceti. Appeared near η Draconis; point of disappearance η Ursæ Majoris. Passed just above γ Andromedæ in the direction of β Andromedæ. From α Piscium to a point of disappearance η Ursæ Majoris. Passed midway between α and γ Pegasi. disappeared near η Piscium. Passed midway between α and γ Pegasi. disappeared leose to ε Delphini. From the direction of α Draconis, passed just below δ Ursæ Majoris. From the direction of α Draconis, passed just above β Andromedæ. From the direction of α Draconis, passed just above β Andromedæ. F		Vertically from a point about 8° left of Fomalhaut.
Fell vertically from ε Ursæ Majoris to the horizon.    Directed from γ Equalei, passed close to β Capricorni to within 5° of Jupiter.   From the direction of ε Ursæ Majoris towards 12 Canum Venaticorum.   From the direction of π Pegasi across μ Cygni.   γ below γ Pegasi, directed from γ Andromedæ.   From direction of π Pegasi across μ Cygni.   γ below γ Pegasi, directed from γ Andromedæ.   Fell vertically from the direction of θ Draconis towards λ Boötis.   Vertically from a point about 2° to the right and above ε Ursæ Majoris.   Passed γ East of Delphinus towards θ Aquilæ.   Path horizontal; disappeared near δ Capricorni.   Horizontally from η a point just below π towards π Andromedæ.   Directed from γ Pegasi, passed to π Piscium.   Center of track between π and β Aquilæ; path horizontal, South to West.   Passed almost horizontally about 5° above ε Aquarii; center of path opposite the star.   Horizontally about 5° above π Augusti; center of path opposite the star.   Horizontally about 5° above π Augusti; center of path opposite the latter star.   From the direction of β Arientee, passed γ and π Andromedæ;   From the direction of β Arientee, passed γ and π Andromedæ.   From the direction of β Arientee, passed γ and π Andromedæ.   From the direction of β Arientee, passed γ and π Andromedæ.   From the direction of β Arientee, passed γ and π Andromedæ.   From the direction of δ Passed γ and π Andromedæ.   From the direction of δ Passed γ and π Andromedæ.   From the direction of δ Passed γ and π Andromedæ.   From the direction of δ Passed γ and π Andromedæ.   From the direction of δ Passed γ and π Andromedæ.   From the direction of δ Passed γ and π Andromedæ.   From the direction of δ Passed γ and π Andromedæ.   From τhe direction of δ Passed γ and π Andromedæ.   From τhe direction of δ Passed γ and π Andromedæ.   From τhe direction of δ Passed γ andromedæ γ Delphini, β appeared close to ε Delphini.   From the direction of δ Passed γ andromedæ γ Degasi.   From the direction of δ Padromedæ, passed just below δ Ursæ	1	From a point about 5° below γ Andromedæ, disappeared just below γ Trianguli.
Directed from γ Equulei, passed close to β Capricorni From the direction of ε Ursæ Majoris towards 12 Canum Venaticorum. From the direction of ε Ursæ Majoris towards 12 Canum Venaticorum. From the direction of ε Ursæ Majoris towards 12 Canum Venaticorum. From the direction of ε Pegasi across μ Cygni. γ below γ Pegasi, directed from η Andromedæ. Fell vertically from the direction of θ Draconis towards λ Boötis. Vertically from a point about 2° to the right and above • Ursæ Majoris. Passed γ ε East of Delphinus towards ε Aquilæ. Path horizontal; disappeared near δ Capricorni. Horizontally from a point just below α towards π Andromedæ. Directed from γ Pegasi, passed to α Piscium. Center of track between α and β Aquilæ; path horizontal, South to West. Passed almost horizontally about 3° above ε Aquarii; center of path opposite the star. Horizontally about 5° above α Ursæ Majoris, disappeared near η Ursæ Majoris. From the direction of β Andromedæ, passed ζ and η Andromedæ. From the direction of γ Pegasi to 5° West of α Andromedæ; the center of path opposite the latter star. From γ Draconis to α Lyræ. From the direction of β Arietis, passed across η Piscium. Passed just above φ Andromedæ in the direction of β Andromedæ. From the direction of δ Piscium towards π Piscium. Passed just above φ Andromedæ in the direction of β Andromedæ. From ε Piscium to a point a few degrees above β Ceti. Appeared near η Draconis; point of disappearance η Ursæ Majoris. Passed midway between α and γ Pegasi, disappeared near ι Piscium. Passed midway between α and γ Pegasi, disappeared near ι Piscium. Passed midway between α and γ Pegasi, disappeared near ι Piscium. Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti. From the direction of λ Draconis, passed just below δ Ursæ Majoris. From the direction of λ Draconis, passed just below δ Ursæ Majoris. From the direction of λ Draconis, passed just below δ Ursæ Majoris. From the direction of λ Draconis, passed just below δ Ursæ Majoris. From the direction of λ Draconis, p	- 1	
From 1 Aquarii, passed across κ and ε Capricorni. From the direction of ε Tegasi across μ Cygni.  7° below γ Pegasi, directed from η Andromedæ. Fell vertically from the direction of θ Draconis towards λ Boötis. Vertically from a point about 2° to the right and above • Ursæ Majoris. Passed γ° East of Delphinus towards θ Aquilæ. Path horizontal; disappeared near δ Capricorni. Horizontally from a point just below α towards π Andromedæ. Directed from γ Pegasi, passed to ω Piscium. Center of track between α and β Aquilæ; path horizontal, South to West. Passed almost horizontally about 3° above • Aquarii; center of path opposite the star. Horizontally from the direction of β Andromedæ, passed ζ and η Andromedæ. From the direction of β Andromedæ, passed ζ and η Andromedæ. From the direction of β Arietis, passed across η Piscium. From the direction of δ Priscium towards π Piscium. From the direction of δ Priscium towards π Piscium. From the direction of δ Priscium towards π Piscium. From the direction of δ Priscium towards π Piscium. From the direction of δ Priscium towards π Piscium. Fell vertically from ζ to 1 Draconis. From a Piscium to a point a few degrees above β Ceti. Appeared near η Draconis; point of disappearance η Ursæ Majoris. From a Piscium to a point a few degrees above β Ceti. Appeared near η Draconis; point of disappearance η Ursæ Majoris. From the direction of δ Priscium towards π Piscium. Path inclined 45° to vertical; meteor disappeared hout 4° above ι Ceti. From a point about 3° immediately below ν Delphini, disappeared close to ε Delphini. From the direction of δ Organi, passed between α and β Lyræ. From the direction of δ Priscius passed between α and β Lyræ. From the direction of δ Priscius passed situs below δ Ursæ Majoris. From the direction of δ Priscius passed between α and β Lyræ. From car τ Pegasi, passed alout δ θ Apuarii towards γ Pegasi. From the direction of δ Priscius passed towards γ Pegasi. From the direction of δ Priscius of A Pegasi towards γ Pegasi. From the direction of δ Prisci		Pell vertically from ε Ursæ Majoris to the horizon.  Directed from α Familei, passed close to β Capricorni to within 5° of Juniter
From the direction of a Ursæ Majoris towards 12 Canum Venaticorum.  From the direction of π Pegasi across μ Cygni.  7° below γ Pegasi, directed from η Andromedæ.  Fell vertically from the direction of θ Draconis towards λ Boötis.  Vertically from a point about 2° to the right and above • Ursæ Majoris.  Pasth horizontal; disappeared near δ Capricorni.  Horizontally from a point just below α towards π Andromedæ.  Directed from γ Pegasi, passed to α Piscium.  Center of track between α and β Aquilæ; path horizontal, South to West.  Passed almost horizontally about 3° above • Aquarii; center of path opposite the star.  Horizontally about 5° above α Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Andromedæ, passed ζ and η Andromedæ.  From the direction of γ Pegasi passed across η Piscium.  Passed just above γ Andromedæ in the direction of β Andromedæ.  From the direction of β Piscium towards π Piscium.  Passed just above γ Andromedæ in the direction of β Andromedæ.  From the direction of β Piscium towards π Piscium.  Passed midway between α and γ Pegasi, disappeared near · Piscium.  Path inclined 45° to vertical; metcer disappeared near · Piscium.  Path inclined 45° to vertical; metcer disappeared about 4° above ε Ceti.  From a point about 3° immediately below ε Delphini, disappeared close to ε Delphini.  From the direction of λ Cygni, passed just below δ Ursæ Majoris.  From the direction of λ Oraconis, passed just below δ Ursæ Majoris.  From the direction of λ Oraconis, passed just below δ Ursæ Majoris.  From the direction of λ Oraconis, passed just below δ Ursæ Majoris.  From the direction of λ Oraconis, passed just below δ Delphini, disappeared close to ε Delphini.  From the direction of λ Oraconis, passed just below δ Ursæ Majoris.  From the direction of λ Oraconis, passed just above β Andromedæ.  From he direction of λ Oraconis, passed just above β Andromedæ.  From the direction of λ Oraconis, passed just above β Andromedæ.  From the direction of λ Oraconis passed just above β Andromedæ.	1	
From direction of π Pegasi across μ Cygni.  γ below γ Pegasi, directed from η Andromedæ.  Fell vertically from the direction of θ Draconis towards λ Boötis.  Vertically from a point about 2° to the right and above • Ursæ Majoris.  Passed γ East of Delphinus towards θ Aquilæ.  Path horizontal; disappeared near δ Capricorni.  Horizontally from a point just below α towards π Andromedæ.  Directed from γ Pegasi, passed to ω Piscium.  Center of track between α and β Aquilæ; path horizontall, South to West.  Passed almost horizontally about 3° above • Aquarti; center of path opposite the star.  Horizontally about 5° above α Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Andromedæ, passed ζ and η Andromedæ.  From the direction of γ Pegasi to 5° West of α Andromedæ; the center of path opposite the latter star.  From the direction of β Arietis, passed across η Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Fell vertically from ζ to ι Draconis.  From α Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between α and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From π a point about 3° immediately below ν Delphini, disappeared close to ι Delphini.  From the direction of δ Cygni, passed between α and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From the direction of τe Pleiades towards λ Ceti.  Directed from τ Pegasi, passed midway between β and α Pegasi.  From the direction of τe Pleiades towards γ Pegasi.  From λ Ceti towards δ Ceti.  From λ Ceti towards δ Ceti.  Directed from τ Pegasi, passed midway between β and α Pegasi.  From λ Persei, passed about 5° above β Andromedæ;  Passed midway between γ and β Piscium t right angles to their joining lines; center of track opposite β Pisciu	- 1	From the direction of & Ursæ Majoris towards 12 Canum Venaticorum.
7° below γ Pegasi, directed from η Andromedæ. Fell vertically from the direction of θ Draconis towards λ Boötis. Vertically from a point about 2° to the right and above • Ursæ Majoris. Passed γ° East of Delphinus towards θ Aquilæ. Path horizontal; disappeared near δ Capricorni. Horizontally from a point just below α towards π Andromedæ. Directed from γ Pegasi, passed to ω Piscium. Center of track between α and β Aquilæ; path horizontal, South to West. Passed almost horizontally about 5° above α Lyræ Majoris, disappeared near η Ursæ Majoris. From the direction of β Andromedæ, passed ζ and η Andromedæ. From the direction of β Pegasi to 5° West of α Andromedæ; the center of path opposite the latter star. From γ Draconis to α Lyræ. From the direction of β Arietis, passed across η Piscium. Passed just above φ Andromedæ in the direction of β Andromedæ. From the direction of δ Piscium towards π Piscium. Passed just above φ Andromedæ in the direction of β Andromedæ. From a Piscium to a point a few degrees above β Ceti. Appeared near η Draconis; point of disappeared near ι Piscium. Passed midway between α and γ Pegasi, disappeared near ι Piscium. Passed midway between α and γ Pegasi, disappeared near ι Piscium. Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti. From a point about 3° immediately below e Delphini, disappeared close to ι Delphini. From the direction of δ Draconis, passed just below δ Ursæ Majoris. From the direction of δ Pegasi towards γ Pegasi. Fell from a point about 3° West of d Pegasi towards γ Pegasi. Fell from a point about 3° West of d Pegasi towards γ Pegasi. From the direction of τhe Pleiades towards λ Ceti. Directed from γ Pegasi, passed φ above α Andromedæ; motion slow. Passed a little below δ and ε Aquarii towards Fomalhaut; center of track opposite δ Aquarii. From γ Persei, passed about 5° above α Andromedæ; From γ Persei, passed about 5° above β Piscium.		From the direction of $\mu$ Cygni, passed $\beta$ Pegasi; center of path opposite $\beta$ Pegasi.
Fell vertically from the direction of θ Draconis towards λ Böötis.  Yetically from a point about 2° to the right and above • Ursæ Majoris.  Passed γ East of Delphinus towards θ Aquilæ.  Path horizontal; disappeared near δ Capricorni.  Horizontally from a point just below ω towards π Andromedæ.  Directed from γ Pegasi, passed to ω Piscium.  Canter of track between ω and β Aquilæ; path horizontal, South to West.  Passed almost horizontally about 3° above ε Aquarii; center of path opposite the star.  Horizontally about 5° above ω Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Andromedæ, passed ζ and η Andromedæ;  From γ Draconis to ω Lyræ.  From γ Draconis to ω Lyræ.  From the direction of β Andromedæ in the direction of β Andromedæ.  From the direction of δ Priscium towards π Piscium.  Passed just above ε Andromedæ in the direction of β Andromedæ.  From the direction of δ Priscium towards π Piscium.  From ω Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between ω and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of λ Draconis, passed just below δ Degasi.  From the direction of λ Draconis, passed just below δ Degasi.  From the direction of λ Draconis, passed just below δ Degasi.  From the direction of λ Draconis, passed just below δ Degasi.  From the direction of δ Nadromedæ, passed just above β Andromedæ.  From the direction of δ Nadromedæ, passed just above β Andromedæ.  From the direction of δ Nadromedæ, passed β An		From direction of $\pi$ Pegasi across $\mu$ Cygni.
Vertically from a point about 2° to the right and above • Ursæ Majoris.  Passed γ° East of Delphinus towards θ Aquilæ.  Path horizontal; disappeared near δ Capricorni.  Horizontally from a point just below α towards π Andromedæ.  Directed from γ Pegasi, passed to α Piscium.  Center of track between α and β Aquilæ; path horizontal, South to West.  Passed almost horizontally about 3° above • Aquarii; center of path opposite the star.  Horizontally about 5° above α Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Andromedæ, passed ζ and η Andromedæ.  From the direction of γ Pegasi to 5° West of α Andromedæ; the center of path opposite the latter star.  From γ Draconis to α Lyræ.  From the direction of δ Piscium towards π Piscium.  Passed just above ρ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Fell vertically from ζ to • Draconis.  From α Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappeared near ι Piscium.  Passed midway between α and η Pegasi, disappeared near ι Piscium.  Passed midway between α and η Pegasi, disappeared about 4° above • Ceti.  From a point about 3° immediately below ε Delphini, disappeared close to ε Delphini.  From the direction of δ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Vogni, passed between α and β Lyræ.  From the direction of δ Vogni, passed between α and β Lyræ.  From the direction of δ Andromedæ, passed just above β Andromedæ.  From the direction of δ Pegasi towards γ Pegasi.  From the direction of δ Pegasi towards γ Pegasi.  From the direction of δ Pegasi towards γ Pegasi.  From the direction of δ Pegasi towards γ Pegasi.  From the direction of δ Pegasi towards γ Pegasi.  From γ Persei, passed above δ Andromedæ; motion slow.  Passed a little below δ and ε Aquarii towards Fomalhaut; center of track opposite δ Aquarii.  From γ Persei, passed above β Piscium.		7 below y regast, directed from a Andromedæ.  Fell vertically from the direction of a Dreconic towards a Boötis.
Passed γ° East of Delphinus towards θ Aquilæ.  Path horizontal; disappeared near δ Capricorni.  Horizontally from a point just below α towards π Andromedæ.  Directed from γ Pegasi, passed to ω Piscium.  Center of track between α and β Aquilæ; path horizontal, South to West.  Passed almost horizontally about 3° above ι Aquarii; center of path opposite the star.  Horizontally about 5° above α Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Andromedæ, passed ζ and η Andromedæ.  From the direction of β Arietis, passed across η Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Path inclined 45° to vertical; meteor disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From a point about 3° immediately below e Delphini, disappeared close to ι Delphini.  From the direction of δ Cygni, passed between α and β Lyræ.  From near π Pegasi, passed midway between β and α Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From the direction of the Pleiades towards λ Ceti.  Directed from γ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below δ and ε Aquarii towards Fomalhaut; center of track opposite δ Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		Vertically from a point about 2° to the right and above • Ursæ Majoris.
Horizontally from a point just below α towards π Andromedæ.  Directed from γ Pegasi, passed to α Piscium.  Center of track between α and β Aquilæ; path horizontal, South to West.  Passed almost horizontally about 3° above ε Aquarii; center of path opposite the star.  Horizontally about 5° above α Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Andromedæ, passed ζ and η Andromedæ.  From the direction of β Andromedæ, passed ζ and η Andromedæ.  From γ Draconis to α Lyræ.  From the direction of δ Arietis, passed across η Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Passed just above φ Andromedæ in the direction.  From ω Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between α and γ Pegasi, disappeared close to ε Delphini.  From α point about 3° immediately below ν Delphini, disappeared close to ε Delphini.  From the direction of δ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Organi, passed between α and β Lyræ.  From the direction of δ Organi, passed just above β Andromedæ.  From the direction of δ Pegasi towards γ Pegasi.  From the direction of τhe Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below δ and ε Aquarii towards Fomalhaut; center of track opposite δ Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		Passed 7° East of Delphinus towards $\theta$ Aquilæ.
Directed from γ Pegasi, passed to ω Piscium.  Center of track between α and β Aquilæ; path horizontal, South to West.  Passed almost horizontally about 3° above ε Aquarii; center of path opposite the star.  Horizontally about 5° above α Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Andromedæ, passed ζ and η Andromedæ.  From the direction of γ Pegasi to 5° West of α Andromedæ; the center of path opposite the latter star.  From γ Draconis to α Lyræ.  From the direction of β Arietis, passed across η Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Fell vertically from ζ to ι Draconis.  From ω Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between α and γ Pegasi. disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From a point about 3° immediately below ε Delphini, disappeared close to ι Delphini.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Cygni, passed between α and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of τhe Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below δ and ε Aquarii towards Fomalhaut; center of track opposite δ Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		Path horizontal; disappeared near & Capricorni.
Center of track between α and β Aquilæ; path horizontal, South to West.  Passed almost horizontally above ι Aquarii; center of path opposite the star.  Horizontally about 5° above α Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Andromedæ, passed ζ and η Andromedæ.  From the direction of γ Pegasi to 5° West of α Andromedæ; the center of path opposite the latter star.  From γ Draconis to α Lyræ.  From the direction of β Arietis, passed across η Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From ω Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappeared near ι Piscium.  Passed midway between α and γ Pegasi, disappeared alout 4° above ι Ceti.  From a point about 3° immediately below ω Delphini, disappeared close to ι Delphini.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of λ Cygni, passed between α and β Lyræ.  From the direction of δ Cygni, passed between α and α Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below δ and ε Aquarii towards Fomalhaut; center of track opposite δ Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.	1	
Passed almost horizontally about 3° above a Aquarii; center of path opposite the star.  Horizontally about 5° above α Ursæ Majoris, disappeared near η Ursæ Majoris.  From the direction of β Andromedæ, passed ζ and η Andromedæ.  From the direction of γ Pegasi to 5° West of α Andromedæ; the center of path opposite the latter star.  From γ Draconis to α Lyræ.  From the direction of β Arietis, passed across η Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Fell vertically from ζ to ι Draconis.  Fell vertically from ζ to ι Draconis.  Passed midway between α and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared alout 4° above ι Ceti.  From a point about 3° immediately below ε Delphini, disappeared close to ι Delphini.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Cygni, passed between α and β Lyræ.  From near τ Pegasi, passed midway between β and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of τ Pegasi, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and ε Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.	30	Center of track between α and β Aquilæ: path horizontal. South to West.
From the direction of β Andromedæ, passed ζ and η Andromedæ.  From the direction of γ Pegasi to 5° West of α Andromedæ; the center of path opposite the latter star.  From γ Draconis to α Lyræ.  From the direction of β Arietis, passed across η Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Fell vertically from ζ to ι Draconis.  From ω Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between α and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From a point about 3° immediately below e Delphini, disappeared close to ι Delphini.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of λ Oraconis, passed between α and β Lyræ.  From the direction of δ Cygni, passed between α and β Lyræ.  From near τ Pegasi, passed midway between β and α Pegasi.  From λ Ceti towards δ Ceti.  From the direction of τ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.	31	Passed almost horizontally about 3° above & Aquarii; center of path opposite the star.
From the direction of γ Pegasi to 5° West of α Andromedæ; the center of path opposite the latter star.  From γ Draconis to α Lyræ.  From the direction of β Arietis, passed across η Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Fell vertically from ζ to ι Draconis.  From α Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between α and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From a point about 3° immediately below ε Delphini, disappeared close to ι Delphini.  From the direction of δ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Cygni, passed between α and β Lyræ.  From near τ Pegasi, passed midway between β and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  From the direction of the Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.	32	Horizontally about 5° above a Ursæ Majoris, disappeared near y Ursæ Majoris.
From γ Draconis to α Lyra.  From the direction of β Arietis, passed across η Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Fell vertically from ζ to ι Draconis.  Fell vertically from ζ to ι Draconis.  From ω Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between α and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From a point about 3° immediately below ε Delphini, disappeared close to ι Delphini.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Cygni, passed between α and β Lyræ.  From near τ Pegasi, passed midway between β and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  From λ Ceti towards δ Ceti.  From λ Ceti towards δ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and ε Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		From the direction of $\beta$ Andromedæ, passed $\zeta$ and $\eta$ Andromedæ.
From the direction of β Arietis, passed across η Piscium.  Passed just above φ Andromedæ in the direction of β Andromedæ.  From the direction of δ Piscium towards π Piscium.  Fell vertically from ζ to ι Draconis.  From ω Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between ω and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4 ° above ι Ceti.  From a point about 3° immediately below ω Delphini, disappeared close to ι Delphini.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of λ Cygni, passed between ω and β Lyræ.  From near τ Pegasi, passed midway between β and ω Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  From the direction of the Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above ω Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		
Passed just above φ Andromedæ in the direction of β Andromedæ. From the direction of δ Piscium towards π Piscium. Fell vertically from ζ to Draconis. From ω Piscium to a point a few degrees above β Ceti. Appeared near η Draconis; point of disappearance η Ursæ Majoris. Passed midway between ω and γ Pegasi, disappeared near ι Piscium. Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti. From a point about 3° immediately below e Delphini, disappeared close to ι Delphini. From the direction of λ Draconis, passed just below δ Ursæ Majoris. From the direction of δ Cygni, passed between ω and β Lyræ. From near τ Pegasi, passed midway between β and ω Pegasi. Fell from a point about 3° West of d Pegasi towards γ Pegasi. From the direction of φ Andromedæ, passed just above β Andromedæ. From λ Ceti towards δ Ceti. From the direction of the Pleiades towards λ Ceti. Directed from τ Pegasi, passed 4° above ω Andromedæ; motion slow. Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii. From γ Persei, passed about 5° above β Persei. Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		
From the direction of δ Piscium towards π Piscium.  Fell vertically from ζ to ι Draconis.  From ω Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between ω and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From a point about 3° immediately below ε Delphini, disappeared close to ι Delphini.  From the direction of δ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Cygni, passed between ω and β Lyræ.  From near τ Pegasi, passed midway between β and ω Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  From the direction of the Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above ω Andromedæ; motion slow.  Passed a little below δ and c Aquarii towards Fomalhaut; center of track opposite δ Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.	37	Passed just above $\varphi$ Andromedæ in the direction of $\beta$ Andromedæ.
From ω Piscium to a point a few degrees above β Ceti.  Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between α and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From a point about 3° immediately below ε Delphini, disappeared close to ε Delphini.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Cygni, passed between α and β Lyræ.  From near τ Pegasi, passed midway between β and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.	38	
Appeared near η Draconis; point of disappearance η Ursæ Majoris.  Passed midway between α and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From a point about 3° immediately below e Delphini, disappeared close to ι Delphini.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Cygni, passed between α and β Lyræ.  From near τ Pegasi, passed midway between β and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  From the direction of the Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.	39	Fell vertically from \(\zeta\) to \(\ell\) Draconis.
Passed midway between α and γ Pegasi, disappeared near ι Piscium.  Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From a point about 3° immediately below e Delphini, disappeared close to ι Delphini.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Cygni, passed between α and β Lyræ.  From near τ Pegasi, passed midway between β and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.	40	Appeared near m Draconis a noint of disappearance m Ursee Majoris.
Path inclined 45° to vertical; meteor disappeared about 4° above ι Ceti.  From a point about 3° immediately below ε Delphini, disappeared close to ι Delphini.  From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Cygni, passed between α and β Lyræ.  From near τ Pegasi, passed midway between β and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  From the direction of the Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		
From the direction of λ Draconis, passed just below δ Ursæ Majoris.  From the direction of δ Cygni, passed between α and β Lyræ.  From near τ Pegasi, passed midway between β and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  From the direction of the Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.	43	Path inclined 45° to vertical; meteor disappeared about 4° above. Ceti.
From the direction of δ Cygni, passed between α and β Lyræ. From near τ Pegasi, passed midway between β and α Pegasi. Fell from a point about 3° West of d Pegasi towards γ Pegasi. From the direction of φ Andromedæ, passed just above β Andromedæ. From λ Ceti towards δ Ceti. From the direction of the Pleiades towards λ Ceti. Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow. Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii. From γ Persei, passed about 5° above β Persei. Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		
From near τ Pegasi, passed midway between β and α Pegasi.  Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  From the direction of the Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		
Fell from a point about 3° West of d Pegasi towards γ Pegasi.  From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  From the direction of the Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		
From the direction of φ Andromedæ, passed just above β Andromedæ.  From λ Ceti towards δ Ceti.  From the direction of the Pleiades towards λ Ceti.  Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.  Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.  From γ Persei, passed about 5° above β Persei.  Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.		Fell from a point about 3° West of d Pegasi towards γ Pegasi.
<ul> <li>From λ Ceti towards δ Ceti.</li> <li>From the direction of the Pleiades towards λ Ceti.</li> <li>Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.</li> <li>Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.</li> <li>From γ Persei, passed about 5° above β Persei.</li> <li>Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.</li> </ul>	49	From the direction of $\varphi$ Andromedæ, passed just above $\beta$ Andromedæ.
<ul> <li>Directed from τ Pegasi, passed 4° above α Andromedæ; motion slow.</li> <li>Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.</li> <li>From γ Persei, passed about 5° above β Persei.</li> <li>Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.</li> </ul>	50	
<ul> <li>Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.</li> <li>From γ Persei, passed about 5° above β Persei.</li> <li>Passed midway between γ and β Piscium at right angles to their joining lines; center of track opposite β Piscium.</li> </ul>		
From $\gamma$ Persei, passed about 5° above $\beta$ Persei. Passed midway between $\gamma$ and $\beta$ Piscium at right angles to their joining lines; center of track opposite $\beta$ Piscium.	53	Passed a little below b and c Aquarii towards Fomalhaut; center of track opposite b Aquarii.
	54	From $\gamma$ Persei, passed about 5° above $\beta$ Persei.
$oomulate$ below $o$ and $\mu$ rersel.		
57 From the direction of Cossionais passed midway between 2 and . Conhair		
<ul> <li>From the direction of Cassiopeia, passed midway between β and γ Cephei.</li> <li>Across γ Andromedæ and β Persei.</li> </ul>		
59 From the direction of d to m Ursæ Majoris.	59	From the direction of d to m Ursæ Majoris.
<ul> <li>Passed about 1° below δ Persei, path nearly horizontal; center opposite the star.</li> <li>From α Cygni almost to β Cygni.</li> </ul>	60	Passed about 1° below 8 Persei, path nearly horizontal; center opposite the star.

Month and 1866.	Day,	'Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Numbe for Refer- ence.
		h m s							
August	7	13. 25. 50	H., S.	3	Blue	ı	Faint	12	1
	,,	13. 25. 56	w.	ī	Yellowish	I	Fine		2
	"	13. 26. 42	N., S.	3	Bluish-white		$\mathbf{Train}$	7	3
	"	13. 28. 24	) N.	3	Bluish-white		$\mathbf{None}$		4 5
	,,	13. 31. 26	N.	3	Blue	2	Faint	13	
	"	13. 31. 47	W.	3	Bluish-white	0.2	None	4	6
	"	13. 32. 40	H.	I	Yellow	1.2	Fine	10	7
	"	13. 34. 23	S.	I	Yellow	I	$egin{array}{c} \mathbf{None} \ \mathbf{Train} \end{array}$	5 5	8
	"	13. 34. 31	N. N.	2	Bluish-white Bluish-white		Train Train	15	9
	"	13. 36. 31	S.	2 I	Bluish-white	I	Fine	5	10
	**	13. 37. 24 13. 39. 53	N.	3	Bluish-white	0.4	Train		12
	"	13. 43. 3	N.,H.,W.,S.	> 1	Bluish-white	2.5	Fine, 2 8.	40	13
	"	13. 45. 3	N.	3	Blue	0.2	None	5	14
	"	13. 45. 53	H.	3	Blue	1	None	10	15
	"	13. 47. 48	S.	I	$\mathbf{Blue}$	I	$\mathbf{None}$		16
	"	13. 48. 13	w.	I	Bluish-white	0.5	None	Short	17
9) 9) 9) 9) 9) 9) 9) 9)	"	13.49. 6	н.	2	Blue	I	$\mathbf{None}$	10	18
	,,	13. 51. 38	W.	3	Bluish-white	I	None	7	19
	,,	13. 52. 37	H.	3	Blue	I	None	12	20
	"	13. 55. 35	H.	3	Blue	1	$\mathbf{N}$ one	6	21
	"	13. 55. 37	H.	2	Blue Blue	1	None Fine	10	22
	"	13. 57. 25	N N.	1 2		0.9	Train	20	
	"	13. 59. 30	N.	2 2	• • •		Train	20	24 25
	"	13. 59. 30 13. 59. 30	N.	ī	• • •		Train	20	26
	"	13. 59. 38	H.	i	Blue	ı	None	6	27
	"	14. 2.15	H.	ī	Blue	I	$\mathbf{Fine}$	10	28
	,,	14. 2. 18	s.	> 1	Bluish-white	1	$\mathbf{Fine}$	26	29
	,,	14. 2.26	H.	1	Blue	1	Train	15	30
	,,	14. 5.56	w.	3	Bluish-white	0.2	$\mathbf{None}$	7	31
	,,	14. 8.58	W.	3	Bluish-white	ı	None	5	32
	,,	14. 16. 53	w.	3	Bluish-white	0.2	None	• ;	33
	,,	14. 18. 56	H.	2	Blue	I	Faint Fine	6	34
	,,	14. 21. 59	H.	2	Bright blue Yellowish	I	Fine Fine	15	35
	,,	14. 22. 0	W. W.	1 2	Blue	ı	None	10	37
	,,	14. 25. 31	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2	·	•		10	3/
ugust	9	9. 13. 0	Т.	2	Blue	0.2	None	10	38
	,,	9.31.0	J.	1	Bluish-white	2	Fine	25	39
	,,	9. 3 <u>9</u> . 5 <u>0</u>	J.	2	Bluish	0.2	None	7	40
	,,	9. 46. 45	J.	2	Bluish Blue	0.2	$egin{array}{c} \mathbf{None} \\ \mathbf{Fine} \end{array}$	12	4I
	,,	9.47.0	н. н.	I	Blue	> 1	Fine	20 12	42 43
	"	9. 47. 30	H.	1 2	Blue	1	Fine	10	
	,,	9.47.45 9.50. o	Т.	ı	Blue	I	Fine	8	44 45
	"	9.52. 0	T.	i	Bluish-white	ı	Fine	8	46
	"	9.56. o	T.	I	Bluish-white	I	None		47
	,,	10. 0.22	w.		Bluish-white	0.2	None	10	48
	,,	10. 4.50	Т.	I	Bluish-white	I	Train	10	49
	"	10. 6. 5	w.	3	Bluish-white	0.2	Train	7	50
	"	10. 6.24	<u>J.</u>	• 2	Bluish	0.2	None	3	51
	"	10. 11. 15	H.	I	Blue	1	Train N	15	52
	"	10. 11. 23	J.	2	Bluish	0.5	None	8	53
	"	10. 12. 15	H.	2	Blue	Short	Train Bluich	I 2	54
	"	10. 12. 18	W., F.	I	Bluish-white	1.2	Bluish Slight		55 56
	,,	10. 16. 25	J.	2	Bluish Bluish-white	2	$egin{array}{c}  ext{Slight} \  ext{Train} \end{array}$	5	57
	"	10. 17. 14	T. H.	1	Bluisn-write Blue	I	Faint	10	58
	"	10. 18. 45	т.	2 I	Bluish-white	. 1	6° long	10	59
	"	10. 20. 17	J.	1	Bluish	2	Fine	18	60

## in the YEAR 1866—continued. Number Path of Meteor through the Stars. Reference. From the direction of c Muscæ, passed 1° above $\varepsilon$ Persei. Fell from a point about 10° West of $\alpha$ Aquilæ, past $\delta$ Aquilæ, and disappeared near $\lambda$ Aquilæ. 3 5° below Polaris, moving horizontally W. to E. From a point 5° above $\gamma$ Pegasi to a point 10° or 12° below $\alpha$ Pegasi. From the direction of $\beta$ Aquarii, passed slowly 5° below $\gamma$ Aquarii. 6 Passed about 3° below c Aquarii; the path inclined 45° to vertical; center opposite the star. From a point just below $\gamma$ Andromedæ to a point about 2° beyond $\beta$ Trianguli. Passed between $\theta$ and $\zeta$ Ceti; center of path 1° below $\eta$ Ceti. From the direction of Draconis, passed between s and & Ursæ Majoris. From δ Cygni, passed across γ Lyræ. 10 Passed horizontally with center of path 3° above $\theta$ Ceti. 11 From a point 5° to the left of Delphinus, passed across $\theta$ Aquilæ. From $\beta$ Andromedæ, passed across $\gamma$ Cassiopeiæ, and disappeared near $\gamma$ Cephei. Path inclined 20° to vertical, midway between $\beta$ and $\iota$ Ceti; fell towards S.E. horizon. 13 14 Vertically from a point 2° South of n Tarandi. From between $\gamma$ and $\beta$ Ursæ Minoris, and disappeared between $\varepsilon$ and $\zeta$ Ursæ Majoris. Passed about 5° above and West of $\alpha$ Ursæ Majoris, with center of path opposite that star. 16 17 18 Vertically from a point midway between δ and ζ Herculis. From a point about 4° above f Ursæ Majoris, passed about 4° above $\theta$ Ursæ Majoris. Vertically from a point 2° West of $\beta$ Boötis. 19 20 From the direction of α Lyræ, passed across γ Cygni. From the direction of α Equulei, passing about 2° above β Aquarii. 22 23 Passed a few degrees below $\omega$ Piscium; path inclined 45° to vertical. From $\eta$ Andromedæ, passed between $\beta$ and $\gamma$ Andromedæ. Passed 4° below $\alpha$ Pegasi; path inclined 20° from horizontal. Across $\iota$ Piscium. These three meteors started simultaneously from Pegasus. 24 25 26 27 From & Aquilæ. From the direction of α Lyræ, passed 3° North of ζ Herculis; center of path opposite ζ Herculis. 28 29 Fell from a Ursæ Minoris to a Ursæ Majoris. Vertically across & Herculis, the star in the center of its path. 30 From a point about 8° below and East of $\lambda$ Ceti, passed about 4° above $\gamma$ Ceti. From a point about 3° above $\theta$ Ceti, passed about 3° above $\beta$ Ceti. From the direction of Aldebaran towards $\nu$ Tauri, disappeared near $\mu$ Tauri. 31 32 33 Vertically from a point 2° East and below $\theta$ Aurigæ. 34 From the direction of $\tau$ Cygni, passing just below $\zeta$ Cygni, towards Delphinus. From about 2° to right of $\alpha$ Lyr $\alpha$ , passed midway between $\gamma$ and $\xi$ Draconis, disappearing close to $\beta$ Draconis. 35 36 37 From near Draconis towards and Rootis. Appeared near $\beta$ Ursæ Majoris, disappeared midway between $\delta$ and $\gamma$ Ursæ Majoris. 38 39 From about 15° West of & Ursæ Majoris, disappearing in the direction of Arcturus. Appeared about 10° North of $\alpha$ Cassiopeiæ, disappearing towards $\gamma$ Andromedæ. Appeared about 10° East of $\theta$ Ursæ Majoris, disappearing about 2° West of that star. 40 **4** I From the direction of $\mu$ Pegasi, passed about 3° above $\epsilon$ Pegasi towards $\alpha$ Equulei. 42 43 From the direction of λ Pegasi, passed between ε Pegasi and α Aquarii towards β Aquarii. From the direction of β Piscium, passed below γ Aquarii towards σ Piscium. Appeared about 3° above η Boötis, disappeared a few degrees beyond Arcturus. Appeared 5° below Arcturus, disappeared 2° below ζ Boötis. Appeared 2° below ε Pegasi, disappeared near α Aquarii. 44 45 46 47 48 From the direction of γ Ursæ Minoris, passed γ Cephei towards δ Cassiopeiæ. Appeared 3° to the left of $\zeta$ Ursæ Majoris, disappeared 5° beyond $\eta$ Ursæ Majoris. From a point about 3° above $\varphi$ Persei, passed $\xi$ Andromedæ. 51 From π Sagittarii, directed towards σ Sagittarii. 52 From the direction of $\alpha$ , passed about 3° below $\beta$ Aquarii; center of path opposite that star. 53 From $\theta$ Aquarii towards $\delta$ Aquarii. 5<sub>4</sub> Across & Pegasi; this star was the center of the track. From a point about 3° below β Ursæ Minoris, passing α Draconis to η Ursæ Majoris. 56 From a Equulei towards a Capricorni. Appeared 2° above λ Boötis, disappeared about 5° below ε Boötis. 57 From $\lambda$ Aquarii towards $\theta$ Capricorni. 58 Appeared 2° below β Ursæ Majoris, disappeared near λ Ursæ Majoris. 59 From a Equulei towards a Capricorni; same path as the meteor at 10h. 16m. 25s.

Month and Day, 1866.	Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Numl for Reference
	h m s						0	
August 9	10. 24. 28	F.	2	Bluish-white	0.2	$\mathbf{Slight}$	••	1
3)	10. 27. 10	w.	4	Bluish white	I	None Fine	20	3
**	10. 33. 30	J. H.	2	Bluish Blue	0.2	Fine Faint	4	1
**	10.35.58	N.	3	Bluish-white	0.4		6	5
"	10. 36. 21	T.	1	Bluish	1	None	12	6
**	10. 40. 13	Ñ.	3	Bluish-white	0.7	Slight	8	7
"	10.40.38	F.	2	Bluish-white	0.5	Long		8
,, ,,	10.44. 8	H.	3	Blue	I	None	10	9
» »	10. 45. 56	J.	2	Bluish	1.2	None	••	10
"	10.49.17	H.	1	$\mathbf{Blue}$	1	Faint	14	11
»	10.50.28	T.	I	Bluish	1	None	6	12
99	10.50.30	F.	3	Bluish-white	0.2	$\operatorname{Slight}$	1	13
"	10. 52. 55	J.	2	Bluish	1,2	Fine	::	15
,,,	10. 54. 26	H. T.	3	Blue	I	$f None \ Fine$	15	16
,,	10. 54. 28	T.	I	Bluish-white Blue	I	Fine Fine	7	I
77	10. 58. 27	н., J.	I	Blue	> 1	Train	19	18
"	11.0.14	j.	2	Bluish	1.5	Fine		19
99	11.7. 55	T.	ī	Bluish-white	ı	None	9	20
"	11.8.30	H.	i	Blue	2	Fine	20	2
"	11.9.45	H.	1	Blue	I	${f Train}$	12	22
), ), ), ),	11.11.15	J., T.	2	Bluish	0.5	None		2.
	11. 11. 42	Т.	1	Bluish-white	1	$\mathbf{N}$ one	16	24
	11. 13. 14	_T	I	Bluish-white	I	None	11	2
	11.19.8	H., J.	2	Blue	I	None	5	26
,,	11.19. 9	H., J.	2	Blue	I .	None Train	5 8	27
"	11.24.43	H. J.	1	Blue Bluish	3	Fine	25	20
"	11. 25. 21	J.	1	Bluish	3	Fine	30	30
"	11. 27. 45	T.	1 1	Bluish-white	I	Train	11	3
"	11. 27. 46	T.	l i l	Bluish-white	ı	None	8	32
"	11.30.35	H.	1	Bright blue	2	Train	6	33
"	11.30.37	H.	2	Blue	I	${f None}$	12	.34
,,	11. 35. 30	H., J.	1	Bluish	0.2	Fine	10	38
,,	11.36.30	H.	I	Blue	1	Train	10	30
,,	11.37. 0	H.	I	Blue	1	Train	15	3
,,	11. 45. 55	F.	1	Bluish-white		Train	1 ::	38
,,	11.46. 2	H.	> 1	Brilliant blue Bluish-white	2	Fine $12^{\circ}$ long.	25	3
,,	11. 46. 47	T. T.	= Jupiter	Blue	1 1	Train	17	40
"	11.48. 0 11.51. 5	H.	= Jupiter	Blue	1	Train	20	42
"	11.51.50	F.	1	Bluish-white	0.5	Train	16	4
,,	11. 53. 45	T.	i	Bluish-white	1	Train	9	4
"	11.55. 0	$\bar{\mathbf{F}}$ .	i	Bluish-white	0.2	Train	20	4
,,	11.57.39	H.	1	Bright blue	I '	$\mathbf{Fine}$	18	46
» »	12. 0. 2	N., W.	3	Bluish-white		Train		47
» »	12. 1.40	Т.	1	Blue	I	${f Train}$	16	48
,,	12. 1.52	H.	2	Blue	I	$\operatorname{Train}$	10	49
"	12. 2. 0	<b>F.</b>	ŢI	Bluish-white	I	Train	24	50
,,	12. 5. 0	F.	1	Bluish-white	0.2	Train	••	51
"	12. 5.45	Ţ.	2	Blue	1	Train	10	52
,,	12. 6.33	Н. Т.	2	Blue Blue	I	Train 20° long	15 25	53
<b>))</b>	12. 8.37	н. Н.	1	Blue	2	Train	15	54 55
,,	12.12. 5	н. N.	2 I	Bluish-white	1.3		17	56
,,	12. 12. 27 12. 13. 20	N.	1	Bluish-white	1 3	$\dot{\mathbf{F}}_{\mathbf{ine}}$	17	5;
<b>,,</b>	12. 13. 20	H.	2	Blue	1 1	Faint	10	58
"	12. 15. 44	T.	ī	Blue	I	Train	14	59
,, ,,	12. 17. 43	N., H., W.	ī	${f Blue}$	1	$\mathbf{Train}$	22	60
"	12. 18. 35	Ń., F.	4	Bluish-white	1!	None		61

umber for Refer- ence.	Path of Meteor through the Stars.	
1	From a point about 4° below β Ursæ Minoris, passing 4° above α Draconis to 12° above η and ζ Ursæ Majoris.	
2	From a point about 3° above α Aquarii, passed κ Aquarii towards Jupiter.	
3	From a Aquarii towards \theta Capricorni; path curved.	
4 5	From the direction of $\beta$ Piscium, about 3° above $\lambda$ Aquarii. Directed from $\gamma$ Persei, passing across $\gamma$ Trianguli.	
6	Appeared 3° below β Ursæ Majoris, disappeared near ψ Ursæ Majoris.	
7	Directed from γ Trianguli to α Arietis.	
8 9	Passed 10° to the West and above $\beta$ Aquilæ. From the direction of $\theta$ Persei, passed 2° North of $\beta$ Persei towards $\zeta$ Persei.	
10	From α Coronæ Borealis towards ζ Herculis.	
11	From the direction of $\theta$ Andromedæ, disappearing 3° below $\tau$ Pegasi.	
12	Appeared near & Ursæ Minoris, disappeared midway between Polaris and & Ursæ Minoris.	
13	From a point near $\alpha$ Draconis, parallel to a line joining $\eta$ and $\zeta$ Ursæ Majoris above $\theta$ Boötis. From $\alpha$ Andromedæ towards $\tau$ Pegasi.	
15	From the direction of o Honorium, passed just below $\pi$ Pegasi to a point about $4^{\circ}$ below $\mu$ Pegasi.	
16	Appeared 3° below δ Ursæ Minoris, disappeared 2° above ε Ursæ Minoris.	
17	From $\alpha$ Boötis, disappeared between $\gamma$ and $\beta$ Serpentis.	
18	From direction of $\delta$ Ursæ Majoris, passed between $\theta$ and $\delta$ Ursæ Majoris. No stars visible at point of disappearance. From $\theta$ Aquarii to a point about 10° below $\delta$ Capricorni.	
20	Appeared midway between $\beta$ and $\gamma$ Ursæ Minoris, disappeared about 5° before $\alpha$ Draconis.	
21	From the direction of ¿ Cassiopeiæ, passed close to β Persei towards દ Persei.	
22	From the direction of $\varepsilon$ Ursæ Minoris, passed between $\beta$ and $\gamma$ Ursæ Minoris.	
23	From $\zeta$ Ursæ Majoris to a point about 5° below $\epsilon$ Ursæ Majoris. Appeared 3° below Capella, disappeared 3° above $\gamma$ Aurigæ.	
25	Appeared 2° to the left of β Serpentis, disappeared midway between γ and α Coronæ Borealis.	
26	Appeared 8° above horizon, passed 5° to the right of the Pleiades.	
27	Appeared 8° above horizon, passed 5° to the left of the Pleiades.	
28 29	Vertically from a point 3° East of $\epsilon$ Aurigæ, passed between $\eta$ and $\zeta$ Aurigæ. From $\alpha$ Pegasi towards $\beta$ Capricorni.	
30	From a Aquilæ towards a Lyræ.	
31	Appeared midway between $\alpha$ and $\beta$ Capricorni, disappeared 2° above Jupiter.	
32 33	Appeared midway between β and γ Herculis, disappeared before δ Coronæ Borealis.	
34	Passed horizontally East to West across $\alpha$ Equulei; slow motion. From the direction of $g$ Pegasi towards $\epsilon$ Delphini.	
35	Appeared about 5° East of γ Pegasi, disappeared 5° West of that star.	
36	Passed almost horizontally East to West, just above & Aquarii: the center of track opposite that star.	
37 38	From the direction of $\theta$ Aquarii, passed just above $\delta$ and $\gamma$ Aquarii. Passed about 6° above $\alpha$ Capricorni and 16° above Jupiter, from East to West.	
39	From the direction of $\rho$ Aquilæ, passed across $\alpha$ Aquilæ towards $\lambda$ Aquilæ.	
40	Appeared midway between λ and ι Aquilæ, disappeared 2° before ζ Sagittarii.	
41	Appeared midway between ν and E. Ursæ Majoris, and disappeared 2° below β Ursæ Majoris.	
42 43	From the direction of ζ Cygni towards α Aquilæ.  Passed from a point about 5° below and East of α Ursæ Majoris towards β Ursæ Majoris.	
44	Appeared 3° below β Ursæ Majoris, disappeared 2° below λ Ursæ Majoris.	
45	Passed 6° above ζ and 2° above η Ursæ Majoris towards horizon.	
46	From the direction of ε Cygni, passed close to ε Delphini towards θ Aquilæ.	
47 48	From near ν Piscium to δ Piscium.  Appeared 2° to the right of α Ursæ Majoris, and disappeared 2° before ε Ursæ Majoris.	
49	Across zenith from South to North from the direction of $\lambda$ Honorium, disappeared about 3° West of $\beta$ Cassiopeix.	
50	Passed between $\alpha$ and $\beta$ Cassiopeiæ above R Cassiopeiæ.	
51	From near Polaris, passed 8° below \$\beta\$ Ursæ Minoris; end of path obscured by clouds.  Appeared midway between a and \$\beta\$ Herealis, and discovered 2° below a Horealis.	
52 53	Appeared midway between $\gamma$ and $\beta$ Herculis, and disappeared 3° below $\alpha$ Herculis. From the direction of $\beta$ Arietis towards $\alpha$ Ceti.	
54	From the direction of $\delta$ Aurigæ to N.N.E. horizon.	
55	From the direction of $\kappa$ Honorium, passed between $\beta$ and $\eta$ Pegasi to $\mu$ Pegasi.	
56	From a to 8 Aquarii.	
57 58	Directed from $\beta$ , Andromedæ, passed across $\delta$ Piscium. From the direction of $\alpha$ Honorium across $\alpha$ Pegasi towards $\alpha$ Pegasi; the center of track opposite $\alpha$ Andromedæ.	
59	Appeared 5° to the left of $\gamma$ Aquilæ, and disappeared 3° to the left of $\lambda$ Aquilæ.	
60	From 5° North of $\beta$ Trianguli to a point a few degrees North of $\delta$ Arietis.	
61	From a point about 5° below β Andromedæ to α Trianguli.	

Month and 1866.		Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Numbe for Refer- ence.
		h m s						0	
August	9	12. 20. 15	J.	I	Bluish	2	Fine	15	I
	"	12.23. 2	N.	2	Bluish-white	0.6	Fine	1	3
	,,	12. 24. 20	F.	I	Bluish-white	0.2	Train Fine	14	l .
	"	12. 26. 55	F. W.	3	Bluish-white Bluish-white	o·5	None	10	5
	"	12. 28. 28 12. 29. 20	J.	1	Bluish	2	Fine	15	6
	**	12. 29. 26	H.	2	Blue	ī	Faint	10	7
	), ),	12.33. 5	T.	I	Bluish-white	1	None	10	8
	"	12. 33. 32	H.	2	Blue	0.2	None	10	9
	,,	12.33.36	J.	I	Bluish	I	Fine	4	10
	,,	12. 33. 47	N.	2	Bluish-white	0.8	Fine None		11
	"	12.34. 0	T. H.	3	Blue Blue	1	Faint	7	13
	"	12.34.30	N.	2	Bluish-white	I	Train		14
	"	12.41.28	N., H.	3	Blue	ī	Faint	20	15
	)) ))	12. 45. 15	H.	2	Blue	I .	$\mathbf{None}$	10	16
	,,	12. 45. 30	Т.	= Jupiter	$\mathbf{Blue}$	1.2	26° long.	38	17
	"	12.50. 5	H	2	Blue	I	Train	15	18
	"	13. 2.43	H., T.	2	Blue	0.2	None Fine	15	19
	"	13. 10. 0	W. W.	3	$\mathbf{Y}$ ellowish	o·5	None	6	21
	"	13. 10. +	J.	= Jupiter	$\mathbf{Y}_{ ext{ellowish}}$	3	None	10	22
	"	13. 11. 7	N., H.	2 diplica	Bluish-white		Train	10	23
	"	13.18. 0	H.	I	Blue	I	Train	20	24
August	10	9.29.0	W., S.	I	Bluish-white	1	None	10	25
	,,	10.48. 0	N.	I	Bluish-white	0.8	Train	10	26
	,,	10.48. +	N.	1	Bluish-white	0.7	Train	5	27
	,,	11. 19. 12	N. H.	2 I	Bluish-white Bluish-white	0.2	Faint .	12	29
	"	11. 22. 28 11. 22. 57	N.	1	Diuish-white	0.5	None		30
	<b>,,</b>	11. 24. 22	N.	4 2	Bluish-white	0.6	Train	12	31
	"	11. 25. 0	N.	1				•.	32
	,,	12. 0. 0	N.	$  \}$ · · · $  $			m .	1	
	"	12. 2.19	N.	3	Bluish	0.2	Train Fine	6	33
	"	12. 4.48	N. N.	I	Bluish-white Bluish-white	1.2	Train, 2 s.	20	34
	"	12. 12. 25 12. 15. 43	N.	2 I	Bluish-white	1.3	Fine, 3 s.	15	36
	"	12. 13. 43	N.	1	Bluish-white	ı	Fine, 2 s.	15	37
	"	12. 19. 28	N.	3	Bluish-white	0.4		3	38
	,,	12. 19. 53	N.	2	Bluish-white			5	39
	,,	12. 23. 31	N.	2	Bluish-white		Train	4 16	40
	,,	12. 24. 43	N.	1	Bluish-white	I	Fine, 2 s. Train, 0 s. 8.		41
	,,	12. 27. 57	N.	2	Bluish-white	o·5	None	•••	4 <sup>2</sup> 4 <sup>3</sup>
	,,	12. 35. 48 12. 41. 53	N. N.	4 3	Bluish-white Bluish-white	0.7	Fine		44
	,,	12. 41. 55	N.		TATISTIT - NA TITTOO				45
	,, ,,	13. 15. 54	N.	1	Bluish-white	1.2	Train	15	46
	"	13. 19. 59	N.	3	Bluish-white	I	Train		47
	,,	13. 23. 52	N.	2	Bluish-white	I	Train, 1 s · 5.	I 2	48
	,,	13. 27. 0	N.					•••	49
August	11	9. 10. 5	H.	1	Bluish-white	1	Faint Faint	15 12	50 51
	"	9. 17. 10	H. S.	I	Blue Bluish-white	o·5	None	5	52
	"	9. 17. 10+ 9. 24. 55	H., S.	I	Bluish-white	1		10	53
August	14	10.51.30	N.	2	Blue	0.4	Train		54
-	,,,	11. 17. 21	N.	3	Bluish-white	0.2	Train	20	55
	,,	11. 18. 43	N.	4 3	Blue	0.2	Faint	2	56
	"	11. 38. 21	N.	3	$\mathbf{Blue}$	0.7	Slight	16	57

	· · · · · · · · · · · · · · · · · · ·
umber for	
Refer- ence.	Path of Meteor through the Stars.
1	From Polaris towards $\beta$ Ursæ Majoris.
3	Directed from α Cassiopeiæ across ζ Cygni. From midway between δ and ε Ursæ Majoris towards Arcturus.
	From a Cassiopeiæ towards a Ursæ Minoris.
5	From the direction of $\gamma$ Cassiopeiæ towards $\delta$ Ursæ Minoris.
6	Directed from $\alpha$ Cassiopeiæ towards Polaris. From the direction of $\iota$ Piscium, passed below $\gamma$ Pegasi; the center of track opposite $\gamma$ Pegasi.
7 8	Appeared 2° to the right of $\beta$ Pegasi, and disappeared 2° before $\gamma$ Pegasi.
9	Vertically from a point just below $\gamma$ Pegasi.
10	From Capella towards $\eta$ Aurigæ. From near $\epsilon$ Cassiopeiæ, passed midway between $\beta$ Cassiopeiæ and $\iota$ Cephei.
12	Appeared 3° to the right of $\beta$ Delphini, disappeared near $\gamma$ Equulei.
13	From the direction of $\psi$ Pegasi, passed midway between $\gamma$ Pegasi and $\alpha$ Andromedæ.
14 15	Directed from $\epsilon$ Pegasi, passed midway between $\beta$ and $\theta$ Aquilæ to a point near $\iota$ Aquilæ. From the direction of $\eta$ Pegasi across $\xi$ and $\zeta$ Pegasi.
16	From the direction of $\eta$ Ceti, passed just above $\beta$ Ceti.
17	Appeared midway between o and c Cygni, disappeared 4° to the left of Equuleus.
18	From the direction of $\xi$ Draconis towards $\rho$ Herculis. From a point midway between $\alpha$ and $\zeta$ Aquilæ.
20	Passed vertically about 5° East of $\beta$ Ceti towards horizon.
21	Fell vertically from a point immediately below $\beta$ Ceti towards horizon.
22	Passed from East to West about 3° below $\beta$ Ceti; the center of path opposite that star. Passed 5° below $\beta$ Ceti, path inclined 45° to vertical; the center of path opposite $\beta$ Ceti. Hazy and cloudy.
24	Vertically from a point about 1° North of $\alpha$ and $\beta$ Sagittæ.
25	Fell from a point just below y Cephei towards horizon.
26	Moved rapidly across $\gamma$ Persei towards $\gamma$ Andromedæ.
27	Appeared between $\gamma$ and $\beta$ Andromedæ, passed across $\beta$ Trianguli.
28	Passed between λ and α Draconis, directed towards λ Boötis.  From a point just above ε Ursæ Majoris towards horizon, inclination 40° to vertical. Disappeared in clouds.
30	Directed from $\beta$ Cephei, disappeared 5° West of Polaris.
31	Passed across $\lambda$ Draconis towards $h$ Ursæ Majoris.
32	Generally cloudy till 12h, entirely clear afterwards.
33	Passed rapidly between $\lambda$ and $\alpha$ Draconis towards $\lambda$ Boötis. Passed midway between $\alpha$ Coronæ Borealis and $\gamma$ Herculis, directed from $\theta$ Draconis.
34 35	From α Draconis, passed 1° or 2° beyond λ Boötis.
36	From 10° below R Cephei to n Draconis.
37 38	From near $\delta$ Persei, shot 15° towards $\alpha$ Ursæ Majoris. Directed from $\gamma$ Persei, passed between $c$ and $d$ Camelopardali.
39	Fell almost vertically past $\beta$ Aurigæ; the center of path opposite that star.
ю	Moved perpendicularly upwards from ζ Cassiopeiæ.
ļI	From the vicinity of c and d Camelopardali towards o Ursæ Majoris.  Passed across $\eta$ Pegasi towards $\alpha$ Equulei.
3	From the direction of $\gamma$ Persei, passed across $\beta$ Trianguli. (A flash of lightning in the East.)
4	From a little to the South of $\beta$ Andromedæ to $\gamma$ Pegasi.
μ5 μ6	At 12 <sup>h</sup> . 42 <sup>m</sup> . the sky became suddenly cloudy. From the direction of $\gamma$ Pegasi, passed across $\kappa$ Piscium.
7	From the direction of c and d Camelopardali, fell towards North horizon, disappearing at altitude 12°.
.8	Directed from $\gamma$ Persei towards K Camelopardali.
ŀ9	Lightning seen in N.E.
50	From the direction of λ Aquilæ, passed between o and m Scuti towards o Serpentis.
51	From a point just below $\nu$ Aquarii, passed about 5° below $\alpha$ and $\beta$ Capricorni. Fell vertically between $\delta$ and $\nu$ Serpentis.
53	From a point $5^{\circ}$ below $\beta$ Capricorni, passed about the same distance below Jupiter towards S.S.W. horizon.
54	From a point between λ and ν Cygni to ζ Cygni.
55	From β Cygni across ζ Aquilæ.
56	From a point between $o$ and $f$ Cygni, moved towards $\pi$ Cygni.
57	From the direction of η Pegasi, passed midway between Delphinus and ε Pegasi.

August October October	16			of Meteor in Star-Magnitudes.	of Meteor.	of Meteor in Seconds of Time.	and Duration of Train.	Path in Degrees.	for Reference
October		h m s	J.	2	Bluish	0.2	None	3	1
	7	8.47. 0	w.	3	Bluish-white	0.2	None	6	2
	8	7.40. 0	w.	ı	$\mathbf{Y}$ ellowish	0.2	Slight	8	3
October	12	7.58. 0	w.	I	Bluish-white	0.2	None	10	4
October	22	10. 22. 20	N.	> 1	Bluish-white	2	Fine	25	5
October	28	10. 4. 20	N.	= Jupiter	Bluish-white	I	Fine	12	6
October	31	8. 25. 51	w., s.	1	Bluish-white	3	Slight	20	7
	,,	8.30. 0	J., W., S.		Bluish-white	0.2	None	5	8
	"	8. 35. 51	J., W., S.	I	Bluish-white	3	Fine	20	9
	,,	11.17. 0	w., s.	1	Bluish-white	2	Fine		10
	,,	11.21. 2	w.	1	Bluish-white	1	None		1
	,,	11.30.12	w.	I	Bluish-white	I	Fine		1:
	,,	11.31. 0	J., W., S.	1	Bluish-white	1	Fine	10	13
	,,	11.45. 0	W.	1	Bluish-white	0.2	Fine	•••	14
	,,	11.47.12	W	= Sirius	Bluish-white	2	Fine	30	15
November	3	11.31. 0	N.	3	Bluish-white			••	10
November	6	5.57. o 8.56. o	W. N.	2 2	Bluish-white Bluish-white	o 9	None Slight	15	17
	,,		N.	3		1	Train, > 1s.	25	19
	"	10.41.34	N.	l '	Blue	0.8	None		20
	,,	11. 2.50 11. 5.40	N.	2	Blue	0.6	Slight	12	2
	"		N., W.	3	Bluish-white	0.2	None	10	2:
	"	11. 9.19 11.13.35	N.,	1	Blue	1.5	Train	6	2
	"		N., W.	1	Bluish-white	1	Fine	12	24
	>>	11. 42. 24 11. 55. 32	N., W.	}	Bluish-white	1	Train	6	2
	"		N., W.	2	Bluish-white	0.7	Train		20
	,,	11.58.30	N., W.	I	Bluish-white	0.5	Train	6	2
· ·	"	11.58.40	W.	I	Bluish-white	ı	Train	20	25
November	8	12.30. 0 13.29. 0	J.	= Sirius	Bluish	,	Slight	7	29
November	9	7.45. 0	II.	3	Blue	I	None Faint	12	30
	"	8.34. 0	H.	= Jupiter	Brilliant blue Blue	3	Train.	35	3:
	"	8.53. 0	H.,T.,W.	l .	Blue	1	None	10	3.
	"	9. 11. 30	H., T.	2	Bluish-white	> 1	None	20	3.
	"	9. 31.   0 14. 35. 41	N.	3	Bluish-white	0.4	Slight	10	3
November	11	9.57. 0	T.	I	Blue	I	None	7	30
November	13	5. 37. 30	н.	4	Bluish-white	ı	None	8	3
	"	6. 11. 45	H.	1	Yellowish	6	Fine	45	3
	"	7.30.0	Т.	3	Bluish-white	0.2	None	9	39
	"	7.33. o	H.	· 1	Blue	1	None	10	49
	"	7.33. o	т.	3	Bluish-white	0.2	None	}	4
	"	7-47- 0	T.	3	Blue	0.3	None	::	4
	"	9. 13. 34	W.	3	Bluish-white	0.2	None	10	4
	"	9.18. 0	F., S., C.	2	Yellow	3	Splendid, 1 s.	110	4:
	"	9. 19. 31	J.	2	Bluish	Momentary	None	5	4
	"	9. 20. 0	T.	2	Bluish-white	0.2	None	1 ::	40
	"	9. 36. 50	H.	2	Bluish-white	I	Train Name	12	4
	"	9. 37. 26 9. 39. 41	J. W.	2 3	Bluish Bluish-white	o·5	None	8 5	49

umber for Refer- ence.	Path of Meteor through the Stars.
1	From y Ursæ Majoris, directed towards ζ Ursæ Majoris.
2	From a point about 3° immediately below ζ Persei, passed towards δ Persei.
3	From a point just above Capella, moved about 4° above & Aurigæ; path slightly curved.
4	Fell vertically from a point about 6° to the right of the Pleiades.
5	From the direction of $\gamma$ Cygni, 10° below that star, passed slowly across $\gamma$ Lyræ.
6	Fell from the direction of δ Arietis past ξ Tauri.
8 9 10 11 12 13	From the direction of $\alpha$ Draconis, moved slowly towards $\lambda$ Boötis Fell vertically about 3° East of $\beta$ Aurigæ; the center of path opposite that star. From the direction of $\zeta$ Persei, passed over the Pleiades to $\xi$ Tauri. From a point midway between Rigel and $\beta$ Eridani, disappeared near $\gamma$ Eridani. From a point about 3° East of $\mu$ Geminorum towards $\beta$ Canis Minoris. From $\chi$ Cygni across Vulpecula, disappeared about 1° above $\gamma$ Delphini. Passed between $\lambda$ and $\mu$ Ursæ Majoris; line joining those stars at right angles to track of meteor. Passed a little above $\beta$ Persei towards $\gamma$ Andromedæ; center of path opposite $\beta$ Persei. From the direction of $\delta$ Ursæ Majoris, passed about midway between $\chi$ and $\psi$ Ursæ Majoris towards horizon.
16	From the direction of δ Draconis, passed midway between α Cephei and α Cygni, and about 5° above Cygni.
18 19 20 21 22 23 24 25 26	From the direction of Polaris, passed midway between $\gamma$ and $\delta$ Ursæ Majoris towards horizon. From $\iota$ Tauri, disappeared close to $\zeta$ Tauri. From near $c$ Camelopardali, passed 6° from $\varepsilon$ and $\delta$ Cassiopeiæ and parallel to line joining those stars. Directed from $\alpha$ Persei; appeared near $c$ Camelopardali, moved towards Polaris. Directed from P Camelopardali, passed across $\gamma$ Ursæ Minoris. Fell from the direction of $c$ Camelopardali towards $\delta$ Ursæ Majoris. Appeared nearly midway between $\alpha$ and $\phi$ Orionis; passed across $\alpha$ Orionis, the star in the center of its path. Directed from $\beta$ Aurigæ to a point about 2° below $\delta$ Ursæ Majoris. From $\zeta$ Geminorum to about 5° above $\delta$ Canis Minoris. Directed from $\delta$ Ursæ Majoris, disappeared 2° North of $\alpha$ Geminorum. Center of path 20° below Mars; directed from $\alpha$ Ursæ Majoris.
28	Directed from a point about midway between $\alpha$ Orionis and $\gamma$ Geminorum, passed 3° above $\beta$ Canis Minoris. Appeared near $r$ Ursæ Majoris, disappeared about 4° West of $\alpha$ Ursæ Majoris.
31 32 33 34	From the direction of $\eta$ Aurigæ towards $\iota$ Tauri; center of track opposite $\iota$ Aurigæ. Vertically from a point below $\beta$ and $\gamma$ Draconis. From the direction of $\gamma$ Piscium, passed below $\gamma$ Aquarii towards $\alpha$ and $\beta$ Capricorni. From a point just below $\gamma$ Herculis, directed towards W. horizon. Vertically from a point about 15° below $\alpha$ Lyræ. From $\iota$ Ursæ Majoris, passed across $\lambda$ and $\mu$ Ursæ Majoris.
36	Appeared midway between δ and ε Persei, disappeared 2° below Capella.
38 39 40 41 42 43 44 45 46 47	Passed, with inclination 15° from horizontal, between ε and ζ Herculis, moving from North to South.  Moved slowly from the direction of ε Persei, disappearing below Polaris and 5° above and East of α Ursæ Majoris.  Appeared midway between O and N Camelopardali, disappeared 2° below β Ursæ Minoris.  From the direction of β Aurigæ, commencing about 6° from that star, towards N.E. horizon.  Appeared 2° above ι Draconis, disappeared 3° below l Quadrantis.  Appeared 4° above α Draconis, and disappeared at η Ursæ Majoris.  From the direction of γ Cygni, directed towards γ Delphini.  Shot from between α and β Ursæ Majoris, across Cassiopeiæ and disappeared near α Aquilæ.  From ι Piscium towards θ Piscium.  Appeared at β Ursæ Minoris, and disappeared at δ Ursæ Majoris.  From direction of ν Orionis, passing just above φ Orionis.  From the direction of β Cephei towards δ Draconis.'

November 9. From 14h. 30m. to 14h. 45m. a watch was maintained for meteors, especially near Leo; the only one seen was that at 14h. 35m. 41s.

^	•	-	3.5
OBSERVATIONS	ot	LIMINOUS	METEORS

Month and I	Day,	Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Numbe for Refer- ence.
		h m s					· · · · · · · · · · · · · · · · · · ·		
November	13	9. 42. 46	H., C.	ı	Blue	I	Train	io	1
Movember		9. 44. 23	J	3	Bluish	0.5	None	8	2
	"		H.	2	Bluish-white	I	None	11	3
	"	9.49.4 9.52.59	H., W.	2	Bluish-white	2	None	9	4
	. ,,	10. 6. 0	T.	I	Blue	0.5	None		5
	,,	10. 6. 22	w.	3	Bluish-white	0.2	None	6	6
	"	10. 0.22	C.		Yellow	0.2	Small		7
	"	10. 7.46	s.	4 1	Bluish-white	0.2	Fine, os.5.	30	8
	"	10. 9.51	C.	6	Yellow	0.5	1 me, 0 0.	6	9
	"	10. 10. 23	w.	ı	Yellowish	1.2	Fine	8	10
	"	I.	F.	I	Yellowish	1.5	Short	8	11
	,,	10. 10. 24	C.	5	Yellow	, I	. Short	12	12
	"	10. 12. 48	c.	2	Yellow	3	Small		13
	"	10. 28. 37	w., c.	2	Bluish-white	3.5	None	80	14
	"		w., c.	3	Bluish-white	1	None	10	15
	,,	10. 28. 43	C.	3	Bluish-white	1 1	None		16
	,,	10. 33. 14	w.	3	Bluish-white	I	None	10	17
	"	10. 34. 11	w.		Bluish-white	1	None	12	18
	"	10. 43. 23		3		3	Fine		1
	,,	10.44.31	S.	I	Bluish-white	1	Faint	40 15	19
	,,	10. 44. 32	H.	2	Bluish-white	I			21
	,,	10. 45. 25	T.	1	White	3	Long	48	1
	,,	10.47. 4	N., W.	I	Bluish-white	3	Fine	6	22
	,,	10.48. 6	H.	3	Flame	Short	Faint		1
	,,	1c. 48. 6	J.	2	Bluish	3	Slight	30	24
	,,	10.52. 1	H.	1	Bluish-white	I	Train	12	25
	,,	10.52.18	H.	I	Blue	I	Train	15	1
	,,	10.54. 7	<b>T.</b>	2	Bluish-white	0.2	None	8	27
	,,	10. 56. 45	T.	I	Bluish-white	2	Fine	22	28
	,,	10.57.20	J.	I	Orange	2	Fine	25	29
	,,	11. 0.13	H.	2	Flame	I	Fine	20	30
	,,	11. 1.15	T.	I	White	2	Fine	40	31
	,,	11. 2.15	T.	I	Bluish-white	1.2	Fine	30	32
	,,	11. 2.42	J.	2	Bluish	I	None	20	33
	,,	11. 4.23	Т.	2	Blue	I	None	38	34
	,,	11. 6.48	N., H.	1 increasing.	Blue	5	$\widetilde{\mathbf{Fine}}$	50	35
	,,	11. 6.57	W.	I	Bluish-white	. 2	Green	15	36
	,,	11. 7.43 .	N., H., J.,S.	I	Blue	3	$\operatorname{Bright}$		37
	,,	11. 7.52	Т.	I	Bluish-white	2	Long	20	38
	,,	11. 7.58	С.	I	White	4	Train	30	39
	"	11. 8.46	N.	2	Blue	1	Train	• •	40
	"	11.11.14	H., C.	1	Green	3_	Train, 3 s.	15	41
	"	11. 13. 6	<b>T.</b>	1	Bluish-white	2.2	$\operatorname{Long}$	28	42
	,,	11. 14. 46	C	I		2	Large	40	43
	,,	11. 14. 50	N., J.	I	Yellowish	3_	Fine	35	44
	,,	11. 17. 31	T.	1	Bluish-white	1.2	$\mathbf{Long}$	40	45
	,,	11. 19. 20	T.	I	Bluish-white	1.2	Long	12	46
	,,	11. 19. 41	N., H.	I	Orange	2	Fine	14	47
	",	11. 20. 48	C.	2	Yellow	2			48
	"	11.21.11	C.	1	White	3	$\mathbf{Green}$	20	49
	,,	11.21.58	N.	= Jupiter	${f Reddish}$	2.5	$\mathbf{Fine}$	45	50
	,,	11. 23. 32	T.	î	Blue	I	Long	20	51
	",	11. 25. 42	N.	1		I	* Train	••	52
	,,	11.26. 0	H.	I	Orange	3	${f Bluish}$	35	53
•	,,	11.26. 3	w.	1	Bluish-white	2	$\mathbf{Blue}$	30	54
	"	11.26. 9	J.	I	$\mathbf{Y}$ ellowish	I	$\mathbf{Fine}$	7	55
	"	11.27. 4	H.	2	Blue	2	Fine	20	56
	"	11. 28. 13	H.	> Jupiter	Orange	3	Blue	40	57
	"	11. 28. 22	W., C.	= Sirius	Bluish-white	4	$\mathbf{Green}$	50	58
	"	11. 29. 20	J.	I	Bluish	2	${f Fine}$	55	59
	"	11.30. 0	w.	= Sirius	Bluish-white	4	Green	50	60
	••	11.31.6	N.	= Jupiter	Reddish	I	$\mathbf{Fine}$	10	61

i	
for	
Refer-	Path of Meteor through the Stars.
ence.	
1 2	Passed 2° below $\epsilon$ Ceti; center of track opposite that star. Appeared near $\delta$ Tauri, disappeared about 6° West of Aldebaran.
3	From a point just below $\alpha$ Trianguli towards $\eta$ Piscium.
4 5	From direction of $\pi$ Orionis, passed close to $\epsilon$ Orionis; center of track opposite $\epsilon$ Orionis.
6	Appeared at $\alpha$ Orionis, disappeared at $m$ Monocerotis. Fell from the direction of $\eta$ Draconis past $\theta$ Draconis.
7	From $\beta$ Tauri to Procyon.
8	From the direction of $\iota$ Ursæ Majoris, disappeared near $\beta$ Ursæ Majoris.
9	From $\alpha$ Orionis to $\pi$ Orionis.
10	From the direction of $h$ Ursæ Majoris, past $\alpha$ towards $\delta$ Ursæ Majoris. From a point midway between $\alpha$ and $\gamma$ Ursæ Majoris, passed midway between $\alpha$ and $\beta$ Ursæ Majoris.
12	From Aldebaran through Orion's Belt.
13	From Castor to $\beta$ Ceti.
14	From a point about midway between Castor and Pollux; passed above Aldebaran, and disappeared near o Piscium.
15	Fell vertically from a point situated midway between $\gamma$ and $\delta$ Ceti. From $\alpha$ Orionis to $\kappa$ Orionis.
17	From the direction of h Ursæ Majoris, passed 3° below $\lambda$ and $\kappa$ Draconis; center of path opposite $\lambda$ Draconis.
18	From a point 3° above $\xi$ Ceti, passing $\alpha$ Piscium and $\eta$ Ceti, and disappeared near $\iota$ Ceti.
19	Appeared at a point about 1° above the Pleiades, disappeared near β Ceti.
20	From the direction of the Pleiades, passed just above $\mu$ Piscium; the centre of path opposite $\mu$ Piscium. Appeared at Pleiades, disappeared about 3° before $\beta$ Cephei.
21 22	From a point near $\zeta$ Ceti, passed a few degrees below $\beta$ Ceti.
23	Passed a little to the East and below $\kappa$ Orionis.
24	Appeared about 5° above Procyon, disappearing in the direction of $\beta$ Orionis.
25 26	From the direction of $n$ Lyncis, passed about $6^{\circ}$ below $\mu$ Ursæ Majoris. From the direction of $\eta$ Ursæ Majoris, passed horizontally towards N.W. No stars visible in track of meteor.
27	Appeared near $\theta$ Ursæ Majoris, disappeared at $\lambda$ Ursæ Majoris.
28	Appeared near $\alpha$ Ursæ Majoris, disappeared near $\beta$ Cephei.
29	Directed from $\beta$ Canis Minoris, passing about $\gamma^{\circ}$ below $\beta$ Orionis.
30 31	From the direction of $\beta$ Orionis, passed just below $\gamma$ Eridani towards $m$ Eridani. Appeared near Rigel, disappeared near the S.W. horizon.
32	From near $\gamma$ Ceti to a point near $\alpha$ Orionis.
33	Appeared about 12° below Procyon, passing from East to West.
34	Appeared 3° below γ Ursæ Majoris, disappeared near the N.E. horizon.
35	From the direction of Aldebaran towards β Ceti.  From a Ceti page 2 Ceti and 6° helow a Ceti
36 37	From $\alpha$ Ceti, passed across $\delta$ Ceti, and $6^{\circ}$ below $\eta$ Ceti. From a point a little below $\alpha$ Orionis, disappeared near $\delta$ Eridani.
38	Appeared 2° above δ Draconis, disappeared 3° below θ Draconis.
39	From Mars across zenith to $\beta$ Ceti.
40	From a point 1° or 2° above δ Ursæ Majoris, passed across α Draconis, disappeared above η Draconis.
4I 42	From the direction of Procyon towards $\kappa$ Orionis. Appeared near $\beta$ Ursæ Minoris to a point of disappearance near $\alpha$ Cephei.
43	From Castor to the Pleiades.
44	Appeared about 5° above α Geminorum, passed about 3° above β Tauri, and above the Pleiades.
45	Appeared near η Draconis, disappeared near γ Cygni.
46 47	Appeared 3° below α Lyræ, disappeared at α Cygni. From about 10° below Procyon towards Sirius.
48	From Mars to horizon at an inclination of 80°.
49	From $\kappa$ Orionis to horizon.
50	In South, directed from $\kappa$ Orionis; point of appearance 20° West and below $\beta$ Orionis.
51 52	Appeared near χ Ursæ Majoris, to a point near λ Draconis. Started midway between α Tauri and the Pleiades, moved towards the West above α Piscium.
53	Commenced about 5° East of $\beta$ Tauri, passing that star, and about 3° above the Pleiades towards $\beta$ Arietis.
54	From a little below $\gamma$ Draconis to a point about midway between $\gamma$ and $\chi$ Cygni.
55	Appeared near ζ Orionis, disappearing near β Orionis.
56 57	From direction of Rigel towards $m$ Eridani. From direction of Polaris towards $\beta$ Pegasi.
58	From Castor, passed across $\beta$ Tauri and across the Pleiades.
59	Appeared near Castor, and disappeared about 3° West of the Pleiades.
60	From Castor, passed across $\beta$ Tauri and across the Pleiades. In W.S.W., no stars near for reference. Inclination 45°.

## OBSERVATIONS OF LUMINOUS METEORS

Month and D	ay,	Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Numl for Refe
		h m s	<u> </u>					0	
November	13	11.32.46	N., J.	= Jupiter	Blue	2	Fine	1	1
TOVEMBEL		11. 33. 20	J	2	Bluish	2	None	14	2
	"	11.35.46	T.	I I	Bluish-white	I	$\mathbf{Fine}$	29	3
	"	11. 35. 46	Ĉ.	4	$\mathbf{Y}$ ellow	1	None	10	4
	"	11. 37. 5	N., H.	T	Flame	2.5	$\mathbf{Fine}$	25	5
	"	11.38.16	N., J.	= Jupiter	Flame	2	Train, 25.	25	6
	>>	11.38.16	N., J.	= Jupiter	Flame	2	Train, 28.	25	7
	"	11.38.26	C.	I		3	$\mathbf{Green}$	90	8
	"	11.39. 3	w.	> i	Bluish-white	I	$\mathbf{Fine}$	10	9
	. 37	11.39.31	N., J.	'i	Yellow	2	Fine, 25.	25	10
	"	11. 39. 33	T.	i	Bluish-white	1 1	$\mathbf{Fine}$	12	11
	"	11. 40. 26	Ĉ.			ı	$\mathbf{None}$		12
	,,		H.	1	Flame	2	Fine	20	13
	"	11. 40. 33 11. 41. 5	H., J.	> Jupiter	Yellow	3	Fine	20	14
	"	11.41. 5	w	> ouplier	Yellowish	ı	None		15
	"		H.		Blue	ī	Train	12	16
	"	11.44.18 11.45.11	N., H., J.		Blue	3	Grand	1	17
	,,		N., H.	- ouplier	· Blue	2	Fine	25	18
	"	11.47.57	H., J.	= Jupiter	Yellow	2	Fine	25	10
	"	11. 48. 48	T.	= Suprier	Bluish-white	I	Long	24	20
	"	11.49.46	H., J.	2	Blue	I	Train	13	21
	,,	11.50. 4	C.	2	Yellow	3	Long	40	22
	"	11.50.21	H.		Blue	>1	Train	12	23
	,,	11.51.37	N.	I	Blue	>1	Fine		24
	,,	11.51.58	C.	1	Bluish-white	1	Train	30	25
	,,	11.52. 0	J.		Bluish	1.5	Fine	27	26
	,,	11.53. 7	H.	I	Flame	1 1	Train	10	27
	"	11.54.13		2	Blue	1 1	Fine	12	28
	"	11. 54. 48	N.	= Jupiter increasing	Blue	2	Train	20	20
	,,	11. 56. 45	H.	I	Bluish-white	2 2	Train	20	30
	"	11.58. 9	C.	2	Flame	1	Train	12	31
	,,	11. 58. 17	H.	I	Flame	3	Fine	50	32
	,,	11.58.26	H.	= Jupiter	Bluisb-white	1 1	Blue	20	33
	,,	11. 59. 45	W.	> 1	Blue	1	Train, 18.	8	34
	,,	11. 59. 47	N.	> 1		. 1	Train, 1 <sup>s.</sup>	8	35
	,,	11.59.47	N.	≥ 1 · ·	Blue Yellow	2	Fine	1	36
	,,	12. 0.41	J.	= Jupiter	White	o.5	None	40 5	37
	,,	12. 0.56	C.	I		1	Train	12	38
	,,	12. 1.46	H.	I	Flame	1	Train	8	
	,,	12. 1.56	H.	I	Blue	1 2	Fine	1	30
	,,	12. 4.11	H.	_1	Blue	1	Train	20	40
	,,	12. 6.42	N.	= Jupiter	Blue	I		10	41
	,,	12. 7. 3	H.	3	Flame	I	Train Train	01	42
	,,	12. 10. 16	H.	2	Bluish-white	0.6	Train	8	43
	,,	12. 13. 32	N.	2	Blue	1 1	Transa.	3	44
	,,	12. 14. 58	Н.	1	Bluish-white	I	Train Train	15	45
	,,	12.18. 0	N., H.	_1	Bluish-white	I	Train Fina	14	46
	,,	12. 18. 27	N.	= Jupiter	Blue	2	Fine	30	47
	,,	12.18.58	н.	_ I	Bluish-white	>1	Train	12	48
	",	12. 22. 43	н.	>Jupiter	Blue	2	Fine	12	49
	,,	12. 23. 0	H.	1	Blue	I	Train	15	50
	"	12. 26. 10	N.	> 1	Bluish-white	2	Fine		5
	"	12. 26. 15	N.	I	Blue	1.2	Fine		5:
	"	12. 26. 44	C.		White	2	Green	40	53
	"	12.27. 8	H.	1	Bluish-white	>1	Train	12	54
	,,	12. 28. 11	w.	> 1	$\mathbf{Y}$ ellowish	I	Fine	25	55
	"	12.29. 4	C.	ī	Bluish-white	3	${f Train}$	60	56
	"	12.30. 0	H.	= Jupiter	$\operatorname{\mathbf{Red}}$	2	$\mathbf{Fine}$	15	57
	"	12. 30. 40	N.	= Jupiter	Blue	2	Fine		58
		12. 30. 50	w., c.	- ouplier	Bluish-white	2	$\mathbf{Fine}$	20	50
	"	12. 32. 21	N.	>1	Reddish	I	Fine		60
	"	12. 33. 20	N.	· · ·	Reddish	I	Train		61

## in the YEAR 1866—continued. Number Path of Meteor through the Stars. Refer ence. From 5° East of α Orionis, passed across that star to κ Ceti. From $\zeta$ Orionis, passing below $\beta$ Orionis from East to West. Appeared at $\beta$ Ursæ Minoris, disappeared near $\beta$ Cephei. 3 Vertically from Aldebaran through Rigel to horizon. **4** 5 From the direction of Aldebaran, passed about 2° below $\alpha$ and $\delta$ Ceti towards S.W. horizon. Directed from Leo, passed across $\beta$ Geminorum towards $\beta$ Tauri. 6 Directed from Leo, passed across Mars.. From horizon to $\beta$ Tauri. *7* Passed horizontally East to West above $\beta$ Canis Minoris; center of track opposite that star. q Directed from Leo, passed midway between $\alpha$ and $\beta$ Geminorum. 10 Appeared near Pollux, disappeared midway between $\epsilon$ and $\delta$ Hydræ. From $\kappa$ Orionis to horizon. 12 From the direction of $\varepsilon$ Ursæ Majoris, passed between $\zeta$ and $\eta$ Draconis. 13 14 15 From the direction of δ Geminorum towards ζ Orionis. From & Orionis towards Procvon. 16 Disappeared just below Sirius. 17 18 Started at $\sigma$ Ursæ Majoris, passed 7° above Polaris, and disappeared 10° beyond and below Cassiopeia. From the direction of \( \zeta \) Tauri, passed across \( \epsilon \) Tauri, and 5° below Aldebaran. Appeared near $\zeta$ Orionis, passing East to West above $\beta$ Orionis. 19 Appeared near & Ursæ Majoris, disappeared 6° before E Leonis. 20 Passed just below $\beta$ Canis Majoris. 2 I 22 From Mars through Aldebaran. Directed from Mars, passing about 2° above Procyon; center of track opposite that star. Cloudy. 23 Fell from 10° below a Cassiopeiæ towards West horizon; inclined 40° to vertical. 24 25 26 Appeared midway between Castor and Pollux, passing towards the Pleiades. From the direction of $\beta$ Eridani, passed about $2^{\circ}$ above $\gamma$ Eridani; the center of track opposite that star. 27 28 Appeared at a point 35° below $\gamma$ Pegasi; fell, with slight inclination, from perpendicular, and burst into fragments. Across zenith East to West.\* 29 3ŏ From Aldebaran to Rigel. 31 Vertically from a point about 6° below Aldebaran. Across zenith East to West. No stars visible on account of cloud. Passed horizontally East to West, midway between $\beta$ and $\kappa$ Orionis. 32 33 3<sub>4</sub> 35 Directed from Sirius towards West. Inclined 7° from horizontal. Point of appearance vertically below Lepus, moving Westward. Inclined 7° from horizontal. 36 Passed from South to North across the zenith, below the clouds.\* 37 38 From $\zeta$ Orionis to $\kappa$ Orionis. From a point about 5° below Procyon to a point about 3° above and East of Sirius. Cloudy. 39 Disappeared a few degrees below Sirius. 40 41 Commenced on Aldebaran and proceeded towards a Ceti. From the direction of Leo, across the zenith. Very cloudy, stars not seen. Directed from horizon, disappearing about 3° East of Mars. 42 43 Passed about 3° above a Leporis; center of track opposite that star. From 1° West of ε Orionis to 1° West of ζ Orionis. 44 45 46 From the direction of $\alpha$ Ursæ Majoris, disappearing midway between $\beta$ Ursæ Minoris and Polaris. Passed between $\alpha$ Andromedæ and $\beta$ Pegasi from the direction of Honores. 47 48 Across Cassiopeia, disappeared close to B Pegasi. Passed vertically 2° North of a Andromedæ; center of track opposite that star. From a point about 2° East and above $\lambda$ Ursæ Majoris towards zenith. 49 50 From the direction of $\alpha$ Ursæ Majoris, passed about 3° above and beyond $\beta$ Ursæ Minoris. From the direction of $\delta$ Ursæ Majoris, passed across $\alpha$ Draconis towards g Draconis. From the direction of $\varepsilon$ Leonis, passed between $\eta$ and $\zeta$ Draconis. 51 From Castor to Pleiades. 53 From the direction of N.E. horizon, passed across $\lambda$ Ursæ Majoris towards zenith. 54 55 From $\delta$ Orionis towards $\delta$ Eridani. From Mars to Aldebaran. 56 Directed from a point $4^{\circ}$ below Procyon towards $\beta$ Canis Majoris. From o Leonis towards $\zeta$ Ursæ Majoris. 57 58 From λ Ursæ Majoris, passed midway between α and β Ursæ Majoris, towards ε Ursæ Minoris; path curved. 59 From a point 7° above α Lyræ, passed towards West, disappearing close to β Cygni; path slightly curved. From a point 5° East of a Cygni, passed midway between y and c Cygni.

OBSERVATIONS	of	Luminous	METEORS
--------------	----	----------	---------

Month and Day, 1866.		Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Number for Reference.
		h m s						0	
lovember	13	12.33.26	H.	1 <	Very bright blue	1	Train	25	1
ovember			w., c.	> 1	Bluish-white	i	Fine	15	2
	"	12.34. 1	H.	= Jupiter	Blue	2	Fine	12	3
	"	12.34. 4	H.	- Jupiter	Blue	1	Fine	18	4
	"	12.35.20		Very large.	Diuc	1	. 2 1110		5
	"	12. 35. 52	N., F.		Bluish-white	2	Fine	20	6
	"	12. 36. 17	W., C.	= Sirius = Sirius.	Bluish-white	3	Blue	15	-
	"	12. 37. 14	W.		Blue	3	Diuc	40	7 8
	**	12. 38. 32	C.	I	Yellowish	0.2	None .	6	1 -
	"	12. 39. 15	W.	1	Green	1	Train	8	10
	"	12.404	H.	1	Yellow	2	- Fine	20	11
	"	12. 40. 52	N.	= Jupiter		· .	Fine	i	1
	"	12.41.17	w.	= Mars.	Yellowish	>1		20	12
	"	12.41.17	W.	= Mars.	Yellowish	>1	Fine Fine	30	13
	<b>3</b> 7	12.41.17	W.	= Mars.	Yellowish	>1		25	14
	,,	12.44.22	H.	= Jupiter.	Blue	1 2	Train	14	15
	22	12.44.36	C.	I I	Blue	3	Green, 4 s.	90	16
	"	12. 45. 50	W.	= Sirius.	Bluish-white	2	Grand	30	17
	"	12. 46. 14	C.	I	• •	3	Green	40	18
	"	12.48. 9	N.	>1	$\mathbf{Blue}$	2	Train	. •	19
	;;	12. 48. 16	C.	I		3	Green	40	20
	"	12. 48. 19	H.	1	Bluish-white	1	$\mathbf{T}$ rain	15	21
	"	12. 48. 19	H.	I	Bluish-white	1	Train	12	22
	"	12. 48. 36	W.	= Sirius.	Bluish-white	2	Fine	20	23
•	22	12.48.40	H.	>Jupiter increasing	$\mathbf{Green}$	3	Train	40	24
	<i>33</i>	12.50. 1	H.	> Mars.	${f Reddish}$	1	Fine	12	25
		12. 53. 12	H.	= Jupiter.	Bluish-white	2	Fine	18	26
	"	13. 22. 48	т.	ī	Bluish-white	1	Fine, 1 s.	9	27
	27	13. 22. 48	T., C.	ī	$\mathbf{Blue}$	3	Train		28
	"	13. 25. 14	C.	ī	Blue	2	Train	15	29
	<b>)</b> )	13. 26. 41	Č.	ī	$\mathbf{Blue}$	2	Train	1	30
	"	13. 28. 42	C.	ī	Blue	3	Train, 4 5.	1	31
	"	13. 30. 46	T.	i	Bluish-white	1.2	$\mathbf{Long}$	1	32
	"	13.31. 2	. c.	ī	Blue	4	Train	1	33
	"	13. 33. 16	T.		Bluish-white	2	$\mathbf{Long}$	6	34
	"	13. 35. 3	N.	= Jupiter.	Yellow	2	$\mathbf{Bright}$		35
	"	13.36 2	H., C.	_ o upitoi.	Blue	3	Train	35	36
	"		N.	= Jupiter.	Yellow	. 1	$\mathbf{Fine}$		37
	"	13. 40. 28	C.	= Sirius.	Blue	6	Train		38
	,,	13. 44. 56			Yellow	1.2	Train, 2 5.	35	39
	"	13. 46. 33	N.	= Jupiter.	Blue	5	Train		40
	"	13. 46. 54	C. C.	1	Blue	5	Train	::	41
	"	13. 49. 44	T.	I	Bluish-white	3	Long, 4 s.		42
	"	13. 50. 51		- 1	Bluish-white	3	Long		43
	"	13.52. 5	T.	I I	Bluish-white	3	Long	1	4
	,,	13. 53. 14	т.	I	Bluish-white	3	Long		44
	"	13. 53. 30	T.	I		3	Long	33	46
	"	13. 53. 54	T.	I	Bluish-white	5 5 3 3 3 3 3 3	Long	33	
	"	13. 55. 24	T.	I	Bluish-white	3	Long	31	47
	"	13. 55. 51	T.	1	Bluish-white		Long Long	65	48
	"	13.57.50	T.	1	Bluish-white	4 6	Green, 3 s. 5	į.	40
	"	14. 0.11	т.	= Sirius.	Bluish-white	O Z		••	50
	"	14. 2.51	<u>T</u> .	= Jupiter.	Bluish-white	6	Long	.:	51
	"	14. 4.48	Т.	1	Bluish white	5	Fine	I 2	52
	,,	14. 5. 3	Т.	1	Bluish-white	5.5	Fine *	Nearly	53
	"	14. 15. 43	N.	> Jupiter.	Green	1.2		stationary.	54
	"	14. 23. 45	N.	I	White	I	Train	6	55
	"	14.41.30	н.	> Jupiter.	Bluish-white	2	Train, 10 s.	10	56
	"	16. 9.29	N.	l î l	Blue	1 2	Fine	25	57
	"	16. 10. 48	H.	ī	Blue	1	Train	10	58
	"	16. 11. 24	N.	ī	Blue	I	Fine	6	59
	"	16. 14. 54	H.	2	Blue	1	Faint	8	60
	"	16. 18. 55	N., H.	. 1	Blue	1 1	Fine		61

<sup>\*</sup> The meteor burst into several sparkling fragments, and left a dense vapour, which entirely obscured  $\eta$  Leonis. After the lapse of some seconds (15° or 20°) the star was seen faintly through the vapour, but this appearance was not dissipated until one minute and a half had elapsed, the vapour gradually fading away during that time. While dense, the vapour was examined through the spectroscope, but nothing could be elucidated from this examination.

lumber tor Refer- ence.	Path of Meteor through the Stars.	
ı	From the direction of ζ Geminorum, passed midway between α and ε Orionis towards S.W. horizon.	
2	From a point about 15° below Procyon, shot towards Sirius.	
3	From a point about 5° below Procyon towards Sirius.  From the direction of μ Ursæ Majoris, disappeared in the center of the four stars α, β, γ, δ Ursæ Majoris.	
5	Very bright flash in the N.N.W., behind clouds; like a flash of lightning.	
6	From λ Ursæ Majoris, passed midway between α and β Ursæ Majoris towards ε Ursæ Minoris.	
7 8	From & Geminorum to a Orionis. From Castor to Aldebaran.	
9	Passed midway between λ and μ Ursæ Majoris, directed towards β Ursæ Majoris.	
10	From direction of E. horizon, passed across n Lyncis towards zenith.	
1 I 1 2	From Leo, passed midway between ζ and η Ursæ Majoris. From the direction of a point about 3° below ζ Ursæ Majoris, passed a little above θ Draconis.	
13	From the direction of ζ Ursæ Majoris, passed a little below θ Draconis.	
14	From the direction of a point about 1° above & Ursæ Majoris, passed about 6° below \( \theta \) Draconis.	
15 16	From the direction of $\lambda$ Ursæ Majoris, passing about 2° below $\alpha$ Ursæ Majoris. From Capella, through $\beta$ Aurigæ towards horizon.	
17	From Mars, disappeared near a Orionis.	
18	From Mars to a Orionis.	
19	From Procyon to $\kappa$ Orionis. From Pollux to $\alpha$ Orionis.	
21	Disappeared about $2^{\circ}$ above $\kappa$ Orionis; path inclined upwards.	
22	Disappeared about 1° East and 4° below κ Orionis; path inclined upwards.	
23	Passed about 10° below Procyon, path horizontal; center of track opposite Procyon. From the direction of $\alpha$ Geminorum, passed between $\beta$ and $\alpha$ Aurigæ, and disappeared about 4° below $\alpha$ Perse.	
24 25	Passed directly across Mars from the direction of $\alpha$ Leonis.	
26	From the direction of $\beta$ Tauri, passing across the Pleiades.	
27 28	Appeared at $\alpha$ Orionis, disappeared at Rigel. From Rigel to horizon.	
	From Mars to Aldebaran.	
30	From Procyon to Sirius.	
31 32	From Mars to ε Orionis. Appeared at Procyon, disappeared near α Orionis.	
33	From Mars to $\pi$ Orionis.	
34	Appeared at γ Ursæ Majoris, disappeared at ε Ursæ Majoris.	
	Across Cassiopeia, from o Ursæ Majoris. From a Ursæ Majoris to a Lyræ.	
37	From $\chi$ to $\epsilon$ Ursæ Majoris.	
38	From Mars, through a Orionis to horizon.	•
- 1	Fell vertically 1° or 2° on south side of Aries towards West horizon.  From Castor to Pleiades.	•
	From Castor to Pleiades. From Mars to Aldebaran.	
42	From Sirius to the S.E. horizon.	
43	From Sirius to South horizon. From Sirius to South horizon.	
45	From Sirius to South horizon.	
46	Appeared at Pollux, passed to a point midway between Aldebaran and Pleiades.	
47	Appeared at Pollux, disappeared midway between Aldebaran and Pleiades.	
48 49	Appeared at γ Geminorum, disappeared at Sirius.  Appeared at α Ursæ Majoris, disappeared at α Lyræ.	
50	Appeared at Castor, through the Pleiades to α Cygni.	
51	Appeared at Pollux, disappeared at the Pleiades.	
	Appeared at $\beta$ Ursæ Majoris, disappeared at Polaris. Appeared at $\beta$ Geminorum, disappeared at Aldebaran.	
54	Burst close to $\eta$ Leonis.	
55	Directed from $\gamma$ Leonis, moved from a point 2° North of $\alpha$ Leonis.	
	From the direction of θ Draconis towards τ Cygni. The meteor burst.  Directed from γ Leonis, passed across γ and δ Ursæ Majoris.	
58	From the direction of $\epsilon$ Arietis towards $\gamma$ Arietis.	
5a	Directed from ψ Ursæ Majoris, passed 5° North of β Leonis.	
60	From the direction of Aldebaran, passing about 2° South of α Ceti. Center of track opposite α Ceti. From γ Leonis, passed above δ Leonis.	

Month and Day, 1866.		Greenwich Mean Solar Time.	Observer.	Apparent Size of Meteor in Star-Magnitudes.	Colour of Meteor.	Duration of Meteor in Seconds of Time.	Appearance and Duration of Train.	Length of Meteor's Path in Degrees.	Number for Re- ference
		h m s							
November	13	16. 19. 15	H.	= Jupiter.	Greenish.	2	$\operatorname{Green}$	30	I
	,,	16. 21. 30	N.	3	Blue	0.7	$egin{array}{c} \mathbf{Train} \\ \mathbf{None} \end{array}$	6	3
	,,	16. 23. 3	H.	I	Blue Bluish-white	> I	Train	10 20	4
	,,	16. 23. 58	H.	I I	Blue Blue	1	Train	10	5
	,,	16. 24. 20	N. N.	2	Blue	I	Train	15	6
	**	16. 24. 30 16. 27. 26	H.	1	Blue	I	Train	I 2	7
	"	16. 28. 25	N.	1	Blue	1	$\mathbf{Fine}$	20	8
	,,	16. 30. 55	N.	1	Blue	1	Fine	15	9
	"	16.35. 0	N.	I	$\mathbf{Blue}$	1	Train		10
	,,	16. 35. 29	H.	1	Blue	I	Train	10	11
	"	16. 37. 46	H.	I	Blue	. I	Train Train	12	12
	,,	16. 37. 52	N.	I	Blue	I	Train Train		14
	,,	16. 40. 50	N.	I	Blue Blue	I	Train	10	15
	"	16. 43. 22	Н. Н.	I I	Blue	1	Train	12	16
	"	16. 43. 22	H.	2	Blue	ı	None	8	17
	,,	16. 46. 36 16. 48. 33	H.	I	Blue	I	${f Train}$	20	18
	"	16. 50. 20	H.	ī	Bluish-white	> 1	$\mathbf{Fine}$	20	19
	"	16. 53. 34	Ñ.	I	$\mathbf{Blue}$	r	${f Train}$	15	20
	,,	16. 55. 55	N.	I	$\mathbf{Blue}$	I	$\operatorname{Train}$	9	2 I
	,, ,,	16.59. 0	N.	1	$\mathbf{Blue}$	0.8	Train	9	22
	,,	16.59. 2	N.	I	$\mathbf{B}$ lue	0.8	$\mathbf{T}$ rain	8	23
	,,	17. 0.30	N.	I	Blue	0.7	Train	10	24 25
	,,	17. 1.59	H.	I	Bluish-white	1 -	Train Train	14	26
	,,	17. 2.14	H.	I	Blue Blue	I	Train Train	12	27
	,,	17. 15. 17	н. н.	1	Blue	I	Train	12	28
	,,	17. 16. 24	H. H.	I	Blue	> 1	Fine	20	29
	,,	17. 17. 49	H.	I	$\mathbf{Blue}$	1	Train	18	30
	**	17. 21. 22 17. 25. 46	H.	ī	Blue	1	$\mathbf{Train}$	15	31
	"	17. 27. 56	H.	I	Bluish-white	I	${f Train}$	12	32
	"	17. 28. 1	H.	1	Bluish-white	> 1	$\mathbf{F}$ ine	14	33
	"	17.29. 0	J.	= Jupiter.	Bluish	3	$\operatorname{Fine}$	24	34
	,,	17. 32. 10	н.	I	Bluish-white	I	Train	11	35 36
	,,	17.36. 0	H., J., C.	<b>&gt;</b> 1	Blue	1.2	Fine Fine	16	37
	,,	17. 38. 15	J.	= Jupiter.	Bluish	2.5	Train	15	38
	,,	17. 38. 29	H.	2	Blue Blue	I	Train	20	39
	"	17. 38. 46	N. H.	2 I	Bluish-white	> I	Train	18	40
	"	17. 42. 17	H.	I	Blue	1	Train	12	41
	"	17.47.19	H.	I	White	I	Fine	15	42
November	" 28	17. 49. 44	N.	2	Bluish'-white	0.5	Train	5	43
November	30	10. 47. 57	N.	I	Bluish-white	1.4	Faint	25	44
r.o.cmpei	"	10.47.37	N.	2	Blue	0.4	None	I 2	45
December	7	10.37.30	N.	2	Bluish-white	0.8	$\mathbf{Slight}$	•••	46
December	12	7. 15. 0	N.	I	Bluish-white	I	Train		47
,	"	7. 16. 30	N.	3	White	0.2	$\mathbf{None}$	••	47 48
December	13	5. 13. 0	N.	2	White	0.4	Train	7	49
_ 000111001	,,	10. 55. 0	N.	2	Bluish-white	1	Train	15	50
	"	10.58. 0	N.	3	Bluish-white	0.4	$\mathbf{Slight}$	15	51
	,,	11. 24. 55	N.	2	Bluish-white	I	$\mathbf{Slight}$	I 2	52
	,,	11.41.45	N.	2	Bluish-white	0.8	Slight	10	53
	,,	11.46.56	N.	3	White	0.6	None Train	6	54 55
	,,	13. 15. 0 13. 25. 0	N. N.	2 2	Bluish-white Bluish-white	0.4	Train Train	18	56

umber	
for Refer-	Path of Meteor through the Stars.
ence.	
1	From a point midway between a Cassiopeiæ and $\gamma$ Andromedæ to a point 4° North of a Andromedæ.
2	From $\omega$ to $\psi$ Eridani.
3	Vertically from a point a little to the East of f Sextantis.
4 5	From the direction of $\beta$ Leonis, passed between $\delta$ and $\gamma$ Virginis.
6	From direction of Procyon, passed midway between Sirius and $\kappa$ Orionis. From the direction of $\alpha$ Orionis, passed across $m$ Monocerotis.
7	Directed from a Hydræ towards & Canis Majoris.
8	From the direction of $\delta$ Leonis to $\eta$ Boötis.
9	From the direction of $\gamma$ Leonis, fell perpendicularly from an altitude of 30°.
10	From β to α Cephei.
11	Directed from $\beta$ Leonis, passing midway between $\delta$ and $\gamma$ Virginis. Directed from $\gamma$ Leonis towards $\sigma$ Leonis.
13	From the direction of $\zeta$ Leonis, passed between $l$ and $o$ Leonis almost to $\epsilon$ Ursæ Majoris.
14	From the direction of ζ Ursæ Majoris, passed across η Draconis.
15	Directed from $\gamma$ Leonis, and passed between $\nu$ and $\xi$ Ursæ Majoris.
16	Directed from $\gamma$ Leonis, and passed between $\nu$ and $\xi$ Ursæ Majoris.
17	Vertically from a point about 3° North and below Arcturus.  From the direction of 12 Canum Venaticorum, passing between γ and δ Boötis.
19	From the direction of $i$ Ursæ Majoris towards $\gamma$ Cephei.
20	Directed from $\lambda$ Geminorum, passed midway between $\kappa$ and $\beta$ Orionis.
21	Passed midway between Sirius and y Canis Majoris towards horizon.
22	Fell from Sirius towards horizon.
	Directed from $\gamma$ Leonis, fell from a point 10° left of Sirius towards horizon.
24	Directed from $\gamma$ Leonis. Point of disappearance $\gamma$ Canis Majoris.
25 26	From the direction of 12 Canum Venaticorum, passing between $\lambda$ and $\gamma$ Boötis. From the direction of $\psi$ Ursæ Majoris, passing across $\chi$ Ursæ Majoris towards $\zeta$ Ursæ Majoris.
27	From the direction of $\alpha$ Cephei, disappearing about 4° below $\beta$ Cassiopeiæ.
	From α Ursæ Majoris towards λ Ursæ Majoris.
29	Almost vertically from the direction of a Cephei.
30	From the direction of $\eta$ Ursæ Majoris towards $\beta$ Draconis.
31 32	From the direction of $\psi$ Ursæ Majoris towards $\eta$ Ursæ Majoris. From the direction of $\xi$ Ursæ Majoris towards 12 Canum Venaticorum.
	From just below $\psi$ Ursæ Majoris, passing 1° below $\gamma$ and $\delta$ Ursæ Majoris; path parallel to the latter stars.
	From $\beta$ Ursæ Minoris, passing near $\epsilon$ Draconis towards horizon; path vertical.
35	From the direction of $\theta$ Draconis towards $\beta$ Draconis.
36	From a point about 6° below and West of Polaris, disappearing a few degrees East of β Cassiopeiæ.
37	Appeared near γ Ursæ Minoris, passing ζ Draconis vertically towards horizon.
38	From the direction of $\psi$ Ursæ Majoris, passing 1° or 2° North of 12 Canum Venaticorum towards Arcturus. From $\beta$ Leonis towards Arcturus.
-	Vertically from a point just below $\eta$ Cephei towards $\alpha$ Cygni.
40 41	From the direction of $\beta$ Ursæ Minoris, passing $\zeta$ and $\psi$ Draconis.
42	Vertically from a point midway between $\alpha$ Cephei and $\beta$ Cassiopeiæ.
43	From $\nu$ Persei to a point close to $\beta$ Persei.
44 45	From direction of the Pleiades, passed across $\eta$ Piscium and below $\gamma$ Pegasi, disappearing a short distance beyond that star. From the direction of $\alpha$ Geminorum, disappeared midway between $\alpha$ and $\gamma$ Orionis.
	From $\alpha$ Trianguli, disappeared close to $\gamma$ Pegasi.
	From the zenith, passed midway between $\beta$ and $\gamma$ Andromedæ, across $\beta$ Trianguli and disappeared in Musca.
48	Across $\alpha$ Persei, disappeared between $\beta$ and $\gamma$ Trianguli.
49	Passed across $\beta$ Trianguli towards $\beta$ Arietis.
5o	From $\gamma$ Eridani to 19 Eridani, descended with a wavering motion.
51	Passed midway between $\alpha$ Trianguli and $\alpha$ Arietis, and across $\gamma$ Pegasi.
52 53	Across $\alpha$ Persei, passed midway between $\beta$ and $\epsilon$ Persei towards the Pleiades. Directed from $\zeta$ Tauri, disappeared near $r$ Orionis.
54	Across Capella to b Camelopardali; center of path Capella.
55	From direction of $\beta$ Andromedæ, passed 7° left of $\alpha$ Andromedæ; path parallel to line joining $\alpha$ and $\beta$ Arietis.
56	Passed across y and z Orionis.

From 9, 0 to 9, 10 9, 10 0 3	ĵ	1866, Nove Hours of Ob			Number of Meteors counted in each Period.	Number of Meteors in each Hour.	Remarks.		
From 9. 0 to 9.10		h m		h m					
9 9.10	From		to		0	<u> </u>	Cloudless.		
9, 20				•		<b>i</b>			
9 9. 50 9 9. 50 9 10. 0 1  10. 0 9 10. 0 0 1  10. 0 9 10. 10 0 5  10. 10. 20 9 10. 30 3  10. 20 9 10. 30 3  10. 30 9 10. 40 2  10. 10. 40 9 10. 50 7  11. 10 9 11. 10 7  11. 10 9 11. 20 20  11. 20 9 11. 30 20  11. 30 9 11. 40 25  11. 40 9 11. 50 33  11. 50 9 11. 40 33  11. 50 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 11. 50 42  11. 10 9 12. 1 10. 50 42  11. 10 9 12. 1 10. 50 42  11. 10 9 12. 1 10. 50 42  11. 10 9 12. 1 10. 50 42  11. 10 9 12. 1 10. 50 42  11. 10 9 12. 1 10. 50 42  11. 10 9 12. 1 10 5 42  11. 10 9 12. 1 10 5 42  11. 10 9 12. 1 10 5 42  11. 10 9 12. 1 10 5 42  11. 10 9 12. 1 10 5 42  11. 10 9 12. 1 10 5 10 10 10 10 10 10 10 10 10 10 10 10 10							•		
9, 9, 50					3	> 11			
10. 0		9.40			3		"		
10.10	"	9. 50	"	10. 0	I	<u>ן</u>	,,		
10.10	••	10. 0	••	10.10	5	า	22		
10. 50					3		1		
10. 50		10. 20		10.30	3	0.5	l .		
11. 0		10.30		10.40	2		,,		
11. 0	"		"		7		"		
11. 10	"	10.50	"	11. 0	5	נן	<b>)</b>		
11. 10	97	11. 0	99	11.10	12	<b>1</b>	,,		
11. 1. 20				11.20	20				
11.40				11.30	23	168	<b>"</b>		
11.50    12.0	"		"	<u>.</u>			Cloudy in the North for five minutes		
12. 0	"				42		Cloudy in the North		
12. 1	"	11.50	"	12. 0	38	Ρ	Cloudy in the Horan.		
12. 1	,,	12. 0	"	12. I	5	<b>1</b>	"		
12. 3		12. I	"				Ol 3 in all limestions		
12. 4	"		"		4		1		
12. 5	"				2		1		
12. 10		12. 4			2		Very cloudy.		
12. 15							1 -		
12. 20							Less cloudy.		
12. 25					96	2032	Cloudless.		
12. 35					ıŠı	1	>>		
12. 45				12.35			"		
12. 45	"		"			1	"		
12.50	"		"				Cloudy		
" 12.55       " 13. 0       327       " Clouds here and there.         " 13. 1       " 13. 2       " 77       " 13. 3       " 13. 4       " 13. 3       " 13. 4       " 13. 5       " 13. 4       " 13. 5       " 13. 10       " 13. 10       " 13. 17       " 13. 17       " 13. 17       " 13. 17       " 13. 17       " 13. 17       " 13. 17       " 13. 17       " 13. 17       " 13. 22       " 13. 27       " 13. 32       " 13. 32       " 13. 32       " 13. 33       " 13. 33       " 13. 34       " 13. 35       " 13. 31       " 13. 32       " 13. 32       " 13. 33       " 13. 34       " 111       " 13. 34       " 111       " 13. 34       " 111       " 13. 34       " 13. 34       " 111       " 13. 34       " 13. 35       " 13. 34       " 111       " 13. 35       " 13. 35       " 13. 35       " 13. 34       " 111       " 13. 35       "							Generally cloudless.		
13. 0						1	",		
13. 1						5	Clouds here and there.		
13. 2       " 13. 3       96         " 13. 3       " 13. 4       100         " 13. 4       " 13. 5       132         " 13. 5       " 13. 10       591         " 13. 17       " 13. 17       605         " 13. 17       " 13. 22       539         " 13. 27       " 13. 30       313         " 13. 30       " 13. 31       " 76         " 13. 31       " 13. 32       84         " 13. 32       " 13. 33       96         " 13. 34       " 11       " "         " 13. 35       " 13. 34       " "         " 13. 40       " 399       " "         " 13. 45       " 13. 50       171         " 13. 50       " 13. 50       171         " 13. 50       " 14. 0       " 14. 35         " 14. 0       " 14. 40       83         " 14. 40       " 14. 45       83         " 14. 40       " 14. 45       83         " 14. 45       " 14. 50       61      **Bath and a company of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of the condend of th		13. 0		13. 1	37				
13. 3				13. 3	96				
3. 13. 5       3. 13. 10       591       30        30				13. 4	100		.,,		
3. 13. 5       3. 13. 10       591       30        30		13. 4		1,3. 5	132		Cloudless.		
13. 17       13. 22       539         13. 22       13. 27       611         13. 27       13. 30       313         13. 30       13. 31       76         13. 31       13. 32       84         13. 32       13. 33       96         13. 33       13. 34       111         13. 34       13. 35       101         13. 35       13. 40       399         13. 45       307       9         13. 45       13. 50       171         13. 50       13. 55       264         14. 0       14. 35       No record         14. 40       14. 40       64         14. 40       14. 45       83         14. 45       14. 50       61      **  **Betimated*		13. 5		13. 10	591		"		
13. 22       13. 27       611         13. 27       13. 30       313         13. 30       13. 31       76         13. 31       13. 32       84         13. 32       13. 33       96         13. 34       13. 35       101         13. 35       13. 40       399         13. 40       13. 45       307         13. 45       13. 50       171         13. 50       13. 55       264         14. 40       14. 40       14. 40         14. 40       14. 45       83         14. 45       14. 50       61      **Betimated*  **Betimate	,,	13. 10	"	13. 17	605		<b>}</b>		
13. 27       13. 30       313         13. 30       13. 31       76         13. 31       13. 32       84         13. 32       13. 33       96         13. 33       13. 34       111         13. 34       13. 35       101         13. 35       13. 40       399         13. 40       13. 45       307         13. 50       13. 50       171         13. 50       14. 0       148         14. 0       14. 35       No record         14. 40       14. 40       83         14. 45       14. 50       61     Estimated,  995		13. 17			539		l a		
" 13. 30       " 13. 31       76         " 13. 31       " 13. 32       84         " 13. 32       " 13. 33       96         " 13. 33       " 13. 34       111         " 13. 34       " 13. 35       101         " 13. 40       " 399         " 13. 45       " 13. 50         " 13. 50       " 13. 55         " 13. 55       " 14. 0         " 14. 35       No record         " 14. 40       " 14. 40         " 14. 45       " 14. 45         " 14. 45       " 14. 50				13.27	212				
" 13. 31       " 13. 32       84         " 13. 32       " 13. 33       " "         " 13. 33       " 13. 34       " "         " 13. 34       " 13. 35       " "         " 13. 35       " 13. 40       399         " 13. 45       " 13. 50       171         " 13. 50       " 13. 55       264         " 13. 55       " 14. 0       148         " 14. 40       " 14. 40       64         " 14. 40       " 14. 45       83         " 14. 45       " 14. 50       61     Estimated,  995					76	<b>  }</b> 4858			
""       13. 32       ""       13. 33       96         ""       13. 33       ""       13. 34       111       ""         ""       13. 34       ""       13. 35       101       ""         ""       13. 35       ""       13. 40       399       ""         ""       13. 40       ""       13. 45       307       ""         ""       13. 50       ""       171       ""       ""         ""       13. 50       ""       148       ""       ""         ""       14. 35       ""       148       ""       ""         ""       14. 40       ""       14. 45       83       ""         ""       14. 45       ""       14. 45       ""       ""         ""       14. 45       ""       14. 45       ""       ""         ""       14. 45       ""       14. 45       ""       ""       ""				13. 32	84		i		
""       13. 33       ""       13. 34       111       ""         ""       13. 34       ""       13. 35       101       ""         ""       13. 35       ""       13. 40       399       ""         ""       13. 40       ""       13. 45       307       ""         ""       13. 45       ""       171       ""         ""       13. 50       ""       148       ""         ""       14. 35       ""       14. 40       ""         ""       14. 40       ""       14. 45       83       ""         ""       14. 45       ""       14. 45       ""       ""         ""       14. 45       ""       14. 45       ""       ""		13.32		13. 33	96		·		
" 13. 34 " 13. 35 " 13. 40 " 399 " " 13. 40 " 13. 45 " 13. 50 " 13. 50 " 13. 50 " 13. 55 " 14. 0 " 14. 35 " 14. 40 " 14. 45 " 14. 45 " 14. 45 " 14. 45 " 14. 45 " 14. 50 " " " " " " " " " " " " " " " " " "		13.33		13.34	111		222		
"""       13. 40       """       13. 45       307       """		13. 34		13. 35	101		i .		
""     13. 45     ""     13. 50     171       ""     13. 50     ""     13. 55       ""     13. 55     ""     14. 0       ""     14. 35     ""     14. 40       ""     14. 40     ""     64       ""     14. 40     ""     83       ""     14. 45     ""       ""     14. 45     ""       ""					399				
"""     13. 50     """       """     13. 55     """       """     14. 0     14.8       """     14. 35     """       """     14. 40     """       """     14. 40     """       """     14. 45     """       """     14. 45     """       """ <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>· I</td>							· I		
"""     """       """     """		13.50			171	<b> </b>			
" 14. 0 " 14. 35   " 14. 40   " 14. 40   " 14. 45   " 14. 45   " 14. 45   " 14. 50    14. 50    No record   " Estimated,   " " 995   " "					148	11	1		
", 14. 35 ", 14. 40 64 Estimated, ", 14. 45 83 995 ", 14. 50 61					1	5			
, 14. 40 , 14. 45 83 Estimated, , , 14. 45 , 14. 50 61 995 , ,							i		
$\frac{14.45}{1}$ , $\frac{14.50}{1}$ 61 $\frac{995}{1}$ ,					83		1		
		14. 45		14.50	61	<b>                                     </b>	1		

During the periods marked "No record" no special watch was maintained for counting the meteors. The estimated numbers are formed by applying to these times a numerical frequency inferred from the preceding and succeeding frequencies.

1866, November 13.  Hours of Observation.				Number of Meteors counted in each Period.	Number of Meteors in each Hour.	Remarks.		
From ,, ,, ,,	h m 15. 0 15. 35 15. 40 15. 45 15. 50	to ;; ;;	h m 15. 35 15. 40 15. 45 15. 50 16. 0	No record 40 47 45 No record	Estimated,	Cloudless. "" "" "" "" "" ""		
)) ))	16. o 16. 45	"	16.45 17. 0	No record	Estimated, 165	22 22		

During the periods marked "No record" no special watch was maintained for counting the meteors. The estimated numbers are formed by applying to these times a numerical frequency inferred from the preceding and succeeding frequencies.